Wayne Goodman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10904977/publications.pdf

Version: 2024-02-01

19	1,007	15	18
papers	citations	h-index	g-index
19	19	19	1462
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Deep Brain Stimulation for Obsessive-Compulsive Disorder: A Meta-Analysis of Treatment Outcome and Predictors of Response. PLoS ONE, 2015, 10, e0133591.	2.5	293
2	A randomized proof-of-mechanism trial applying the  fast-fail' approach to evaluating κ-opioid antagonism as a treatment for anhedonia. Nature Medicine, 2020, 26, 760-768.	30.7	129
3	Lack of benefit of accumbens/capsular deep brain stimulation in a patient with both tics and obsessive–compulsive disorder. Neurocase, 2010, 16, 321-330.	0.6	68
4	Evolving Applications, Technological Challenges and Future Opportunities in Neuromodulation: Proceedings of the Fifth Annual Deep Brain Stimulation Think Tank. Frontiers in Neuroscience, 2017, 11, 734.	2.8	65
5	Increased metabolic activity in the septum and habenula during stress is linked to subsequent expression of learned helplessness behavior. Frontiers in Human Neuroscience, 2014, 8, 29.	2.0	63
6	Deep Brain Stimulation for Depression Informed by Intracranial Recordings. Biological Psychiatry, 2022, 92, 246-251.	1.3	58
7	Testing the disgust conditioning theory of food-avoidance in adolescents with recent onset anorexia nervosa. Behaviour Research and Therapy, 2015, 71, 131-138.	3.1	55
8	The first implementation of the NIMH FAST-FAIL approach to psychiatric drug development. Nature Reviews Drug Discovery, 2019, 18, 82-84.	46.4	52
9	Selective kappa-opioid antagonism ameliorates anhedonic behavior: evidence from the Fast-fail Trial in Mood and Anxiety Spectrum Disorders (FAST-MAS). Neuropsychopharmacology, 2020, 45, 1656-1663.	5.4	50
10	A Novel Framework for Network-Targeted Neuropsychiatric Deep Brain Stimulation. Neurosurgery, 2021, 89, E116-E121.	1.1	32
11	Habenular connectivity may predict treatment response in depressed psychiatric inpatients. Journal of Affective Disorders, 2019, 242, 211-219.	4.1	29
12	Altered olfactory processing and increased insula activity in patients with obsessive-compulsive disorder: An fMRI study. Psychiatry Research - Neuroimaging, 2017, 262, 15-24.	1.8	27
13	Neural correlates of emotional response inhibition in obsessive-compulsive disorder: A preliminary study. Psychiatry Research - Neuroimaging, 2015, 234, 259-264.	1.8	23
14	NIMH Initiatives to Facilitate Collaborations Among Industry, Academia, and Government for the Discovery and Clinical Testing of Novel Models and Drugs for Psychiatric Disorders. Neuropsychopharmacology, 2009, 34, 229-243.	5.4	20
15	Bridging Bench and Practice: Translational Research for Schizophrenia and Other Psychotic Disorders. Neuropsychopharmacology, 2009, 34, 204-212.	5.4	16
16	Evidence of prefrontal hyperactivation to food-cue reversal learning in adolescents with anorexia nervosa. Behaviour Research and Therapy, 2018, 111, 36-43.	3.1	13
17	Double blind randomized controlled trial of deep brain stimulation for obsessive-compulsive disorder: Clinical trial design. Contemporary Clinical Trials Communications, 2021, 22, 100785.	1.1	10
18	In Reply: A Novel Framework for Network-Targeted Neuropsychiatric Deep Brain Stimulation. Neurosurgery, 2021, 89, E283.	1.1	2

ARTICLE IF CITATIONS

19 Automated Detection of Optimal DBS Device Settings., 2020, 2020, 354-356. 2