Walid Kuri-Harcuch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1090640/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Differentiation of 3T3-F442A Cells into Adipocytes is Inhibited by Retinoic Acid. Differentiation, 1982, 23, 164-169.	1.9	118
2	Srebf1a is a key regulator of transcriptional control for adipogenesis. Scientific Reports, 2011, 1, 178.	3.3	59
3	Epithelial cell migration requires the interaction between the vimentin and keratin intermediate filaments. Scientific Reports, 2016, 6, 24389.	3.3	54
4	Extracellular matrix production by mouse 3T3-F442A cells during adipose differentiation in culture. Differentiation, 1984, 28, 173-178.	1.9	51
5	DNA synthesis and cell division related to adipose differentiation of 3T3 cells. Journal of Cellular Physiology, 1983, 114, 39-44.	4.1	48
6	Thyroid hormone stimulates adipocyte differentiation of 3T3 cells. Molecular and Cellular Biochemistry, 1987, 76, 35-43.	3.1	47
7	Commitment of adipocyte differentiation in 3T3 cells is inhibited by retinoic acid, and the expression of lipogenic enzymes is modulated through cytoskeleton stabilization. Differentiation, 1987, 36, 211-219.	1.9	41
8	A cellular perspective of adipogenesis transcriptional regulation. Journal of Cellular Physiology, 2019, 234, 1111-1129.	4.1	39
9	Glucocorticoid Paradoxically Recruits Adipose Progenitors and Impairs Lipid Homeostasis and Glucose Transport in Mature Adipocytes. Scientific Reports, 2013, 3, 2573.	3.3	30
10	Tissue alkaline phosphatase is involved in lipid metabolism and gene expression and secretion of adipokines in adipocytes. Biochimica Et Biophysica Acta - General Subjects, 2015, 1850, 2485-2496.	2.4	30
11	Commitment of 3T3-F442A cells to adipocyte differentiation takes place during the first 24–36 h after adipogenic stimulation: TNF-α inhibits commitment. Experimental Cell Research, 2003, 284, 161-170.	2.6	26
12	Cultivation, Serial Transfer, and Differentiation of Epidermal Keratinocytes in Serum-Free Medium. Biochemical and Biophysical Research Communications, 1997, 236, 167-172.	2.1	19
13	Staurosporine rapidly commits 3T3â€F442A cells to the formation of adipocytes by activation of CSKâ€3β and mobilization of calcium. Journal of Cellular Biochemistry, 2008, 105, 147-157.	2.6	19
14	Fibromodulin gene is expressed in human epidermal keratinocytes in culture and in human epidermis in vivo. Biochemical and Biophysical Research Communications, 2008, 371, 420-424.	2.1	17
15	The transient expression of <i>Klf4</i> and <i>Klf5</i> during adipogenesis depends on GSK3β activity. Adipocyte, 2015, 4, 248-255.	2.8	16
16	Adipogenic genes on induction and stabilization of commitment to adipose conversion. Biochemical and Biophysical Research Communications, 2008, 374, 720-724.	2.1	13
17	Lipogenic Enzymes Complexes and Cytoplasmic Lipid Droplet Formation During Adipogenesis. Journal of Cellular Biochemistry, 2016, 117, 2315-2326.	2.6	10
18	Decorin gene expression and its regulation in human keratinocytes. Biochemical and Biophysical Research Communications, 2011, 411, 168-174.	2.1	9

#	Article	IF	CITATIONS
19	Culture of proliferating and differentiating fat-storing cells in 3T3-conditioned medium. Biology of the Cell, 1988, 64, 29-38.	2.0	8
20	Retinoic Acid Inhibits Adipogenesis Modulating C/EBPβ Phosphorylation and Down Regulating <i>Srebf1a</i> Expression. Journal of Cellular Biochemistry, 2016, 117, 629-637.	2.6	5