

# Stewart W Mercer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10908462/publications.pdf>

Version: 2024-02-01

117  
papers

14,029  
citations

43973

48  
h-index

21474

114  
g-index

119  
all docs

119  
docs citations

119  
times ranked

17035  
citing authors

#	ARTICLE	IF	CITATIONS
1	Healthcare needs, experiences and treatment burden in primary care patients with multimorbidity: An evaluation of process of care from patients' perspectives. <i>Health Expectations</i> , 2022, 25, 203-213.	1.1	12
2	Development of the Italian version of the Consultation and Relational Empathy (CARE) measure: translation, internal reliability, and construct validity in patients undergoing rehabilitation after total hip and knee arthroplasty. <i>Disability and Rehabilitation</i> , 2022, , 1-6.	0.9	3
3	OUP accepted manuscript. <i>Family Practice</i> , 2022, , .	0.8	0
4	Variation in the estimated prevalence of multimorbidity: systematic review and meta-analysis of 193 international studies. <i>BMJ Open</i> , 2022, 12, e057017.	0.8	39
5	Survey to identify research priorities for primary care in Scotland during and following the COVID-19 pandemic. <i>BMJ Open</i> , 2022, 12, e056817.	0.8	3
6	Validity and reliability of a Korean version of the Consultation and Relational Empathy (CARE) measure. <i>BMC Medical Education</i> , 2022, 22, .	1.0	2
7	Exploring the utility of self-determination theory in complex interventions in multimorbidity: A qualitative analysis of patient experiences of the CARE Plus intervention. <i>Chronic Illness</i> , 2021, 17, 433-450.	0.6	3
8	Does Self-Determination Theory help explain the impact of social prescribing? A qualitative analysis of patients' experiences of the Glasgow "Deep-End" Community Links Worker Intervention. <i>Chronic Illness</i> , 2021, 17, 173-188.	0.6	25
9	Do GPs use motivational interviewing skills in routine consultations with patients living with mental-physical multimorbidity? An observational study of primary care in Scotland. <i>Chronic Illness</i> , 2021, 17, 29-40.	0.6	4
10	Linkage of national health and social care data: a cross-sectional study of multimorbidity and social care use in people aged over 65 years in Scotland. <i>Age and Ageing</i> , 2021, 50, 176-182.	0.7	13
11	Multimorbidity combinations, costs of hospital care and potentially preventable emergency admissions in England: A cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003514.	3.9	42
12	Beyond multimorbidity: What can we learn from complexity science?. <i>Journal of Evaluation in Clinical Practice</i> , 2021, 27, 1187-1193.	0.9	26
13	The inverse care law and the potential of primary care in deprived areas. <i>Lancet</i> , The, 2021, 397, 775-776.	6.3	24
14	Effect of physician attire on patient perceptions of empathy in Japan: a quasi-randomized controlled trial in primary care. <i>BMC Family Practice</i> , 2021, 22, 59.	2.9	6
15	Implementing social prescribing in primary care in areas of high socioeconomic deprivation: process evaluation of the "Deep End" community Links Worker Programme. <i>British Journal of General Practice</i> , 2021, 71, e912-e920.	0.7	24
16	Comorbidity in chronic kidney disease: a large cross-sectional study of prevalence in Scottish primary care. <i>British Journal of General Practice</i> , 2021, 71, e243-e249.	0.7	45
17	Physical multimorbidity, health service use, and catastrophic health expenditure by socioeconomic groups in China: an analysis of population-based panel data. <i>The Lancet Global Health</i> , 2020, 8, e840-e849.	2.9	177
18	Cohort profile: The prospective study on Chinese elderly with multimorbidity in primary care in Hong Kong. <i>BMJ Open</i> , 2020, 10, e027279.	0.8	12

#	ARTICLE	IF	CITATIONS
19	Global, regional, and national estimates of the population at increased risk of severe COVID-19 due to underlying health conditions in 2020: a modelling study. <i>The Lancet Global Health</i> , 2020, 8, e1003-e1017.	2.9	760
20	Patients with more comorbidities have better detection of chronic conditions, but poorer management and control: findings from six middle-income countries. <i>BMC Public Health</i> , 2020, 20, 9.	1.2	13
21	Multimorbidity and GP burnout. <i>British Journal of General Practice</i> , 2020, 70, 108.1-108.	0.7	0
22	Prevalence of secondary care multimorbidity in mid-life and its association with premature mortality in a large longitudinal cohort study. <i>BMJ Open</i> , 2020, 10, e033622.	0.8	9
23	Defining and measuring multimorbidity: a systematic review of systematic reviews. <i>European Journal of Public Health</i> , 2019, 29, 182-189.	0.1	448
24	Impact of educational attainment on the association between social class at birth and multimorbidity in middle age in the Aberdeen Children of the 1950s cohort study. <i>BMJ Open</i> , 2019, 9, e024048.	0.8	17
25	Effectiveness of Community-Links Practitioners in Areas of High Socioeconomic Deprivation. <i>Annals of Family Medicine</i> , 2019, 17, 518-525.	0.9	50
26	Multimorbidity in middle age predicts more subsequent hospital admissions than in older age: A nine-year retrospective cohort study of 121,188 discharged in-patients. <i>European Journal of Internal Medicine</i> , 2019, 61, 103-111.	1.0	27
27	A patient-centred intervention to improve the management of multimorbidity in general practice: the 3D RCT. <i>Health Services and Delivery Research</i> , 2019, 7, 1-238.	1.4	15
28	Measuring empathy in pediatrics: validation of the Visual CARE measure. <i>BMC Pediatrics</i> , 2018, 18, 57.	0.7	10
29	Divided we fall: the commodification of primary medical care. <i>BMJ: British Medical Journal</i> , 2018, 360, k787.	2.4	1
30	Multimorbidity and Socioeconomic Deprivation in Primary Care Consultations. <i>Annals of Family Medicine</i> , 2018, 16, 127-131.	0.9	48
31	Health benefits of primary care social work for adults with complex health and social needs: a systematic review. <i>Health and Social Care in the Community</i> , 2018, 26, 1-13.	0.7	55
32	Understanding usual care for patients with multimorbidity: baseline data from a cluster-randomised trial of the 3D intervention in primary care. <i>BMJ Open</i> , 2018, 8, e019845.	0.8	15
33	Scoping review of systematic reviews of complementary medicine for musculoskeletal and mental health conditions. <i>BMJ Open</i> , 2018, 8, e020222.	0.8	51
34	Management of multimorbidity using a patient-centred care model: a pragmatic cluster-randomised trial of the 3D approach. <i>Lancet, The</i> , 2018, 392, 41-50.	6.3	254
35	How many patients are required to provide a high level of reliability in the Japanese version of the CARE Measure? A secondary analysis. <i>BMC Family Practice</i> , 2018, 19, 138.	2.9	4
36	Comorbidity and polypharmacy in people with dementia: insights from a large, population-based cross-sectional analysis of primary care data. <i>Age and Ageing</i> , 2017, 46, 33-39.	0.7	104

#	ARTICLE	IF	CITATIONS
37	Comorbidity and polypharmacy in chronic heart failure: a large cross-sectional study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e314-e320.	0.7	29
38	Chronic obstructive pulmonary disease and comorbidities: a large cross-sectional study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e321-e328.	0.7	35
39	Physical and mental health comorbidities of epilepsy: Population-based cross-sectional analysis of 1.5 million people in Scotland. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017, 45, 125-131.	0.9	51
40	Smoking cessation interventions for patients with coronary heart disease and comorbidities: an observational cross-sectional study in primary care. <i>British Journal of General Practice</i> , 2017, 67, e118-e129.	0.7	9
41	Reliability and validity of the Dutch version of the Consultation and Relational Empathy Measure in primary care. <i>Family Practice</i> , 2017, 34, 119-124.	0.8	19
42	Co-morbidity and polypharmacy in Parkinson's disease: insights from a large Scottish primary care database. <i>BMC Neurology</i> , 2017, 17, 126.	0.8	80
43	Incentivised chronic disease management and the inverse equity hypothesis: findings from a longitudinal analysis of Scottish primary care practice-level data. <i>BMC Medicine</i> , 2017, 15, 77.	2.3	7
44	The Foundations Framework for Developing and Reporting New Models of Care for Multimorbidity. <i>Annals of Family Medicine</i> , 2017, 15, 570-577.	0.9	33
45	Chronic Migraine, Comorbidity, and Socioeconomic Deprivation: Cross-Sectional Analysis of a Large Nationally Representative Primary Care Database. <i>Journal of Comorbidity</i> , 2017, 7, 89-95.	3.9	26
46	Assessing the Consultation and Relational Empathy (CARE) Measure in sexual health nurses' consultations. <i>BMC Nursing</i> , 2017, 16, 71.	0.9	10
47	The contribution of risk factors to socioeconomic inequalities in multimorbidity across the lifecycle: a longitudinal analysis of the Twenty-07 cohort. <i>BMC Medicine</i> , 2017, 15, 152.	2.3	112
48	The Glasgow "Deep End" Links Worker Study Protocol: A Quasi-Experimental Evaluation of a Social Prescribing Intervention for Patients with Complex Needs in Areas of High Socioeconomic Deprivation. <i>Journal of Comorbidity</i> , 2017, 7, 1-10.	3.9	34
49	The impact of socioeconomic status and multimorbidity on mortality: a population-based cohort study. <i>Clinical Epidemiology</i> , 2017, Volume 9, 279-289.	1.5	49
50	How Does Sex Influence Multimorbidity? Secondary Analysis of a Large Nationally Representative Dataset. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 391.	1.2	43
51	Accounting for multimorbidity in pay for performance: a modelling study using UK Quality and Outcomes Framework data. <i>British Journal of General Practice</i> , 2016, 66, e561-e567.	0.7	4
52	The association between types of regular primary care and hospitalization among people with and without multimorbidity: A household survey on 25,780 Chinese. <i>Scientific Reports</i> , 2016, 6, 29758.	1.6	17
53	The CARE Plus study "a whole-system intervention to improve quality of life of primary care patients with multimorbidity in areas of high socioeconomic deprivation: exploratory cluster randomised controlled trial and cost-utility analysis. <i>BMC Medicine</i> , 2016, 14, 88.	2.3	92
54	The Association Between Perceived Stress and Mortality Among People With Multimorbidity: A Prospective Population-Based Cohort Study. <i>American Journal of Epidemiology</i> , 2016, 184, 199-210.	1.6	119

#	ARTICLE	IF	CITATIONS
55	General Practitionersâ€™ Empathy and Health Outcomes: A Prospective Observational Study of Consultations in Areas of High and Low Deprivation. <i>Annals of Family Medicine</i> , 2016, 14, 117-124.	0.9	107
56	A preliminary evaluation of the Visual CARE Measure for use by Allied Health Professionals with children and their parents. <i>Journal of Child Health Care</i> , 2016, 20, 55-67.	0.7	8
57	The development of urban community health centres for strengthening primary care in China: a systematic literature review. <i>British Medical Bulletin</i> , 2015, 116, ldv043.	2.7	56
58	General practice funding underpins the persistence of the inverse care law: cross-sectional study in Scotland. <i>British Journal of General Practice</i> , 2015, 65, e799-e805.	0.7	75
59	Measuring empathic, person-centred communication in primary care nurses: validity and reliability of the Consultation and Relational Empathy (CARE) Measure. <i>BMC Family Practice</i> , 2015, 16, 149.	2.9	59
60	Challenges of managing people with multimorbidity in todayâ€™s healthcare systems. <i>BMC Family Practice</i> , 2015, 16, 129.	2.9	176
61	Improving medication management in multimorbidity: development of the Multimorbidity Collaborative Medication Review And DEcision Making (MY COMRADE) intervention using the Behaviour Change Wheel. <i>Implementation Science</i> , 2015, 10, 132.	2.5	86
62	Relationships of Multimorbidity and Income With Hospital Admissions in 3 Health Care Systems. <i>Annals of Family Medicine</i> , 2015, 13, 164-167.	0.9	56
63	General practitionersâ€™ patient-centredness and responses to patientsâ€™ emotional cues and concerns: relationships with perceived empathy in areas of high and low socioeconomic deprivation. <i>Journal of Compassionate Health Care</i> , 2015, 2, .	1.2	5
64	Drug-disease and drug-drug interactions: systematic examination of recommendations in 12 UK national clinical guidelines. <i>BMJ, The</i> , 2015, 350, h949-h949.	3.0	247
65	Risk of intracranial haemorrhage linked to co-treatment with antidepressants and NSAIDs. <i>BMJ, The</i> , 2015, 351, h3745.	3.0	8
66	The Association of Types of Training and Practice Settings with Doctorsâ€™ Empathy and Patient Enablement among Patients with Chronic Illness in Hong Kong. <i>PLoS ONE</i> , 2015, 10, e0144492.	1.1	13
67	The â€œEveryday Workâ€ of Living with Multimorbidity in Socioeconomically Deprived Areas of Scotland. <i>Journal of Comorbidity</i> , 2014, 4, 1-10.	3.9	41
68	Impact of socioeconomic deprivation on rate and cause of death in severe mental illness. <i>BMC Psychiatry</i> , 2014, 14, 261.	1.1	45
69	Epidemiology of multimorbidity in China and implications for the healthcare system: cross-sectional survey among 162,464 community household residents in southern China. <i>BMC Medicine</i> , 2014, 12, 188.	2.3	203
70	Physical health indicators in major mental illness: analysis of QOF data across UK general practice. <i>British Journal of General Practice</i> , 2014, 64, e649-e656.	0.7	15
71	Visual impairment is associated with physical and mental comorbidities in older adults: a cross-sectional study. <i>BMC Medicine</i> , 2014, 12, 181.	2.3	153
72	Enhancing empathy in healthcare: mixed-method evaluation of a pilot project implementing the CARE Approach in primary and community care settings in Scotland. <i>Journal of Compassionate Health Care</i> , 2014, 1, .	1.2	12

#	ARTICLE	IF	CITATIONS
73	Stroke, multimorbidity and polypharmacy in a nationally representative sample of 1,424,378 patients in Scotland: implications for treatment burden. <i>BMC Medicine</i> , 2014, 12, 151.	2.3	124
74	Standard cardiovascular disease risk algorithms underestimate the risk of cardiovascular disease in schizophrenia: Evidence from a national primary care database. <i>Schizophrenia Research</i> , 2014, 159, 176-181.	1.1	22
75	Physical and mental health comorbidity is common in people with multiple sclerosis: nationally representative cross-sectional population database analysis. <i>BMC Neurology</i> , 2014, 14, 128.	0.8	36
76	Is polypharmacy always hazardous? A retrospective cohort analysis using linked electronic health records from primary and secondary care. <i>British Journal of Clinical Pharmacology</i> , 2014, 77, 1073-1082.	1.1	159
77	The influence of socioeconomic deprivation on multimorbidity at different ages: a cross-sectional study. <i>British Journal of General Practice</i> , 2014, 64, e440-e447.	0.7	154
78	Comorbidity in asthma is important and requires a generalist approach. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2014, 23, 4-5.	2.5	5
79	Double trouble: the impact of multimorbidity and deprivation on preference-weighted health related quality of life a cross sectional analysis of the Scottish Health Survey. <i>International Journal for Equity in Health</i> , 2013, 12, 67.	1.5	72
80	Multimorbidity in bipolar disorder and undertreatment of cardiovascular disease: a cross sectional study. <i>BMC Medicine</i> , 2013, 11, 263.	2.3	104
81	Multimorbidity and mental health: can psychiatry rise to the challenge?. <i>British Journal of Psychiatry</i> , 2013, 202, 391-393.	1.7	51
82	The effect of physical multimorbidity, mental health conditions and socioeconomic deprivation on unplanned admissions to hospital: a retrospective cohort study. <i>Cmaj</i> , 2013, 185, E221-E228.	0.9	212
83	Schizophrenia is associated with excess multiple physical-health comorbidities but low levels of recorded cardiovascular disease in primary care: cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002808.	0.8	184
84	A pilot study to explore the feasibility, validity and reliability of a visual version of the CARE Measure. <i>International Journal of Therapy and Rehabilitation</i> , 2013, 20, 460-465.	0.1	1
85	How to Design and Evaluate Interventions to Improve Outcomes for Patients with Multimorbidity. <i>Journal of Comorbidity</i> , 2013, 3, 10-17.	3.9	46
86	The Role of Empathy in Therapy and the Physician-Patient Relationship. <i>Research in Complementary Medicine</i> , 2012, 19, 252-257.	2.2	70
87	Insightful practice: a reliable measure for medical revalidation. <i>BMJ Quality and Safety</i> , 2012, 21, 649-656.	1.8	13
88	Multimorbidity in primary care: a systematic review of prospective cohort studies. <i>British Journal of General Practice</i> , 2012, 62, e297-e307.	0.7	156
89	Epidemiology of multimorbidity and implications for health care, research, and medical education: a cross-sectional study. <i>Lancet</i> , The, 2012, 380, 37-43.	6.3	4,855
90	Adapting clinical guidelines to take account of multimorbidity. <i>BMJ</i> , The, 2012, 345, e6341-e6341.	3.0	400

#	ARTICLE	IF	CITATIONS
91	Patient centredness and the outcome of primary care consultations with patients with depression in areas of high and low socioeconomic deprivation. <i>British Journal of General Practice</i> , 2012, 62, e576-e581.	0.7	40
92	Patient enablement requires physician empathy: a cross-sectional study of general practice consultations in areas of high and low socioeconomic deprivation in Scotland. <i>BMC Family Practice</i> , 2012, 13, 6.	2.9	115
93	Research on Patients with Multiple Health Conditions: Different Constructs, Different Views, One Voice. <i>Journal of Comorbidity</i> , 2011, 1, 1-3.	3.9	29
94	Improving the Health of People with Multimorbidity: The Need for Prospective Cohort Studies. <i>Journal of Comorbidity</i> , 2011, 1, 4-7.	3.9	20
95	The Chinese-version of the CARE Measure reliably differentiates between doctors in primary care: a cross-sectional study in Hong Kong. <i>BMC Family Practice</i> , 2011, 12, 43.	2.9	29
96	An evaluation of the impact of a large group psycho-education programme (Stress Control) on patient outcome: does empathy make a difference?. <i>The Cognitive Behaviour Therapist</i> , 2010, 3, 1-17.	0.4	6
97	Multimorbidity in primary care: developing the research agenda. <i>Family Practice</i> , 2009, 26, 79-80.	0.8	179
98	Reliability and validity of the Chinese version of the CARE Measure in a primary care setting in Hong Kong. <i>Family Practice</i> , 2009, 26, 398-406.	0.8	53
99	The reliability of workplace-based assessment in postgraduate medical education and training: a national evaluation in general practice in the United Kingdom. <i>Advances in Health Sciences Education</i> , 2009, 14, 219-232.	1.7	66
100	A qualitative study of patients' views on quality of primary care consultations in Hong Kong and comparison with the UK CARE Measure. <i>BMC Family Practice</i> , 2009, 10, 10.	2.9	21
101	General practitioner empathy, patient enablement, and patient-reported outcomes in primary care in an area of high socio-economic deprivation in Scotland—A pilot prospective study using structural equation modeling. <i>Patient Education and Counseling</i> , 2008, 73, 240-245.	1.0	140
102	The Inverse Care Law: Clinical Primary Care Encounters in Deprived and Affluent Areas of Scotland. <i>Annals of Family Medicine</i> , 2007, 5, 503-510.	0.9	298
103	Determinants and patient-reported long-term outcomes of physician empathy in oncology: A structural equation modelling approach. <i>Patient Education and Counseling</i> , 2007, 69, 63-75.	1.0	217
104	Quality in general practice consultations; a qualitative study of the views of patients living in an area of high socio-economic deprivation in Scotland. <i>BMC Family Practice</i> , 2007, 8, 22.	2.9	73
105	More time for complex consultations in a high-deprivation practice is associated with increased patient enablement. <i>British Journal of General Practice</i> , 2007, 57, 960-966.	0.7	87
106	Practitioner empathy, patient enablement and health outcomes: A prospective study of acupuncture patients. <i>Patient Education and Counseling</i> , 2006, 63, 239-245.	1.0	116
107	CQI-2—a new measure of holistic interpersonal care in primary care consultations. <i>British Journal of General Practice</i> , 2006, 56, 262-8.	0.7	63
108	Practitioner empathy, patient enablement and health outcomes of patients attending the Glasgow Homoeopathic Hospital: a retrospective and prospective comparison. <i>Wiener Medizinische Wochenschrift</i> , 2005, 155, 498-501.	0.5	27



#	ARTICLE	IF	CITATIONS
109	A Pilot Prospective Study on the Consultation and Relational Empathy, Patient Enablement, and Health Changes over 12 Months in Patients Going to the Glasgow Homoeopathic Hospital. <i>Journal of Alternative and Complementary Medicine</i> , 2005, 11, 591-600.	2.1	107
110	Relevance and practical use of the Consultation and Relational Empathy (CARE) Measure in general practice. <i>Family Practice</i> , 2005, 22, 328-334.	0.8	216
111	The consultation and relational empathy (CARE) measure: development and preliminary validation and reliability of an empathy-based consultation process measure. <i>Family Practice</i> , 2004, 21, 699-705.	0.8	601
112	Empathy, Enablement, and Outcome: An Exploratory Study on Acupuncture Patients' Perceptions. <i>Journal of Alternative and Complementary Medicine</i> , 2003, 9, 869-876.	2.1	75
113	The importance of empathy in the enablement of patients attending the Glasgow Homoeopathic Hospital. <i>British Journal of General Practice</i> , 2002, 52, 901-5.	0.7	68
114	Empathy is important for enablement. <i>BMJ: British Medical Journal</i> , 2001, 322, 865-865.	2.4	39
115	Effect of High Fat Diets on Energy Balance and Thermogenesis in Brown Adipose Tissue of Lean and Genetically Obese ob/ob Mice. <i>Journal of Nutrition</i> , 1987, 117, 2147-2153.	1.3	125
116	The development of insulin resistance in brown adipose tissue may impair the acute cold-induced activation of thermogenesis in genetically obese (ob/ob) mice. <i>Bioscience Reports</i> , 1984, 4, 933-940.	1.1	42
117	Mental Health and Long-Term Physical Conditions. , 0, , 175-184.		1