

# Paul K Chu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10909229/publications.pdf>

Version: 2024-02-01

1,462  
papers

72,253  
citations

764

119  
h-index

2439

197  
g-index

1470  
all docs

1470  
docs citations

1470  
times ranked

60323  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | A new technique to optimize the properties of photonic crystal fibers supporting transmission of multiple orbital angular momentum modes. <i>Journal of Optics (India)</i> , 2023, 52, 307-316.  | 0.8 | 7         |
| 2  | Selective inhibition effects on cancer cells and bacteria of NiO nanoporous layers grown on biomedical NiTi alloy by anodization. <i>Rare Metals</i> , 2022, 41, 78-85.  | 3.6 | 21        |
| 3  | Hard and tough CrN coatings strengthened by high-density distorted coherent grain boundaries. <i>Journal of Alloys and Compounds</i> , 2022, 894, 162139.  | 2.8 | 8         |
| 4  | In situ preparation of Mn-doped perovskite nanocrystalline films and application to white light emitting devices. <i>Journal of Colloid and Interface Science</i> , 2022, 606, 1163-1169.  | 5.0 | 16        |
| 5  | A multifunctional antibacterial coating on bone implants for osteosarcoma therapy and enhanced osteointegration. <i>Chemical Engineering Journal</i> , 2022, 428, 131155.  | 6.6 | 23        |
| 6  | Highly active cobalt-doped nickel sulfide porous nanocones for high-performance quasi-solid-state zinc-ion batteries. <i>Journal of Energy Chemistry</i> , 2022, 66, 237-249.  | 7.1 | 15        |
| 7  | Magnesium cationic cue enriched interfacial tissue microenvironment nurtures the osseointegration of gamma-irradiated allograft bone. <i>Bioactive Materials</i> , 2022, 10, 32-47.  | 8.6 | 10        |
| 8  | Highly Sensitive Dual-core Photonic Crystal Fiber Based on a Surface Plasmon Resonance Sensor with Gold Film. <i>Plasmonics</i> , 2022, 17, 543-550.   | 1.8 | 8         |
| 9  | Photonic fibre crystal sensor with a D-shape based on surface plasma resonance containing microfluidic channels for detection of a wide range of refractive indexes. <i>Journal of Modern Optics</i> , 2022, 69, 1-11.                   | 0.6 | 2         |
| 10 | Recent advances in structural engineering of 2D hexagonal boron nitride electrocatalysts. <i>Nano Energy</i> , 2022, 91, 106661.   | 8.2 | 49        |
| 11 | Short-brush NiFeOxHy films and the Pt derivative as high-performance electrode materials for efficient electrocatalytic water splitting. <i>Applied Surface Science</i> , 2022, 574, 151636.   | 3.1 | 7         |
| 12 | Hydrogen permeation behavior and mechanism of multi-layered graphene coatings and mitigation of hydrogen embrittlement of pipe steel. <i>Applied Surface Science</i> , 2022, 573, 151529.  | 3.1 | 27        |
| 13 | Porous Mo <sub>2</sub> C-Mo <sub>3</sub> N <sub>2</sub> heterostructure/rGO with synergistic functions as polysulfides regulator for high-performance lithium sulfur batteries. <i>Chemical Engineering Journal</i> , 2022, 433, 133629. | 6.6 | 10        |
| 14 | Recent progress and perspective of cobalt-based catalysts for water splitting: design and nanoarchitectonics. <i>Materials Today Energy</i> , 2022, 23, 100911.  | 2.5 | 28        |
| 15 | Stable static zinc-iodine redox battery constructed with graphene quantum dots coated graphite felt. <i>Journal of Power Sources</i> , 2022, 520, 230861.  | 4.0 | 6         |
| 16 | A novel photonic quasi-crystal fiber for transmission of orbital angular momentum modes. <i>Optik</i> , 2022, 251, 168446.   | 1.4 | 5         |
| 17 | A square-lattice D-shaped photonic crystal fiber sensor based on SPR to detect analytes with large refractive indexes. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2022, 138, 115106.                                 | 1.3 | 35        |
| 18 | Size-dependent flame retardancy of black phosphorus nanosheets. <i>Nanoscale</i> , 2022, 14, 2599-2604.  | 2.8 | 16        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Commercialization of Electric Vehicles in Hong Kong. <i>Energies</i> , 2022, 15, 942.  | 1.6 | 11        |
| 20 | Improved corrosion and wear resistance of micro-arc oxidation coatings on the 2024 aluminum alloy by incorporation of quasi-two-dimensional sericite microplates. <i>Applied Surface Science</i> , 2022, 585, 152693.                                | 3.1 | 29        |
| 21 | A programmed surface on polyetheretherketone for sequentially dictating osteoimmunomodulation and bone regeneration to achieve ameliorative osseointegration under osteoporotic conditions. <i>Bioactive Materials</i> , 2022, 14, 364-376.          | 8.6 | 39        |
| 22 | A zinc-doped coating prepared on the magnesium alloy by plasma electrolytic oxidation for corrosion protection. <i>Surface and Coatings Technology</i> , 2022, 433, 128148.  | 2.2 | 19        |
| 23 | Fan-shape Mn-doped CoO/C microspheres for high lithium-ion storage capacity. <i>Journal of Alloys and Compounds</i> , 2022, 903, 163980.   | 2.8 | 8         |
| 24 | Enhanced ion conductivity and electrode-electrolyte interphase stability of porous Si anodes enabled by silicon nitride nanocoating for high-performance Li-ion batteries. <i>Journal of Energy Chemistry</i> , 2022, 69, 616-625.                   | 7.1 | 35        |
| 25 | Origin of superior pseudocapacitive mechanism of transition metal nitrides. <i>Journal of Energy Chemistry</i> , 2022, 69, 561-568.  | 7.1 | 11        |
| 26 | Fabrication and cutting performance of CrAlN/CrAl multilayer coatings deposited by continuous high-power magnetron sputtering. <i>Ceramics International</i> , 2022, 48, 14528-14536.  | 2.3 | 3         |
| 27 | Balancing the biocompatibility and bacterial resistance of polypyrrole by optimized silver incorporation. <i>Materials Science and Engineering C</i> , 2022, 134, 112701.  | 3.8 | 9         |
| 28 | Finite phosphorene derived partial reduction of metal organic framework nanofoams for enhanced lithium storage capability. <i>Journal of Power Sources</i> , 2022, 525, 231025.  | 4.0 | 1         |
| 29 | Plasma Engineering of Basal Sulfur Sites on $\text{MoS}_2$ @ $\text{Ni}_3\text{S}_2$ Nanorods for the Alkaline Hydrogen Evolution Reaction. <i>Advanced Science</i> , 2022, 9, e2104774.   | 5.6 | 26        |
| 30 | Plasma modified and tailored defective electrocatalysts for water electrolysis and hydrogen fuel cells. <i>EcoMat</i> , 2022, 4, .   | 6.8 | 22        |
| 31 | Versatile Phenol-incorporated Nanoframes for In Situ Antibacterial Activity Based on Oxidative and Physical Damages. <i>Advanced Functional Materials</i> , 2022, 32, .  | 7.8 | 17        |
| 32 | Surface and interface control of black phosphorus. <i>CheM</i> , 2022, 8, 632-662.   | 5.8 | 28        |
| 33 | Dynamic active sites on plasma engraved Ni hydroxide for enhanced electro-catalytic urea oxidation. <i>Journal of Energy Chemistry</i> , 2022, 71, 150-158.  | 7.1 | 23        |
| 34 | Diamond-like carbon coating and surface grafting of osteoprotegerin and alendronate on polyetheretherketone to ameliorate the mechanical performance and osseointegration simultaneously. <i>Composites Part B: Engineering</i> , 2022, 236, 109815. | 5.9 | 14        |
| 35 | Fabrication and hydrogen permeation resistance of dense CrN coatings. <i>Surface and Coatings Technology</i> , 2022, 437, 128326.  | 2.2 | 10        |
| 36 | Sodium alginate coating on biodegradable high-purity magnesium with a hydroxide/silane transition layer for corrosion retardation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 642, 128647.                      | 2.3 | 10        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Effects of acid treatment and plasma micromachining on the surface properties of carbon fibers. Applied Surface Science, 2022, 592, 153261.  | 3.1 | 9         |
| 38 | Se-NiSe <sub>2</sub> hybrid nanosheet arrays with self-regulated elemental Se for efficient alkaline water splitting. Journal of Materials Science and Technology, 2022, 118, 136-143.   | 5.6 | 46        |
| 39 | Hofmeister Effect and Electrostatic Interaction Enhanced Ionic Conductive Organohydrogels for Electronic Applications. Advanced Functional Materials, 2022, 32, .  | 7.8 | 41        |
| 40 | Degradation of gemfibrozil in aqueous solutions by gas-liquid dielectric barrier discharge plasma combined with CNTs/Fe <sub>2</sub> O <sub>3</sub> . Plasma Processes and Polymers, 2022, 19, .                                     | 1.6 | 3         |
| 41 | A highly sensitive D-type photonic crystal fiber infrared sensor with indium tin oxide based on surface plasmon resonance. Modern Physics Letters B, 2022, 36, .   | 1.0 | 14        |
| 42 | Near-infrared photonic artificial synapses based on organic heterojunction phototransistors. Applied Physics Letters, 2022, 120, .   | 1.5 | 8         |
| 43 | A silicate-loaded MgAl LDH self-healing coating on biomedical Mg alloys for corrosion retardation and cytocompatibility enhancement. Surface and Coatings Technology, 2022, 439, 128442.   | 2.2 | 16        |
| 44 | Detection of kerosene adulteration in automobile fuel by a low-loss surface plasmon resonance (SPR) chemical sensor. Analytical Methods, 2022, 14, 2153-2160.  | 1.3 | 3         |
| 45 | In-Plane Mott-Schottky Effects Enabling Efficient Hydrogen Evolution from Mo <sub>5</sub> N <sub>6</sub> MoS <sub>2</sub> Heterojunction Nanosheets in Universal pH Electrolytes. Small, 2022, 18, e2201137.                         | 5.2 | 37        |
| 46 | Exosomes derived from magnesium ion-stimulated macrophages inhibit angiogenesis. Biomedical Materials (Bristol), 2022, 17, 045008.   | 1.7 | 2         |
| 47 | In-Situ and controllable construction of Mo <sub>2</sub> N embedded Mo <sub>2</sub> C nanobelts as robust electrocatalyst for superior pH-universal hydrogen evolution reaction. Journal of Alloys and Compounds, 2022, 918, 165611. | 2.8 | 11        |
| 48 | Subnanometer MoP clusters confined in mesoporous carbon (CMK-3) as superior electrocatalytic sulfur hosts for high-performance lithium-sulfur batteries. Chemical Engineering Journal, 2022, 446, 137050.                            | 6.6 | 9         |
| 49 | High-precision modeling of dynamic etching in high-power magnetron sputtering. Journal Physics D: Applied Physics, 2022, 55, 325203.   | 1.3 | 1         |
| 50 | Numerical Analysis of Multifunctional Biosensor with Dual-Channel Photonic Crystal Fibers Based on Localized Surface Plasmon Resonance. Coatings, 2022, 12, 742.   | 1.2 | 3         |
| 51 | Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Modified with ZnTCPP with Bacteria Capturing Capability and Enhanced Visible Light Photocatalytic Antibacterial Activity. Small, 2022, 18, .                                     | 5.2 | 49        |
| 52 | Interface Polarization Strengthened Microwave Catalysis of MoS <sub>2</sub> /FeS/Rhein for the Therapy of Bacteria-Infected Osteomyelitis. Advanced Functional Materials, 2022, 32, .  | 7.8 | 26        |
| 53 | In situ synthesis of 3D metal oxides/Ni <sub>3</sub> C on the macroporous electrically conductive network for enhanced electron field emission. Materials Letters, 2022, 323, 132524.  | 1.3 | 1         |
| 54 | Plasmon-enhanced hydrogen evolution on Pt-anchored titanium nitride nanowire arrays. Applied Surface Science, 2022, 598, 153745.   | 3.1 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | General synthesis of nanostructured Mo <sub>2</sub> C electrocatalysts using a carbon template for electrocatalytic applications. <i>Carbon</i> , 2022, 197, 238-245.   | 5.4 | 14        |
| 56 | Construction of $\text{MnO}_2$ on Carbon Fibers Modified with Carbon Nanotubes for Ultrafast Flexible Supercapacitors in Ionic Liquid Electrolytes with Wide Voltage Windows. <i>Nanomaterials</i> , 2022, 12, 2020.  | 1.9 | 9         |
| 57 | Highly Durable and Efficient Ni-FeO <sub>x</sub> /FeNi <sub>3</sub> Electro-catalysts Synthesized by a Facile <i>In Situ</i> Combustion-Based Method for Overall Water Splitting with Large Current Densities. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 27842-27853. | 4.0 | 34        |
| 58 | HE <sub>1,1</sub> mode-excited surface plasmon resonance for refractive index sensing by photonic crystal fibers with high sensitivity and long detection distance. <i>Optik</i> , 2022, 265, 169471.   | 1.4 | 10        |
| 59 | A photonic quasi-crystal fibre supporting stable transmission of 150 OAM modes with high mode quality and flat dispersion. <i>Journal of Modern Optics</i> , 2022, 69, 887-896.   | 0.6 | 3         |
| 60 | A static three-chamber zinc-polyiodide redox battery for decoupling of active anions and cations. <i>Journal of Energy Storage</i> , 2022, 54, 105258.  | 3.9 | 1         |
| 61 | Utilization of coal fly ash in China: a mini-review on challenges and future directions. <i>Environmental Science and Pollution Research</i> , 2021, 28, 18727-18740.   | 2.7 | 76        |
| 62 | Electrochemical stability, corrosion behavior, and biological properties of NiTiO nanoporous layers anodically on NiTi alloy. <i>Corrosion Science</i> , 2021, 179, 109104.   | 3.0 | 21        |
| 63 | Investigation of the microstructure on the nanoporous carbon based capacitive performance. <i>Microporous and Mesoporous Materials</i> , 2021, 310, 110629.   | 2.2 | 6         |
| 64 | Synergistic antibacterial activity of physical-chemical multi-mechanism by TiO <sub>2</sub> nanorod arrays for safe biofilm eradication on implant. <i>Bioactive Materials</i> , 2021, 6, 12-25.  | 8.6 | 111       |
| 65 | Enhanced corrosion resistance, antibacterial properties, and biocompatibility by hierarchical hydroxyapatite/ciprofloxacin-calcium phosphate coating on nitrided NiTi alloy. <i>Materials Science and Engineering C</i> , 2021, 118, 111524.  | 3.8 | 25        |
| 66 | Stepwise 3D-spatio-temporal magnesium cationic niche: Nanocomposite scaffold mediated microenvironment for modulating intramembranous ossification. <i>Bioactive Materials</i> , 2021, 6, 503-519.  | 8.6 | 27        |
| 67 | Silicon monophosphides with controlled size and crystallinity for enhanced lithium anodic performance. <i>Nanoscale</i> , 2021, 13, 51-58.  | 2.8 | 9         |
| 68 | Complete ablation of resistant tumors with photosensitive black phosphorus quantum dots-based lipid nanocapsules. <i>Chemical Engineering Journal</i> , 2021, 421, 127879.  | 6.6 | 5         |
| 69 | Large-scale and low-cost synthesis of in situ generated SiC/C nano-composites from rice husks for advanced electromagnetic wave absorption applications. <i>Surface and Coatings Technology</i> , 2021, 406, 126641.  | 2.2 | 23        |
| 70 | Effects of the target-to-substrate distance on the microstructure and properties of TiN coatings fabricated by pulse-enhanced vacuum arc evaporation. <i>Journal of Adhesion Science and Technology</i> , 2021, 35, 1125-1137.  | 1.4 | 4         |
| 71 | Uniform cobalt nanoparticles-decorated biscuit-like VN nanosheets by in situ segregation for Li-ion batteries and oxygen evolution reaction. <i>Applied Surface Science</i> , 2021, 536, 147982.  | 3.1 | 23        |
| 72 | Ultra-short and dual-core photonic crystal fiber polarization splitter composed of metal and gallium arsenide. <i>Optik</i> , 2021, 226, 165779.  | 1.4 | 25        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | A Biomimetic Nano-Engineered Platform for Functional Tissue Engineering of Cartilage Superficial Zone. <i>Advanced Healthcare Materials</i> , 2021, 10, e2001018.  | 3.9 | 14        |
| 74 | Graphene-encapsulated blackberry-like porous silicon nanospheres prepared by modest magnesianthermic reduction for high-performance lithium-ion battery anode. <i>Rare Metals</i> , 2021, 40, 383-392.   | 3.6 | 65        |
| 75 | Black phosphorus: Versatile two-dimensional materials in cancer therapies. <i>View</i> , 2021, 2, 20200043.  | 2.7 | 16        |
| 76 | Artificial synapses with a sponge-like double-layer porous oxide memristor. <i>NPG Asia Materials</i> , 2021, 13, .  | 3.8 | 31        |
| 77 | Overview of refractive index sensors comprising photonic crystal fibers based on the surface plasmon resonance effect [Invited]. <i>Chinese Optics Letters</i> , 2021, 19, 102202.   | 1.3 | 65        |
| 78 | Field emission from geometrically modulated tungsten-nickel sulfide / graphitic carbon nanobelts on Si microchannel plates. <i>Ceramics International</i> , 2021, 47, 4034-4042.   | 2.3 | 5         |
| 79 | High-performance multi-dimensional nitrogen-doped N+MnO <sub>2</sub> @TiC/C electrodes for supercapacitors. <i>Electrochimica Acta</i> , 2021, 370, 137716.  | 2.6 | 24        |
| 80 | 3D urchin-like NiCo <sub>2</sub> O <sub>4</sub> coated with carbon nanospheres prepared on flexible graphite felt for efficient bifunctional electrocatalytic water splitting. <i>Journal of Materials Science</i> , 2021, 56, 9961-9973.  | 1.7 | 12        |
| 81 | Near-infrared light II - assisted rapid biofilm elimination platform for bone implants at mild temperature. <i>Biomaterials</i> , 2021, 269, 120634.   | 5.7 | 90        |
| 82 | Surface plasmon resonance sensor based on U-shaped photonic quasi-crystal fiber. <i>Applied Optics</i> , 2021, 60, 1761.   | 0.9 | 27        |
| 83 | A cationic alternating copolymer composed of ornithine and glycine with an ordered sequence for enhanced bacterial activity. <i>Polymer Engineering and Science</i> , 2021, 61, 1405-1414.   | 1.5 | 4         |
| 84 | Wear and corrosion resistant coatings prepared on LY12 aluminum alloy by plasma electrolytic oxidation. <i>Surface and Coatings Technology</i> , 2021, 409, 126885.  | 2.2 | 23        |
| 85 | Carbon-encapsulated nanosphere-assembled MoS <sub>2</sub> nanosheets with large interlayer distance for flexible lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2021, 25, 1657-1665.  | 1.2 | 8         |
| 86 | Titania-zinc phosphate/nanocrystalline zinc composite coatings for corrosion protection of biomedical WE43 magnesium alloy. <i>Surface and Coatings Technology</i> , 2021, 410, 126940.  | 2.2 | 18        |
| 87 | Improving exposure of anodically ordered Ni-Ti-O and corrosion resistance and biological properties of NiTi alloys by substrate electropolishing. <i>Rare Metals</i> , 2021, 40, 3575-3587.  | 3.6 | 17        |
| 88 | Multi-functional gallium arsenide photonic crystal polarization splitter with a gold core. <i>Modern Physics Letters B</i> , 2021, 35, 2150229.  | 1.0 | 3         |
| 89 | Effects of hydrogen etching on MnO <sub>2</sub> electrode materials for supercapacitors. <i>Surface and Coatings Technology</i> , 2021, 410, 126951.   | 2.2 | 5         |
| 90 | Effects of the tantalum intermediate layer on the nanomechanical properties and biocompatibility of nanostructured tantalum/tantalum nitride bilayer coating deposited by magnetron sputtering on the nickel titanium alloy. <i>Applied Nanoscience (Switzerland)</i> , 2021, 11, 1867-1880. | 1.6 | 5         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | A composite coating with physical interlocking and chemical bonding on WE43 magnesium alloy for corrosion protection and cytocompatibility enhancement. <i>Surface and Coatings Technology</i> , 2021, 412, 127078.   | 2.2  | 22        |
| 92  | A photonic quasi-crystal fiber composed of circular air holes with high birefringence and low confinement loss. <i>Optik</i> , 2021, 231, 166497.   | 1.4  | 3         |
| 93  | Cost-effective liquid-junction solar devices with plasma-implanted Ni/TiN/CNF hierarchically structured nanofibers. <i>Journal of Electroanalytical Chemistry</i> , 2021, 887, 115167.  | 1.9  | 10        |
| 94  | Corrosion Behavior and Biocompatibility of Diamond-like Carbon-Coated Zinc: An In Vitro Study. <i>ACS Omega</i> , 2021, 6, 9843-9851.   | 1.6  | 25        |
| 95  | Substitution of quartz and clay with fly ash in the production of architectural ceramics: A mechanistic study. <i>Ceramics International</i> , 2021, 47, 12514-12525.   | 2.3  | 13        |
| 96  | Enhanced Hydrogen Evolution Activity of Phosphorus-Rich Tungsten Phosphide by Cobalt Doping: A Comprehensive Study of the Active Sites and Electronic Structure. <i>ChemElectroChem</i> , 2021, 8, 1658-1664.   | 1.7  | 7         |
| 97  | Investigation of a high-sensitivity surface plasmon resonance sensor based on the eccentric core quasi D-shape photonic quasi-crystal fiber. <i>Journal of Modern Optics</i> , 2021, 68, 555-563.   | 0.6  | 4         |
| 98  | Optoelectronic Artificial Synapses Based on Two-Dimensional Transitional-Metal Trichalcogenide. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 30797-30805.  | 4.0  | 41        |
| 99  | Characteristics of continuous high power magnetron sputtering (C-HPMS) in reactive O <sub>2</sub> /Ar atmospheres. <i>Journal of Applied Physics</i> , 2021, 129, .   | 1.1  | 3         |
| 100 | Strategies to improve cobalt-based electrocatalysts for electrochemical water splitting. <i>Journal of Catalysis</i> , 2021, 398, 54-66.  | 3.1  | 58        |
| 101 | Enhanced corrosion resistance and reduced cytotoxicity of the AZ91 Mg alloy by plasma nitriding and a hierarchical structure composed of ciprofloxacin-loaded polymeric multilayers and calcium phosphate coating. <i>Journal of Biomedical Materials Research - Part A</i> , 2021, 109, 2657-2672. | 2.1  | 6         |
| 102 | Macroscale Superlubricity on Engineering Steel in the Presence of Black Phosphorus. <i>Nano Letters</i> , 2021, 21, 5308-5315.  | 4.5  | 42        |
| 103 | Plasma-activated interfaces for biomedical engineering. <i>Bioactive Materials</i> , 2021, 6, 2134-2143.  | 8.6  | 17        |
| 104 | Graphene-mediated ferromagnetic coupling in the nickel nano-islands/graphene hybrid. <i>Science Advances</i> , 2021, 7, .   | 4.7  | 12        |
| 105 | Ni <sub>3</sub> S <sub>2</sub> Nanocomposite Structures Doped with Zn and Co as Long-Lifetime, High-Energy-Density, and Binder-Free Cathodes in Flexible Aqueous Nickel-Zinc Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 34292-34300.                                      | 4.0  | 29        |
| 106 | Graphitic carbon nitride-based materials for photocatalytic antibacterial application. <i>Materials Science and Engineering Reports</i> , 2021, 145, 100610.  | 14.8 | 145       |
| 107 | Optimization and cutting-edge design of fuel cell hybrid electric vehicles. <i>International Journal of Energy Research</i> , 2021, 45, 18392-18423.  | 2.2  | 44        |
| 108 | Circular anti-resonance fibre supporting orbital angular momentum modes with flat dispersion, high purity and low confinement loss. <i>Journal of Modern Optics</i> , 2021, 68, 784-791.  | 0.6  | 17        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | In situ construction of $\text{f}^3\text{-MoC}/\text{VN}$ heterostructured electrocatalysts with strong electron coupling for highly efficient hydrogen evolution reaction. <i>Chemical Engineering Journal</i> , 2021, 416, 129130.                       | 6.6  | 31        |
| 110 | Simultaneous application of diamond-like carbon coating and surface amination on polyether ether ketone: Towards superior mechanical performance and osseointegration. <i>Smart Materials in Medicine</i> , 2021, 2, 219-228.                              | 3.7  | 28        |
| 111 | Experimental and theoretical investigation of the control and balance of active sites on oxygen plasma-functionalized $\text{MoSe}_2$ nanosheets for efficient hydrogen evolution reaction. <i>Applied Catalysis B: Environmental</i> , 2021, 288, 119983. | 10.8 | 40        |
| 112 | Programmed surface on poly(aryl-ether-ether-ketone) initiating immune mediation and fulfilling bone regeneration sequentially. <i>Innovation(China)</i> , 2021, 2, 100148.   | 5.2  | 21        |
| 113 | Engineering $\text{CsPbBr}_3$ quantum dots with efficient luminescence and stability by damage-free encapsulation with $\alpha\text{-SiC}_x\text{H}$ . <i>Journal of Luminescence</i> , 2021, 236, 118086.   | 1.5  | 3         |
| 114 | Facile synthesis of ZnO doped with Au nanoparticles for sensitive and reliable photoelectrochemical detection of glucose. <i>Ionics</i> , 2021, 27, 4449-4459.   | 1.2  | 3         |
| 115 | $\text{GaO}_x/\text{GaN}$ Nanowire Arrays on Flexible Graphite Paper with Tunable Persistent Photoconductivity. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 41916-41925.   | 4.0  | 4         |
| 116 | $\text{TiO}_2$ film supported by vertically aligned gold nanorod superlattice array for enhanced photocatalytic hydrogen evolution. <i>Chemical Engineering Journal</i> , 2021, 417, 127900.   | 6.6  | 23        |
| 117 | Cationic Alternating Polypeptide Fixed on Polyurethane at Multiple Sites for Excellent Antibacterial and Antifouling Properties. <i>Langmuir</i> , 2021, 37, 10657-10667.  | 1.6  | 10        |
| 118 | Three-dimensional nano/micro-structured porous $\text{MoP}/\text{CNTs}$ microspheres as high-capacity anode for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2021, 872, 159608.   | 2.8  | 7         |
| 119 | High efficient co-doping in plasma electrolytic oxidation to obtain long-term self-lubrication on $\text{Ti}_6\text{Al}_4\text{V}$ . <i>Tribology International</i> , 2021, 160, 107018.   | 3.0  | 9         |
| 120 | Regulation of extracellular bioactive cations in bone tissue microenvironment induces favorable osteoimmune conditions to accelerate in situ bone regeneration. <i>Bioactive Materials</i> , 2021, 6, 2315-2330.   | 8.6  | 69        |
| 121 | Subsurface intercalation activating basal plane of black phosphorus for nitrogen reduction. <i>Journal of Energy Chemistry</i> , 2021, 60, 293-299.  | 7.1  | 8         |
| 122 | Morphological modulation of cobalt selenide on carbon cloth by Ni doping for high-performance electrodes in supercapacitors. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 624, 126818.                                  | 2.3  | 27        |
| 123 | Fabrication of Bimetallic Oxides ( $\text{MCo}_2\text{O}_4$ : $\text{M}=\text{Cu}, \text{Mn}$ ) on Ordered Microchannel Electro-Conductive Plate for High-Performance Hybrid Supercapacitors. <i>Sustainability</i> , 2021, 13, 9896.                      | 1.6  | 11        |
| 124 | Porous manganese dioxide nanosheets on modified graphite felt for cathodes in high-capacity flexible Zinc-MnO <sub>2</sub> batteries. <i>Vacuum</i> , 2021, 191, 110353.   | 1.6  | 10        |
| 125 | Enhancement of unidirectional forward scattering and suppression of backward scattering in hollow silicon nanoblocks. <i>Applied Optics</i> , 2021, 60, 8737.  | 0.9  | 1         |
| 126 | Degradation of tetracycline in water by gas-liquid plasma in conjunction with $\text{rGO-TiO}_2$ nanocomposite. <i>Plasma Science and Technology</i> , 2021, 23, 115503.   | 0.7  | 5         |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 127 | High-sensitivity methane sensor composed of photonic quasi-crystal fiber based on surface plasmon resonance. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2021, 38, 1438.                                | 0.8  | 11        |
| 128 | Plasma-activated thermosensitive biogel as an exogenous ROS carrier for post-surgical treatment of cancer. <i>Biomaterials</i> , 2021, 276, 121057.  | 5.7  | 37        |
| 129 | Insights into enhancement of photocatalytic properties of g-C <sub>3</sub> N <sub>4</sub> by local electric field induced by polarization of MgO(111). <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105922.                         | 3.3  | 13        |
| 130 | In vitro and in vivo antibacterial performance of Zr & O PIII magnesium alloys with high concentration of oxygen vacancies. <i>Bioactive Materials</i> , 2021, 6, 3049-3061.   | 8.6  | 12        |
| 131 | Waste-glass-derived silicon/CNTs composite with strong Si-C covalent bonding for advanced anode materials in lithium-ion batteries. <i>Applied Surface Science</i> , 2021, 563, 150280.  | 3.1  | 25        |
| 132 | Development and application of fuel cells in the automobile industry. <i>Journal of Energy Storage</i> , 2021, 42, 103124.   | 3.9  | 91        |
| 133 | Experimental and theoretical investigation of reconstruction and active phases on honeycombed Ni <sub>3</sub> N-Co <sub>3</sub> N/C in water splitting. <i>Applied Catalysis B: Environmental</i> , 2021, 297, 120461.                                 | 10.8 | 62        |
| 134 | A high-performance electrocatalyst composed of nickel clusters encapsulated with a carbon network on TiN nanaowire arrays for the oxygen evolution reaction. <i>Applied Surface Science</i> , 2021, 567, 150779.                                       | 3.1  | 25        |
| 135 | Hybrid photovoltaic-triboelectric nanogenerators for simultaneously harvesting solar and mechanical energies. <i>Nano Energy</i> , 2021, 89, 106376.   | 8.2  | 31        |
| 136 | Co-doped Ni <sub>3</sub> S <sub>2</sub> porous nanocones as high-performance bifunctional electrocatalysts in water splitting. <i>Chemical Engineering Journal</i> , 2021, 425, 130455.  | 6.6  | 42        |
| 137 | A water-soluble membrane for SARS-CoV-2 viral nucleic acid sampling and detection. <i>Nanoscale</i> , 2021, 13, 18084-18088.   | 2.8  | 1         |
| 138 | MXene Coatings: Novel Hydrogen Permeation Barriers for Pipe Steels. <i>Nanomaterials</i> , 2021, 11, 2737.   | 1.9  | 9         |
| 139 | Activating Carbon Nitride by BP@Ni for the Enhanced Photocatalytic Hydrogen Evolution and Selective Benzyl Alcohol Oxidation. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 50988-50995.   | 4.0  | 14        |
| 140 | ZnL <sub>2</sub> -BPs Integrated Bone Scaffold under Sequential Photothermal Mediation: A Win-Win Strategy Delivering Antibacterial Therapy and Fostering Osteogenesis Thereafter. <i>ACS Nano</i> , 2021, 15, 17854-17869.                            | 7.3  | 85        |
| 141 | Efficient photonic crystal fiber polarization splitters composed of gallium arsenide and nematic liquid crystals. <i>Modern Physics Letters B</i> , 2021, 35, 2150077.   | 1.0  | 2         |
| 142 | Surface plasmon resonance chemical sensor composed of a microstructured optical fiber for the detection of an ultra-wide refractive index range and gas-liquid pollutants. <i>Optics Express</i> , 2021, 29, 40734.                                    | 1.7  | 68        |
| 143 | Efficient coupling of MnO <sub>2</sub> /TiN on carbon cloth positive electrode and Fe <sub>2</sub> O <sub>3</sub> /TiN on carbon cloth negative electrode for flexible ultra-fast hybrid supercapacitors. <i>RSC Advances</i> , 2021, 11, 35726-35736. | 1.7  | 8         |
| 144 | Graphene for Energy Storage and Conversion: Synthesis and Interdisciplinary Applications. <i>Electrochemical Energy Reviews</i> , 2020, 3, 395-430.  | 13.1 | 59        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Synthesis of tetragonal prismatic $\hat{3}$ -In <sub>2</sub> Se <sub>3</sub> nanostructures with predominantly {110} facets and photocatalytic degradation of tetracycline. <i>Applied Catalysis B: Environmental</i> , 2020, 260, 118218.                     | 10.8 | 65        |
| 146 | Corrosion behavior of functionally graded and self-healing nanostructured TiO <sub>2</sub> @Al <sub>2</sub> O <sub>3</sub> - Benzotriazole coatings deposited on AA 2024-T3 by the sol-gel method. <i>Materials Chemistry and Physics</i> , 2020, 240, 122233. | 2.0  | 23        |
| 147 | Fundamentals and applications of surface-enhanced Raman spectroscopy-based biosensors. <i>Current Opinion in Biomedical Engineering</i> , 2020, 13, 51-59.   | 1.8  | 82        |
| 148 | Reconstructed chitosan with alkylamine for enhanced gene delivery by promoting endosomal escape. <i>Carbohydrate Polymers</i> , 2020, 227, 115339.   | 5.1  | 31        |
| 149 | A bifunctional hydrogel incorporated with CuS@MoS <sub>2</sub> microspheres for disinfection and improved wound healing. <i>Chemical Engineering Journal</i> , 2020, 382, 122849.  | 6.6  | 124       |
| 150 | Modulation of the mechanosensing of mesenchymal stem cells by laser-induced patterning for the acceleration of tissue reconstruction through the Wnt/ $\beta$ -catenin signaling pathway activation. <i>Acta Biomaterialia</i> , 2020, 101, 152-167.           | 4.1  | 51        |
| 151 | EIS and noise study of zirconia-alumina- benzotriazole nano-composite coating applied on Al <sub>2024</sub> by the sol-gel method. <i>Journal of Alloys and Compounds</i> , 2020, 816, 152662.   | 2.8  | 11        |
| 152 | Self-Regulated Super-Hydrophobic Cu/CuO Electrode Film Deposited by One-Step High-Power Sputtering. <i>Advanced Electronic Materials</i> , 2020, 6, 1900891.   | 2.6  | 10        |
| 153 | Ultrathin carbon layer-encapsulated TiN nanotubes array with enhanced capacitance and electrochemical stability for supercapacitors. <i>Applied Surface Science</i> , 2020, 503, 144293.   | 3.1  | 19        |
| 154 | Nonleaching Antibacterial Concept Demonstrated by In Situ Construction of 2D Nanoflakes on Magnesium. <i>Advanced Science</i> , 2020, 7, 1902089.  | 5.6  | 39        |
| 155 | Graphite felt incorporated with MoS <sub>2</sub> /rGO for electrochemical detoxification of high-arsenic fly ash. <i>Chemical Engineering Journal</i> , 2020, 382, 122763.   | 6.6  | 20        |
| 156 | Modeling and plasma characteristics of high-power direct current discharge. <i>Plasma Sources Science and Technology</i> , 2020, 29, 025016.   | 1.3  | 13        |
| 157 | Dual light-induced <i>in situ</i> antibacterial activities of biocompatible TiO <sub>2</sub> /MoS <sub>2</sub> /PDA/RGD nanorod arrays on titanium. <i>Biomaterials Science</i> , 2020, 8, 391-404.  | 2.6  | 44        |
| 158 | Rapid and scalable production of high-quality phosphorene by plasma-liquid technology. <i>Chemical Communications</i> , 2020, 56, 221-224.   | 2.2  | 24        |
| 159 | A hybrid Co NPs@CNT nanocomposite as highly efficient electrocatalyst for oxygen evolution reaction. <i>Applied Surface Science</i> , 2020, 507, 145155.   | 3.1  | 34        |
| 160 | Atomic-Scale Intercalation of Graphene Layers into MoSe <sub>2</sub> Nanoflower Sheets as a Highly Efficient Catalyst for Hydrogen Evolution Reaction. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 2460-2468.                                    | 4.0  | 47        |
| 161 | In situ formation of N-doped carbon-coated porous MoP nanowires: a highly efficient electrocatalyst for hydrogen evolution reaction in a wide pH range. <i>Applied Catalysis B: Environmental</i> , 2020, 263, 118358.   | 10.8 | 112       |
| 162 | Tuning the surface immunomodulatory functions of polyetheretherketone for enhanced osseointegration. <i>Biomaterials</i> , 2020, 230, 119642.  | 5.7  | 100       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Analysis of defect states in optical microcavities based on the photonic quantum well structure. <i>Optics Communications</i> , 2020, 458, 124880.   | 1.0 | 1         |
| 164 | Numerical analysis of a high-birefringent photonic quasi-crystal fiber with circular air holes. <i>Optik</i> , 2020, 207, 163850.  | 1.4 | 2         |
| 165 | Recent advances of two-dimensional transition metal nitrides for energy storage and conversion applications. <i>FlatChem</i> , 2020, 19, 100149.   | 2.8 | 54        |
| 166 | Hollow Spheres Consisting of SnS Nanosheets Conformally Coated with S-Doped Carbon for Advanced Lithium-Ion Battery Anodes. <i>ChemElectroChem</i> , 2020, 7, 914-921.   | 1.7 | 20        |
| 167 | Dimensional-dependent antibacterial behavior on bioactive micro/nano polyetheretherketone (PEEK) arrays. <i>Chemical Engineering Journal</i> , 2020, 392, 123736.  | 6.6 | 64        |
| 168 | Freestanding, Hierarchical, and Porous Bilayered Na <sub>2</sub> V <sub>2</sub> O <sub>5</sub> ·nH <sub>2</sub> O/rGO/CNT Composites as High-Performance Cathode Materials for Nonaqueous K-Ion Batteries and Aqueous Zinc-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 706-716. | 4.0 | 82        |
| 169 | 2D black phosphorus dotted with silver nanoparticles: An excellent lubricant additive for tribological applications. <i>Chemical Engineering Journal</i> , 2020, 392, 123631.  | 6.6 | 115       |
| 170 | Biodegradable Bi <sub>2</sub> O <sub>2</sub> Se Quantum Dots for Photoacoustic Imaging-Guided Cancer Photothermal Therapy. <i>Small</i> , 2020, 16, e1905208.  | 5.2 | 56        |
| 171 | Hierarchical micro-flowers self-assembled from SnS monolayers and nitrogen-doped graphene lamellar nanosheets as advanced anode for lithium-ion battery. <i>Electrochimica Acta</i> , 2020, 331, 135292.   | 2.6 | 24        |
| 172 | Recent Progress in Electrode Materials for Nonaqueous Lithium-Ion Capacitors. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 2652-2667.  | 0.9 | 14        |
| 173 | Wrinkled-Surface-Induced Memristive Behavior of MoS <sub>2</sub> Wrapped GaN Nanowires. <i>Advanced Electronic Materials</i> , 2020, 6, 2000571.   | 2.6 | 4         |
| 174 | Study of TiAlN coatings deposited by continuous high power magnetron sputtering (C-HPMS). <i>Surface and Coatings Technology</i> , 2020, 402, 126315.  | 2.2 | 13        |
| 175 | From Octahedron Crystals to 2D Silicon Nanosheets: Facet-Selective Cleavage and Biophotonic Applications. <i>Small</i> , 2020, 16, e2003594.   | 5.2 | 11        |
| 176 | Calcium phosphate coating on biomedical WE43 magnesium alloy pretreated with a magnesium phosphate layer for corrosion protection. <i>Surface and Coatings Technology</i> , 2020, 401, 126248.   | 2.2 | 26        |
| 177 | Gate-tunable two-dimensional superconductivity revealed in flexible wafer-scale hybrid structures. <i>Journal of Materials Chemistry C</i> , 2020, 8, 14605-14610.   | 2.7 | 4         |
| 178 | Robust and durable superhydrophobic F-DLC coating for anti-icing in aircrafts engineering. <i>Surface and Coatings Technology</i> , 2020, 404, 126468.   | 2.2 | 23        |
| 179 | Surface plasmon resonance sensor based on coupling effects of dual photonic crystal fibers for low refractive indexes detection. <i>Results in Physics</i> , 2020, 18, 103240.   | 2.0 | 60        |
| 180 | Pd/ZnO/Ni photoelectrochemical ethanol sensor. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020, 401, 112785.   | 2.0 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Mediated Drug Release from Nanovehicles by Black Phosphorus Quantum Dots for Efficient Therapy of Chronic Obstructive Pulmonary Disease. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 20568-20576.             | 7.2 | 56        |
| 182 | Calcium Phosphate Mineralized Black Phosphorous with Enhanced Functionality and Anticancer Bioactivity. <i>Advanced Functional Materials</i> , 2020, 30, 2003069.  | 7.8 | 42        |
| 183 | Flexible Surface-Enhanced Raman Scattering Chip: A Universal Platform for Real-Time Interfacial Molecular Analysis with Femtomolar Sensitivity. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 54174-54180.         | 4.0 | 27        |
| 184 | A hollow dual-core PCF-SPR sensor with gold layers on the inner and outer surfaces of the thin cladding. <i>Results in Optics</i> , 2020, 1, 100004.   | 0.9 | 31        |
| 185 | Needle-like CoO nanowire composites with NiO nanosheets on carbon cloth for hybrid flexible supercapacitors and overall water splitting electrodes. <i>RSC Advances</i> , 2020, 10, 37489-37499.                               | 1.7 | 23        |
| 186 | Insight into the overpotentials of electrocatalytic hydrogen evolution on black phosphorus decorated with metal clusters. <i>Electrochimica Acta</i> , 2020, 358, 136902.  | 2.6 | 9         |
| 187 | Nitrogen-doped carbon coated TiC nanofiber arrays deposited on Ti-6Al-4V for selective and sensitive electrochemical detection of dopamine. <i>Surface and Coatings Technology</i> , 2020, 402, 126266.                        | 2.2 | 3         |
| 188 | Intercalator-assisted plasma-liquid technology: an efficient exfoliation method for few-layer two-dimensional materials. <i>Science China Materials</i> , 2020, 63, 2079-2085.   | 3.5 | 5         |
| 189 | Zirconium-based nanostructured coating on the Mg-4Y-3RE alloy for corrosion retardation. <i>Chemical Physics Letters</i> , 2020, 756, 137824.  | 1.2 | 10        |
| 190 | Formation of self-layered hydrothermal coating on magnesium aided by titanium ion implantation: Synergistic control of corrosion resistance and cytocompatibility. <i>Surface and Coatings Technology</i> , 2020, 401, 126251. | 2.2 | 21        |
| 191 | Hierarchical binder-free MnO <sub>2</sub> /TiO <sub>2</sub> composite nanostructure on flexible seed graphite felt for high-performance supercapacitors. <i>Vacuum</i> , 2020, 181, 109648.                                    | 1.6 | 22        |
| 192 | In-Situ Synthesis of Heterostructured Carbon-Coated Co/MnO Nanowire Arrays for High-Performance Anodes in Asymmetric Supercapacitors. <i>Molecules</i> , 2020, 25, 3218.   | 1.7 | 9         |
| 193 | Mediated Drug Release from Nanovehicles by Black Phosphorus Quantum Dots for Efficient Therapy of Chronic Obstructive Pulmonary Disease. <i>Angewandte Chemie</i> , 2020, 132, 20749-20757.                                    | 1.6 | 8         |
| 194 | Forward and Backward Unidirectional Scattering by the Core-Shell Nanocube Dimer with Balanced Gain and Loss. <i>Nanomaterials</i> , 2020, 10, 1440.  | 1.9 | 3         |
| 195 | Tuning surface topographies on biomaterials to control bacterial infection. <i>Biomaterials Science</i> , 2020, 8, 6840-6857.  | 2.6 | 44        |
| 196 | Recent advance and perspectives of electrocatalysts based on transition metal selenides for efficient water splitting. <i>Nano Energy</i> , 2020, 78, 105234.  | 8.2 | 250       |
| 197 | Influence of Acetylene on Ti Target Poisoning During Pulse-Enhanced Vacuum Arc Evaporation. <i>IEEE Transactions on Plasma Science</i> , 2020, 48, 2799-2809.  | 0.6 | 0         |
| 198 | A tailored positively-charged hydrophobic surface reduces the risk of implant associated infections. <i>Acta Biomaterialia</i> , 2020, 114, 421-430.   | 4.1 | 22        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 199 | Composite plates utilizing dealkalized red mud, acid leaching slag and dealkalized red mud-fly ash: Preparation and performance comparison. <i>Construction and Building Materials</i> , 2020, 261, 120495.   | 3.2  | 16        |
| 200 | Phase-Change Microcapsules Incorporated with Black Phosphorus for Efficient Solar Energy Storage. <i>Advanced Science</i> , 2020, 7, 2000602.   | 5.6  | 95        |
| 201 | Enhanced discharge and surface properties of TiSiCN coatings deposited by pulse-enhanced vacuum arc evaporation. <i>Surface and Coatings Technology</i> , 2020, 403, 126413.  | 2.2  | 13        |
| 202 | Biofunctional Elements Incorporated Nano/Microstructured Coatings on Titanium Implants with Enhanced Osteogenic and Antibacterial Performance. <i>Advanced Healthcare Materials</i> , 2020, 9, e2000681.  | 3.9  | 42        |
| 203 | A Quantitative Bacteria Monitoring and Killing Platform Based on Electron Transfer from Bacteria to a Semiconductor. <i>Advanced Materials</i> , 2020, 32, e2003616.  | 11.1 | 31        |
| 204 | Corrosion Behavior and Mechanism of Carbon Ion-Implanted Magnesium Alloy. <i>Coatings</i> , 2020, 10, 734.  | 1.2  | 7         |
| 205 | Ambipolar Plasmon-Enhanced Photodetector Built on Germanium Nanodots Array/Graphene Hybrid. <i>Advanced Materials Interfaces</i> , 2020, 7, 2001122.  | 1.9  | 10        |
| 206 | Enhanced Osteogenic Differentiation of Human Mesenchymal Stem Cells on Amine-Functionalized Titanium Using Humidified Ammonia Supplied Nonthermal Atmospheric Pressure Plasma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6085. | 1.8  | 10        |
| 207 | NiFe-Layered Double Hydroxide Synchronously Activated by Heterojunctions and Vacancies for the Oxygen Evolution Reaction. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 42850-42858.  | 4.0  | 105       |
| 208 | Design of bimetal-coated photonic crystal fiber filter based on surface plasmon resonance. <i>Results in Optics</i> , 2020, 1, 100027.  | 0.9  | 9         |
| 209 | Hierarchical 2D Co/Mo Selenides as Superior Bifunctional Electrocatalysts for Overall Water Splitting. <i>Frontiers in Chemistry</i> , 2020, 8, 382.  | 1.8  | 36        |
| 210 | High-Potential surface on zirconia ceramics for bacteriostasis and biocompatibility. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 193, 111074.   | 2.5  | 9         |
| 211 | Photochemical Activity of Black Phosphorus for Near-Infrared Light Controlled In Situ Biomineralization. <i>Advanced Science</i> , 2020, 7, 2000439.  | 5.6  | 51        |
| 212 | Design and synthesis of dendritic Co <sub>3</sub> O <sub>4</sub> @Co <sub>2</sub> (CO <sub>3</sub> )(OH) <sub>2</sub> nanoarrays on carbon cloth for high-performance supercapacitors. <i>Journal of Materials Science</i> , 2020, 55, 12091-12102. | 1.7  | 33        |
| 213 | Effects of Ion Energy and Density on the Plasma Etching-Induced Surface Area, Edge Electrical Field, and Multivacancies in MoSe <sub>2</sub> Nanosheets for Enhancement of the Hydrogen Evolution Reaction. <i>Small</i> , 2020, 16, e2001470.      | 5.2  | 38        |
| 214 | Strain-enhanced power conversion efficiency of a BP/SnSe van der Waals heterostructure. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 14787-14795.   | 1.3  | 21        |
| 215 | Crystalline Red Phosphorus Nanoribbons: Large-Scale Synthesis and Electrochemical Nitrogen Fixation. <i>Angewandte Chemie</i> , 2020, 132, 14489-14493.   | 1.6  | 9         |
| 216 | Sensitive and selective ctDNA detection based on functionalized black phosphorus nanosheets. <i>Biosensors and Bioelectronics</i> , 2020, 165, 112384.  | 5.3  | 32        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 217 | Wafer-scale growth of single-crystal graphene on vicinal Ge(001) substrate. <i>Nano Today</i> , 2020, 34, 100908.   | 6.2  | 23        |
| 218 | Crystalline Red Phosphorus Nanoribbons: Large-scale Synthesis and Electrochemical Nitrogen Fixation. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 14383-14387.  | 7.2  | 58        |
| 219 | Biomimetic osteogenic peptide with mussel adhesion and osteoimmunomodulatory functions to ameliorate interfacial osseointegration under chronic inflammation. <i>Biomaterials</i> , 2020, 255, 120197.                | 5.7  | 103       |
| 220 | Nanopatterned silk-coated AZ31 magnesium alloy with enhanced antibacterial and corrosion properties. <i>Materials Science and Engineering C</i> , 2020, 116, 111173.  | 3.8  | 23        |
| 221 | Interface Engineering-Assisted 3D-Graphene/Germanium Heterojunction for High-Performance Photodetectors. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 15606-15614.                                       | 4.0  | 33        |
| 222 | Two-dimensional Transition Metal Chalcogenides for Alkali Metal Ions Storage. <i>ChemSusChem</i> , 2020, 13, 1114-1154.   | 3.6  | 69        |
| 223 | Surface plasmon resonance sensor based on photonic crystal fiber with indium tin oxide film. <i>Optical Materials</i> , 2020, 102, 109800.  | 1.7  | 70        |
| 224 | Vertical kinetically oriented MoS <sub>2</sub> Mo <sub>2</sub> N heterostructures on carbon cloth: a highly efficient hydrogen evolution electrocatalyst. <i>Sustainable Energy and Fuels</i> , 2020, 4, 2201-2207.   | 2.5  | 28        |
| 225 | Photoluminescence Properties of GaN Nanowires Grown in a Gradient-Plasma Environment. <i>Journal of Physical Chemistry C</i> , 2020, 124, 16002-16008.  | 1.5  | 2         |
| 226 | Dynamic changes of hydrophobic behavior during icing. <i>Surface and Coatings Technology</i> , 2020, 397, 126043.   | 2.2  | 10        |
| 227 | Structural engineering of hierarchically heterostructured Mo <sub>2</sub> C/Co conformally embedded in carbon for efficient water splitting. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 22629-22637. | 3.8  | 21        |
| 228 | Toroidal dipole and magnetic multipole excitations from the same nanostructure with different direction of electric dipole emitters. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.       | 1.1  | 1         |
| 229 | A zipped-up tunable metal coordinated cationic polymer for nanomedicine. <i>Journal of Materials Chemistry B</i> , 2020, 8, 1350-1358.  | 2.9  | 4         |
| 230 | Surface plasmon resonance (SPR) infrared sensor based on D-shape photonic crystal fibers with ITO coatings. <i>Optics Communications</i> , 2020, 464, 125496.   | 1.0  | 157       |
| 231 | Enhanced Peltier Effect in Wrinkled Graphene Constriction by Nano-Bubble Engineering. <i>Small</i> , 2020, 16, e1907170.  | 5.2  | 19        |
| 232 | Nano-second temporal particle behavior in high-power impulse magnetron sputtering discharge in a cylindrical cathode. <i>Journal of Applied Physics</i> , 2020, 127, 023301.  | 1.1  | 3         |
| 233 | 3D printing of hydrogels: Rational design strategies and emerging biomedical applications. <i>Materials Science and Engineering Reports</i> , 2020, 140, 100543.  | 14.8 | 494       |
| 234 | Multiple flocculant prepared with dealkalized red mud and fly ash: Properties and characterization. <i>Journal of Water Process Engineering</i> , 2020, 34, 101173.   | 2.6  | 15        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Near-infrared surface plasmon resonance sensor based on photonic crystal fiber with big open rings. <i>Optik</i> , 2020, 207, 164466.   | 1.4 | 41        |
| 236 | Edge-Rich Black Phosphorus for Photocatalytic Nitrogen Fixation. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 1052-1058.  | 2.1 | 57        |
| 237 | Improving the performance of light-emitting diodes via plasmonic-based strategies. <i>Journal of Applied Physics</i> , 2020, 127, .   | 1.1 | 30        |
| 238 | Corrosion-resistant plasma electrolytic oxidation coating modified by Zinc phosphate and self-healing mechanism in the salt-spray environment. <i>Surface and Coatings Technology</i> , 2020, 384, 125321.  | 2.2 | 24        |
| 239 | Comparative study of TiAlN coatings deposited by different high-ionization physical vapor deposition techniques. <i>Ceramics International</i> , 2020, 46, 10814-10819.   | 2.3 | 19        |
| 240 | Photoelectrochemical Synthesis of Ammonia with Black Phosphorus. <i>Advanced Functional Materials</i> , 2020, 30, 2002731.  | 7.8 | 69        |
| 241 | Effects of Ti, Ni, and Dual Ti/Ni Plasma Immersion Ion Implantation on the Corrosion and Wear Properties of Magnesium Alloy. <i>Coatings</i> , 2020, 10, 313.   | 1.2 | 12        |
| 242 | Ultrathin hybrid nanobelts of single-crystalline VO <sub>2</sub> and Poly(3,4-ethylenedioxythiophene) as cathode materials for aqueous zinc ion batteries with large capacity and high-rate capability. <i>Journal of Power Sources</i> , 2020, 463, 228223.                                    | 4.0 | 65        |
| 243 | Articular cartilage inspired bilayer coating on Ti6Al4V alloy with low friction and high load-bearing properties. <i>Applied Surface Science</i> , 2020, 515, 146065.   | 3.1 | 13        |
| 244 | Electronic Modulation between Tungsten Nitride and Cobalt Dopants for Enhanced Hydrogen Evolution Reaction at a Wide Range of pH. <i>ChemCatChem</i> , 2020, 12, 2962-2966.   | 1.8 | 20        |
| 245 | Self-assembled anodization of NiTi alloys for biomedical applications. <i>Applied Surface Science</i> , 2020, 517, 146118.  | 3.1 | 67        |
| 246 | Bioactive phospho-therapy with black phosphorus for <i>in vivo</i> tumor suppression. <i>Theranostics</i> , 2020, 10, 4720-4736.  | 4.6 | 26        |
| 247 | Ultrafine Co nanodots embedded in N-doped carbon nanotubes grafted on hexagonal VN for highly efficient overall water splitting. <i>Nano Energy</i> , 2020, 73, 104788.   | 8.2 | 71        |
| 248 | A novel self-branching MnCo <sub>2</sub> O <sub>4</sub> / nanographene hybrid composites on macroporous electrically conductive network as bifunctional electrodes for boosting miniature supercapacitors and sodium ion batteries. <i>Journal of Alloys and Compounds</i> , 2020, 846, 155720. | 2.8 | 24        |
| 249 | High-sensitivity SPR sensor based on the eightfold eccentric core PQF with locally coated indium tin oxide. <i>Applied Optics</i> , 2020, 59, 6484.   | 0.9 | 10        |
| 250 | Ag as Cocatalyst and Electron-Hole Medium in CeO <sub>2</sub> QDs/Ag/Ag <sub>2</sub> Se Z-scheme Heterojunction Enhanced the Photo-Electrocatalytic Properties of the Photoelectrode. <i>Nanomaterials</i> , 2020, 10, 253.   | 1.9 | 17        |
| 251 | Single-polarization photonic crystal fiber filter composed of elliptical gold films. <i>Optical Engineering</i> , 2020, 59, 1.  | 0.5 | 4         |
| 252 | Ultra-sensitive hexagonal PCF-SPR sensor with a broad detection range. <i>Journal of Modern Optics</i> , 2020, 67, 1545-1554.   | 0.6 | 9         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Black Phosphorus: Bioactive Nanomaterials with Inherent and Selective Chemotherapeutic Effects. <i>Angewandte Chemie</i> , 2019, 131, 779-784.  | 1.6 | 34        |
| 254 | Enhanced mechanical and electrochemical properties of TiN <sub>x</sub> thin films prepared by magnetron sputtering with an anode layer ion source. <i>Surface and Coatings Technology</i> , 2019, 365, 253-260.   | 2.2 | 6         |
| 255 | Biaxially strained germanium micro-dot array by hydrogen ion implantation. <i>Surface and Coatings Technology</i> , 2019, 365, 248-252.   | 2.2 | 1         |
| 256 | High-performance anode materials based on 3D orderly and vertically macroporous graphene-Si framework for Li-ion batteries. <i>Ionics</i> , 2019, 25, 467-473.  | 1.2 | 4         |
| 257 | In situ formation of porous TiO <sub>2</sub> nanotube array with MgTiO <sub>3</sub> nanoparticles for enhanced photocatalytic activity. <i>Surface and Coatings Technology</i> , 2019, 365, 222-226.  | 2.2 | 10        |
| 258 | Effects of ion flux density and energy on the composition of TiN <sub>x</sub> thin films prepared by magnetron sputtering with an anode layer ion source. <i>Surface and Coatings Technology</i> , 2019, 365, 58-64.  | 2.2 | 8         |
| 259 | <i>Orthopedic Implants.</i> , 2019, , 425-439.  |     | 47        |
| 260 | Antibacterial and Cytocompatible Nanoengineered Silk-Based Materials for Orthopedic Implants and Tissue Engineering. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 31605-31614.   | 4.0 | 27        |
| 261 | Electrostatic Self-Assembly of Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene and Gold Nanorods as an Efficient Surface-Enhanced Raman Scattering Platform for Reliable and High-Sensitivity Determination of Organic Pollutants. <i>ACS Sensors</i> , 2019, 4, 2303-2310. | 4.0 | 106       |
| 262 | Ex-centric core photonic crystal fiber sensor with gold nanowires based on surface plasmon resonance. <i>Optik</i> , 2019, 196, 163173.   | 1.4 | 34        |
| 263 | NiFeP nanoflakes composite with CoP on carbon cloth as flexible and durable electrocatalyst for efficient overall water splitting. <i>Nanotechnology</i> , 2019, 30, 485402.  | 1.3 | 9         |
| 264 | Nano-mechanical properties of zirconia-alumina-benzotriazole nano-composite coating deposited on Al <sub>2</sub> O <sub>3</sub> by the sol-gel method. <i>Thin Solid Films</i> , 2019, 689, 137417.   | 0.8 | 10        |
| 265 | The single-polarization filter composed of gold-coated photonic crystal fiber. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2019, 383, 3200-3206.   | 0.9 | 32        |
| 266 | Rapid synthesis, microstructure, and thermoelectric properties of skutterudites. <i>Journal of Alloys and Compounds</i> , 2019, 806, 537-542.   | 2.8 | 10        |
| 267 | A functionalized TiO <sub>2</sub> /Mg <sub>2</sub> TiO <sub>4</sub> nano-layer on biodegradable magnesium implant enables superior bone-implant integration and bacterial disinfection. <i>Biomaterials</i> , 2019, 219, 119372.  | 5.7 | 84        |
| 268 | Transfer matrix method for simulation of the fiber Bragg grating in polarization maintaining fiber. <i>Optics Communications</i> , 2019, 452, 185-188.  | 1.0 | 11        |
| 269 | Interconnected nanoporous carbon structure delivering enhanced mass transport and conductivity toward exceptional performance in supercapacitor. <i>Journal of Power Sources</i> , 2019, 435, 226811.   | 4.0 | 24        |
| 270 | Al <sub>2</sub> O <sub>3</sub> coating for densification of SiC ceramics and sintering kinetics. <i>Surface and Coatings Technology</i> , 2019, 374, 603-609.   | 2.2 | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Corrosion behavior of ZnO-reinforced coating on aluminum alloy prepared by plasma electrolytic oxidation. <i>Surface and Coatings Technology</i> , 2019, 374, 1015-1023.   | 2.2 | 20        |
| 272 | Effect of Ti interlayer on corrosion behavior of nanostructured Ti/TiN multilayer coating deposited on TiAl <sub>6</sub> V <sub>4</sub> . <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2019, 70, 2113-2127.                 | 0.8 | 6         |
| 273 | Unique Role of Arginine in Positively-Charged Surface for Promotion of Antibacterial and Osteogenetic Capabilities. <i>Advanced Materials Interfaces</i> , 2019, 6, 1901414.   | 1.9 | 4         |
| 274 | Rapid Activation of Platinum with Black Phosphorus for Efficient Hydrogen Evolution. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 19060-19066.   | 7.2 | 79        |
| 275 | Tungsten-Doped CoP Nanoneedle Arrays Grown on Carbon Cloth as Efficient Bifunctional Electrocatalysts for Overall Water Splitting. <i>ChemElectroChem</i> , 2019, 6, 5229-5236.  | 1.7 | 36        |
| 276 | Influence of plasma excitation power on mechanical property and biocompatibility of titania/alumina composite thin films for medical implant prepared by magnetron sputtering. <i>Materials Research Express</i> , 2019, 6, 116418.        | 0.8 | 0         |
| 277 | Facile mass production of self-supported two-dimensional transition metal oxides for catalytic applications. <i>Chemical Communications</i> , 2019, 55, 11406-11409.   | 2.2 | 10        |
| 278 | Localized Surface Plasmon Resonance Properties of Concentric Dual-Ring Nanodisk. <i>Nano</i> , 2019, 14, 1950071.  | 0.5 | 0         |
| 279 | 3D-printed nanocomposite scaffolds with tunable magnesium ionic microenvironment induce in situ bone tissue regeneration. <i>Applied Materials Today</i> , 2019, 16, 493-507.  | 2.3 | 43        |
| 280 | Enhanced oxygen-induced properties of bulk oxygenated amorphous carbon films deposited with an anode layer ion source. <i>Vacuum</i> , 2019, 169, 108915.  | 1.6 | 9         |
| 281 | A surface-engineered multifunctional TiO <sub>2</sub> based nano-layer simultaneously elevates the corrosion resistance, osteoconductivity and antimicrobial property of a magnesium alloy. <i>Acta Biomaterialia</i> , 2019, 99, 495-513. | 4.1 | 38        |
| 282 | Modulation of Phosphorene for Optimal Hydrogen Evolution Reaction. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 37787-37795.  | 4.0 | 38        |
| 283 | Effects of Benzotriazole on nano-mechanical properties of zirconia-alumina-Benzotriazole nanocomposite coating deposited on Al 2024 by the sol-gel method. <i>Applied Physics A: Materials Science and Processing</i> , 2019, 125, 1.      | 1.1 | 13        |
| 284 | Synthesis of high-quality black phosphorus sponges for all-solid-state supercapacitors. <i>Materials Horizons</i> , 2019, 6, 176-181.  | 6.4 | 53        |
| 285 | Recent progress of transition metal nitrides for efficient electrocatalytic water splitting. <i>Sustainable Energy and Fuels</i> , 2019, 3, 366-381.   | 2.5 | 305       |
| 286 | Discharge and Deposition Characteristics of High-Power Impulse Magnetron Sputtering Using Various Target Materials. <i>IEEE Transactions on Plasma Science</i> , 2019, 47, 193-198.  | 0.6 | 12        |
| 287 | Synergistic Antibacterial Activity of Black Phosphorus Nanosheets Modified with Titanium Aminobenzenesulfanato Complexes. <i>ACS Applied Nano Materials</i> , 2019, 2, 1202-1209.  | 2.4 | 36        |
| 288 | Achieving an acid resistant surface on magnesium alloy via bio-inspired design. <i>Applied Surface Science</i> , 2019, 478, 150-161.   | 3.1 | 60        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Modulation of resistive switching in Pt/LiCoO <sub>2</sub> /SiO <sub>2</sub> /Si stacks. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 4753-4759.   | 1.1 | 2         |
| 290 | Asymmetrical photonic crystal fiber based on the surface plasmon resonance sensor and analysis by the lower-birefringence peak method. <i>Optik</i> , 2019, 189, 121-129.   | 1.4 | 3         |
| 291 | Inherent Chemotherapeutic Anti-Cancer Effects of Low-Dimensional Nanomaterials. <i>Chemistry - A European Journal</i> , 2019, 25, 10995-11006.  | 1.7 | 17        |
| 292 | A quasi-2D material CePO <sub>4</sub> and the self-lubrication in micro-arc oxidized coatings on Al alloy. <i>Tribology International</i> , 2019, 138, 157-165.   | 3.0 | 12        |
| 293 | InSe Nanosheets for Efficient NIR-II-Responsive Drug Release. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 27521-27528.  | 4.0 | 30        |
| 294 | Stability and Repeatability of a Karst-like Hierarchical Porous Silicon Oxide-Based Memristor. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 21734-21740.   | 4.0 | 24        |
| 295 | Ultrafast Synthesis of Te-Doped CoSb <sub>3</sub> with Excellent Thermoelectric Properties. <i>ACS Applied Energy Materials</i> , 2019, 2, 4477-4485.   | 2.5 | 25        |
| 296 | Multifunctional nitrogen-doped nanoporous carbons derived from metal-organic frameworks for efficient CO <sub>2</sub> storage and high-performance lithium-ion batteries. <i>New Journal of Chemistry</i> , 2019, 43, 10405-10412.                            | 1.4 | 12        |
| 297 | Optical and Optoelectronic Properties of Black Phosphorus and Recent Photonic and Optoelectronic Applications. <i>Small Methods</i> , 2019, 3, 1900165.   | 4.6 | 68        |
| 298 | General synthesis of NiCo alloy nanochain arrays with thin oxide coating: a highly efficient bifunctional electrocatalyst for overall water splitting. <i>Journal of Alloys and Compounds</i> , 2019, 797, 1216-1223.   | 2.8 | 56        |
| 299 | Dual-band unidirectional forward scattering of Au-Si sliced nanorod in the visible region. <i>Applied Physics A: Materials Science and Processing</i> , 2019, 125, 1.   | 1.1 | 4         |
| 300 | Hybrid ZnO-graphene electrode with palladium nanoparticles on Ni foam and application to self-powered nonenzymatic glucose sensing. <i>RSC Advances</i> , 2019, 9, 12134-12145.   | 1.7 | 16        |
| 301 | Biochar/struvite composite as a novel potential material for slow release of N and P. <i>Environmental Science and Pollution Research</i> , 2019, 26, 17152-17162.  | 2.7 | 20        |
| 302 | Formation of ultra-small Mn <sub>3</sub> O <sub>4</sub> nanoparticles trapped in nanochannels of hollow carbon spheres by nanoconfinement with excellent supercapacitor performance. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 13675-13683. | 3.8 | 17        |
| 303 | Bioactive inorganic-ion-doped titania nanotube coatings on bone implants with enhanced osteogenic activity and antibacterial properties. , 2019, , 401-427.   |     | 2         |
| 304 | Simultaneous texturing and conductivity tailoring of mesoporous NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> nanocrystals by gadolinium doping for enhanced Na storage. <i>Electrochimica Acta</i> , 2019, 309, 177-186.                                 | 2.6 | 19        |
| 305 | Optical diode composed of subwavelength slit-groove arrays with ultrahigh transmission contrast based on surface plasmon polariton. <i>Optik</i> , 2019, 186, 266-274.  | 1.4 | 3         |
| 306 | N-doped TiO <sub>2</sub> nanotube arrays with uniformly embedded Co <sub>x</sub> P nanoparticles for high-efficiency hydrogen evolution reaction. <i>RSC Advances</i> , 2019, 9, 11676-11682.   | 1.7 | 9         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 307 | Investigation of corrosion mechanism of NiTi modified by carbon plasma immersion ion implantation (C-PIII) by electrochemical impedance spectroscopy. <i>Journal of Alloys and Compounds</i> , 2019, 790, 1067-1075.      | 2.8  | 14        |
| 308 | Template growth of Au/Ag nanocomposites on phosphorene for sensitive SERS detection of pesticides. <i>Nanotechnology</i> , 2019, 30, 275604.  | 1.3  | 15        |
| 309 | Octahedral SnO <sub>2</sub> /Graphene Composites with Enhanced Gas-Sensing Performance at Room Temperature. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 12958-12967.  | 4.0  | 54        |
| 310 | Vanadium Dioxide Nanocoating Induces Tumor Cell Death through Mitochondrial Electron Transport Chain Interruption. <i>Global Challenges</i> , 2019, 3, 1800058.   | 1.8  | 33        |
| 311 | A high-birefringent photonic quasi-crystal fiber with two elliptical air holes. <i>Optik</i> , 2019, 184, 10-15.  | 1.4  | 10        |
| 312 | A Novel Hybrid Layered Organic Phototransistor Enables Efficient Intermolecular Charge Transfer and Carrier Transport for Ultrasensitive Photodetection. <i>Advanced Materials</i> , 2019, 31, e1900763.                  | 11.1 | 89        |
| 313 | Lithium ion trapping mechanism of SiO <sub>2</sub> in LiCoO <sub>2</sub> based memristors. <i>Scientific Reports</i> , 2019, 9, 5081.   | 1.6  | 14        |
| 314 | Inconel 718 treated with two-stage solution and aging processes: microstructure evolution and enhanced properties. <i>Materials Research Express</i> , 2019, 6, 075803.   | 0.8  | 8         |
| 315 | Modification of Layered Graphitic Carbon Nitride by Nitrogen Plasma for Improved Electrocatalytic Hydrogen Evolution. <i>Nanomaterials</i> , 2019, 9, 568.  | 1.9  | 14        |
| 316 | Direct Synthesis of Metal-Doped Phosphorene with Enhanced Electrocatalytic Hydrogen Evolution. <i>Small Methods</i> , 2019, 3, 1900083.   | 4.6  | 56        |
| 317 | A surface-engineered polyetheretherketone biomaterial implant with direct and immunoregulatory antibacterial activity against methicillin-resistant <i>Staphylococcus aureus</i> . <i>Biomaterials</i> , 2019, 208, 8-20. | 5.7  | 122       |
| 318 | Controlled fiberization of dipeptide in merging phases leads to collagen-level strength and opto/electric mechanofunctionalities. <i>Biomaterials</i> , 2019, 208, 1-7.   | 5.7  | 4         |
| 319 | Ecofriendly and Biodegradable Soybean Protein Isolate Films Incorporated with ZnO Nanoparticles for Food Packaging. <i>ACS Applied Bio Materials</i> , 2019, 2, 2202-2207.  | 2.3  | 42        |
| 320 | Scalable synthesis of ant-nest-like bulk porous silicon for high-performance lithium-ion battery anodes. <i>Nature Communications</i> , 2019, 10, 1447.   | 5.8  | 494       |
| 321 | Mo <sub>2</sub> C/VC heterojunction embedded in graphitic carbon network: An advanced electrocatalyst for hydrogen evolution. <i>Nano Energy</i> , 2019, 60, 520-526.   | 8.2  | 124       |
| 322 | Three-dimensional carbon-coating silicon nanoparticles welded on carbon nanotubes composites for high-stability lithium-ion battery anodes. <i>Applied Surface Science</i> , 2019, 479, 896-902.                          | 3.1  | 47        |
| 323 | Hollow cathode effect modified time-dependent global model and high-power impulse magnetron sputtering discharge and transport in cylindrical cathode. <i>Journal of Applied Physics</i> , 2019, 125, .                   | 1.1  | 12        |
| 324 | Tailored Plum Pudding-Like Co <sub>2</sub> P/Sn Encapsulated with Carbon Nanobox Shell as Superior Anode Materials for High-Performance Sodium-Ion Capacitors. <i>Advanced Energy Materials</i> , 2019, 9, 1900091.       | 10.2 | 70        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Co <sub>3</sub> O <sub>4</sub> and Co(OH) <sub>2</sub> loaded graphene on Ni foam for high-performance supercapacitor electrode. <i>Ionics</i> , 2019, 25, 1783-1792.   | 1.2 | 13        |
| 326 | Temperature-responsive tungsten doped vanadium dioxide thin film starves bacteria to death. <i>Materials Today</i> , 2019, 22, 35-49.   | 8.3 | 44        |
| 327 | Spatially controlled synthesis of superlattice-like SnS/nitrogen-doped graphene hybrid nanobelts as high-rate and durable anode materials for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 27475-27483.                                 | 5.2 | 29        |
| 328 | Theoretical assessment of a highly sensitive photonic crystal fibre based on surface plasmon resonance sensor operating in the near-infrared wavelength. <i>Journal of Modern Optics</i> , 2019, 66, 1-6.   | 0.6 | 74        |
| 329 | Recent progress in nanostructured transition metal nitrides for advanced electrochemical energy storage. <i>Journal of Materials Chemistry A</i> , 2019, 7, 14-37.  | 5.2 | 181       |
| 330 | Evolution of microstructures and properties of the GH4169 superalloy during short-term and high-temperature processing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 744, 255-266.         | 2.6 | 41        |
| 331 | Self-supported electrodes composed of silicon nanocrystals in 3D hierarchical carbon network for reversible sodium storage. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 2732-2742.  | 1.1 | 3         |
| 332 | A Low-Cost Metal-Free Photocatalyst Based on Black Phosphorus. <i>Advanced Science</i> , 2019, 6, 1801321.  | 5.6 | 79        |
| 333 | Black Phosphorus: Bioactive Nanomaterials with Inherent and Selective Chemotherapeutic Effects. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 769-774.   | 7.2 | 113       |
| 334 | Preferential production of reactive species and bactericidal efficacy of gas-liquid plasma discharge. <i>Chemical Engineering Journal</i> , 2019, 362, 402-412.   | 6.6 | 102       |
| 335 | Conductive Mesoporous Niobium Nitride Microspheres/Nitrogen-Doped Graphene Hybrid with Efficient Polysulfide Anchoring and Catalytic Conversion for High-Performance Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 2961-2969. | 4.0 | 63        |
| 336 | An eco-friendly and cleaner process for preparing architectural ceramics from coal fly ash: Pre-activation of coal fly ash by a mechanochemical method. <i>Journal of Cleaner Production</i> , 2019, 214, 419-428.  | 4.6 | 48        |
| 337 | Selective and high-sensitive label-free detection of ascorbic acid by carbon nitride quantum dots with intense fluorescence from lone pair states. <i>Talanta</i> , 2019, 196, 530-536.   | 2.9 | 23        |
| 338 | Air-stable n-doped black phosphorus transistor by thermal deposition of metal adatoms. <i>Nanotechnology</i> , 2019, 30, 135201.  | 1.3 | 16        |
| 339 | Activation of graphitic carbon nitride by surface discharge plasma treatment for enhanced photocatalysis. <i>Vacuum</i> , 2019, 159, 235-238.   | 1.6 | 9         |
| 340 | High-efficiency hydrogen evolution from seawater using hetero-structured T/Td phase ReS <sub>2</sub> nanosheets with cationic vacancies. <i>Nano Energy</i> , 2019, 55, 42-48.  | 8.2 | 102       |
| 341 | Molybdenum diselenide "black phosphorus heterostructures for electrocatalytic hydrogen evolution. <i>Applied Surface Science</i> , 2019, 467-468, 328-334.  | 3.1 | 47        |
| 342 | Near-infrared light control of bone regeneration with biodegradable photothermal osteoimplant. <i>Biomaterials</i> , 2019, 193, 1-11.   | 5.7 | 181       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Hierarchical MoS <sub>2</sub> @N-Doped Carbon Hollow Spheres with Enhanced Performance in Sodium Dual-Ion Batteries. ChemElectroChem, 2019, 6, 661-667.                     | 1.7 | 24        |
| 344 | Biomass-derived robust three-dimensional porous carbon for high volumetric performance supercapacitors. Journal of Power Sources, 2019, 412, 1-9.                           | 4.0 | 150       |
| 345 | Corrosion protection and enhanced biocompatibility of biomedical Mg-Y-RE alloy coated with tin dioxide. Surface and Coatings Technology, 2019, 357, 78-82.                  | 2.2 | 19        |
| 346 | High-ion-energy and low-temperature deposition of diamond-like carbon (DLC) coatings with pulsed kV bias. Surface and Coatings Technology, 2019, 365, 152-157.              | 2.2 | 21        |
| 347 | Abrasion and erosion behavior of DLC-coated oil-well tubings in a heavy oil/sand environment. Surface and Coatings Technology, 2019, 357, 379-383.                          | 2.2 | 13        |
| 348 | Enhancement of mechanical properties and corrosion resistance of NiTi alloy by carbon plasma immersion ion implantation. Surface and Coatings Technology, 2019, 365, 52-57. | 2.2 | 22        |
| 349 | Tunable single-polarization bimetal-coated and liquid-filled photonic crystal fiber filter based on surface plasmon resonance. Applied Optics, 2019, 58, 6308.              | 0.9 | 22        |
| 350 | Surface plasmon resonance sensor based on eccentric core photonic quasi-crystal fiber with indium tin oxide. Applied Optics, 2019, 58, 6848.                                | 0.9 | 22        |
| 351 | Photonic spin Hall effect: a new window in D-shaped fiber by weak measurements. Optics Express, 2019, 27, 14064.  | 1.7 | 3         |
| 352 | Black Phosphorus: An Effective Feedstock for the Synthesis of Phosphorus-Based Chemicals. CCS Chemistry, 2019, 1, 166-172.  | 4.6 | 8         |
| 353 | Tuning Superhydrophobic Materials with Negative Surface Energy Domains. Research, 2019, 2019, 1391804.  | 2.8 | 15        |
| 354 | Dual-band directional scattering with all-dielectric trimer in the near-infrared region. Applied Optics, 2019, 58, 5082.  | 0.9 | 3         |
| 355 | Fano resonances in symmetric plasmonic split-ring/ring dimer nanostructures. Applied Optics, 2019, 58, 8069.  | 0.9 | 0         |
| 356 | Biodegradable near-infrared-photoresponsive shape memory implants based on black phosphorus nanofillers. Biomaterials, 2018, 164, 11-21.                                    | 5.7 | 94        |
| 357 | Black Phosphorus Incorporated Hydrogel as a Sprayable and Biodegradable Photothermal Platform for Postsurgical Treatment of Cancer. Advanced Science, 2018, 5, 1700848.     | 5.6 | 289       |
| 358 | Stable black phosphorus/Bi <sub>2</sub> O <sub>3</sub> heterostructures for synergistic cancer radiotherapy. Biomaterials, 2018, 171, 12-22.                                | 5.7 | 94        |
| 359 | Electrochemical surface engineering of titanium-based alloys for biomedical application. Electrochimica Acta, 2018, 271, 699-718.   | 2.6 | 168       |
| 360 | Hierarchical TiN nanoparticles-assembled nanopillars for flexible supercapacitors with high volumetric capacitance. Nanoscale, 2018, 10, 8728-8734.                         | 2.8 | 67        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 361 | Tunable magnetic coupling in Mn-doped monolayer MoS <sub>2</sub> under lattice strain. <i>Journal of Physics Condensed Matter</i> , 2018, 30, 215801.   | 0.7  | 8         |
| 362 | Investigation of Corrosion Behavior of Ti/TiN Multilayers on Al7075 Deposited by High-Vacuum Magnetron Sputtering in 3.5% NaCl Solution. <i>Journal of Materials Engineering and Performance</i> , 2018, 27, 2216-2225.         | 1.2  | 3         |
| 363 | Few-Layer Antimonene: Anisotropic Expansion and Reversible Crystalline-Phase Evolution Enable Large-Capacity and Long-Life Na-Ion Batteries. <i>ACS Nano</i> , 2018, 12, 1887-1893.   | 7.3  | 175       |
| 364 | Barrier Reduction of Lithium Ion Tunneling through Graphene with Hybrid Defects: First-Principles Calculations. <i>Advanced Theory and Simulations</i> , 2018, 1, 1700009.  | 1.3  | 11        |
| 365 | VO <sub>2</sub> /TiN Plasmonic Thermochromic Smart Coatings for Room-Temperature Applications. <i>Advanced Materials</i> , 2018, 30, 1705421.   | 11.1 | 179       |
| 366 | <i>In situ</i> growth of all-inorganic perovskite nanocrystals on black phosphorus nanosheets. <i>Chemical Communications</i> , 2018, 54, 2365-2368.  | 2.2  | 36        |
| 367 | Copolymer P(BS-co-LA) Enhanced Compatibility of PBS/PLA Composite. <i>Journal of Polymers and the Environment</i> , 2018, 26, 3060-3068.  | 2.4  | 19        |
| 368 | In vitro antimicrobial effects and mechanisms of direct current air-liquid discharge plasma on planktonic <i>Staphylococcus aureus</i> and <i>Escherichia coli</i> in liquids. <i>Bioelectrochemistry</i> , 2018, 121, 125-134. | 2.4  | 63        |
| 369 | Recent advances in cell-mediated nanomaterial delivery systems for photothermal therapy. <i>Journal of Materials Chemistry B</i> , 2018, 6, 1296-1311.  | 2.9  | 22        |
| 370 | In-Plane Black Phosphorus/Dicobalt Phosphide Heterostructure for Efficient Electrocatalysis. <i>Angewandte Chemie</i> , 2018, 130, 2630-2634.   | 1.6  | 55        |
| 371 | Molecular Dynamics Simulation of Nanocrack Propagation in Single-Layer MoS <sub>2</sub> Nanosheets. <i>Journal of Physical Chemistry C</i> , 2018, 122, 1351-1360.  | 1.5  | 44        |
| 372 | Effects of silica and Ag on the electrochemical behavior of titania-based nanocomposite coatings deposited on 2024 aluminum alloy by the sol-gel method. <i>Journal of Alloys and Compounds</i> , 2018, 739, 92-100.            | 2.8  | 8         |
| 373 | Valence State Manipulation of Cerium Oxide Nanoparticles on a Titanium Surface for Modulating Cell Fate and Bone Formation. <i>Advanced Science</i> , 2018, 5, 1700678.   | 5.6  | 114       |
| 374 | In-Plane Black Phosphorus/Dicobalt Phosphide Heterostructure for Efficient Electrocatalysis. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2600-2604.  | 7.2  | 209       |
| 375 | Electrocatalytic hydrogen evolution of palladium nanoparticles electrodeposited on nanographene coated macroporous electrically conductive network. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 2171-2183.      | 3.8  | 12        |
| 376 | Dealkalization of Red Mud by Carbide Slag and Flue Gas. <i>Clean - Soil, Air, Water</i> , 2018, 46, 1700634.  | 0.7  | 12        |
| 377 | Cellular response to nano-structured Zr and ZrO <sub>2</sub> alloyed layers on Ti-6Al-4V. <i>Materials Science and Engineering C</i> , 2018, 90, 523-530.   | 3.8  | 20        |
| 378 | Discharge and Plasma Characteristics of Pulse-Enhanced Vacuum Arc Evaporation (PEVAE) for Titanium Cathode. <i>IEEE Transactions on Plasma Science</i> , 2018, 46, 2619-2625.   | 0.6  | 7         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Control of multidrug-resistant planktonic <i>Acinetobacter baumannii</i> : biocidal efficacy study by atmospheric-pressure air plasma. <i>Plasma Science and Technology</i> , 2018, 20, 065513.                | 0.7 | 10        |
| 380 | Highly efficient field emission from indium-doped ZnO nanostructure on nanographene/macroporous electric conductive network. <i>Materials Letters</i> , 2018, 222, 25-28.                                      | 1.3 | 13        |
| 381 | Enhancement of toughness and wear resistance by CrN/CrCN multilayered coatings for wood processing. <i>Surface and Coatings Technology</i> , 2018, 344, 204-213.   | 2.2 | 62        |
| 382 | In situ Synthesis of $V_2O_3$ -Intercalated N-Doped Graphene Nanobelts from $VO_x$ -Amine Hybrid as High-Performance Anode Material for Alkali-Ion Batteries. <i>ChemElectroChem</i> , 2018, 5, 1387-1393.     | 1.7 | 26        |
| 383 | Hierarchical porous carbon materials from nanosized metal-organic complex for high-performance symmetrical supercapacitor. <i>Electrochimica Acta</i> , 2018, 269, 580-589.                                    | 2.6 | 47        |
| 384 | Heterogeneous phosphorus-doped $WO_3$ /nitrogen-doped carbon nanowires with high rate and long life for advanced lithium-ion capacitors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6916-6921.         | 5.2 | 49        |
| 385 | Oriented $MoS_2$ Nanoflakes on N-Doped Carbon Nanosheets Derived from Dodecylamine-Intercalated $MoO_3$ for High-Performance Lithium-Ion Battery Anodes. <i>ChemElectroChem</i> , 2018, 5, 1350-1356.          | 1.7 | 21        |
| 386 | Analysis of a Surface Plasmon Resonance Probe Based on Photonic Crystal Fibers for Low Refractive Index Detection. <i>Plasmonics</i> , 2018, 13, 779-784.  | 1.8 | 137       |
| 387 | Preparation and effectiveness of slow-release silicon fertilizer by sintering with iron ore tailings. <i>Environmental Progress and Sustainable Energy</i> , 2018, 37, 1011-1019.                              | 1.3 | 16        |
| 388 | Effects of dopant separation on electronic states and magnetism in monolayer $MoS_2$ . <i>Applied Surface Science</i> , 2018, 428, 226-232.  | 3.1 | 16        |
| 389 | High-performance asymmetrical supercapacitor composed of rGO-enveloped nickel phosphite hollow spheres and N/S co-doped rGO aerogel. <i>Nano Research</i> , 2018, 11, 1651-1663.                               | 5.8 | 58        |
| 390 | Nano Ag/ZnO-Incorporated Hydroxyapatite Composite Coatings: Highly Effective Infection Prevention and Excellent Osteointegration. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 1266-1277.         | 4.0 | 127       |
| 391 | 2D Material-Based Nanofibrous Membrane for Photothermal Cancer Therapy. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 1155-1163.   | 4.0 | 32        |
| 392 | Excellent adhered thick diamond-like carbon coatings by optimizing hetero-interfaces with sequential highly energetic Cr and C ion treatment. <i>Journal of Alloys and Compounds</i> , 2018, 735, 155-162.     | 2.8 | 27        |
| 393 | Surface functionalization of biomaterials by plasma and ion beam. <i>Surface and Coatings Technology</i> , 2018, 336, 2-8.   | 2.2 | 22        |
| 394 | Effects of copper nanoparticles in porous $TiO_2$ coatings on bacterial resistance and cytocompatibility of osteoblasts and endothelial cells. <i>Materials Science and Engineering C</i> , 2018, 82, 110-120. | 3.8 | 96        |
| 395 | Rapid Sterilization and Accelerated Wound Healing Using $Zn^{2+}$ and Graphene Oxide Modified $g-C_3N_4$ under Dual Light Irradiation. <i>Advanced Functional Materials</i> , 2018, 28, 1800299.               | 7.8 | 246       |
| 396 | In Silico Screening and Design of Coating Materials for PEMFC Bipolar Plates. <i>Coatings</i> , 2018, 8, 386.  | 1.2 | 4         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 397 | Tunable band offsets in the BP/P <sub>4</sub> O <sub>10</sub> van der Waals heterostructure: first-principles calculations. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 29931-29938.   | 1.3  | 7         |
| 398 | Sequentially Triggered Delivery System of Black Phosphorus Quantum Dots with Surface Charge-Switching Ability for Precise Tumor Radiosensitization. <i>ACS Nano</i> , 2018, 12, 12401-12415.  | 7.3  | 100       |
| 399 | Degradable and Photocatalytic Antibacterial Au-TiO <sub>2</sub> /Sodium Alginate Nanocomposite Films for Active Food Packaging. <i>Nanomaterials</i> , 2018, 8, 930.  | 1.9  | 57        |
| 400 | Improving of tribology properties of TiAl <sub>6</sub> V <sub>4</sub> with nanostructured Ti/TiN-multilayered coating deposited by high-vacuum magnetron sputtering. <i>Applied Physics A: Materials Science and Processing</i> , 2018, 124, 1. | 1.1  | 5         |
| 401 | A CRISPR-Cas9-triggered strand displacement amplification method for ultrasensitive DNA detection. <i>Nature Communications</i> , 2018, 9, 5012.  | 5.8  | 244       |
| 402 | Seamless lateral graphene p-n junctions formed by selective in situ doping for high-performance photodetectors. <i>Nature Communications</i> , 2018, 9, 5168.   | 5.8  | 71        |
| 403 | Highly Fluorescent and Stable Black Phosphorus Quantum Dots in Water. <i>Small</i> , 2018, 14, e1803132.  | 5.2  | 58        |
| 404 | Highly Luminescent and Stable Si-Based CsPbBr <sub>3</sub> Quantum Dot Thin Films Prepared by Glow Discharge Plasma with Real-Time and In Situ Diagnosis. <i>Advanced Functional Materials</i> , 2018, 28, 1805214.                             | 7.8  | 14        |
| 405 | Sn-C bonding riveted SnSe nanoplates vertically grown on nitrogen-doped carbon nanobelts for high-performance sodium-ion battery anodes. <i>Nano Energy</i> , 2018, 54, 322-330.  | 8.2  | 152       |
| 406 | Highly Stretchable Conductive Glue for High-Performance Silicon Anodes in Advanced Lithium-Ion Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1704858.   | 7.8  | 113       |
| 407 | Black Phosphorus/Platinum Heterostructure: A Highly Efficient Photocatalyst for Solar-Driven Chemical Reactions. <i>Advanced Materials</i> , 2018, 30, e1803641.  | 11.1 | 105       |
| 408 | Noninvasive rapid bacteria-killing and acceleration of wound healing through photothermal/photodynamic/copper ion synergistic action of a hybrid hydrogel. <i>Biomaterials Science</i> , 2018, 6, 2110-2121.                                    | 2.6  | 168       |
| 409 | Synthesis of lipid-black phosphorus quantum dot bilayer vesicles for near-infrared-controlled drug release. <i>Chemical Communications</i> , 2018, 54, 6060-6063.   | 2.2  | 53        |
| 410 | Flexible Nb <sub>4</sub> N <sub>5</sub> /rGO Electrode for High-Performance Solid State Supercapacitors. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 30-38.  | 0.9  | 20        |
| 411 | Neuromorphic Computing with Memristor Crossbar. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1700875.   | 0.8  | 60        |
| 412 | The effect of copper pretreatment on graphene synthesis by ion implantation into Ni/Cu substrate. <i>Semiconductor Science and Technology</i> , 2018, 33, 074001.   | 1.0  | 0         |
| 413 | An antibacterial platform based on capacitive carbon-doped TiO <sub>2</sub> nanotubes after direct or alternating current charging. <i>Nature Communications</i> , 2018, 9, 2055.   | 5.8  | 153       |
| 414 | Ag/AgBr-loaded mesoporous silica for rapid sterilization and promotion of wound healing. <i>Biomaterials Science</i> , 2018, 6, 1735-1744.  | 2.6  | 65        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 415 | A promising orthopedic implant material with enhanced osteogenic and antibacterial activity: Al <sub>2</sub> O <sub>3</sub> -coated aluminum alloy. <i>Applied Surface Science</i> , 2018, 457, 1025-1034.            | 3.1 | 34        |
| 416 | Ultrafast hetero-assembly of monolithic interwoven V <sub>2</sub> O <sub>5</sub> nanobelts/carbon nanotubes architectures for high-energy alkali-ion batteries. <i>Journal of Power Sources</i> , 2018, 395, 295-304. | 4.0 | 37        |
| 417 | Core-shell CoMoO <sub>4</sub> @Ni(OH) <sub>2</sub> on ordered macro-porous electrode plate for high-performance supercapacitor. <i>Electrochimica Acta</i> , 2018, 283, 538-547.                                      | 2.6 | 29        |
| 418 | Hard and adherent a-C:H gradient coatings by stress engineering. <i>Journal of Alloys and Compounds</i> , 2018, 765, 921-926.   | 2.8 | 14        |
| 419 | Near-infrared light-triggered drug delivery system based on black phosphorus for in vivo bone regeneration. <i>Biomaterials</i> , 2018, 179, 164-174.   | 5.7 | 115       |
| 420 | Lanthanide-Coordinated Black Phosphorus. <i>Small</i> , 2018, 14, e1801405.   | 5.2 | 65        |
| 421 | Tantalum nitride films for corrosion protection of biomedical Mg-Y-RE alloy. <i>Journal of Alloys and Compounds</i> , 2018, 764, 947-958.   | 2.8 | 19        |
| 422 | Symmetrical dual D-shape photonic crystal fibers for surface plasmon resonance sensing. <i>Optics Express</i> , 2018, 26, 9039.   | 1.7 | 213       |
| 423 | Birefringent PCF-Based SPR Sensor for a Broad Range of Low Refractive Index Detection. <i>IEEE Photonics Technology Letters</i> , 2018, 30, 1471-1474.  | 1.3 | 50        |
| 424 | Oxygen Vacancy Enhanced Gas-Sensing Performance of CeO <sub>2</sub> /Graphene Heterostructure at Room Temperature. <i>Analytical Chemistry</i> , 2018, 90, 9821-9829.   | 3.2 | 77        |
| 425 | Construction of perfluorohexane/IR780@liposome coating on Ti for rapid bacteria killing under permeable near infrared light. <i>Biomaterials Science</i> , 2018, 6, 2460-2471.  | 2.6 | 28        |
| 426 | Roles of membrane protein damage and intracellular protein damage in death of bacteria induced by atmospheric-pressure air discharge plasmas. <i>RSC Advances</i> , 2018, 8, 21139-21149.                             | 1.7 | 20        |
| 427 | Black Phosphorus: Lanthanide-Coordinated Black Phosphorus (Small 29/2018). <i>Small</i> , 2018, 14, 1870134.  | 5.2 | 3         |
| 428 | Controlled-temperature photothermal and oxidative bacteria killing and acceleration of wound healing by polydopamine-assisted Au-hydroxyapatite nanorods. <i>Acta Biomaterialia</i> , 2018, 77, 352-364.              | 4.1 | 180       |
| 429 | Precisely controlled delivery of magnesium ions thru sponge-like monodisperse PLGA/nano-MgO-alginate core-shell microsphere device to enable in-situ bone regeneration. <i>Biomaterials</i> , 2018, 174, 1-16.        | 5.7 | 140       |
| 430 | In Situ Synthesis of MoP Nanoflakes Intercalated N-Doped Graphene Nanobelts from MoO <sub>3</sub> -Amine Hybrid for High-Efficient Hydrogen Evolution Reaction. <i>Small</i> , 2018, 14, e1800667.                    | 5.2 | 85        |
| 431 | Magnetron-sputtered fluorocarbon polymeric film on magnesium for corrosion protection. <i>Surface and Coatings Technology</i> , 2018, 352, 437-444.   | 2.2 | 22        |
| 432 | Ni-doped amorphous iron phosphide nanoparticles on TiN nanowire arrays: An advanced alkaline hydrogen evolution electrocatalyst. <i>Nano Energy</i> , 2018, 53, 66-73.  | 8.2 | 115       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 433 | Ni/Co-based nanosheet arrays for efficient oxygen evolution reaction. <i>Nano Energy</i> , 2018, 52, 360-368.  | 8.2 | 135       |
| 434 | Zinc-Modified Sulfonated Polyetheretherketone Surface with Immunomodulatory Function for Guiding Cell Fate and Bone Regeneration. <i>Advanced Science</i> , 2018, 5, 1800749.                                      | 5.6 | 184       |
| 435 | Morphological control of gold nanorods via thermally driven bi-surfactant growth and application for detection of heavy metal ions. <i>Nanotechnology</i> , 2018, 29, 334001.                                      | 1.3 | 6         |
| 436 | Tuning the Bandgap of Photo-Sensitive Polydopamine/Ag <sub>3</sub> PO <sub>4</sub> /Graphene Oxide Coating for Rapid, Noninvasive Disinfection of Implants. <i>ACS Central Science</i> , 2018, 4, 724-738.         | 5.3 | 227       |
| 437 | Highly sensitive PCF-SPR biosensor for hyperthermia temperature monitoring. <i>Journal of Optics (India)</i> , 2018, 47, 288-294.  | 0.8 | 14        |
| 438 | Spatially confined synthesis of vanadium nitride nanodots intercalated carbon nanosheets with ultrahigh volumetric capacitance and long life for flexible supercapacitors. <i>Nano Energy</i> , 2018, 51, 128-136. | 8.2 | 87        |
| 439 | Multiple unidirectional forward scattering of hybrid metal-dielectric nanoantenna in the near-infrared region. <i>Optical Materials Express</i> , 2018, 8, 3410.   | 1.6 | 1         |
| 440 | Recent advances in anti-infection surfaces fabricated on biomedical implants by plasma-based technology. <i>Surface and Coatings Technology</i> , 2017, 312, 2-6.  | 2.2 | 14        |
| 441 | Bactericidal Effects of Plasma Induced Reactive Species in Dielectric Barrier Gas-Liquid Discharge. <i>Plasma Chemistry and Plasma Processing</i> , 2017, 37, 415-431.   | 1.1 | 69        |
| 442 | Cold atmospheric-pressure air plasma treatment of C6 glioma cells: effects of reactive oxygen species in the medium produced by the plasma on cell death. <i>Plasma Science and Technology</i> , 2017, 19, 025503. | 0.7 | 8         |
| 443 | Zinc Electrodeposition on Polycrystalline Copper: Electrochemical Study of Early-Stage Growth Mechanism. <i>Journal of Physical Chemistry C</i> , 2017, 121, 3938-3946.  | 1.5 | 17        |
| 444 | Tin repellence on wave-soldering stainless steel holders coated with Ti/TiC/DLC. <i>Surface and Coatings Technology</i> , 2017, 320, 614-618.  | 2.2 | 4         |
| 445 | Ti <sub>4</sub> -Coordinated Black Phosphorus Quantum Dots as an Efficient Contrast Agent for In Vivo Photoacoustic Imaging of Cancer. <i>Small</i> , 2017, 13, 1602896.   | 5.2 | 251       |
| 446 | Hierarchical Porous Carbon Materials Derived from Self-Template Bamboo Leaves for Lithium-Sulfur Batteries. <i>Electrochimica Acta</i> , 2017, 229, 352-360.   | 2.6 | 55        |
| 447 | Facile design of ultra-thin anodic aluminum oxide membranes for the fabrication of plasmonic nanoarrays. <i>Nanotechnology</i> , 2017, 28, 105301.   | 1.3 | 60        |
| 448 | Fabrication of irregular-layer-free and diameter-tunable NiTiO nanopores by anodization of NiTi alloy. <i>Electrochemistry Communications</i> , 2017, 76, 10-14.   | 2.3 | 23        |
| 449 | Osteogenesis Catalyzed by Titanium-Supported Silver Nanoparticles. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 5149-5157.   | 4.0 | 57        |
| 450 | Tensile loading induced phase transition and rippling in single-layer MoS <sub>2</sub> . <i>Applied Surface Science</i> , 2017, 404, 180-187.  | 3.1 | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 451 | Ge@CNFs Anchored on 3D Graphene Foam for Binder-Free and High-Efficiency Anodes in Li-Ion Batteries. <i>ChemElectroChem</i> , 2017, 4, 1002-1006.  | 1.7 | 6         |
| 452 | Different-sized black phosphorus nanosheets with good cytocompatibility and high photothermal performance. <i>RSC Advances</i> , 2017, 7, 14618-14624.   | 1.7 | 58        |
| 453 | Direct anodic exfoliation of graphite onto high-density aligned graphene for large capacity supercapacitors. <i>Nano Energy</i> , 2017, 34, 515-523.   | 8.2 | 56        |
| 454 | Antibacterial effects of titanium embedded with silver nanoparticles based on electron-transfer-induced reactive oxygen species. <i>Biomaterials</i> , 2017, 124, 25-34.   | 5.7 | 219       |
| 455 | Efficient Enrichment and Self-Assembly of Hybrid Nanoparticles into Removable and Magnetic SERS Substrates for Sensitive Detection of Environmental Pollutants. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 7472-7480.          | 4.0 | 84        |
| 456 | Vertically-oriented few-layer graphene supported by silicon microchannel plates as a counter electrode in dye-sensitized solar cells. <i>Organic Electronics</i> , 2017, 45, 74-80.  | 1.4 | 9         |
| 457 | <i>In vitro</i> antimicrobial effects and mechanism of atmospheric-pressure He/O <sub>2</sub> plasma jet on <i>Staphylococcus aureus</i> biofilm. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 105201.                              | 1.3 | 41        |
| 458 | Imaging and motion of cathode group spots during pulse-enhanced vacuum arc evaporation. <i>Vacuum</i> , 2017, 139, 37-43.  | 1.6 | 12        |
| 459 | Functionalized Polymeric Membrane with Enhanced Mechanical and Biological Properties to Control the Degradation of Magnesium Alloy. <i>Advanced Healthcare Materials</i> , 2017, 6, 1601269.   | 3.9 | 46        |
| 460 | In situ segregation of cobalt nanoparticles on VN nanosheets via nitriding of Co <sub>2</sub> V <sub>2</sub> O <sub>7</sub> nanosheets as efficient oxygen evolution reaction electrocatalysts. <i>Nano Energy</i> , 2017, 34, 1-7.          | 8.2 | 119       |
| 461 | In situ fabrication of Ni nanoparticles on N-doped TiO <sub>2</sub> nanowire arrays by nitridation of NiTiO <sub>3</sub> for highly sensitive and enzyme-free glucose sensing. <i>Journal of Materials Chemistry B</i> , 2017, 5, 1779-1786. | 2.9 | 19        |
| 462 | Effects of high concentration of Benzotriazole on corrosion behavior of nanostructured titania-alumina composite coating deposited on Al 2024 by sol-gel method. <i>Surface and Coatings Technology</i> , 2017, 321, 36-44.                  | 2.2 | 30        |
| 463 | Cell-borne 2D nanomaterials for efficient cancer targeting and photothermal therapy. <i>Biomaterials</i> , 2017, 133, 37-48.   | 5.7 | 63        |
| 464 | Designing Core-Shell Gold and Selenium Nanocomposites for Cancer Radiochemotherapy. <i>ACS Nano</i> , 2017, 11, 4848-4858.   | 7.3 | 150       |
| 465 | Long-term antibacterial characteristics and cytocompatibility of titania nanotubes loaded with Au nanoparticles without photocatalytic effects. <i>Applied Surface Science</i> , 2017, 414, 230-237.   | 3.1 | 25        |
| 466 | Fabrication of Ni-Ti-O nanoporous film on NiTi alloy in ethylene glycol containing NaCl. <i>Surface and Coatings Technology</i> , 2017, 321, 136-145.  | 2.2 | 15        |
| 467 | Ultrahigh quantum efficiency photodetector and ultrafast reversible surface wettability transition of square In <sub>2</sub> O <sub>3</sub> nanowires. <i>Nano Research</i> , 2017, 10, 2772-2781.   | 5.8 | 27        |
| 468 | Effects of one-step hydrothermal treatment on the surface morphology and corrosion resistance of ZK60 magnesium alloy. <i>Surface and Coatings Technology</i> , 2017, 309, 490-496.  | 2.2 | 31        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 469 | Facet-engineered CeO <sub>2</sub> /graphene composites for enhanced NO <sub>2</sub> gas-sensing. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6973-6981.  | 2.7 | 29        |
| 470 | Nickel plasma modification of graphene for high-performance non-enzymatic glucose sensing. <i>Sensors and Actuators B: Chemical</i> , 2017, 251, 842-850.   | 4.0 | 31        |
| 471 | Relationship between Ni release and cytocompatibility of Ni-Ti-O nanotubes prepared on biomedical NiTi alloy. <i>Corrosion Science</i> , 2017, 123, 209-216.  | 3.0 | 45        |
| 472 | Germanium-Assisted Direct Growth of Graphene on Arbitrary Dielectric Substrates for Heating Devices. <i>Small</i> , 2017, 13, 1700929.  | 5.2 | 33        |
| 473 | Dual carbon layer hybridized mesoporous tin hollow spheres for fast-rechargeable and highly-stable lithium-ion battery anodes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 14422-14429.  | 5.2 | 39        |
| 474 | The controlled drug release by pH-sensitive molecularly imprinted nanospheres for enhanced antibacterial activity. <i>Materials Science and Engineering C</i> , 2017, 77, 84-91.  | 3.8 | 45        |
| 475 | Antibacterial, osteogenic, and angiogenic activities of SrTiO <sub>3</sub> nanotubes embedded with Ag <sub>2</sub> O nanoparticles. <i>Materials Science and Engineering C</i> , 2017, 75, 1049-1058.   | 3.8 | 45        |
| 476 | Excellent corrosion resistance of P and Fe modified micro-arc oxidation coating on Al alloy. <i>Journal of Alloys and Compounds</i> , 2017, 710, 452-459.   | 2.8 | 53        |
| 477 | Targeting ETS1 with RNAi-based supramolecular nanoassemblies for multidrug-resistant breast cancer therapy. <i>Journal of Controlled Release</i> , 2017, 253, 110-121.  | 4.8 | 43        |
| 478 | Lanthanide-integrated supramolecular polymeric nanoassembly with multiple regulation characteristics for multidrug-resistant cancer therapy. <i>Biomaterials</i> , 2017, 129, 83-97.  | 5.7 | 37        |
| 479 | Three-dimensional graphene nanosheets supported by NiO/Si-MCP as electrode materials for high-performance supercapacitors. <i>Ionics</i> , 2017, 23, 2185-2191.   | 1.2 | 0         |
| 480 | Fully degradable PLA-based composite reinforced with 2D-braided Mg wires for orthopedic implants. <i>Composites Science and Technology</i> , 2017, 142, 180-188.  | 3.8 | 34        |
| 481 | Three-dimensional tetsubo-like Co(OH) <sub>2</sub> nanorods on a macroporous electrically conductive network as an efficient electroactive framework for the hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2017, 5, 2629-2639. | 5.2 | 34        |
| 482 | Biofunctionalization of carbon nanotubes/chitosan hybrids on Ti implants by atom layer deposited ZnO nanostructures. <i>Applied Surface Science</i> , 2017, 400, 14-23.   | 3.1 | 96        |
| 483 | Microstructure and mechanical properties of (AlTi) <sub>x</sub> N <sub>1-x</sub> films by magnetic-field-enhanced high power impulse magnetron sputtering. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2017, 35, .  | 0.9 | 7         |
| 484 | Freestanding hollow double-shell Se@CN <sub>x</sub> nanobelts as large-capacity and high-rate cathodes for Li-Se batteries. <i>Nano Energy</i> , 2017, 32, 1-9.   | 8.2 | 108       |
| 485 | Enhancement of Ferromagnetism in Nonmagnetic Metal Oxide Nanoparticles by Facet Engineering. <i>Small</i> , 2017, 13, 1602951.  | 5.2 | 12        |
| 486 | Protein-assisted assembly of mesoporous nanocrystals and carbon nanotubes for self-supporting high-performance sodium electrodes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 2749-2758.   | 5.2 | 24        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 487 | A Highly Sensitive Dual-Core Photonic Crystal Fiber Based on a Surface Plasmon Resonance Biosensor with Silver-Graphene Layer. <i>Plasmonics</i> , 2017, 12, 1847-1853.  | 1.8  | 70        |
| 488 | Identification of Lattice Oxygen in Few-Layer Black Phosphorous Exfoliated in Ultrahigh Vacuum and Largely Improved Ambipolar Field-Effect Mobilities by Hydrogenation and Phosphorization. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 39804-39811.                            | 4.0  | 10        |
| 489 | Three-dimensional CoMoO <sub>4</sub> nanorods/nanographene composites on a Ni coated macroporous electrically conductive network with excellent electrochemical performance. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2017, 226, 177-187. | 1.7  | 7         |
| 490 | Monolithic Hierarchical Carbon Assemblies Embedded with Mesoporous NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> Nanocrystals for Flexible High-Performance Sodium Anodes. <i>Electrochimica Acta</i> , 2017, 254, 328-336.  | 2.6  | 20        |
| 491 | Reduction in Chemical Oxygen Demand of TNT Red Water Using Layered Double Hydroxide Prepared from Red Mud and Brucite. <i>Environmental Engineering Science</i> , 2017, 34, 721-730.   | 0.8  | 7         |
| 492 | Controlled Patterning of Plasmonic Dimers by Using an Ultrathin Nanoporous Alumina Membrane as a Shadow Mask. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 36199-36205.  | 4.0  | 50        |
| 493 | Metal-Ion-Modified Black Phosphorus with Enhanced Stability and Transistor Performance. <i>Advanced Materials</i> , 2017, 29, 1703811.   | 11.1 | 431       |
| 494 | Balancing Bacteria-Osteoblast Competition through Selective Physical Puncture and Biofunctionalization of ZnO/Polydopamine/Arginine-Glycine-Aspartic Acid-Cysteine Nanorods. <i>ACS Nano</i> , 2017, 11, 11250-11263.  | 7.3  | 230       |
| 495 | Improved interfacial adhesion between TiAlN/DLC multi-layered coatings by controlling the morphology via bias. <i>Surface and Coatings Technology</i> , 2017, 331, 15-20.  | 2.2  | 10        |
| 496 | Tannic Acid/Fe <sup>3+</sup> /Ag Nanofilm Exhibiting Superior Photodynamic and Physical Antibacterial Activity. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 39657-39671.  | 4.0  | 76        |
| 497 | Photo-Inspired Antibacterial Activity and Wound Healing Acceleration by Hydrogel Embedded with Ag/Ag@AgCl/ZnO Nanostructures. <i>ACS Nano</i> , 2017, 11, 9010-9021.   | 7.3  | 591       |
| 498 | Self-assembled bundled TiO <sub>2</sub> nanowire arrays encapsulated with indium tin oxide for broadband absorption in plasmonic photocatalysis. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 27059-27064.   | 1.3  | 5         |
| 499 | Elucidating the Intercalation Pseudocapacitance Mechanism of MoS <sub>2</sub> -Carbon Monolayer Interoverlapped Superstructure: Toward High-Performance Sodium-Ion-Based Hybrid Supercapacitor. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 32745-32755.                        | 4.0  | 156       |
| 500 | Freestanding carbon encapsulated mesoporous vanadium nitride nanowires enable highly stable sulfur cathodes for lithium-sulfur batteries. <i>Nano Energy</i> , 2017, 40, 655-662.  | 8.2  | 159       |
| 501 | Self-assembly and enhanced visible-light-driven photocatalytic activity of reduced graphene oxide-Bi <sub>2</sub> WO <sub>6</sub> photocatalysts. <i>Nanotechnology Reviews</i> , 2017, 6, 505-516.  | 2.6  | 11        |
| 502 | Two-dimensional black phosphorus: Synthesis, modification, properties, and applications. <i>Materials Science and Engineering Reports</i> , 2017, 120, 1-33.   | 14.8 | 130       |
| 503 | Hierarchical CoMoO <sub>4</sub> @Co <sub>3</sub> O <sub>4</sub> nanocomposites on an ordered macro-porous electrode plate as a multi-dimensional electrode in high-performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2017, 5, 17312-17324.                              | 5.2  | 76        |
| 504 | Nano mechanical and wear properties of multi-layer Ti/TiN coatings deposited on Al 7075 by high-vacuum magnetron sputtering. <i>Thin Solid Films</i> , 2017, 638, 96-104.  | 0.8  | 33        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 505 | Corrosion behavior of reactive sputtered Ti/TiN nanostructured coating and effects of intermediate titanium layer on self-healing properties. <i>Surface and Coatings Technology</i> , 2017, 326, 156-164.                              | 2.2 | 28        |
| 506 | Intertwined Nitrogen-Doped Carbon Nanotubes for High-Rate and Long-Life Sodium-Ion Battery Anodes. <i>ChemElectroChem</i> , 2017, 4, 2542-2546.   | 1.7 | 24        |
| 507 | Synergistic Bacteria Killing through Photodynamic and Physical Actions of Graphene Oxide/Ag/Collagen Coating. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 26417-26428.   | 4.0 | 223       |
| 508 | Freestanding Nanoengineered [001] Preferentially Oriented TiO <sub>2</sub> Nanosheets <sup>^</sup> Graphene Planarly Aligned Nanohybrids with Enhanced Li <sup>+</sup> Storage Properties. <i>ChemElectroChem</i> , 2017, 4, 2819-2825. | 1.7 | 9         |
| 509 | Stable and Multifunctional Dye-Modified Black Phosphorus Nanosheets for Near-Infrared Imaging-Guided Photothermal Therapy. <i>Chemistry of Materials</i> , 2017, 29, 7131-7139.   | 3.2 | 158       |
| 510 | Influence of dynamic compressive loading on the in vitro degradation behavior of pure PLA and Mg/PLA composite. <i>Acta Biomaterialia</i> , 2017, 64, 269-278.  | 4.1 | 23        |
| 511 | Highly efficient field emission from ZnO nanorods and nanographene hybrids on a macroporous electric conductive network. <i>Journal of Materials Chemistry C</i> , 2017, 5, 9296-9305.  | 2.7 | 13        |
| 512 | Linker-free covalent immobilization of heparin, SDF-1 $\beta$ , and CD47 on PTFE surface for antithrombogenicity, endothelialization and anti-inflammation. <i>Biomaterials</i> , 2017, 140, 201-211.                                   | 5.7 | 80        |
| 513 | Black phosphorus: a two-dimensional reductant for in situ nanofabrication. <i>Npj 2D Materials and Applications</i> , 2017, 1, .  | 3.9 | 63        |
| 514 | In vitro degradation kinetics of pure PLA and Mg/PLA composite: Effects of immersion temperature and compression stress. <i>Acta Biomaterialia</i> , 2017, 48, 468-478.   | 4.1 | 57        |
| 515 | Preparation of layered double hydroxides using boron mud and red mud industrial wastes and adsorption mechanism to phosphate. <i>Water and Environment Journal</i> , 2017, 31, 145-157.   | 1.0 | 31        |
| 516 | Free-standing electrodes composed of carbon-coated Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> nanosheets and reduced graphene oxide for advanced sodium ion batteries. <i>Journal of Power Sources</i> , 2017, 337, 180-188.       | 4.0 | 61        |
| 517 | Corrosion resistance and cytocompatibility of tantalum-surface-functionalized biomedical ZK60 Mg alloy. <i>Corrosion Science</i> , 2017, 114, 45-56.  | 3.0 | 106       |
| 518 | Numerical analysis of a photonic crystal fiber based on a surface plasmon resonance sensor with an annular analyte channel. <i>Optics Communications</i> , 2017, 382, 162-166.  | 1.0 | 91        |
| 519 | EFFECT OF INHIBITOR AGENTS ADDITION ON CORROSION RESISTANCE PERFORMANCE OF TITANIA SOL-GEL COATINGS APPLIED ON 304 STAINLESS STEEL. <i>Surface Review and Letters</i> , 2017, 24, 1750055.  | 0.5 | 8         |
| 520 | Investigation of nano-structured Zirconium oxide film on Ti6Al4V substrate to improve tribological properties prepared by PIII&D. <i>Applied Surface Science</i> , 2017, 394, 586-597.  | 3.1 | 24        |
| 521 | Effects of diamond-like carbon film on the corrosion behavior of NdFeB permanent magnet. <i>Surface and Coatings Technology</i> , 2017, 312, 66-74.   | 2.2 | 13        |
| 522 | Decorated ultrathin bismuth selenide nanosheets as targeted theranostic agents for in vivo imaging guided cancer radiation therapy. <i>NPG Asia Materials</i> , 2017, 9, e439-e439.   | 3.8 | 70        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 523 | Manganese molybdate nanoflakes on silicon microchannel plates as novel nano energetic material. Royal Society Open Science, 2017, 4, 171229.  | 1.1 | 5         |
| 524 | Mid-infrared surface plasmon resonance sensor based on photonic crystal fibers. Optics Express, 2017, 25, 14227.  | 1.7 | 222       |
| 525 | <i>In situ</i> plasma fabrication of ceramic-like structure on polymeric implant with enhanced surface hardness, cytocompatibility and antibacterial capability. Journal of Biomedical Materials Research - Part A, 2016, 104, 1102-1112. | 2.1 | 4         |
| 526 | Metabolizable Ultrathin Bi <sub>2</sub> Se <sub>3</sub> Nanosheets in Imaging-Guided Photothermal Therapy. Small, 2016, 12, 4136-4145.  | 5.2 | 203       |
| 527 | Energy dissipation in mechanical loading of nano-grained graphene sheets. RSC Advances, 2016, 6, 60856-60861.   | 1.7 | 2         |
| 528 | Modification of Biomaterials and Biomedical Devices by Plasma Immersion Ion Implantation & Deposition and Related Techniques. , 2016, , .   |     | 2         |
| 529 | Metabolizable Small Gold Nanorods: Size-dependent Cytotoxicity, Cell Uptake and <i>In Vivo</i> Biodistribution. ACS Biomaterials Science and Engineering, 2016, 2, 789-797.   | 2.6 | 51        |
| 530 | Mesoporous nitrogen-doped carbon hollow spheres as high-performance anodes for lithium-ion batteries. Journal of Power Sources, 2016, 324, 233-238.   | 4.0 | 108       |
| 531 | Plasma and ion-beam modification of metallic biomaterials for improved anti-bacterial properties. Surface and Coatings Technology, 2016, 306, 140-146.  | 2.2 | 18        |
| 532 | Synergistic WO <sub>3</sub> ·2H <sub>2</sub> O Nanoplates/WS <sub>2</sub> Hybrid Catalysts for High-Efficiency Hydrogen Evolution. ACS Applied Materials & Interfaces, 2016, 8, 13966-13972.  | 4.0 | 120       |
| 533 | Electrochemical analysis of interface adsorption phenomena on three-dimensional nano-nickel electrode deposited on silicon microchannel plate. Electrochimica Acta, 2016, 194, 253-262.   | 2.6 | 6         |
| 534 | Hafnium-implanted WE43 magnesium alloy for enhanced corrosion protection and biocompatibility. Surface and Coatings Technology, 2016, 306, 11-15.   | 2.2 | 18        |
| 535 | Substitutional doping of Ag into epitaxial graphene on 6H-SiC substrates during thermal decomposition. Carbon, 2016, 104, 233-240.  | 5.4 | 16        |
| 536 | Systematic Study of Inherent Antibacterial Properties of Magnesium-based Biomaterials. ACS Applied Materials & Interfaces, 2016, 8, 9662-9673.  | 4.0 | 79        |
| 537 | In situ synthesis of Ni(OH) <sub>2</sub> /TiO <sub>2</sub> composite film on NiTi alloy for non-enzymatic glucose sensing. Sensors and Actuators B: Chemical, 2016, 232, 150-157.   | 4.0 | 80        |
| 538 | Crumpled N-doped carbon nanotubes encapsulated with peapod-like Ge nanoparticles for high-rate and long-life Li-ion battery anodes. Journal of Materials Chemistry A, 2016, 4, 7585-7590.   | 5.2 | 44        |
| 539 | Size-dependent elastic modulus of single-layer MoS <sub>2</sub> nano-sheets. Journal of Materials Science, 2016, 51, 6850-6859.   | 1.7 | 13        |
| 540 | Antibacterial Surface Design of Titanium-Based Biomaterials for Enhanced Bacteria-Killing and Cell-Assisting Functions Against Periprosthetic Joint Infection. ACS Applied Materials & Interfaces, 2016, 8, 11162-11178.                  | 4.0 | 95        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 541 | Synthesis of mesoporous niobium nitride nanobelt arrays and their capacitive properties. <i>Applied Surface Science</i> , 2016, 383, 57-63.   | 3.1  | 58        |
| 542 | Corrosion resistance of Ti-Si-N coatings in blood and cytocompatibility with vascular endothelial cells. <i>Vacuum</i> , 2016, 128, 45-55.  | 1.6  | 7         |
| 543 | How Graphene Islands Are Unidirectionally Aligned on the Ge(110) Surface. <i>Nano Letters</i> , 2016, 16, 3160-3165.  | 4.5  | 92        |
| 544 | Surface functionalization of biomaterials by radical polymerization. <i>Progress in Materials Science</i> , 2016, 83, 191-235.  | 16.0 | 120       |
| 545 | Polyimide composites composed of covalently bonded BaTiO <sub>3</sub> @GO hybrids with high dielectric constant and low dielectric loss. <i>RSC Advances</i> , 2016, 6, 86817-86823.                    | 1.7  | 23        |
| 546 | Enhanced cytocompatibility and reduced genotoxicity of polydimethylsiloxane modified by plasma immersion ion implantation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 148, 139-146.          | 2.5  | 14        |
| 547 | Design of magnesium alloys with controllable degradation for biomedical implants: From bulk to surface. <i>Acta Biomaterialia</i> , 2016, 45, 2-30.   | 4.1  | 306       |
| 548 | Electrochemical characteristics of nano-graphene on a macroporous electrically conductive network prepared by hydrothermal carbonization. <i>Electrochimica Acta</i> , 2016, 215, 515-524.              | 2.6  | 5         |
| 549 | Effects of external stress on biodegradable orthopedic materials: A review. <i>Bioactive Materials</i> , 2016, 1, 77-84.  | 8.6  | 25        |
| 550 | Dynamic transition in the discharge current between gas-dominant discharge and self-sputtering in high-power impulse magnetron sputtering. <i>Surface and Coatings Technology</i> , 2016, 306, 319-322. | 2.2  | 5         |
| 551 | Communication between nitric oxide synthase and positively-charged surface and bone formation promotion. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 148, 354-362.                            | 2.5  | 11        |
| 552 | Tribological and Corrosion Properties of Nickel/TiC Bilayered Coatings Produced by Electroless Deposition and PACVD. <i>Journal of Materials Engineering and Performance</i> , 2016, 25, 4796-4804.     | 1.2  | 2         |
| 553 | The modulation of stem cell behaviors by functionalized nanoceramic coatings on Ti-based implants. <i>Bioactive Materials</i> , 2016, 1, 65-76.   | 8.6  | 25        |
| 554 | Dominant Factors Governing the Electron Transfer Kinetics and Electrochemical Biosensing Properties of Carbon Nanofiber Arrays. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 28872-28879.   | 4.0  | 19        |
| 555 | Electrochemical degradation and extraction capability of magnesium wastes in sewage treatment. <i>Materials and Design</i> , 2016, 111, 537-540.  | 3.3  | 4         |
| 556 | Lithiation Kinetics in High-Performance Porous Vanadium Nitride Nanosheet Anode. <i>Electrochimica Acta</i> , 2016, 214, 201-207.   | 2.6  | 41        |
| 557 | Anomalous but massive removal of two organic dye pollutants simultaneously. <i>Journal of Hazardous Materials</i> , 2016, 318, 54-60.   | 6.5  | 31        |
| 558 | Biomedical Applications of Functionalized ZnO Nanomaterials: from Biosensors to Bioimaging. <i>Advanced Materials Interfaces</i> , 2016, 3, 1500494.  | 1.9  | 138       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 559 | Mesoporous TiO <sub>2</sub> Nanocrystals/Graphene as an Efficient Sulfur Host Material for High-Performance Lithium-Sulfur Batteries. ACS Applied Materials & Interfaces, 2016, 8, 23784-23792.   | 4.0  | 89        |
| 560 | Flexible Nb <sub>2</sub> O <sub>5</sub> nanowires/graphene film electrode for high-performance hybrid Li-ion supercapacitors. Journal of Power Sources, 2016, 328, 599-606.   | 4.0  | 95        |
| 561 | Three-dimensional flexible carbon electrode for symmetrical supercapacitors. Materials Letters, 2016, 185, 193-196.   | 1.3  | 11        |
| 562 | High-energy lithium-ion hybrid supercapacitors composed of hierarchical urchin-like WO <sub>3</sub> /C anodes and MOF-derived polyhedral hollow carbon cathodes. Nanoscale, 2016, 8, 16761-16768.   | 2.8  | 85        |
| 563 | Extracellular Electron Transfer from Aerobic Bacteria to Au-Loaded TiO <sub>2</sub> Semiconductor without Light: A New Bacteria-Killing Mechanism Other than Localized Surface Plasmon Resonance or Microbial Fuel Cells. ACS Applied Materials & Interfaces, 2016, 8, 24509-24516. | 4.0  | 62        |
| 564 | Black Phosphorus Based Photocathodes in Wideband Bifacial Dye-Sensitized Solar Cells. Advanced Materials, 2016, 28, 8937-8944.  | 11.1 | 116       |
| 565 | Anodic growth of ultra-long Ni-Ti-O nanopores. Electrochemistry Communications, 2016, 71, 28-32.  | 2.3  | 22        |
| 566 | Effects of annealing ambient on oxygen vacancies and phase transition temperature of VO <sub>2</sub> thin films. RSC Advances, 2016, 6, 79383-79388.  | 1.7  | 56        |
| 567 | Effects of Atmospheric-Pressure Nonthermal Nitrogen and Air Plasma on Bacteria Inactivation. IEEE Transactions on Plasma Science, 2016, 44, 2699-2707.  | 0.6  | 27        |
| 568 | Fabrication and enhanced supercapacitance of hollow nanostructured MoS <sub>2</sub> prepared by a CATB-assisted hydrothermal process. Materials Letters, 2016, 184, 96-99.  | 1.3  | 16        |
| 569 | Peapod-like V <sub>2</sub> O <sub>3</sub> nanorods encapsulated into carbon as binder-free and flexible electrodes in lithium-ion batteries. Journal of Power Sources, 2016, 331, 58-66.  | 4.0  | 86        |
| 570 | General fabrication of mesoporous Nb <sub>2</sub> O <sub>5</sub> nanobelts for lithium ion battery anodes. RSC Advances, 2016, 6, 90489-90493.  | 1.7  | 34        |
| 571 | Nitrogen-doped multilayered nanographene derived from Ni <sub>3</sub> C with efficient electron field emission. Journal of Materials Chemistry C, 2016, 4, 9251-9260.   | 2.7  | 9         |
| 572 | Self-Supporting and Binder-Free Anode Film Composed of Beaded Stream-Like Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Nanoparticles for High-Performance Lithium-Ion Batteries. ChemElectroChem, 2016, 3, 1301-1305.  | 1.7  | 21        |
| 573 | Study on the strain in a silicon microchannel plate by micro-Raman analysis. Semiconductor Science and Technology, 2016, 31, 055010.  | 1.0  | 0         |
| 574 | Optical Identification of Topological Defect Types in Monolayer Arsenene by First-Principles Calculation. Journal of Physical Chemistry C, 2016, 120, 24917-24924.  | 1.5  | 24        |
| 575 | A sandwich-type electrochemical immunosensor based on the biotin-streptavidin-biotin structure for detection of human immunoglobulin G. Scientific Reports, 2016, 6, 22694.   | 1.6  | 18        |
| 576 | Biodegradable black phosphorus-based nanospheres for in vivo photothermal cancer therapy. Nature Communications, 2016, 7, 12967.  | 5.8  | 835       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 577 | Biodegradable Mg-Cu alloys with enhanced osteogenesis, angiogenesis, and long-lasting antibacterial effects. <i>Scientific Reports</i> , 2016, 6, 27374.  | 1.6  | 144       |
| 578 | Large-Scale Synthesis and Mechanism of $\text{TiO}_2$ -SiC Nanoparticles from Rice Husks by Low-Temperature Magnesiothermic Reduction. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 6600-6607.                       | 3.2  | 62        |
| 579 | Evaporative Self-Assembly of Gold Nanorods into Macroscopic 3D Plasmonic Superlattice Arrays. <i>Advanced Materials</i> , 2016, 28, 2511-2517.  | 11.1 | 160       |
| 580 | Drawing-fabrication of multifarious nanoplasmonic platform on PLLA paper for optimized SERS performance. <i>Journal of Raman Spectroscopy</i> , 2016, 47, 687-691.  | 1.2  | 8         |
| 581 | $\text{MoS}_2$ -Quantum-Dot-Interspersed $\text{Li}_4\text{Ti}_5\text{O}_{12}$ Nanosheets with Enhanced Performance for Li- and Na-Ion Batteries. <i>Advanced Functional Materials</i> , 2016, 26, 3349-3358.                       | 7.8  | 128       |
| 582 | Three-dimensional homo-nanostructured $\text{MnO}_2$ /nanographene membranes on a macroporous electrically conductive network for high performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016, 4, 11317-11329. | 5.2  | 24        |
| 583 | Vanadium carbide nanoparticles encapsulated in graphitic carbon network nanosheets: A high-efficiency electrocatalyst for hydrogen evolution reaction. <i>Nano Energy</i> , 2016, 26, 603-609.                                      | 8.2  | 120       |
| 584 | Theoretical Assessment of Localized Surface Plasmon Resonance Properties of Au-Interlayer-Ag Multilayered Nanoshells. <i>Plasmonics</i> , 2016, 11, 1589-1595.  | 1.8  | 10        |
| 585 | Reutilization of industrial ultrafine carbon ash ( $\text{PM}_{2.5}$ ) as rubber reinforcement filler. <i>Environmental Progress and Sustainable Energy</i> , 2016, 35, 1132-1138.  | 1.3  | 2         |
| 586 | Low-Temperature Synthesis of Mesoporous SiC Hollow Spheres by Magnesiothermic Reduction. <i>Journal of the American Ceramic Society</i> , 2016, 99, 1859-1861.  | 1.9  | 19        |
| 587 | Antibacterial Activity of Silver Doped Titanate Nanowires on Ti Implants. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 16584-16594.   | 4.0  | 102       |
| 588 | Hydrogenated $\text{V}_2\text{O}_5$ Nanosheets for Superior Lithium Storage Properties. <i>Advanced Functional Materials</i> , 2016, 26, 784-791.   | 7.8  | 149       |
| 589 | Surface Coordination of Black Phosphorus for Robust Air and Water Stability. <i>Angewandte Chemie</i> , 2016, 128, 5087-5091.   | 1.6  | 116       |
| 590 | Surface Coordination of Black Phosphorus for Robust Air and Water Stability. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 5003-5007.  | 7.2  | 479       |
| 591 | Influence of sulfur content on bone formation and antibacterial ability of sulfonated PEEK. <i>Biomaterials</i> , 2016, 83, 115-126.  | 5.7  | 189       |
| 592 | Effects of cerium ion implantation on the corrosion behavior of magnesium in different biological media. <i>Surface and Coatings Technology</i> , 2016, 306, 6-10.  | 2.2  | 28        |
| 593 | Enhanced corrosion resistance and biocompatibility of PMMA-coated ZK60 magnesium alloy. <i>Materials Letters</i> , 2016, 173, 178-181.  | 1.3  | 19        |
| 594 | Simultaneous arsenate and alkali removal from alkaline wastewater by in-situ formation of Zn-Al layered double hydroxide. <i>Microporous and Mesoporous Materials</i> , 2016, 227, 137-143.   | 2.2  | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 595 | Au Nanoparticles Decorated TiO <sub>2</sub> Nanotube Arrays as a Recyclable Sensor for Photoenhanced Electrochemical Detection of Bisphenol A. <i>Environmental Science &amp; Technology</i> , 2016, 50, 4430-4438.  | 4.6 | 124       |
| 596 | Large and porous carbon sheets derived from water hyacinth for high-performance supercapacitors. <i>RSC Advances</i> , 2016, 6, 29996-30003.   | 1.7 | 43        |
| 597 | Size-dependent corrosion behavior and cytocompatibility of NiTiO nanotubes prepared by anodization of biomedical NiTi alloy. <i>Corrosion Science</i> , 2016, 103, 173-180.  | 3.0 | 47        |
| 598 | Development of novel implants with self-antibacterial performance through in-situ growth of 1D ZnO nanowire. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 141, 623-633.   | 2.5 | 23        |
| 599 | Unusual anti-bacterial behavior and corrosion resistance of magnesium alloy coated with diamond-like carbon. <i>RSC Advances</i> , 2016, 6, 14756-14762.   | 1.7 | 13        |
| 600 | Lactose-Functionalized Gold Nanorods for Sensitive and Rapid Serological Diagnosis of Cancer. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 5813-5820.  | 4.0 | 28        |
| 601 | Preparation of multi-layer graphene on nickel-coated silicon microchannel plates by a hydrothermal carbonization procedure and its improved field emission properties. <i>Journal of Materials Chemistry C</i> , 2016, 4, 2079-2087.   | 2.7 | 23        |
| 602 | Plasma Surface Functionalized Polyetheretherketone for Enhanced Osseo-Integration at Bone-Implant Interface. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 3901-3911.   | 4.0 | 64        |
| 603 | Effects of pulse voltage and deposition time on the adhesion strength of graded metal/carbon films deposited on bendable stainless steel foils by hybrid cathodic arc glow discharge plasma assisted chemical vapor deposition. <i>Applied Surface Science</i> , 2016, 366, 535-544. | 3.1 | 4         |
| 604 | Self-passivating carbon film as bipolar plate protective coating in polymer electrolyte membrane fuel cell. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 5783-5792.   | 3.8 | 28        |
| 605 | Hybrid Co(OH) <sub>2</sub> /nano-graphene/Ni nano-composites on silicon microchannel plates for miniature supercapacitors. <i>Materials Letters</i> , 2016, 172, 40-43.  | 1.3 | 15        |
| 606 | Gypsum blocks produced from TiO <sub>2</sub> production by-products. <i>Environmental Technology (United Kingdom)</i> , 2016, 37, 1094-1100.   | 1.2 | 28        |
| 607 | Smart polymeric particle encapsulated gadolinium oxide and europium: theranostic probes for magnetic resonance/optical imaging and antitumor drug delivery. <i>Journal of Materials Chemistry B</i> , 2016, 4, 1100-1107.  | 2.9 | 16        |
| 608 | Praseodymium-surface-modified magnesium alloy: Retardation of corrosion in artificial hand sweat. <i>Materials Letters</i> , 2016, 163, 85-89.   | 1.3 | 11        |
| 609 | A highly temperature-sensitive photonic crystal fiber based on surface plasmon resonance. <i>Optics Communications</i> , 2016, 359, 378-382.   | 1.0 | 59        |
| 610 | Gold-nanorods-siRNA nanoplex for improved photothermal therapy by gene silencing. <i>Biomaterials</i> , 2016, 78, 27-39.   | 5.7 | 192       |
| 611 | Self-assembly of mesoporous ZnCo <sub>2</sub> O <sub>4</sub> nanomaterials: density functional theory calculation and flexible all-solid-state energy storage. <i>Journal of Materials Chemistry A</i> , 2016, 4, 568-577.   | 5.2 | 73        |
| 612 | Corrosion resistance of dicalcium phosphate dihydrate/poly(lactic-co-glycolic acid) hybrid coating on AZ31 magnesium alloy. <i>Corrosion Science</i> , 2016, 102, 209-221.   | 3.0 | 86        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 613 | Small gold nanorods laden macrophages for enhanced tumor coverage in photothermal therapy. <i>Biomaterials</i> , 2016, 74, 144-154.  | 5.7 | 247       |
| 614 | Utilization of recycled chemical residues from sodium hydrosulfite production in solid lubricant for drilling fluids. <i>Desalination and Water Treatment</i> , 2016, 57, 1804-1813.   | 1.0 | 6         |
| 615 | Cylindric high power impulse magnetron sputtering source and its discharge characteristics. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2016, 65, 185202.   | 0.2 | 5         |
| 616 | Plasma Surface Modification of Magnesium-Based and Related Materials. , 2016, , 329-330.   |     | 0         |
| 617 | Aluminum plasmonic photocatalysis. <i>Scientific Reports</i> , 2015, 5, 15288.   | 1.6 | 59        |
| 618 | Mitigation of Corrosion on Magnesium Alloy by Predesigned Surface Corrosion. <i>Scientific Reports</i> , 2015, 5, 17399.   | 1.6 | 59        |
| 619 | Discharge current modes of high power impulse magnetron sputtering. <i>AIP Advances</i> , 2015, 5, .   | 0.6 | 12        |
| 620 | Ultrasml Black Phosphorus Quantum Dots: Synthesis and Use as Photothermal Agents. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 11526-11530.  | 7.2 | 906       |
| 621 | Synthesis of Layerâ€ Tunable Graphene: A Combined Kinetic Implantation and Thermal Ejection Approach. <i>Advanced Functional Materials</i> , 2015, 25, 3666-3675.  | 7.8 | 43        |
| 622 | Nitrogenâ€ Doped Carbon Encapsulated Mesoporous Vanadium Nitride Nanowires as Selfâ€ Supported Electrodes for Flexible Allâ€ Solidâ€ State Supercapacitors. <i>Advanced Materials Interfaces</i> , 2015, 2, 1500211.   | 1.9 | 104       |
| 623 | From Black Phosphorus to Phosphorene: Basic Solvent Exfoliation, Evolution of Raman Scattering, and Applications to Ultrafast Photonics. <i>Advanced Functional Materials</i> , 2015, 25, 6996-7002.   | 7.8 | 862       |
| 624 | Demagnification and Magnification Effects in One-Step Noncontact Pattern Transfer by Direct-Current Plasma Immersion Ion Implantation. <i>IEEE Transactions on Plasma Science</i> , 2015, 43, 552-556.   | 0.6 | 1         |
| 625 | High-current anodization: A novel strategy to functionalize titanium-based biomaterials. <i>Electrochimica Acta</i> , 2015, 173, 345-353.  | 2.6 | 52        |
| 626 | Anionic Group Self-Doping as a Promising Strategy: Band-Gap Engineering and Multi-Functional Applications of High-Performance CO <sub>3</sub> <sup>2-</sup> -Doped Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> . <i>ACS Catalysis</i> , 2015, 5, 4094-4103. | 5.5 | 690       |
| 627 | Interfacial reactions and zigzag groove strengthening of C/C composite and Rene N5 single crystal brazed joint. <i>Ceramics International</i> , 2015, 41, 11605-11610.   | 2.3 | 40        |
| 628 | Effects and Mechanism of Atmospheric-Pressure Dielectric Barrier Discharge Cold Plasma on Lactate Dehydrogenase (LDH) Enzyme. <i>Scientific Reports</i> , 2015, 5, 10031.  | 1.6 | 119       |
| 629 | Multilayered paper-like electrodes composed of alternating stacked mesoporous Mo <sub>2</sub> N nanobelts and reduced graphene oxide for flexible all-solid-state supercapacitors. <i>Journal of Materials Chemistry A</i> , 2015, 3, 14617-14624.             | 5.2 | 75        |
| 630 | Bamboo leaf derived ultrafine Si nanoparticles and Si/C nanocomposites for high-performance Li-ion battery anodes. <i>Nanoscale</i> , 2015, 7, 13840-13847.  | 2.8 | 105       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 631 | Manipulation of strain state in silicon nanoribbons by top-down approach. Applied Physics Letters, 2015, 106, .  | 1.5 | 7         |
| 632 | Characterization of carbon ion implantation induced graded microstructure and phase transformation in stainless steel. Materials Characterization, 2015, 106, 11-19.   | 1.9 | 21        |
| 633 | Lattice shearing in nano-grained graphene sheets: a molecular dynamics simulation. RSC Advances, 2015, 5, 105194-105199.   | 1.7 | 4         |
| 634 | Robust Electrodes Based on Coaxial TiC/C-MnO <sub>2</sub> Core/Shell Nanofiber Arrays with Excellent Cycling Stability for High-Performance Supercapacitors. Small, 2015, 11, 1847-1856.   | 5.2 | 15        |
| 635 | Characteristics of DC Gas-Liquid Phase Atmospheric-Pressure Plasma and Bacteria Inactivation Mechanism. Plasma Processes and Polymers, 2015, 12, 252-259.  | 1.6 | 68        |
| 636 | Biodegradable poly-lactic acid based-composite reinforced unidirectionally with high-strength magnesium alloy wires. Biomaterials, 2015, 49, 135-144.  | 5.7 | 86        |
| 637 | Highly porous honeycomb manganese oxide@carbon fibers core-shell nanocables for flexible supercapacitors. Nano Energy, 2015, 13, 47-57.  | 8.2 | 65        |
| 638 | Emission from Trions in Carbon Quantum Dots. Journal of Physical Chemistry C, 2015, 119, 2956-2962.  | 1.5 | 53        |
| 639 | Fluorinated Graphene in Interface Engineering of Ge-Based Nanoelectronics. Advanced Functional Materials, 2015, 25, 1805-1813.   | 7.8 | 40        |
| 640 | Engineering and functionalization of biomaterials via surface modification. Journal of Materials Chemistry B, 2015, 3, 2024-2042.  | 2.9 | 138       |
| 641 | Recyclable Non-Enzymatic Glucose Sensor Based on Ni/NiTiO <sub>3</sub> /TiO <sub>2</sub> Nanotube Arrays. ChemPlusChem, 2015, 80, 576-582.   | 1.3 | 34        |
| 642 | Highly-crystalline ultrathin Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> nanosheets decorated with silver nanocrystals as a high-performance anode material for lithium ion batteries. Journal of Power Sources, 2015, 276, 247-254. | 4.0 | 99        |
| 643 | Folate-bovine serum albumin functionalized polymeric micelles loaded with superparamagnetic iron oxide nanoparticles for tumor targeting and magnetic resonance imaging. Acta Biomaterialia, 2015, 15, 117-126.                          | 4.1 | 77        |
| 644 | Bio-tribological properties and cytocompatibility of Ti-Si-N coatings. Vacuum, 2015, 115, 50-57.   | 1.6 | 10        |
| 645 | Highly ordered Ni-Ti-O nanotubes for non-enzymatic glucose detection. Materials Science and Engineering C, 2015, 51, 37-42.  | 3.8 | 31        |
| 646 | Supercapacitor Electrodes Based on Hierarchical Mesoporous MnO <sub>x</sub> /Nitrided TiO <sub>2</sub> Nanorod Arrays on Carbon Fiber Paper. Advanced Materials Interfaces, 2015, 2, 1400446.  | 1.9 | 22        |
| 647 | Enhanced osteointegration on tantalum-implanted polyetheretherketone surface with bone-like elastic modulus. Biomaterials, 2015, 51, 173-183.  | 5.7 | 206       |
| 648 | Quantum confinement effects across two-dimensional planes in MoS <sub>2</sub> quantum dots. Applied Physics Letters, 2015, 106, .  | 1.5 | 180       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 649 | Balancing the Osteogenic and Antibacterial Properties of Titanium by Codoping of Mg and Ag: An in Vitro and in Vivo Study. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 17826-17836.  | 4.0 | 70        |
| 650 | Effects of Al and N plasma immersion ion implantation on surface microhardness, oxidation resistance and antibacterial characteristics of Cu. <i>Transactions of Nonferrous Metals Society of China</i> , 2015, 25, 1944-1949.                      | 1.7 | 7         |
| 651 | Facet-controlled synthesis and facet-dependent photocatalytic properties of SnO <sub>2</sub> micropolyhedrons. <i>Applied Surface Science</i> , 2015, 349, 798-804.   | 3.1 | 32        |
| 652 | Structure, molecular simulation, and release of a spirin from intercalated Zn-Al-layered double hydroxides. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 135, 339-345.   | 2.5 | 33        |
| 653 | Evaluation of corrosion resistance and cytocompatibility of graded metal carbon film on Ti and NiTi prepared by hybrid cathodic arc/glow discharge plasma-assisted chemical vapor deposition. <i>Corrosion Science</i> , 2015, 97, 126-138.         | 3.0 | 38        |
| 654 | Zn/Ag micro-galvanic couples formed on titanium and osseointegration effects in the presence of <i>S. Aureus</i> . <i>Biomaterials</i> , 2015, 65, 22-31.   | 5.7 | 89        |
| 655 | Hybrid MnO <sub>2</sub> /C nano-composites on a macroporous electrically conductive network for supercapacitor electrodes. <i>Journal of Materials Chemistry A</i> , 2015, 3, 16695-16707.  | 5.2 | 41        |
| 656 | Effects of plasma-generated nitrogen functionalities on the upregulation of osteogenesis of bone marrow-derived mesenchymal stem cells. <i>Journal of Materials Chemistry B</i> , 2015, 3, 1856-1863.   | 2.9 | 7         |
| 657 | Achieving significantly enhanced visible-light photocatalytic efficiency using a polyelectrolyte: the composites of exfoliated titania nanosheets, graphene, and poly(diallyl-dimethyl-ammonium chloride). <i>Nanoscale</i> , 2015, 7, 14002-14009. | 2.8 | 27        |
| 658 | Effects of N <sub>2</sub> /O <sub>2</sub> flow rate on the surface properties and biocompatibility of nano-structured TiO <sub>2</sub> /N thin films prepared by high vacuum magnetron sputtering. <i>Chinese Physics B</i> , 2015, 24, 075202.     | 0.7 | 7         |
| 659 | Nanostructured titanium-silver coatings with good antibacterial activity and cytocompatibility fabricated by one-step magnetron sputtering. <i>Applied Surface Science</i> , 2015, 355, 32-44.  | 3.1 | 56        |
| 660 | Temperature and strain-rate effects on the deformation behaviors of nano-crystalline graphene sheets. <i>European Physical Journal B</i> , 2015, 88, 1.   | 0.6 | 24        |
| 661 | Enhanced cytocompatibility of silver-containing biointerface by constructing nitrogen functionalities. <i>Applied Surface Science</i> , 2015, 349, 327-332.   | 3.1 | 10        |
| 662 | Size-dependent deformation behavior of nanocrystalline graphene sheets. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2015, 198, 95-101.  | 1.7 | 17        |
| 663 | Reduced graphene oxide encapsulated selenium nanoparticles for high-power lithium-selenium battery cathode. <i>Journal of Power Sources</i> , 2015, 288, 214-220.   | 4.0 | 88        |
| 664 | Corrosion resistance of praseodymium-ion-implanted TiN coatings in blood and cytocompatibility with vascular endothelial cells. <i>Vacuum</i> , 2015, 117, 73-80.   | 1.6 | 17        |
| 665 | Microstructure and mechanical properties of C/C composite/TC4 joint with inactive AgCu filler metal. <i>Ceramics International</i> , 2015, 41, 7021-7027.   | 2.3 | 51        |
| 666 | Inactivation Effects of Non-Thermal Atmospheric-Pressure Helium Plasma Jet on <i>Staphylococcus aureus</i> Biofilms. <i>Plasma Processes and Polymers</i> , 2015, 12, 827-835.  | 1.6 | 63        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 667 | Improvement of corrosion resistance and biocompatibility of rare-earth WE43 magnesium alloy by neodymium self-ion implantation. <i>Corrosion Science</i> , 2015, 94, 142-155.   | 3.0 | 161       |
| 668 | Electronic structure and magnetism in <i>g</i> -C <sub>4</sub> N <sub>3</sub> controlled by strain engineering. <i>Applied Physics Letters</i> , 2015, 106, .   | 1.5 | 23        |
| 669 | Hierarchical 3-dimensional CoMoO <sub>4</sub> nanoflakes on a macroporous electrically conductive network with superior electrochemical performance. <i>Journal of Materials Chemistry A</i> , 2015, 3, 13776-13785.  | 5.2 | 61        |
| 670 | Upregulation of BMSCs Osteogenesis by Positively-Charged Tertiary Amines on Polymeric Implants via Charge/iNOS Signaling Pathway. <i>Scientific Reports</i> , 2015, 5, 9369.  | 1.6 | 36        |
| 671 | Magnetic, fluorescent, and thermo-responsive poly(MMA-NIPAM-Tb(AA) <sub>3</sub> Phen)/Fe <sub>3</sub> O <sub>4</sub> multifunctional nanospheres prepared by emulsifier-free emulsion polymerization. <i>Journal of Biomaterials Applications</i> , 2015, 30, 201-211.      | 1.2 | 12        |
| 672 | Removal of organic pollutants from red water by magnetic-activated coke. <i>Desalination and Water Treatment</i> , 2015, 54, 2710-2722.   | 1.0 | 17        |
| 673 | Engineering Nanoparticle-Coated Bacteria as Oral DNA Vaccines for Cancer Immunotherapy. <i>Nano Letters</i> , 2015, 15, 2732-2739.  | 4.5 | 213       |
| 674 | Amorphous nickel/cobalt tungsten sulfide electrocatalysts for high-efficiency hydrogen evolution reaction. <i>Applied Surface Science</i> , 2015, 341, 149-156.   | 3.1 | 76        |
| 675 | Design and theoretical analysis of a photonic crystal fiber based on surface plasmon resonance sensing. <i>Journal of Nanophotonics</i> , 2015, 9, 093050.  | 0.4 | 33        |
| 676 | A General and Facile Approach to Heterostructured Core/Shell BiVO <sub>4</sub> /BiOI <i>nan</i> Junction: Room-Temperature <i>in Situ</i> Assembly and Highly Boosted Visible-Light Photocatalysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 3262-3273.  | 3.2 | 285       |
| 677 | Trifunctional Polymeric Nanocomposites Incorporated with Fe <sub>3</sub> O <sub>4</sub> /Iodine-Containing Rare Earth Complex for Computed X-ray Tomography, Magnetic Resonance, and Optical Imaging. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 24523-24532. | 4.0 | 19        |
| 678 | Selective growth of Pb islands on graphene/SiC buffer layers. <i>Journal of Applied Physics</i> , 2015, 117, 065304.  | 1.1 | 11        |
| 679 | Genetic effects of an air discharge plasma on <i>Staphylococcus aureus</i> at the gene transcription level. <i>Applied Physics Letters</i> , 2015, 106, .   | 1.5 | 30        |
| 680 | Tunable photoluminescence from sheet-like black phosphorus crystal by electrochemical oxidation. <i>Applied Physics Letters</i> , 2015, 107, 021901.  | 1.5 | 34        |
| 681 | 3C-SiC/ZnS heterostructured nanospheres with high photocatalytic activity and enhancement mechanism. <i>AIP Advances</i> , 2015, 5, .   | 0.6 | 6         |
| 682 | Electrochemical investigation of the corrosion properties of three-dimensional nickel electrodes on silicon microchannel plates. <i>Corrosion Science</i> , 2015, 100, 113-120.   | 3.0 | 6         |
| 683 | Paramagnetic, pH and temperature-sensitive polymeric particles for anticancer drug delivery and brain tumor magnetic resonance imaging. <i>RSC Advances</i> , 2015, 5, 87512-87520.   | 1.7 | 7         |
| 684 | CVD Growth of Graphene on NiTi Alloy for Enhanced Biological Activity. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 19876-19881.  | 4.0 | 53        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 685 | Effects of silver plasma immersion ion implantation on the surface characteristics and cytocompatibility of titanium nitride films. <i>Surface and Coatings Technology</i> , 2015, 279, 166-170.  | 2.2 | 22        |
| 686 | Supermolecular theranostic capsules for pH-sensitive magnetic resonance imaging and multi-responsive drug delivery. <i>Journal of Materials Chemistry B</i> , 2015, 3, 8499-8507.   | 2.9 | 10        |
| 687 | Porous Dual-layered MoO <sub>3</sub> Nanotube Arrays with Highly Conductive TiN Cores for Supercapacitors. <i>ChemElectroChem</i> , 2015, 2, 512-517.   | 1.7 | 30        |
| 688 | Fabrication of Multiple Heterojunctions with Tunable Visible-Light-Active Photocatalytic Reactivity in BiOI/BiOI Full-Range Composites Based on Microstructure Modulation and Band Structures. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 482-492.                  | 4.0 | 671       |
| 689 | Investigation of organic matter adsorption from TNT red water by modified bamboo charcoal. <i>Desalination and Water Treatment</i> , 2015, 56, 684-694.   | 1.0 | 5         |
| 690 | Antibacterial and osteoinductive capability of orthopedic materials via cation- $\pi$ interaction mediated positive charge. <i>Journal of Materials Chemistry B</i> , 2015, 3, 733-737.   | 2.9 | 28        |
| 691 | Ordered-standing nickel hydroxide microchannel arrays: Synthesis and application for highly sensitive non-enzymatic glucose sensors. <i>Microelectronic Engineering</i> , 2015, 133, 11-15.   | 1.1 | 8         |
| 692 | Graded metal carbon protein binding films prepared by hybrid cathodic arc glow discharge plasma assisted chemical vapor deposition. <i>Surface and Coatings Technology</i> , 2015, 265, 222-234.  | 2.2 | 10        |
| 693 | Electrochemical corrosion behavior of biodegradable Mg-Y-RE and Mg-Zn-Zr alloys in Ringer's solution and simulated body fluid. <i>Corrosion Science</i> , 2015, 91, 160-184.  | 3.0 | 162       |
| 694 | Strong phonon-plasmon coupling at the interface of 3C-SiC/metal oxide nanoparticles. <i>Acta Materialia</i> , 2015, 83, 113-119.  | 3.8 | 4         |
| 695 | Fabrication of nanocomposite electrode based on Bi <sub>4</sub> Nd <sub>2</sub> Ti <sub>3</sub> O <sub>12</sub> perovskite supported by silicon microchannel plates for high performance electrochemical capacitors. <i>Journal of Alloys and Compounds</i> , 2015, 619, 748-753. | 2.8 | 8         |
| 696 | Synthesis, microstructure, and electronic band structure properties of nanocrystalline neodymium-doped bismuth titanate ferroelectric films fabricated by the sol-gel method. <i>Materials Research Bulletin</i> , 2015, 61, 238-244.   | 2.7 | 11        |
| 697 | MnO <sub>2</sub> /TiO <sub>2</sub> /C nanocomposite arrays for high-performance supercapacitor electrodes. <i>Thin Solid Films</i> , 2015, 584, 61-65.  | 0.8 | 32        |
| 698 | Enhanced Bioactivity of Biomedical NiTi Through Surface Plasma Polymerization. <i>Nanoscience and Nanotechnology Letters</i> , 2015, 7, 220-225.  | 0.4 | 6         |
| 699 | Three-dimensional nanoscale Co <sub>3</sub> O <sub>4</sub> electrode on ordered Ni/Si microchannel plates for electrochemical supercapacitors. <i>Materials Letters</i> , 2014, 132, 405-408.   | 1.3 | 12        |
| 700 | Improved ion implant fluence uniformity in hydrogen enhanced glow discharge plasma immersion ion implantation into silicon. <i>Review of Scientific Instruments</i> , 2014, 85, 063506.   | 0.6 | 2         |
| 701 | Cubic In <sub>2</sub> O <sub>3</sub> Microparticles for Efficient Photoelectrochemical Oxygen Evolution. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 4298-4304.   | 2.1 | 49        |
| 702 | Improved corrosion resistance of Mg-Y-RE alloy coated with niobium nitride. <i>Thin Solid Films</i> , 2014, 572, 85-90.   | 0.8 | 17        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 703 | 3C-SiC nanocrystals/TiO <sub>2</sub> nanotube heterostructures with enhanced photocatalytic performance. Applied Physics Letters, 2014, 104, .   | 1.5 | 11        |
| 704 | Engineered polycaprolactone-magnesium hybrid biodegradable porous scaffold for bone tissue engineering. Progress in Natural Science: Materials International, 2014, 24, 561-567.   | 1.8 | 58        |
| 705 | Enhanced Photodegradation of Methyl Orange Synergistically by Microcrystal Facet Cutting and Flexible Electrically-Conducting Channels. Journal of Physical Chemistry C, 2014, 118, 28063-28068.                                     | 1.5 | 23        |
| 706 | Enhanced fluorescence from dye molecules by Au nanoparticles on asymmetric double-stranded DNA and mechanism. Applied Physics Letters, 2014, 104, .  | 1.5 | 5         |
| 707 | General Properties of Bulk SiC. Engineering Materials and Processes, 2014, , 7-114.  | 0.2 | 11        |
| 708 | Plasma-target surface interaction during non-equilibrium plasma irradiation at atmospheric pressure: Generation of dusty plasma. Laser and Particle Beams, 2014, 32, 69-78.  | 0.4 | 6         |
| 709 | Antibacterial effects and biocompatibility of titanium surfaces with graded silver incorporation in titania nanotubes. Biomaterials, 2014, 35, 4255-4265.  | 5.7 | 319       |
| 710 | The effects of titania nanotubes with embedded silver oxide nanoparticles on bacteria and osteoblasts. Biomaterials, 2014, 35, 4223-4235.  | 5.7 | 305       |
| 711 | Enhanced corrosion resistance and hemocompatibility of biomedical NiTi alloy by atmospheric-pressure plasma polymerized fluorine-rich coating. Applied Surface Science, 2014, 297, 109-115.  | 3.1 | 31        |
| 712 | Electrochemical properties and corrosion resistance of carbon-ion-implanted magnesium. Corrosion Science, 2014, 82, 173-179.   | 3.0 | 65        |
| 713 | Vascular endothelial cell compatibility of superhard ternary Ti-Si-N coatings with different Si contents. Vacuum, 2014, 106, 53-63.  | 1.6 | 5         |
| 714 | Optical microcavities with tubular geometry: properties and applications. Laser and Photonics Reviews, 2014, 8, 521-547.   | 4.4 | 91        |
| 715 | Sensitive and Robust Colorimetric Sensing of Sulfide Anion by Plasmonic Nanosensors Based on Quick Crystal Growth. Plasmonics, 2014, 9, 11-16.   | 1.8 | 28        |
| 716 | Heterostructured Ni(OH) <sub>2</sub> -Co(OH) <sub>2</sub> composites on 3D ordered Ni-Co nanoparticles fabricated on microchannel plates for advanced miniature supercapacitor. Journal of Alloys and Compounds, 2014, 589, 364-371. | 2.8 | 37        |
| 717 | Facet Cutting and Hydrogenation of In <sub>2</sub> O <sub>3</sub> Nanowires for Enhanced Photoelectrochemical Water Splitting. ACS Applied Materials & Interfaces, 2014, 6, 4081-4088.   | 4.0 | 58        |
| 718 | Characteristics of atmospheric-pressure non-thermal N <sub>2</sub> and N <sub>2</sub> /O <sub>2</sub> gas mixture plasma jet. Journal of Applied Physics, 2014, 115, 033303.   | 1.1 | 67        |
| 719 | Core-shell TiC/C nanofiber arrays decorated with copper nanoparticles for high performance non-enzymatic glucose sensing. Sensors and Actuators B: Chemical, 2014, 192, 474-479.   | 4.0 | 35        |
| 720 | Effects of zirconium and oxygen plasma ion implantation on the corrosion behavior of ZK60 Mg alloy in simulated body fluids. Corrosion Science, 2014, 82, 7-26.  | 3.0 | 106       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 721 | Novel Method for the Fabrication of Flexible Film with Oriented Arrays of Graphene in Poly(vinylidene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 427 Td (N  | 1.5 | 89        |
| 722 | Rose-bengal-conjugated gold nanorods for in vivo photodynamic and photothermal oral cancer therapies. Biomaterials, 2014, 35, 1954-1966.  | 5.7 | 276       |
| 723 | Plasma modified Mg-Nd-Zn-Zr alloy with enhanced surface corrosion resistance. Corrosion Science, 2014, 78, 121-129.   | 3.0 | 73        |
| 724 | Self-assembled magnetic fluorescent polymeric micelles for magnetic resonance and optical imaging. Biomaterials, 2014, 35, 344-355.   | 5.7 | 67        |
| 725 | Paper-based plasmonic platform for sensitive, noninvasive, and rapid cancer screening. Biosensors and Bioelectronics, 2014, 54, 128-134.  | 5.3 | 62        |
| 726 | Dopant-Induced Surface Magnetism in $\beta$ -SiC Controlled by Dopant Depth. Journal of Physical Chemistry C, 2014, 118, 25429-25433.   | 1.5 | 7         |
| 727 | Observation of inactivation of Bacillus subtilis spores under exposures of oxygen added argon atmospheric pressure plasma jet. Japanese Journal of Applied Physics, 2014, 53, 110310.                             | 0.8 | 19        |
| 728 | Synthesis of hollow rare-earth compound nanoparticles by a universal sacrificial template method. CrystEngComm, 2014, 16, 6141-6148.  | 1.3 | 29        |
| 729 | Hydrothermal synthesis of perovskite-type $\text{MTiO}_3$ (M = Zn, Co.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 427 Td (N   | 1.3 | 25        |
| 730 | Asymmetrical Supercapacitor Composed of Thin $\text{Co}(\text{OH})_2$ Nanoflakes on Three-Dimensional Ni/Si Microchannel Plates with Superior Electrochemical Performance. Electrochimica Acta, 2014, 149, 18-27. | 2.6 | 25        |
| 731 | Atmospheric pressure plasma jet utilizing Ar and Ar/H <sub>2</sub> O mixtures and its applications to bacteria inactivation. Chinese Physics B, 2014, 23, 075204.   | 0.7 | 34        |
| 732 | Fabrication, modification, and biomedical applications of anodized $\text{TiO}_2$ nanotube arrays. RSC Advances, 2014, 4, 17300-17324.  | 1.7 | 124       |
| 733 | Polymeric Nanoarchitectures on Ti-Based Implants for Antibacterial Applications. ACS Applied Materials & Interfaces, 2014, 6, 17323-17345.  | 4.0 | 84        |
| 734 | High temperature oxidation of Cr-N coatings prepared by high power pulsed magnetron sputtering Plasma immersion ion implantation & deposition. Vacuum, 2014, 108, 66-70.  | 1.6 | 8         |
| 735 | Biological Applications. Engineering Materials and Processes, 2014, , 317-330.  | 0.2 | 0         |
| 736 | Functionalized $\text{TiO}_2$ Based Nanomaterials for Biomedical Applications. Advanced Functional Materials, 2014, 24, 5464-5481.  | 7.8 | 208       |
| 737 | Restoration of chemosensitivity by multifunctional micelles mediated by P-gp siRNA to reverse MDR. Biomaterials, 2014, 35, 8621-8634.   | 5.7 | 69        |
| 738 | In vitro and in vivo anti-biofilm effects of silver nanoparticles immobilized on titanium. Biomaterials, 2014, 35, 9114-9125.   | 5.7 | 205       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 739 | CdS:Mn <sup>2+</sup> Polysulfido Complex Nanoclusters with H <sub>2</sub> O <sub>2</sub> -Dependent and Site-Specific Color Changes. <i>Journal of Physical Chemistry C</i> , 2014, 118, 11085-11092.          | 1.5 | 3         |
| 740 | Silicon Carbide Nanostructures. <i>Engineering Materials and Processes</i> , 2014, .   | 0.2 | 63        |
| 741 | Synergistic effects of dual Zn/Ag ion implantation in osteogenic activity and antibacterial ability of titanium. <i>Biomaterials</i> , 2014, 35, 7699-7713.  | 5.7 | 340       |
| 742 | Photothermal Contribution to Enhanced Photocatalytic Performance of Graphene-Based Nanocomposites. <i>ACS Nano</i> , 2014, 8, 9304-9310.   | 7.3 | 240       |
| 743 | Multifunctional cationic polymer decorated and drug intercalated layered silicate (NLS) for early gastric cancer prevention. <i>Biomaterials</i> , 2014, 35, 3298-3308.  | 5.7 | 24        |
| 744 | All-silicon solid films with highly efficient and tunable full-color photoluminescence. <i>Scripta Materialia</i> , 2014, 76, 17-20.   | 2.6 | 5         |
| 745 | Impedance study of adsorption phenomena on three-dimensional nano-nickel electrode deposited on silicon microchannel plate. <i>Electrochimica Acta</i> , 2014, 132, 165-171.                                   | 2.6 | 7         |
| 746 | Surface electromagnetic wave equations in a warm magnetized quantum plasma. <i>Physics of Plasmas</i> , 2014, 21, 072114.  | 0.7 | 20        |
| 747 | Rare-earth-incorporated polymeric vector for enhanced gene delivery. <i>Biomaterials</i> , 2014, 35, 479-488.  | 5.7 | 11        |
| 748 | Multifunctional gold coated rare-earth hydroxide fluoride nanotubes for simultaneous wastewater purification and quantitative pollutant determination. <i>Materials Research Bulletin</i> , 2014, 52, 122-127. | 2.7 | 6         |
| 749 | Multilevel surface engineering of nanostructured TiO <sub>2</sub> on carbon-fiber-reinforced polyetheretherketone. <i>Biomaterials</i> , 2014, 35, 5731-5740.  | 5.7 | 81        |
| 750 | Irradiation effects on multilayered W/ZrO <sub>2</sub> film under 4 MeV Au ions. <i>Journal of Nuclear Materials</i> , 2014, 455, 86-90.   | 1.3 | 14        |
| 751 | Functionalization of biomedical materials using plasma and related technologies. <i>Applied Surface Science</i> , 2014, 310, 11-18.  | 3.1 | 21        |
| 752 | Metal oxide coating on first mirror in fusion reactor with carbon wall. <i>Surface and Coatings Technology</i> , 2014, 240, 464-469.   | 2.2 | 1         |
| 753 | Fabrication of highly ordered porous nickel oxide anode materials and their electrochemical characteristics in lithium storage. <i>Journal of Alloys and Compounds</i> , 2014, 594, 65-69.                     | 2.8 | 15        |
| 754 | Removal of organic pollutants from super heavy oil wastewater by lignite activated coke. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 447, 120-130.                         | 2.3 | 28        |
| 755 | Electrodeposition of nanostructured MnO <sub>2</sub> electrode on three-dimensional nickel/silicon microchannel plates for miniature supercapacitors. <i>Materials Letters</i> , 2014, 126, 116-118.           | 1.3 | 15        |
| 756 | Surface changes in Fe-Cr-Ni alloy bombarded by relativistic pulsed electron beam and associated mechanism. <i>Vacuum</i> , 2014, 101, 136-141.   | 1.6 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 757 | Enhanced antimicrobial properties, cytocompatibility, and corrosion resistance of plasma-modified biodegradable magnesium alloys. <i>Acta Biomaterialia</i> , 2014, 10, 544-556.  | 4.1 | 194       |
| 758 | Synergistic effect of chloride ion and albumin on the corrosion of pure magnesium. <i>Frontiers of Materials Science</i> , 2014, 8, 244-255.  | 1.1 | 16        |
| 759 | Electron density measurements of atmospheric-pressure non-thermal N <sub>2</sub> plasma jet by Stark broadening and irradiance intensity methods. <i>Physics of Plasmas</i> , 2014, 21, .                                     | 0.7 | 46        |
| 760 | Cyclodextrin-Based Host-Guest Supramolecular Nanoparticles for Delivery: From Design to Applications. <i>Accounts of Chemical Research</i> , 2014, 47, 2017-2025.   | 7.6 | 418       |
| 761 | Poly(ethylene glycol)/carbon quantum dot composite solid films exhibiting intense and tunable blue-red emission. <i>Applied Surface Science</i> , 2014, 311, 490-497.   | 3.1 | 71        |
| 762 | Effects of zirconium and nitrogen plasma immersion ion implantation on the electrochemical corrosion behavior of Mg-Y-RE alloy in simulated body fluid and cell culture medium. <i>Corrosion Science</i> , 2014, 86, 239-251. | 3.0 | 53        |
| 763 | Competitive Reaction Pathway for Site-Selective Conjugation of Raman Dyes to Hotspots on Gold Nanorods for Greatly Enhanced SERS Performance. <i>Small</i> , 2014, 10, 4012-4019.   | 5.2 | 21        |
| 764 | Stimulation of bone growth following zinc incorporation into biomaterials. <i>Biomaterials</i> , 2014, 35, 6882-6897.   | 5.7 | 241       |
| 765 | Microporous N-doped carbon film produced by cold atmospheric plasma jet and its cell compatibility. <i>Vacuum</i> , 2014, 108, 27-34.   | 1.6 | 7         |
| 766 | Antibacterial and mechanical properties of honeycomb ceramic materials incorporated with silver and zinc. <i>Materials &amp; Design</i> , 2014, 59, 461-465.  | 5.1 | 28        |
| 767 | Plasmon-induced broadband fluorescence enhancement on Al-Ag bimetallic substrates. <i>Scientific Reports</i> , 2014, 4, 6014.   | 1.6 | 24        |
| 768 | Fabrication of Ni-Ti-O nanotube arrays by anodization of NiTi alloy and their potential applications. <i>Scientific Reports</i> , 2014, 4, 7547.  | 1.6 | 52        |
| 769 | Rice Husk-Derived Activated Carbon for Li Ion Battery Anode. <i>Nanoscience and Nanotechnology Letters</i> , 2014, 6, 68-71.  | 0.4 | 32        |
| 770 | Enhanced discharge of high power pulsed magnetron sputtering coupling with high voltage. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2014, 63, 185207.   | 0.2 | 5         |
| 771 | Progress in direct-current plasma immersion ion implantation and recent applications of plasma immersion ion implantation and deposition. <i>Surface and Coatings Technology</i> , 2013, 229, 2-11.                           | 2.2 | 25        |
| 772 | Surface engineering and modification of biomaterials. <i>Thin Solid Films</i> , 2013, 528, 93-105.  | 0.8 | 39        |
| 773 | Interface analysis of inorganic films on polyimide with atomic oxygen exposure. <i>Surface and Coatings Technology</i> , 2013, 216, 121-126.  | 2.2 | 24        |
| 774 | Bimodal optical diagnostics of oral cancer based on Rose Bengal conjugated gold nanorod platform. <i>Biomaterials</i> , 2013, 34, 4274-4283.  | 5.7 | 74        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 775 | Electron storage mediated dark antibacterial action of bound silver nanoparticles: Smaller is not always better. <i>Acta Biomaterialia</i> , 2013, 9, 5100-5110.   | 4.1  | 116       |
| 776 | Nanoparticles for improving cancer diagnosis. <i>Materials Science and Engineering Reports</i> , 2013, 74, 35-69.  | 14.8 | 94        |
| 777 | Micrograph and structure of CrN films prepared by plasma immersion ion implantation and deposition using HPPMS plasma source. <i>Surface and Coatings Technology</i> , 2013, 229, 210-216.   | 2.2  | 14        |
| 778 | Microelectrode arrays based on carbon nanomaterials: emerging electrochemical sensors for biological and environmental applications. <i>RSC Advances</i> , 2013, 3, 18698.   | 1.7  | 34        |
| 779 | Anode properties and morphology evolution of three-dimensional lithium-ion battery electrodes comprising Ni-coated Si microchannel plates. <i>Journal of Alloys and Compounds</i> , 2013, 563, 186-191.  | 2.8  | 9         |
| 780 | Bone integration capability of a series of strontium-containing hydroxyapatite coatings formed by microarc oxidation. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101A, 2465-2480.  | 2.1  | 84        |
| 781 | Improved surface corrosion resistance of WE43 magnesium alloy by dual titanium and oxygen ion implantation. <i>Thin Solid Films</i> , 2013, 529, 407-411.  | 0.8  | 58        |
| 782 | Antimicrobial effects of oxygen plasma modified medical grade Ti-6Al-4V alloy. <i>Vacuum</i> , 2013, 89, 271-279.  | 1.6  | 12        |
| 783 | Transformation of Enhanced Glow Discharge Dynamics in Nitrogen Plasma Immersion Ion Implantation. <i>IEEE Transactions on Plasma Science</i> , 2013, 41, 553-558.  | 0.6  | 2         |
| 784 | Direct and diffuse reflection of electron waves at armchair edges of epitaxial graphene. <i>RSC Advances</i> , 2013, 3, 25735.   | 1.7  | 6         |
| 785 | Cytocompatibility, osseointegration, and bioactivity of three-dimensional porous and nanostructured network on polyetheretherketone. <i>Biomaterials</i> , 2013, 34, 9264-9277.  | 5.7  | 302       |
| 786 | Surface design of biodegradable magnesium alloys – A review. <i>Surface and Coatings Technology</i> , 2013, 233, 2-12.   | 2.2  | 309       |
| 787 | Direct formation of amine functionality on DLC films and surface cyto-compatibility. <i>Diamond and Related Materials</i> , 2013, 38, 28-31.   | 1.8  | 5         |
| 788 | Improved in vitro and in vivo biocompatibility of dual plasma modified titanium alloy. <i>Surface and Coatings Technology</i> , 2013, 229, 130-134.  | 2.2  | 13        |
| 789 | Tunable fluorescence from patterned silver nano-island arrays for sensitive sub-cell imaging. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 495302.  | 1.3  | 7         |
| 790 | Direct Growth of Graphene Film on Germanium Substrate. <i>Scientific Reports</i> , 2013, 3, 2465.  | 1.6  | 181       |
| 791 | Graded nanostructured interfacial layers fabricated by high power pulsed magnetron sputtering – plasma immersion ion implantation and deposition (HPPMS-PIII&D). <i>Surface and Coatings Technology</i> , 2013, 236, 320-325.                              | 2.2  | 5         |
| 792 | Magnetic, fluorescent, and thermo-responsive Fe <sub>3</sub> O <sub>4</sub> /rare earth incorporated poly(St-NIPAM) core-shell colloidal nanoparticles in multimodal optical/magnetic resonance imaging probes. <i>Biomaterials</i> , 2013, 34, 2296-2306. | 5.7  | 85        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 793 | In situ probing of intracellular pH by fluorescence from inorganic nanoparticles. <i>Biomaterials</i> , 2013, 34, 9183-9189.  | 5.7 | 26        |
| 794 | Effects of loading mode and orientation on deformation mechanism of graphene nano-ribbons. <i>Applied Physics Letters</i> , 2013, 103, 191906.  | 1.5 | 5         |
| 795 | Structure and properties of TiC/Ti coatings fabricated on NiTi by plasma immersion ion implantation and deposition. <i>Vacuum</i> , 2013, 89, 238-243.  | 1.6 | 13        |
| 796 | Mechanism of Photoluminescence from Chemically Derived Graphene Oxide: Role of Chemical Reduction. <i>Advanced Optical Materials</i> , 2013, 1, 926-932.  | 3.6 | 160       |
| 797 | Electrochemical Characteristics of Discrete, Uniform, and Monodispersed Hollow Mesoporous Carbon Spheres in Double-Layered Supercapacitors. <i>Chemistry - an Asian Journal</i> , 2013, 8, 2627-2633.                                 | 1.7 | 18        |
| 798 | Electronic states in hybrid boron nitride and graphene structures. <i>Journal of Applied Physics</i> , 2013, 114, 063707.   | 1.1 | 13        |
| 799 | Structure and corrosion resistance of Ti/TiC coatings fabricated by plasma immersion ion implantation and deposition on nickel-titanium. <i>Surface and Coatings Technology</i> , 2013, 229, 151-155.                                 | 2.2 | 31        |
| 800 | Coaxial PANI/TiN/PANI nanotube arrays for high-performance supercapacitor electrodes. <i>Chemical Communications</i> , 2013, 49, 10172.   | 2.2 | 92        |
| 801 | Surface Characterization of Biomaterials. , 2013, , 105-174.  |     | 32        |
| 802 | Optical identification of oxygen vacancy types in SnO <sub>2</sub> nanocrystals. <i>Applied Physics Letters</i> , 2013, 102, .  | 1.5 | 65        |
| 803 | Enhanced Photoelectrochemical Oxygen Evolution Reaction based on Surface Autocatalytic Effect of Ultrathin 3C-SiC Nanocrystals. <i>Journal of the Electrochemical Society</i> , 2013, 160, H620-H623.                                 | 1.3 | 1         |
| 804 | C/CrN multilayer coating for polymer electrolyte membrane fuel cell metallic bipolar plates. <i>Journal of Power Sources</i> , 2013, 222, 351-358.  | 4.0 | 54        |
| 805 | Thermal oxidation of titanium: Evaluation of corrosion resistance as a function of cooling rate. <i>Materials Chemistry and Physics</i> , 2013, 138, 565-572.   | 2.0 | 83        |
| 806 | Dual-emitting nanocomposites derived from rare-earth compound nanotubes for ratiometric fluorescence sensing applications. <i>Nanoscale</i> , 2013, 5, 1629.  | 2.8 | 29        |
| 807 | Electrochemical analysis of nickel electrode deposited on silicon microchannel plate. <i>Electrochimica Acta</i> , 2013, 90, 344-349.   | 2.6 | 18        |
| 808 | Fabrication and enhanced dielectric properties of graphene-polyvinylidene fluoride functional hybrid films with a polyaniline interlayer. <i>Journal of Materials Chemistry A</i> , 2013, 1, 884-890.                                 | 5.2 | 110       |
| 809 | Effects of chromium ion implantation voltage on the corrosion resistance and cytocompatibility of dual chromium and oxygen plasma-ion-implanted biodegradable magnesium. <i>Surface and Coatings Technology</i> , 2013, 235, 875-880. | 2.2 | 12        |
| 810 | Non-enzymatic hydrogen peroxide photoelectrochemical sensor based on WO <sub>3</sub> decorated core-shell TiC/C nanofibers electrode. <i>Electrochimica Acta</i> , 2013, 108, 491-496.  | 2.6 | 51        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 811 | Self-protection against corrosion of aged magnesium alloy in simulated physiological environment. <i>Corrosion Science</i> , 2013, 68, 279-285.   | 3.0  | 56        |
| 812 | Surface and interference co-enhanced Raman scattering from indium tin oxide nanocap arrays. <i>Applied Surface Science</i> , 2013, 280, 343-348.  | 3.1  | 10        |
| 813 | In vivo stimulation of bone formation by aluminum and oxygen plasma surface-modified magnesium implants. <i>Biomaterials</i> , 2013, 34, 9863-9876.   | 5.7  | 99        |
| 814 | Effects of silicon plasma ion implantation on electrochemical corrosion behavior of biodegradable Mg-RE Alloy. <i>Corrosion Science</i> , 2013, 69, 158-163.  | 3.0  | 65        |
| 815 | Low-modulus Mg/PCL hybrid bone substitute for osteoporotic fracture fixation. <i>Biomaterials</i> , 2013, 34, 7016-7032.  | 5.7  | 112       |
| 816 | Osteogenic activity and antibacterial effects on titanium surfaces modified with Zn-incorporated nanotube arrays. <i>Biomaterials</i> , 2013, 34, 3467-3478.  | 5.7  | 269       |
| 817 | Effects of carbon dioxide plasma immersion ion implantation on the electrochemical properties of AZ31 magnesium alloy in physiological environment. <i>Applied Surface Science</i> , 2013, 286, 257-260.                                | 3.1  | 18        |
| 818 | N-doped SnO <sub>2</sub> nanocrystals with green emission dependent upon mutual effects of nitrogen dopant and oxygen vacancy. <i>Acta Materialia</i> , 2013, 61, 7342-7347.  | 3.8  | 28        |
| 819 | Properties of carbon film deposited on stainless steel by close field unbalanced magnetron sputter ion plating. <i>Thin Solid Films</i> , 2013, 531, 320-327.   | 0.8  | 12        |
| 820 | Thermal degradation and flame retarding characteristics of polypropylene composites incorporated with boron mud. <i>Composites Science and Technology</i> , 2013, 85, 131-135.  | 3.8  | 20        |
| 821 | Effect of high fluence Au ion irradiation on nanocrystalline tungsten film. <i>Journal of Nuclear Materials</i> , 2013, 442, 189-194.   | 1.3  | 14        |
| 822 | Microstructure evolution and mechanical properties of vacuum-brazed C/C composite with AgCuTi foil. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 564, 192-198. | 2.6  | 59        |
| 823 | Surface-induced structural transformation in nanowires. <i>Materials Science and Engineering Reports</i> , 2013, 74, 173-209.   | 14.8 | 23        |
| 824 | Atomic layer deposition of platinum thin films on anodic aluminium oxide templates as surface-enhanced Raman scattering substrates. <i>Vacuum</i> , 2013, 89, 257-260.  | 1.6  | 15        |
| 825 | Concentrated ion beam emitted from an enlarged cylindrical-anode-layer Hall plasma accelerator and mechanism. <i>Journal of Applied Physics</i> , 2013, 113, 043302.  | 1.1  | 1         |
| 826 | Resonant Raman scattering from CdS nanocrystals enhanced by interstitial Mn. <i>Applied Physics Letters</i> , 2013, 102, .  | 1.5  | 24        |
| 827 | Self-sealing SiO <sub>2</sub> pores on silicon formed by oxidation of microporous silicon. <i>Microporous and Mesoporous Materials</i> , 2013, 174, 10-13.  | 2.2  | 1         |
| 828 | Plasmon-Matter Interactions in Optoelectronic Metamaterials with Negative Refractive Index. <i>Plasmonics</i> , 2013, 8, 1309-1315.   | 1.8  | 5         |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 829 | Control of Surface Degradation on Biodegradable Magnesium Alloys by Plasma-Based Technology. IEEE Transactions on Plasma Science, 2013, 41, 725-730.   | 0.6  | 7         |
| 830 | Fluorescent Magnetic Fe <sub>3</sub> O <sub>4</sub> /Rare Earth Colloidal Nanoparticles for Dual-Modality Imaging. Small, 2013, 9, 2991-3000.  | 5.2  | 42        |
| 831 | Evidence of atomically resolved 6Å–6 buffer layer with long-range order and short-range disorder during formation of graphene on 6H-SiC by thermal decomposition. Applied Physics Letters, 2013, 102, .                  | 1.5  | 19        |
| 832 | Microstructure and surface properties of chromium-doped diamond-like carbon thin films fabricated by high power pulsed magnetron sputtering. Applied Surface Science, 2013, 276, 31-36.                                  | 3.1  | 25        |
| 833 | Recent advances in multifunctional magnetic nanoparticles and applications to biomedical diagnosis and treatment. RSC Advances, 2013, 3, 10598.  | 1.7  | 87        |
| 834 | Electrochemically deposited chitosan/Ag complex coatings on biomedical NiTi alloy for antibacterial application. Surface and Coatings Technology, 2013, 232, 370-375.  | 2.2  | 49        |
| 835 | WO <sub>3</sub> nanoparticles decorated core-shell Ti-C nanofiber arrays for high sensitive and non-enzymatic photoelectrochemical biosensing. Chemical Communications, 2013, 49, 7091.                                  | 2.2  | 20        |
| 836 | Effect of surface mechanical attrition treatment of titanium using alumina balls: surface roughness, contact angle and apatite forming ability. Frontiers of Materials Science, 2013, 7, 285-294.                        | 1.1  | 19        |
| 837 | Titania Nanotube Coatings on Dental Implants with Enhanced Osteogenic Activity and Anti-Infection Properties. , 2013, , 337-357.   |      | 1         |
| 838 | In Situ Thermal Imaging and Absolute Temperature Monitoring by Luminescent Diphenylalanine Nanotubes. Biomacromolecules, 2013, 14, 2112-2116.  | 2.6  | 34        |
| 839 | Enhanced Photocatalytic Oxygen Evolution by Crystal Cutting. Advanced Materials, 2013, 25, 2035-2039.  | 11.1 | 49        |
| 840 | Ni-coated Si microchannel plate electrodes in three-dimensional lithium-ion battery anodes. Electrochimica Acta, 2013, 87, 250-255.  | 2.6  | 39        |
| 841 | Breathing oscillations in enlarged cylindrical-anode-layer Hall plasma accelerator. Journal of Applied Physics, 2013, 113, 203302.   | 1.1  | 0         |
| 842 | Is There Real Upconversion Photoluminescence from Graphene Quantum Dots?. Advanced Optical Materials, 2013, 1, 554-558.  | 3.6  | 128       |
| 843 | Direct imprint of nanostructures in metals using porous anodic alumina stamps. Nanotechnology, 2013, 24, 255303.   | 1.3  | 10        |
| 844 | Surface nano-architectures and their effects on the mechanical properties and corrosion behavior of Ti-based orthopedic implants. Surface and Coatings Technology, 2013, 233, 13-26.                                     | 2.2  | 65        |
| 845 | Electrochemically-deposited nanostructured Co(OH) <sub>2</sub> flakes on three-dimensional ordered nickel/silicon microchannel plates for miniature supercapacitors. Journal of Materials Chemistry A, 2013, 1, 532-540. | 5.2  | 74        |
| 846 | The osteogenic activity of strontium loaded titania nanotube arrays on titanium substrates. Biomaterials, 2013, 34, 19-29.   | 5.7  | 212       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 847 | The role of integrin-linked kinase/ $\beta^2$ -catenin pathway in the enhanced MG63 differentiation by micro/nano-textured topography. <i>Biomaterials</i> , 2013, 34, 631-640.  | 5.7 | 99        |
| 848 | Crystallization Effects of Nanocrystalline GaN Films on Field Emission. <i>Journal of Physical Chemistry C</i> , 2013, 117, 1518-1523.   | 1.5 | 13        |
| 849 | Effects of Carbon and Nitrogen Plasma Immersion Ion Implantation on In vitro and In vivo Biocompatibility of Titanium Alloy. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 1510-1516.                         | 4.0 | 81        |
| 850 | Carbon-Doped TiO <sub>2</sub> /Nanotube Array Platform for Visible Photocatalysis. <i>Nanoscience and Nanotechnology Letters</i> , 2013, 5, 1251-1257.   | 0.4 | 12        |
| 851 | Magnetorotational instability in plasmas with mobile dust grains. <i>Physics of Plasmas</i> , 2013, 20, 032102.  | 0.7 | 4         |
| 852 | Effects of surface properties of red mud on interactions with Escherichia coli. <i>Journal of Materials Research</i> , 2013, 28, 2332-2338.  | 1.2 | 3         |
| 853 | Investigation of activated oxygen molecules on the surface of Y <sub>2</sub> O <sub>3</sub> nanocrystals by Raman scattering. <i>Journal of Applied Physics</i> , 2013, 114, .   | 1.1 | 25        |
| 854 | Photoluminescence properties of ordered Bi <sub>4-x</sub> NdxTi <sub>3</sub> O <sub>12</sub> matrix supported by 3-dimensional silicon microchannel plate. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 315105. | 1.3 | 4         |
| 855 | Characterization of SnO <sub>2</sub> /Ni/SiO <sub>2</sub> -MCP anode in three-dimensional lithium-ion battery. <i>Proceedings of SPIE</i> , 2013, , .  | 0.8 | 0         |
| 856 | Wear mechanism and tribological characteristics of porous NiTi shape memory alloy for bone scaffold. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101A, 2586-2601.                                   | 2.1 | 22        |
| 857 | Surface-enhanced Raman Scattering Substrates Prepared by Magnetron Sputtering Using Anodized Titanium Oxide Nanotube Ends as Template. , 2013, , .   |     | 0         |
| 858 | A novel method for effective sodium ion implantation into silicon. <i>Review of Scientific Instruments</i> , 2012, 83, 075116.   | 0.6 | 0         |
| 859 | Adsorption of polyvinyl alcohol from wastewater by sintered porous red mud. <i>Water Science and Technology</i> , 2012, 65, 2055-2060.   | 1.2 | 11        |
| 860 | Low-frequency Raman scattering of bioinspired self-assembled diphenylalanine nanotubes/microtubes. <i>Optics Express</i> , 2012, 20, 5119.   | 1.7 | 17        |
| 861 | Oxidation resistance of quintuple Ti-Al-Si-C-N coatings and associated mechanism. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2012, 30, .  | 0.9 | 5         |
| 862 | Tribological behavior of Ti-Al-Si-C-N hard coatings deposited by hybrid arc-enhanced magnetron sputtering. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2012, 30, 021501.             | 0.9 | 4         |
| 863 | Tunable electroluminescence from polymer-passivated 3C-SiC quantum dot thin films. <i>Applied Physics Letters</i> , 2012, 101, 123110.   | 1.5 | 20        |
| 864 | Group velocity of extraordinary waves in superdense magnetized quantum plasma with spin-1/2 effects. <i>Physics of Plasmas</i> , 2012, 19, .   | 0.7 | 21        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 865 | Improved corrosion resistance of stainless steel 316L by Ti ion implantation. <i>Materials Letters</i> , 2012, 68, 450-452.   | 1.3 | 37        |
| 866 | Effects of carbon ash on rheological properties of water-based drilling fluids. <i>Journal of Petroleum Science and Engineering</i> , 2012, 100, 1-8.   | 2.1 | 85        |
| 867 | Are all atmospheric pressure cold plasma jets electrically driven?. <i>Applied Physics Letters</i> , 2012, 100, .   | 1.5 | 54        |
| 868 | Nickel-Palladium Nanoparticles for Nonenzymatic Methanol Detection. <i>Analytical Letters</i> , 2012, 45, 1447-1453.  | 1.0 | 7         |
| 869 | Vascular lumen simulation and highly-sensitive nitric oxide detection using three-dimensional gelatin chip coupled to TiC/C nanowire arrays microelectrode. <i>Lab on A Chip</i> , 2012, 12, 4249.        | 3.1 | 29        |
| 870 | Anisotropic etching of microscale $\text{FeSi}_2$ particles: Formation, mechanism, and quantum confinement of $\text{FeSi}_2$ nanowiskers. <i>RSC Advances</i> , 2012, 2, 3254.                           | 1.7 | 3         |
| 871 | Surface Treatment of Polyethylene Terephthalate Using Plasma Ion Implantation Based on Direct Coupling of RF and High-Voltage Pulse. <i>IEEE Transactions on Plasma Science</i> , 2012, 40, 487-491.      | 0.6 | 5         |
| 872 | Origin of strong white electroluminescence from dense Si nanodots embedded in silicon nitride. <i>Optics Letters</i> , 2012, 37, 692.   | 1.7 | 33        |
| 873 | Oxygen-vacancy and depth-dependent violet double-peak photoluminescence from ultrathin cuboid $\text{SnO}_2$ nanocrystals. <i>Applied Physics Letters</i> , 2012, 100, 121903.                            | 1.5 | 45        |
| 874 | Biodegradable Poly(Butylene Succinate) Modified by Gas Plasmas and Their In vitro Functions as Bone Implants. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 4380-4386.                         | 4.0 | 31        |
| 875 | The effect of interlayer on corrosion resistance of ceramic coating/Mg alloy substrate in simulated physiological environment. <i>Surface and Coatings Technology</i> , 2012, 206, 4892-4898.             | 2.2 | 39        |
| 876 | Plasma immersion ion implantation into cylindrical bore using internal inductively-coupled radio-frequency discharge. <i>Surface and Coatings Technology</i> , 2012, 206, 5042-5045.                      | 2.2 | 5         |
| 877 | Inactivation of a 25.5 $\mu\text{m}$ <i>Enterococcus faecalis</i> biofilm by a room-temperature, battery-operated, handheld air plasma jet. <i>Journal Physics D: Applied Physics</i> , 2012, 45, 165205. | 1.3 | 138       |
| 878 | Photoluminescence induced by twinning interface in CdS nanocrystals. <i>Applied Physics Letters</i> , 2012, 100, 171911.  | 1.5 | 12        |
| 879 | Ion trajectories and shadow effects in mesh-assisted plasma immersion ion implantation of insulator. <i>Applied Surface Science</i> , 2012, 258, 2910-2913.   | 3.1 | 1         |
| 880 | Optical properties and chemical structures of Kapton-H film after proton irradiation by immersion in a hydrogen plasma. <i>Applied Surface Science</i> , 2012, 258, 3829-3834.                            | 3.1 | 17        |
| 881 | Mechanical and optical characteristics of multilayer inorganic films on polyimide for anti-atomic-oxygen erosion. <i>Applied Surface Science</i> , 2012, 258, 5810-5814.                                  | 3.1 | 23        |
| 882 | Retardation of surface corrosion of biodegradable magnesium-based materials by aluminum ion implantation. <i>Applied Surface Science</i> , 2012, 258, 7651-7657.  | 3.1 | 59        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 883 | Corrosion behavior of chromium and oxygen plasma-modified magnesium in sulfate solution and simulated body fluid. <i>Applied Surface Science</i> , 2012, 258, 8273-8278.                                    | 3.1 | 19        |
| 884 | Fabrication of Si@Ag@wire-cap nanostructures for metal-enhanced fluorescence. <i>Journal of Luminescence</i> , 2012, 132, 2586-2589.  | 1.5 | 1         |
| 885 | Plasmonic nano-lasers. <i>Nano Energy</i> , 2012, 1, 25-41.   | 8.2 | 75        |
| 886 | New easy way preparation of core/shell structured SnO <sub>2</sub> @carbon spheres and application for lithium-ion batteries. <i>Journal of Power Sources</i> , 2012, 216, 475-481.                         | 4.0 | 38        |
| 887 | Improved corrosion resistance and cytocompatibility of magnesium alloy by two-stage cooling in thermal treatment. <i>Corrosion Science</i> , 2012, 59, 360-365.   | 3.0 | 63        |
| 888 | Strain effect on lattice vibration, heat capacity, and thermal conductivity of graphene. <i>Applied Physics Letters</i> , 2012, 101, 111904.  | 1.5 | 89        |
| 889 | Three-dimensional numerical investigation of electron transport with rotating spoke in a cylindrical anode layer Hall plasma accelerator. <i>Physics of Plasmas</i> , 2012, 19, .                           | 0.7 | 12        |
| 890 | Water-Sensitive High-Frequency Molecular Vibrations in Self-Assembled Diphenylalanine Nanotubes. <i>Journal of Physical Chemistry C</i> , 2012, 116, 9793-9799.   | 1.5 | 29        |
| 891 | Optofluidic detection for cellular phenotyping. <i>Lab on A Chip</i> , 2012, 12, 3552.  | 3.1 | 38        |
| 892 | Sensitive and simultaneous detection of different disease markers using multiplexed gold nanorods. <i>Analytica Chimica Acta</i> , 2012, 755, 108-114.  | 2.6 | 20        |
| 893 | Improved corrosion resistance on biodegradable magnesium by zinc and aluminum ion implantation. <i>Applied Surface Science</i> , 2012, 263, 608-612.  | 3.1 | 37        |
| 894 | Functional replication of the tendon tissue microenvironment by a bioimprinted substrate and the support of tenocytic differentiation of mesenchymal stem cells. <i>Biomaterials</i> , 2012, 33, 7686-7698. | 5.7 | 84        |
| 895 | The role of the Wnt/ $\beta$ -catenin pathway in the effect of implant topography on MG63 differentiation. <i>Biomaterials</i> , 2012, 33, 7993-8002.   | 5.7 | 91        |
| 896 | Novel anionic fluorine-containing amphiphilic self-assembly polymer micelles for potential application in protein drug carrier. <i>Journal of Fluorine Chemistry</i> , 2012, 141, 21-28.                    | 0.9 | 17        |
| 897 | Effect of plasma CVD operating temperature on nanomechanical properties of TiC nanostructured coating investigated by atomic force microscopy. <i>Materials Research Bulletin</i> , 2012, 47, 2200-2205.    | 2.7 | 21        |
| 898 | Novel functional materials with active adsorption and antimicrobial properties. <i>Materials Letters</i> , 2012, 89, 19-21.   | 1.3 | 3         |
| 899 | In vitro corrosion inhibition on biomedical shape memory alloy by plasma-polymerized allylamine film. <i>Materials Letters</i> , 2012, 89, 51-54.   | 1.3 | 13        |
| 900 | Interference effects on indium tin oxide enhanced Raman scattering. <i>Journal of Applied Physics</i> , 2012, 111, .  | 1.1 | 9         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 901 | Ultrathin Amorphous Alumina Nanoparticles with Quantum-Confined Oxygen-Vacancy-Induced Blue Photoluminescence as Fluorescent Biological Labels. <i>Journal of Physical Chemistry C</i> , 2012, 116, 2356-2362.             | 1.5  | 28        |
| 902 | Hydrothermal Growth Mechanism of Controllable Hydrophilic Titanate Nanostructures on Medical NiTi Shape Memory Alloy. <i>Journal of Materials Engineering and Performance</i> , 2012, 21, 2600-2606.                       | 1.2  | 11        |
| 903 | Superelastic Porous NiTi with Adjustable Porosities Synthesized by Powder Metallurgical Method. <i>Journal of Materials Engineering and Performance</i> , 2012, 21, 2553-2558.   | 1.2  | 8         |
| 904 | Wear Properties of Porous NiTi Orthopedic Shape Memory Alloy. <i>Journal of Materials Engineering and Performance</i> , 2012, 21, 2622-2627.   | 1.2  | 10        |
| 905 | Three-dimensional particle-in-cell simulation of discharge characteristics in cylindrical anode layer hall plasma accelerator. <i>Physics of Plasmas</i> , 2012, 19, .   | 0.7  | 8         |
| 906 | Interface dipole engineering in metal gate/high-k stacks. <i>Science Bulletin</i> , 2012, 57, 2872-2878.   | 1.7  | 22        |
| 907 | Preparation and electrochemistry of Pd@Ni/Si nanowire nanocomposite catalytic anode for direct ethanol fuel cell. <i>Dalton Transactions</i> , 2012, 41, 5055.   | 1.6  | 23        |
| 908 | Concentration- and time-dependent response of human gingival fibroblasts to fibroblast growth factor 2 immobilized on titanium dental implants. <i>International Journal of Nanomedicine</i> , 2012, 7, 1965.              | 3.3  | 17        |
| 909 | High-Efficiency Electrochemical Hydrogen Evolution Based on Surface Autocatalytic Effect of Ultrathin 3C-SiC Nanocrystals. <i>Nano Letters</i> , 2012, 12, 1545-1548.  | 4.5  | 107       |
| 910 | Controlled Fabrication of Core@Shell TiO <sub>2</sub> /C and TiC/C Nanofibers on Ti Foils and Their Field-Emission Properties. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 1037-1042.                         | 4.0  | 23        |
| 911 | Tailoring of Mesenchymal Stem Cells Behavior on Plasma-Modified Polytetrafluoroethylene. <i>Advanced Materials</i> , 2012, 24, 3315-3324.  | 11.1 | 47        |
| 912 | Facile preparation of cationic P (St-BA-METAC) copolymer nanoparticles and the investigation of their interaction with bovine serum albumin. <i>Journal of Applied Polymer Science</i> , 2012, 125, 864-869.               | 1.3  | 3         |
| 913 | Heterostructured TiO <sub>2</sub> Nanoparticles/Nanotube Arrays: In-Situ Formation from Amorphous TiO <sub>2</sub> Nanotube Arrays in Water and Enhanced Photocatalytic Activity. <i>ChemPlusChem</i> , 2012, 77, 323-329. | 1.3  | 59        |
| 914 | Silver Nanovoid Arrays for Surface-Enhanced Raman Scattering. <i>Langmuir</i> , 2012, 28, 8799-8803.   | 1.6  | 25        |
| 915 | Electronic states and photoluminescence of TiO <sub>2</sub> nanotubes with adsorbed surface oxygen. <i>Applied Physics Letters</i> , 2012, 100, 121904.  | 1.5  | 17        |
| 916 | Removal of organic materials from TNT red water by Bamboo Charcoal adsorption. <i>Chemical Engineering Journal</i> , 2012, 193-194, 39-49.   | 6.6  | 60        |
| 917 | Preparation and characterization of a novel nickel-palladium electrode supported by silicon nanowires for direct glucose fuel cell. <i>Electrochimica Acta</i> , 2012, 65, 149-152.  | 2.6  | 31        |
| 918 | Intracellular pathways and nuclear localization signal peptide-mediated gene transfection by cationic polymeric nanovectors. <i>Biomaterials</i> , 2012, 33, 1135-1145.  | 5.7  | 67        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 919 | Effects of micropitted/nanotubular titania topographies on bone mesenchymal stem cell osteogenic differentiation. <i>Biomaterials</i> , 2012, 33, 2629-2641.   | 5.7 | 273       |
| 920 | Magnetite-loaded fluorine-containing polymeric micelles for magnetic resonance imaging and drug delivery. <i>Biomaterials</i> , 2012, 33, 3013-3024.   | 5.7 | 136       |
| 921 | Synergistic treatment of ovarian cancer by co-delivery of survivin shRNA and paclitaxel via supramolecular micellar assembly. <i>Biomaterials</i> , 2012, 33, 6580-6591.   | 5.7 | 114       |
| 922 | Formation and electrochemical behavior of Al and O plasma-implanted biodegradable Mg-Y-RE alloy. <i>Materials Chemistry and Physics</i> , 2012, 132, 187-191.  | 2.0 | 41        |
| 923 | Fabrication and dielectric properties of oriented polyvinylidene fluoride nanocomposites incorporated with graphene nanosheets. <i>Materials Chemistry and Physics</i> , 2012, 134, 867-874.                                     | 2.0 | 96        |
| 924 | Ex situ and in situ evaluation of carbon ion-implanted stainless steel bipolar plates in polymer electrolyte membrane fuel cells. <i>Journal of Power Sources</i> , 2012, 199, 207-213.  | 4.0 | 23        |
| 925 | First-principle study of energy band structure of armchair graphene nanoribbons. <i>Solid State Communications</i> , 2012, 152, 1089-1093.   | 0.9 | 35        |
| 926 | Dual Ti and C ion-implanted stainless steel bipolar plates in polymer electrolyte membrane fuel cells. <i>Surface and Coatings Technology</i> , 2012, 206, 2914-2921.  | 2.2 | 16        |
| 927 | Effects of surface alloying on electrochemical corrosion behavior of oxygen-plasma-modified biomedical magnesium alloy. <i>Surface and Coatings Technology</i> , 2012, 206, 3186-3195.   | 2.2 | 47        |
| 928 | Oxidation behavior of Ti-B-C-N coatings deposited by reactive magnetron sputtering. <i>Vacuum</i> , 2012, 86, 1505-1512.   | 1.6 | 9         |
| 929 | Surface-enhanced cellular fluorescence imaging. <i>Progress in Surface Science</i> , 2012, 87, 23-45.  | 3.8 | 26        |
| 930 | Fluorine-containing thermo-sensitive core/shell microgel particles: Preparation, characterization, and their applications in controlled drug release. <i>Journal of Fluorine Chemistry</i> , 2012, 135, 75-82.                   | 0.9 | 16        |
| 931 | Cuprous oxide created on sepiolite: Preparation, characterization, and photocatalytic activity in treatment of red water from 2,4,6-trinitrotoluene manufacturing. <i>Journal of Hazardous Materials</i> , 2012, 217-218, 11-18. | 6.5 | 53        |
| 932 | Biological response of endothelial cells to diamond-like carbon-coated NiTi alloy. <i>Journal of Biomedical Materials Research - Part A</i> , 2012, 100A, 496-506.   | 2.1 | 24        |
| 933 | Fluorine-containing pH-responsive core/shell microgel particles: preparation, characterization, and their applications in controlled drug release. <i>Colloid and Polymer Science</i> , 2012, 290, 349-357.                      | 1.0 | 19        |
| 934 | Amplification of localized surface plasmon resonance signals by a gold nanorod assembly and ultra-sensitive detection of mercury. <i>Chemical Communications</i> , 2011, 47, 6897.   | 2.2 | 52        |
| 935 | Miniature supercapacitors composed of nickel/cobalt hydroxide on nickel-coated silicon microchannel plates. <i>Journal of Materials Chemistry</i> , 2011, 21, 19093.   | 6.7 | 35        |
| 936 | Highly Conductive, Mechanically Robust, and Electrochemically Inactive TiC/C Nanofiber Scaffold for High-Performance Silicon Anode Batteries. <i>ACS Nano</i> , 2011, 5, 8346-8351.  | 7.3 | 122       |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 937 | Tunable Silver Nanocap Superlattice Arrays for Surface-Enhanced Raman Scattering. <i>Journal of Physical Chemistry C</i> , 2011, 115, 24328-24333.   | 1.5  | 28        |
| 938 | Synthesis, Growth Mechanism, and Electrochemical Properties of Hollow Mesoporous Carbon Spheres with Controlled Diameter. <i>Journal of Physical Chemistry C</i> , 2011, 115, 17717-17724.                       | 1.5  | 125       |
| 939 | Mn <sup>2+</sup> -Bonded Reduced Graphene Oxide with Strong Radiative Recombination in Broad Visible Range Caused by Resonant Energy Transfer. <i>Nano Letters</i> , 2011, 11, 3951-3956.                        | 4.5  | 82        |
| 940 | Charged Diphenylalanine Nanotubes and Controlled Hierarchical Self-Assembly. <i>ACS Nano</i> , 2011, 5, 4448-4454.   | 7.3  | 105       |
| 941 | Novel plasma immersion ion implantation and deposition hardware and technique based on high power pulsed magnetron discharge. <i>Review of Scientific Instruments</i> , 2011, 82, 033511.                        | 0.6  | 12        |
| 942 | Microstructure and mechanical properties of CrN films fabricated by high power pulsed magnetron discharge plasma immersion ion implantation and deposition. <i>Applied Surface Science</i> , 2011, 258, 242-246. | 3.1  | 21        |
| 943 | Degradation behaviour of pure magnesium in simulated body fluids with different concentrations of. <i>Corrosion Science</i> , 2011, 53, 1522-1528.   | 3.0  | 133       |
| 944 | Oxygen vacancy density-dependent transformation from infrared to Raman active vibration mode in SnO <sub>2</sub> nanostructures. <i>Optics Letters</i> , 2011, 36, 4296.   | 1.7  | 20        |
| 945 | Microstructural evolution in NiTi alloy subjected to surface mechanical attrition treatment and mechanism. <i>Intermetallics</i> , 2011, 19, 1136-1145.  | 1.8  | 34        |
| 946 | Plasma-Modified Biomaterials for Self-Antimicrobial Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2011, 3, 2851-2860.  | 4.0  | 61        |
| 947 | Recyclable and High-Sensitivity Electrochemical Biosensing Platform Composed of Carbon-Doped TiO <sub>2</sub> Nanotube Arrays. <i>Analytical Chemistry</i> , 2011, 83, 8138-8144.                                | 3.2  | 69        |
| 948 | Plasma Immersion Ion Implantation Into Inner Surface of Cylindrical Bore Using Moving Auxiliary Electrode. <i>IEEE Transactions on Plasma Science</i> , 2011, 39, 3120-3124.                                     | 0.6  | 3         |
| 949 | Recent Progress in Patterned Silicon Nanowire Arrays: Fabrication, Properties and Applications. <i>Recent Patents on Nanotechnology</i> , 2011, 5, 62-70.  | 0.7  | 5         |
| 950 | Quasi-Aligned Ag-Nb <sub>2</sub> O <sub>5</sub> Nanobelt Arrays with Enhanced Photocatalytic and Antibacterial Activities. <i>Journal of the American Ceramic Society</i> , 2011, 94, 2330-2338.                 | 1.9  | 37        |
| 951 | Green light stimulates terahertz emission from mesocrystal microspheres. <i>Nature Nanotechnology</i> , 2011, 6, 103-106.  | 15.6 | 131       |
| 952 | Electrochemical stability of TiO <sub>2</sub> nanotubes with different diameters in artificial saliva. <i>Surface and Coatings Technology</i> , 2011, 206, 63-67.  | 2.2  | 36        |
| 953 | Uniformity enhancement of incident dose on concave surface in plasma immersion ion implantation assisted by beam-line ion source. <i>Surface and Coatings Technology</i> , 2011, 206, 2021-2024.                 | 2.2  | 8         |
| 954 | Extraction of organic materials from red water by metal-impregnated lignite activated carbon. <i>Journal of Hazardous Materials</i> , 2011, 197, 352-360.  | 6.5  | 18        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 955 | Analysis of hazardous organic residues from sodium hydrosulfite industry and utilization as raw materials in a novel solid lubricant production. <i>Journal of Hazardous Materials</i> , 2011, 198, 65-69.                         | 6.5 | 7         |
| 956 | Graded phase structure in the surface layer of NiTi alloy processed by surface severe plastic deformation. <i>Scripta Materialia</i> , 2011, 64, 1011-1014.  | 2.6 | 27        |
| 957 | Corrosion behavior on orthopedic NiTi alloy with nanocrystalline/amorphous surface. <i>Materials Chemistry and Physics</i> , 2011, 126, 102-107.   | 2.0 | 52        |
| 958 | Improved tribological properties of TiC with porous nanostructured TiO <sub>2</sub> intermediate layer. <i>Materials Chemistry and Physics</i> , 2011, 131, 420-424.   | 2.0 | 4         |
| 959 | Rapid degradation of biomedical magnesium induced by zinc ion implantation. <i>Materials Letters</i> , 2011, 65, 661-663.  | 1.3 | 47        |
| 960 | Controllable degradation of biomedical magnesium by chromium and oxygen dual ion implantation. <i>Materials Letters</i> , 2011, 65, 2171-2173.   | 1.3 | 49        |
| 961 | Corrosion behavior of SS316L in simulated and accelerated PEMFC environments. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 13032-13042.   | 3.8 | 79        |
| 962 | Preparation of Controllable Core-Shell Gold Nanoparticles and Its Application in Detection of Silver Ions. <i>ACS Applied Materials &amp; Interfaces</i> , 2011, 3, 183-190.   | 4.0 | 35        |
| 963 | Phase transformation and size tuning in controlled-growth of nanocrystals via self-seeded nucleation with preferential thermodynamic stability. <i>Chemical Communications</i> , 2011, 47, 12544.                                  | 2.2 | 16        |
| 964 | Reversible phase transformation in graphene nano-ribbons: Lattice shearing based mechanism. <i>Acta Materialia</i> , 2011, 59, 6783-6789.  | 3.8 | 22        |
| 965 | Arrays of nanofibers composed of a TiC core and a carbon coating for sensitive electrochemical detection of hydrazine. <i>Mikrochimica Acta</i> , 2011, 175, 137-143.  | 2.5 | 13        |
| 966 | Si <sup>15</sup> Si optical phonon behavior in localized Si clusters of Si <sub>x</sub> Ge <sub>1-x</sub> Alloy Nanocrystals. <i>Applied Physics A: Materials Science and Processing</i> , 2011, 103, 361-365.                     | 1.1 | 4         |
| 967 | Surface carbon layer and visible-light photocatalytic activities of carbon-coated TiO <sub>2</sub> nanotubes synthesized in organic electrolytes. <i>Applied Physics A: Materials Science and Processing</i> , 2011, 105, 703-707. | 1.1 | 7         |
| 968 | Radiation tolerance of Cu/W multilayered nanocomposites. <i>Journal of Nuclear Materials</i> , 2011, 413, 11-15.   | 1.3 | 125       |
| 969 | Preparation and characterization of Cu <sub>2</sub> O-ZnO immobilized on diatomite for photocatalytic treatment of red water produced from manufacturing of TNT. <i>Chemical Engineering Journal</i> , 2011, 171, 61-68.           | 6.6 | 69        |
| 970 | A Localized Surface Plasmon Resonance Biosensor Based on Integrated Controllable Au <sub>2</sub> S/AuAgS-Coated Gold Nanorods Composite. <i>Plasmonics</i> , 2011, 6, 1-9.   | 1.8 | 12        |
| 971 | Optimization of Optoelectronic Plasmonic Structures. <i>Plasmonics</i> , 2011, 6, 319-325.   | 1.8 | 10        |
| 972 | Light-emitting diodes enhanced by localized surface plasmon resonance. <i>Nanoscale Research Letters</i> , 2011, 6, 199.   | 3.1 | 147       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 973 | Effects of Water Molecules on Photoluminescence from Hierarchical Peptide Nanotubes and Water Probing Capability. <i>Small</i> , 2011, 7, 2801-2807.   | 5.2 | 43        |
| 974 | New Ultraviolet Photodetector Based on Individual Nb <sub>2</sub> O <sub>5</sub> Nanobelts. <i>Advanced Functional Materials</i> , 2011, 21, 3907-3915.  | 7.8 | 285       |
| 975 | Suppressed primary osteoblast functions on nanoporous titania surface. <i>Journal of Biomedical Materials Research - Part A</i> , 2011, 96A, 100-107.  | 2.1 | 22        |
| 976 | Immobilization of Ag nanoparticles/FGF $\alpha$ 2 on a modified titanium implant surface and improved human gingival fibroblasts behavior. <i>Journal of Biomedical Materials Research - Part A</i> , 2011, 98A, 274-286.  | 2.1 | 51        |
| 977 | Controllable Growth of Conical and Cylindrical TiO <sub>2</sub> "Carbon Core" Shell Nanofiber Arrays and Morphologically Dependent Electrochemical Properties. <i>Chemistry - A European Journal</i> , 2011, 17, 14552-14558.  | 1.7 | 17        |
| 978 | Nonenzymatic glucose sensor based on over-oxidized polypyrrole modified Pd/Si microchannel plate electrode. <i>Biosensors and Bioelectronics</i> , 2011, 26, 2579-2584.  | 5.3 | 24        |
| 979 | High-sensitivity biosensors fabricated by tailoring the localized surface plasmon resonance property of core-shell gold nanorods. <i>Analytica Chimica Acta</i> , 2011, 683, 242-247.  | 2.6 | 21        |
| 980 | Hydrogen release from titanium hydride in foaming of orthopedic NiTi scaffolds. <i>Acta Biomaterialia</i> , 2011, 7, 1387-1397.  | 4.1 | 31        |
| 981 | Relationship between osseointegration and superelastic biomechanics in porous NiTi scaffolds. <i>Biomaterials</i> , 2011, 32, 330-338.   | 5.7 | 103       |
| 982 | Hollow chitosan-silica nanospheres as pH-sensitive targeted delivery carriers in breast cancer therapy. <i>Biomaterials</i> , 2011, 32, 4976-4986.   | 5.7 | 245       |
| 983 | Antibacterial nano-structured titania coating incorporated with silver nanoparticles. <i>Biomaterials</i> , 2011, 32, 5706-5716.   | 5.7 | 670       |
| 984 | Pd/Ni/Si-microchannel-plate-based amperometric sensor for ethanol detection. <i>Electrochimica Acta</i> , 2011, 56, 4197-4202.   | 2.6 | 40        |
| 985 | Biological actions of silver nanoparticles embedded in titanium controlled by micro-galvanic effects. <i>Biomaterials</i> , 2011, 32, 693-705.   | 5.7 | 307       |
| 986 | Release of hydrogen during transformation from porous silicon to silicon oxide at normal temperature. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 4513-4517.   | 3.8 | 38        |
| 987 | Pump-power tunable white upconversion emission in lanthanide-doped hexagonal NaYF <sub>4</sub> nanorods. <i>Optical Materials</i> , 2011, 33, 882-887.   | 1.7 | 39        |
| 988 | An undercutting model of atomic oxygen for multilayer silica/alumina films fabricated by plasma immersion implantation and deposition on polyimide. <i>Applied Surface Science</i> , 2011, 257, 9158-9163.   | 3.1 | 18        |
| 989 | Three-dimensional supercapacitors composed of Ba <sub>0.65</sub> Sr <sub>0.35</sub> TiO <sub>3</sub> (BST)/NiSi <sub>2</sub> /silicon microchannel plates. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2011, 176, 387-392. | 1.7 | 14        |
| 990 | Determination of surface oxygen vacancy position in SnO <sub>2</sub> nanocrystals by Raman spectroscopy. <i>Solid State Communications</i> , 2011, 151, 811-814.   | 0.9 | 93        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 991  | Interaction Between Fluorinated Amphiphilic Copolymer P(HFMA)-g-P(SPEG) and BSA. Journal of Dispersion Science and Technology, 2011, 32, 1185-1190.  | 1.3 | 1         |
| 992  | Diffusion behavior of dual capping layers in TiN/LaN/AlN/HfSiOx/Si stack. Applied Physics Letters, 2011, 99, 131914.   | 1.5 | 4         |
| 993  | Influence of annular magnet on discharge characteristics in enhanced glow discharge plasma immersion ion implantation. Applied Physics Letters, 2011, 98, 021502.  | 1.5 | 2         |
| 994  | Growth of tin oxide nanorods induced by nanocube-oriented coalescence mechanism. Applied Physics Letters, 2011, 98, 133102.  | 1.5 | 21        |
| 995  | High voltage pulser with a fast fall-time for plasma immersion ion implantation. Review of Scientific Instruments, 2011, 82, 045102.   | 0.6 | 5         |
| 996  | Morphology-dependent low-frequency Raman scattering in ultrathin spherical, cubic, and cuboid SnO <sub>2</sub> nanocrystals. Applied Physics Letters, 2011, 99, 251902.  | 1.5 | 7         |
| 997  | Modulation of surface-enhanced Raman spectra by depth selective excitation of embedded indium tin oxide nanoisland arrays. Journal Physics D: Applied Physics, 2011, 44, 215305.                               | 1.3 | 5         |
| 998  | Influence of Structure Parameters and Crystalline Phase on the Photocatalytic Activity of TiO <sub>2</sub> Nanotube Arrays. Journal of Nanoscience and Nanotechnology, 2011, 11, 11200-11205.                  | 0.9 | 20        |
| 999  | Recent developments in optofluidic-surface-enhanced Raman scattering systems: Design, assembly, and advantages. Journal of Materials Research, 2011, 26, 170-185.  | 1.2 | 27        |
| 1000 | Red mud/polypropylene composite with mechanical and thermal properties. Journal of Composite Materials, 2011, 45, 2811-2816.   | 1.2 | 35        |
| 1001 | Coupling of Kelvin-Helmholtz instability and buoyancy instability in a thermally laminar plasma. Physics of Plasmas, 2011, 18, .   | 0.7 | 4         |
| 1002 | Improved hydrogen ionization rate in enhanced glow discharge plasma immersion ion implantation by enlarging the interaction path using an insulating tube. Review of Scientific Instruments, 2011, 82, 023503. | 0.6 | 6         |
| 1003 | Osteoblast differentiation and disinfection induced by nitrogen plasma-treated surfaces. Bio-Medical Materials and Engineering, 2011, 21, 75-82.   | 0.4 | 9         |
| 1004 | Electron field emission enhanced by geometric and quantum effects from nanostructured AlGaIn/GaN quantum wells. Applied Physics Letters, 2011, 98, 152110.   | 1.5 | 14        |
| 1005 | Anisotropic dissipative effects on the buoyancy instability with background heat flux. Physics of Plasmas, 2011, 18, 032106.   | 0.7 | 0         |
| 1006 | Corrosion behavior of DLC-coated NiTi alloy in the presence of serum proteins. Diamond and Related Materials, 2010, 19, 1230-1234.   | 1.8 | 26        |
| 1007 | Surface-enhanced Raman scattering from silver nanostructures with different morphologies. Applied Physics A: Materials Science and Processing, 2010, 100, 83-88.   | 1.1 | 18        |
| 1008 | Microstructure, bioactivity and osteoblast behavior of monoclinic zirconia coating with nanostructured surface. Acta Biomaterialia, 2010, 6, 990-1000.   | 4.1 | 88        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1009 | Osteoblast behavior on polytetrafluoroethylene modified by long pulse, high frequency oxygen plasma immersion ion implantation. <i>Biomaterials</i> , 2010, 31, 413-419.   | 5.7  | 68        |
| 1010 | The role of sterilization in the cytocompatibility of titania nanotubes. <i>Biomaterials</i> , 2010, 31, 2055-2063.  | 5.7  | 112       |
| 1011 | The influence of hierarchical hybrid micro/nano-textured titanium surface with titania nanotubes on osteoblast functions. <i>Biomaterials</i> , 2010, 31, 5072-5082.   | 5.7  | 401       |
| 1012 | Mechanism of cell repulsion on quasi-aligned nanowire arrays on Ti alloy. <i>Biomaterials</i> , 2010, 31, 8341-8349.   | 5.7  | 52        |
| 1013 | Mechanical and biological characteristics of diamond-like carbon coated poly aryl-ether-ether-ketone. <i>Biomaterials</i> , 2010, 31, 8181-8187.   | 5.7  | 143       |
| 1014 | Influence of Tris in simulated body fluid on degradation behavior of pure magnesium. <i>Materials Chemistry and Physics</i> , 2010, 124, 33-35.  | 2.0  | 33        |
| 1015 | Surface Structures and Osteoblast Activity on Biomedical Polytetrafluoroethylene Treated by Long Pulse, High Frequency Oxygen Plasma Immersion Ion Implantation. <i>Advanced Engineering Materials</i> , 2010, 12, B163. | 1.6  | 10        |
| 1016 | Capacitive humidity sensing behavior of ordered Ni/Si microchannel plate nanocomposites. <i>Sensors and Actuators A: Physical</i> , 2010, 160, 48-53.  | 2.0  | 13        |
| 1017 | Preparation and characterization of fluorinated acrylate copolymer latexes by miniemulsion polymerization under microwave irradiation. <i>Journal of Fluorine Chemistry</i> , 2010, 131, 417-425.                        | 0.9  | 62        |
| 1018 | Surface nano-functionalization of biomaterials. <i>Materials Science and Engineering Reports</i> , 2010, 70, 275-302.  | 14.8 | 244       |
| 1019 | Nano-networks have better adsorption capability than nano-rods. <i>Nano Communication Networks</i> , 2010, 1, 257-263.   | 1.6  | 14        |
| 1020 | Preparation and characterization of novel nickel-palladium electrodes supported by silicon microchannel plates for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2010, 195, 146-150.                     | 4.0  | 46        |
| 1021 | Nitrogen plasma-implanted titanium as bipolar plates in polymer electrolyte membrane fuel cells. <i>Journal of Power Sources</i> , 2010, 195, 6798-6804.   | 4.0  | 35        |
| 1022 | Ni-Cr Co-implanted 316L stainless steel as bipolar plate in polymer electrolyte membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 690-700.  | 3.8  | 62        |
| 1023 | Ultra-sensitive detection of cysteine by gold nanorod assembly. <i>Biosensors and Bioelectronics</i> , 2010, 25, 2078-2083.  | 5.3  | 97        |
| 1024 | Corrosion behavior of NiTi alloy in fetal bovine serum. <i>Electrochimica Acta</i> , 2010, 55, 5551-5560.  | 2.6  | 59        |
| 1025 | Recent applications of plasma-based ion implantation and deposition to microelectronic, nano-structured, and biomedical materials. <i>Surface and Coatings Technology</i> , 2010, 204, 2853-2863.                        | 2.2  | 28        |
| 1026 | Hybrid plasma surface modification and ion implantation of biopolymers. <i>Surface and Coatings Technology</i> , 2010, 204, 2892-2897.   | 2.2  | 11        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1027 | Microstructure, mechanical properties, and blood compatibility of zirconium nitride deposited on nickel-titanium shape memory alloy. <i>Surface and Coatings Technology</i> , 2010, 204, 2841-2845.   | 2.2 | 9         |
| 1028 | DLC deposition inside tubes using hollow cathode discharge plasma immersion ion implantation and deposition. <i>Surface and Coatings Technology</i> , 2010, 204, 2909-2912.   | 2.2 | 15        |
| 1029 | Corrosion behavior and electrical conductivity of niobium implanted 316L stainless steel used as bipolar plates in polymer electrolyte membrane fuel cells. <i>Surface and Coatings Technology</i> , 2010, 205, 85-91.                                    | 2.2 | 41        |
| 1030 | Wear resistance of NiTi alloy after surface mechanical attrition treatment. <i>Surface and Coatings Technology</i> , 2010, 205, 506-510.  | 2.2 | 33        |
| 1031 | Rat calvaria osteoblast behavior and antibacterial properties of O <sub>2</sub> and N <sub>2</sub> plasma-implanted biodegradable poly(butylene succinate). <i>Acta Biomaterialia</i> , 2010, 6, 154-159.   | 4.1 | 45        |
| 1032 | Effect of titanium incorporation on the structural, mechanical and biocompatible properties of DLC thin films prepared by reactive-biased target ion beam deposition method. <i>Applied Surface Science</i> , 2010, 257, 143-150.                         | 3.1 | 53        |
| 1033 | A biodegradable polymer-based coating to control the performance of magnesium alloy orthopaedic implants. <i>Biomaterials</i> , 2010, 31, 2084-2096.  | 5.7 | 521       |
| 1034 | Cationic fluorine-containing amphiphilic graft copolymers as DNA carriers. <i>Biomaterials</i> , 2010, 31, 2673-2685.   | 5.7 | 63        |
| 1035 | Activation of mitogen-activated protein kinases cellular signal transduction pathway in mammalian cells induced by silicon carbide nanowires. <i>Biomaterials</i> , 2010, 31, 7856-7862.  | 5.7 | 14        |
| 1036 | Synthesis and characterization of fluorescent copolymer containing rare earth metal complex and its interaction with DNA. <i>Journal of Polymer Science Part A</i> , 2010, 48, 5961-5967.   | 2.5 | 13        |
| 1037 | Group IV Nanoparticles: Synthesis, Properties, and Biological Applications. <i>Small</i> , 2010, 6, 2080-2098.  | 5.2 | 264       |
| 1038 | Synthesis and Photocatalytic Activity of Highly Ordered TiO <sub>2</sub> and SrTiO <sub>3</sub> /TiO <sub>2</sub> Nanotube Arrays on Ti Substrates. <i>Journal of the American Ceramic Society</i> , 2010, 93, 2771-2778.                                 | 1.9 | 108       |
| 1039 | Hot spots in silver nano-dendrites fabricated by self-selective electroless plating. , 2010, , .  |     | 1         |
| 1040 | Enhanced retained dose uniformity in NiTi spinal correction rod treated by three-dimensional mesh-assisted nitrogen plasma immersion ion implantation. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2010, 28, 407-410. | 0.9 | 3         |
| 1041 | Ultralow-threshold field emission from oriented nanostructured GaN films on Si substrate. <i>Applied Physics Letters</i> , 2010, 96, 092101.  | 1.5 | 13        |
| 1042 | Thermal convective and rotational instability in dissipative magnetohydrodynamics. <i>Physics of Plasmas</i> , 2010, 17, 052102.  | 0.7 | 5         |
| 1043 | Twinning Ge <sub>0.54</sub> Si <sub>0.46</sub> nanocrystal growth mechanism in amorphous SiO <sub>2</sub> films. <i>Applied Physics Letters</i> , 2010, 96, .   | 1.5 | 13        |
| 1044 | Ion focusing in enhanced glow discharge plasma immersion ion implantation of hydrogen and nitrogen into silicon. <i>Journal of Applied Physics</i> , 2010, 108, 033304.   | 1.1 | 5         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1045 | Origin of flat-band voltage sharp roll-off in metal gate/high-k/ultrathin- SiO <sub>2</sub> /Si p-channel metal-oxide-semiconductor stacks. Applied Physics Letters, 2010, 97, 132908.                                      | 1.5 | 9         |
| 1046 | Fermi-Level Pinning at Metal/High- $\kappa$ Interface Influenced by Electron State Density of Metal Gate. IEEE Electron Device Letters, 2010, 31, 1101-1103.  | 2.2 | 10        |
| 1047 | Influence of Test Solutions on In Vitro Studies of Biomedical Magnesium Alloys. Journal of the Electrochemical Society, 2010, 157, C238.  | 1.3 | 110       |
| 1048 | Trace detection of multiwalled carbon nanotubes using Raman-enhancing silver nanocap arrays. Journal Physics D: Applied Physics, 2010, 43, 455302.  | 1.3 | 4         |
| 1049 | Direct growth of Nb<math>\langle inf>2</math>/<math>\langle inf>5</math> nanobelts on Nb foil. , 2010, , .  |     | 0         |
| 1050 | The effect of the Hall term on Jeans instability in quantum magnetoplasma with resistive effects. Physics of Plasmas, 2010, 17, .   | 0.7 | 35        |
| 1051 | Fabrication and Photocatalytic Activity of Nanoporous WO<math>\langle SUB>3</math>/<math>\langle SUB>2</math> Film. Nanoscience and Nanotechnology Letters, 2010, 2, 51-57.   | 0.4 | 15        |
| 1052 | Carbon coated stainless steel bipolar plates in polymer electrolyte membrane fuel cells. Diamond and Related Materials, 2010, 19, 1354-1361.  | 1.8 | 49        |
| 1053 | Corrosion products and mechanism on NiTi shape memory alloy in physiological environment. Journal of Materials Research, 2010, 25, 350-358.   | 1.2 | 53        |
| 1054 | High-Sensitivity and Stable Cellular Fluorescence Imaging by Patterned Silver Nanocap Arrays. ACS Applied Materials & Interfaces, 2010, 2, 2465-2470.   | 4.0 | 36        |
| 1055 | Size-independent low-frequency Raman scattering in Ge-nanocrystal-embedded SiO <sub>2</sub> films. Optics Letters, 2010, 35, 1022.  | 1.7 | 9         |
| 1056 | Longitudinal optical phononâ€“plasmon coupling in luminescent 3Câ€“SiC nanocrystal films. Optics Letters, 2010, 35, 4024.   | 1.7 | 15        |
| 1057 | A Specially Designed PLC-Based High-Voltage Pulse Modulator for Plasma Immersion Ion Implantation. IEEE Transactions on Plasma Science, 2010, 38, 3083-3088.  | 0.6 | 6         |
| 1058 | Glycerol-Bonded 3C-SiC Nanocrystal Solid Films Exhibiting Broad and Stable Violet to Blue-Green Emission. Nano Letters, 2010, 10, 1466-1471.  | 4.5 | 58        |
| 1059 | Plasma immersion ion implantation into cylindrical bore using internal inductively-coupled radio-frequency discharge. Surface and Coatings Technology, 2010, , .  | 2.2 | 0         |
| 1060 | Hybrid particle-in-cell (PIC) ions and Boltzmann electron distribution simulation of direct-current plasma immersion ion implantation into three-dimensional objects. Journal Physics D: Applied Physics, 2010, 43, 095203. | 1.3 | 7         |
| 1061 | Photoluminescence from colloids containing aluminum hydroxide nanocrystals with uniform size. Applied Physics Letters, 2010, 97, 121901.  | 1.5 | 10        |
| 1062 | Coreâ€“shell TiC/C quasi-aligned nanofiber arrays on biomedical Ti6Al4V for sensitive electrochemical biosensing. Chemical Communications, 2010, 46, 6828.  | 2.2 | 34        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1063 | Identification of local silicon cluster nanostructures inside Si <sub>x</sub> Ge <sub>1-x</sub> alloy nanocrystals by Raman spectroscopy. <i>Chemical Communications</i> , 2010, 46, 5539.   | 2.2 | 13        |
| 1064 | Magnetic and upconverted luminescent properties of multifunctional lanthanide doped cubic KGdF <sub>4</sub> nanocrystals. <i>Nanoscale</i> , 2010, 2, 2805.  | 2.8 | 78        |
| 1065 | Surface-Enhanced Raman Scattering Sensor Based on Silver Dendritic Nanostructures. <i>Sensor Letters</i> , 2010, 8, 395-398.   | 0.4 | 6         |
| 1066 | Raman investigation of oxidation mechanism of silicon nanowires. <i>Applied Physics Letters</i> , 2009, 95, .  | 1.5 | 14        |
| 1067 | Role of interface dipole in metal gate/high-k effective work function modulation by aluminum incorporation. <i>Applied Physics Letters</i> , 2009, 94, .   | 1.5 | 20        |
| 1068 | Effects of long pulse width and high pulsing frequency on surface superhydrophobicity of polytetrafluoroethylene in quasi-direct-current plasma immersion ion implantation. <i>Journal of Applied Physics</i> , 2009, 105, 053302. | 1.1 | 13        |
| 1069 | Plasma sheath physics and dose uniformity in enhanced glow discharge plasma immersion ion implantation and deposition. <i>Journal of Applied Physics</i> , 2009, 106, 013313.  | 1.1 | 4         |
| 1070 | Electrostatic drift modes in quantum dusty plasmas with Jeans terms. <i>Physics of Plasmas</i> , 2009, 16, .   | 0.7 | 41        |
| 1071 | Magnetothermal instability of plasmas in a horizontal magnetic field. <i>Physics of Plasmas</i> , 2009, 16, 102109.  | 0.7 | 6         |
| 1072 | Stress influence on band-edge luminescence properties of 4H-AlN. <i>Applied Physics Letters</i> , 2009, 95, 121902.  | 1.5 | 2         |
| 1073 | Impact energy and retained dose uniformity in enhanced glow discharge plasma immersion ion implantation. <i>Applied Physics Letters</i> , 2009, 95, 061503.  | 1.5 | 10        |
| 1074 | Damping of surface acoustic vibration induced by electrons trapped on SnO <sub>2</sub> nanocrystal surface. <i>Applied Physics Letters</i> , 2009, 95, 211903.   | 1.5 | 6         |
| 1075 | Asymmetrical reorientation of bimetallic core-shell nanowires. <i>Nanotechnology</i> , 2009, 20, 045601.   | 1.3 | 3         |
| 1076 | Enhancement of ductility in Mg <sub>3</sub> Al <sub>2</sub> Zn alloy with tilted basal texture by electropulsing. <i>Journal of Materials Research</i> , 2009, 24, 3674-3679.  | 1.2 | 23        |
| 1077 | Nano-Scale Surface Morphology, Wettability and Osteoblast Adhesion on Nitrogen Plasma-Implanted NiTi Shape Memory Alloy. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 3449-3454.                                    | 0.9 | 15        |
| 1078 | One-step, non-contact pattern transfer by direct-current plasma immersion ion implantation. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 195201.  | 1.3 | 2         |
| 1079 | Recent Progress in Fabrication of Anisotropic Nanostructures for Surface- Enhanced Raman Spectroscopy. <i>Recent Patents on Nanotechnology</i> , 2009, 3, 10-20.   | 0.7 | 16        |
| 1080 | A unique technology to transform inorganic nanorods into nano-networks. <i>Nanotechnology</i> , 2009, 20, 255302.  | 1.3 | 34        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1081 | Synthesis and Field Emission Properties of Rutile TiO <sub>2</sub> Nanowires Arrays Grown Directly on a Ti Metal Self-Source Substrate. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 3341-3346.  | 0.9 | 59        |
| 1082 | Electrochemical Stability of Orthopedic Porous NiTi Shape Memory Alloys Treated by Different Surface Modification Techniques. <i>Journal of the Electrochemical Society</i> , 2009, 156, C187.                  | 1.3 | 12        |
| 1083 | Corrosion behavior of ZnO nanosheets on brass substrate in NaCl solutions. <i>Materials Chemistry and Physics</i> , 2009, 115, 439-443.   | 2.0 | 17        |
| 1084 | Comparison of oxidation resistance of copper treated by beam-line ion implantation and plasma immersion ion implantation. <i>Materials Chemistry and Physics</i> , 2009, 116, 519-522.                          | 2.0 | 7         |
| 1085 | 3D ordered NiO/silicon MCP array electrode materials for electrochemical supercapacitors. <i>Materials Research Bulletin</i> , 2009, 44, 1920-1925.   | 2.7 | 22        |
| 1086 | Three-Dimensional Quasi-Direct-Current Plasma Immersion Ion Implantation Into Biomedical Nickel-Titanium Shape Memory Alloy Rod. <i>IEEE Transactions on Plasma Science</i> , 2009, 37, 2245-2249.              | 0.6 | 3         |
| 1087 | Corrosion resistance and cytocompatibility of biodegradable surgical magnesium alloy coated with hydrogenated amorphous silicon. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 89A, 717-726. | 2.1 | 58        |
| 1088 | Nickel release behavior and surface characteristics of porous NiTi shape memory alloy modified by different chemical processes. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 89A, 483-489.  | 2.1 | 14        |
| 1089 | Antibacterial coatings on titanium implants. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009, 91B, 470-480.  | 1.6 | 732       |
| 1090 | Amperometric glucose sensor based on 3D ordered nickel-palladium nanomaterial supported by silicon MCP array. <i>Sensors and Actuators B: Chemical</i> , 2009, 141, 338-342.                                    | 4.0 | 53        |
| 1091 | Biocompatibility of silver and copper plasma doped polyethylene. <i>Surface and Coatings Technology</i> , 2009, 203, 2550-2553.   | 2.2 | 17        |
| 1092 | Corrosion behavior of ZrN/Zr coated biomedical AZ91 magnesium alloy. <i>Surface and Coatings Technology</i> , 2009, 203, 2554-2557.   | 2.2 | 112       |
| 1093 | Applications of plasma-based technology to microelectronics and biomedical engineering. <i>Surface and Coatings Technology</i> , 2009, 203, 2793-2798.  | 2.2 | 28        |
| 1094 | Optical and biological sensing capabilities of Au <sub>2</sub> S/AuAgS coated gold nanorods. <i>Biomaterials</i> , 2009, 30, 5622-5630.   | 5.7 | 43        |
| 1095 | Bonding strength of fluorinated and hydrogenated surfactant to bovine serum albumin. <i>Journal of Fluorine Chemistry</i> , 2009, 130, 870-877.   | 0.9 | 11        |
| 1096 | XPS and biocompatibility studies of titania film on anodized NiTi shape memory alloy. <i>Journal of Materials Science: Materials in Medicine</i> , 2009, 20, 223-228.   | 1.7 | 24        |
| 1097 | A novel hydrothermal route to synthesize solid SnO <sub>2</sub> nanospheres and their photoluminescence property. <i>Applied Physics A: Materials Science and Processing</i> , 2009, 97, 581-585.               | 1.1 | 23        |
| 1098 | Controlled Assembly of Highly Raman-Enhancing Silver Nanocap Arrays Templated by Porous Anodic Alumina Membranes. <i>Small</i> , 2009, 5, 2333-2337.  | 5.2 | 92        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1099 | Synthesis and properties of fluorine-containing amphiphilic graft copolymer P(HFMA)-g-P(SPEG). Journal of Polymer Science Part A, 2009, 47, 4895-4907.  | 2.5 | 24        |
| 1100 | Investigation of plasma potential and pulsed discharge characteristics in enhanced glow discharge plasma immersion ion implantation and deposition. Nuclear Instruments & Methods in Physics Research B, 2009, 267, 1696-1700.              | 0.6 | 7         |
| 1101 | Conductive amorphous carbon-coated 316L stainless steel as bipolar plates in polymer electrolyte membrane fuel cells. International Journal of Hydrogen Energy, 2009, 34, 6771-6777.  | 3.8 | 105       |
| 1102 | Optical properties of plastic scintillators coated with copper, aluminum and silver by magnetron sputtering. Thin Solid Films, 2009, 517, 4443-4447.  | 0.8 | 3         |
| 1103 | Mechanical properties of Al <sub>2</sub> O <sub>3</sub> /Al bi-layer coated AZ91 magnesium alloy. Thin Solid Films, 2009, 517, 5357-5360.   | 0.8 | 25        |
| 1104 | Mechanical properties of tungsten doped amorphous hydrogenated carbon films prepared by tungsten plasma immersion ion implantation. Surface and Coatings Technology, 2009, 203, 2612-2616.  | 2.2 | 5         |
| 1105 | High-voltage glow discharge plasma immersion ion implantation assisted by magnetic field. Surface and Coatings Technology, 2009, 203, 2751-2754.  | 2.2 | 2         |
| 1106 | Aligned silver nanorod arrays for surface-enhanced Raman spectroscopy. Physica B: Condensed Matter, 2009, 404, 1523-1526.   | 1.3 | 16        |
| 1107 | Intracellular chromosome breaks on silicon surface. Biomaterials, 2009, 30, 2661-2665.  | 5.7 | 10        |
| 1108 | Biocompatibility and bioactivity of plasma-treated biodegradable poly(butylene succinate). Acta Biomaterialia, 2009, 5, 279-287.  | 4.1 | 104       |
| 1109 | Microstructure, nickel suppression and mechanical characteristics of electropolished and photoelectrocatalytically oxidized biomedical nickel titanium shape memory alloy. Acta Biomaterialia, 2009, 5, 2238-2245.                          | 4.1 | 32        |
| 1110 | Structure and gas-barrier properties of amorphous hydrogenated carbon films deposited on inner walls of cylindrical polyethylene terephthalate by plasma-enhanced chemical vapor deposition. Applied Surface Science, 2009, 255, 3983-3988. | 3.1 | 10        |
| 1111 | Fabrication and optical properties of C <sub>60</sub> -SiC/Si hybrid rolled-up microtubes. Journal of Applied Physics, 2009, 105, 016103.   | 1.1 | 13        |
| 1112 | Tailoring light emission properties of organic emitter by coupling to resonance-tuned silver nanoantenna arrays. Applied Physics Letters, 2009, 95, .   | 1.5 | 26        |
| 1113 | Structural Regulation and Optical Properties of One-Dimensional ZnO Nanomaterials in Situ Grown from and on Brass Substrates. Journal of Physical Chemistry C, 2009, 113, 170-173.  | 1.5 | 32        |
| 1114 | Surface mechanical attrition treatment induced phase transformation behavior in NiTi shape memory alloy. Journal of Alloys and Compounds, 2009, 482, 298-301.   | 2.8 | 15        |
| 1115 | Texture evolution in cold-rolled AZ31 magnesium alloy during electropulsing treatment. Journal of Alloys and Compounds, 2009, 487, 309-313.   | 2.8 | 72        |
| 1116 | Surface-polarization-induced formation of amorphous foliaceous SiO <sub>2</sub> helical nanobelts. Applied Physics Letters, 2009, 94, 253110.   | 1.5 | 5         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1117 | Optical and vibrational properties of 2H-, 4H-, and 6H-AlN: First-principle calculations. Journal of Applied Physics, 2009, 105, 083511.  | 1.1 | 11        |
| 1118 | Influence of GeSi interfacial layer on Ge <sup>+</sup> Ge optical phonon mode in SiO <sub>2</sub> films embedded with Ge nanocrystals. Applied Physics Letters, 2009, 95, .   | 1.5 | 11        |
| 1119 | Corrosion products on biomedical magnesium alloy soaked in simulated body fluids. Journal of Materials Research, 2009, 24, 2711-2719.   | 1.2 | 57        |
| 1120 | Bioactive SrTiO <sub>3</sub> Nanotube Arrays: Strontium Delivery Platform on Ti-Based Osteoporotic Bone Implants. ACS Nano, 2009, 3, 3228-3234.   | 7.3 | 198       |
| 1121 | Surface Properties of AZ31B Magnesium Alloy by Oxygen Plasma Immersion Ion Implantation. Plasma Science and Technology, 2009, 11, 33-37.  | 0.7 | 3         |
| 1122 | Hot spots in highly Raman-enhancing silver nano-dendrites. Journal Physics D: Applied Physics, 2009, 42, 175403.  | 1.3 | 53        |
| 1123 | Effects of aluminum and nitrogen plasma immersion ion implantation on mechanical properties and oxidation resistance of copper. , 2009, , .   |     | 0         |
| 1124 | Label-free optical biosensor based on localized surface plasmon resonance of immobilized gold nanorods. Colloids and Surfaces B: Biointerfaces, 2009, 71, 96-101.   | 2.5 | 49        |
| 1125 | Theoretical investigation of plasma immersion ion implantation of cylindrical bore using hollow cathode plasma discharge. Surface and Coatings Technology, 2009, 203, 2727-2730.  | 2.2 | 7         |
| 1126 | Identification of Surface Structures on 3C-SiC Nanocrystals with Hydrogen and Hydroxyl Bonding by Photoluminescence. Nano Letters, 2009, 9, 4053-4060.  | 4.5 | 105       |
| 1127 | Raman scattering study of zinc blende and wurtzite ZnS. Journal of Applied Physics, 2009, 106, .  | 1.1 | 235       |
| 1128 | Magnetorotational instability in dissipative dusty plasmas. Physics of Plasmas, 2009, 16, 122107.   | 0.7 | 9         |
| 1129 | Tin Oxide Nanoribbons with Vacancy Structures in Luminescence-Sensitive Oxygen Sensing. Nano Letters, 2009, 9, 1926-1931.   | 4.5 | 89        |
| 1130 | Fabrication and Surface Modification of Porous Nano-Structured NiTi Orthopedic Scaffolds for Bone Implants. Materials Research Society Symposia Proceedings, 2009, 1181, 7.   | 0.1 | 1         |
| 1131 | Improved detection resolution in single particle microbeam system. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2008, 595, 312-316.                           | 0.7 | 2         |
| 1132 | UV-irradiation-induced bioactivity on TiO <sub>2</sub> coatings with nanostructural surface. Acta Biomaterialia, 2008, 4, 544-552.  | 4.1 | 88        |
| 1133 | Ag and Ag/N <sub>2</sub> plasma modification of polyethylene for the enhancement of antibacterial properties and cell growth/proliferation. Acta Biomaterialia, 2008, 4, 2028-2036.   | 4.1 | 79        |
| 1134 | In vitro corrosion behavior of TiN layer produced on orthopedic nickel <sup>+</sup> titanium shape memory alloy by nitrogen plasma immersion ion implantation using different frequencies. Surface and Coatings Technology, 2008, 202, 2463-2466. | 2.2 | 15        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1135 | 3Câ€“SiC Nanocrystals as Fluorescent Biological Labels. <i>Small</i> , 2008, 4, 1058-1062.   | 5.2  | 165       |
| 1136 | Plasma ion implantation to thin polymer foils. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2008, 205, 953-956.   | 0.8  | 0         |
| 1137 | Versatile Approach for Integrative and Functionalized Tubes by Strain Engineering of Nanomembranes on Polymers. <i>Advanced Materials</i> , 2008, 20, 4085-4090.   | 11.1 | 608       |
| 1138 | Experimental investigation of discharge characteristics in enhanced glow discharge plasma immersion ion implantation. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2008, 372, 6183-6186. | 0.9  | 7         |
| 1139 | Thermal stability of titania films prepared on titanium by micro-arc oxidation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 476, 78-82.        | 2.6  | 69        |
| 1140 | Self-selective electroless plating: An approach for fabrication of functional 1D nanomaterials. <i>Materials Science and Engineering Reports</i> , 2008, 61, 59-77.  | 14.8 | 85        |
| 1141 | Silver fractal networks for surface-enhanced Raman scattering substrates. <i>Applied Surface Science</i> , 2008, 254, 5399-5402.   | 3.1  | 26        |
| 1142 | Self-organized formation of silver nanowires, nanocubes and bipyramids via a solvothermal method. <i>Acta Materialia</i> , 2008, 56, 2508-2513.  | 3.8  | 66        |
| 1143 | Influence of aggressive ions on the degradation behavior of biomedical magnesium alloy in physiological environment. <i>Acta Biomaterialia</i> , 2008, 4, 2008-2015.   | 4.1  | 341       |
| 1144 | Origin of the 745 nm photoluminescence from small diameter silicon nanowires. <i>Solid State Communications</i> , 2008, 148, 182-185.  | 0.9  | 3         |
| 1145 | In vitro bioactivity and osteoblast response on chemically modified biomedical porous NiTi synthesized by capsule-free hot isostatic pressing. <i>Surface and Coatings Technology</i> , 2008, 202, 2458-2462.            | 2.2  | 12        |
| 1146 | Enhancement of antibacterial properties and biocompatibility of polyethylene by silver and copper plasma immersion ion implantation. <i>Surface and Coatings Technology</i> , 2008, 203, 909-912.                        | 2.2  | 38        |
| 1147 | Tunable emission from composite polymer nanoparticles based on resonance energy transfer. <i>Thin Solid Films</i> , 2008, 516, 6287-6292.  | 0.8  | 22        |
| 1148 | Catalysis of dispersed silver particles on directional etching of silicon. <i>Applied Surface Science</i> , 2008, 254, 3061-3066.  | 3.1  | 17        |
| 1149 | Silicon-induced DNA damage pathway and its modulation by titanium plasma immersion ion implantation. <i>Biomaterials</i> , 2008, 29, 544-550.  | 5.7  | 18        |
| 1150 | New plasma surface-treated memory alloys: Towards a new generation of â€œsmartâ€•orthopaedic materials. <i>Materials Science and Engineering C</i> , 2008, 28, 454-459.  | 3.8  | 13        |
| 1151 | Surface structure and biomedical properties of chemically polished and electropolished NiTi shape memory alloys. <i>Materials Science and Engineering C</i> , 2008, 28, 1430-1434.                                       | 3.8  | 45        |
| 1152 | Mechanism of apatite formation on silicon suboxide film prepared by pulsed metal vacuum arc deposition. <i>Materials Chemistry and Physics</i> , 2008, 109, 342-346.   | 2.0  | 5         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1153 | Synthesis, growth mechanism, and light-emission properties of twisted SiO <sub>2</sub> nanobelts and nanosprings. <i>Journal of Chemical Physics</i> , 2008, 129, 164702.                               | 1.2 | 13        |
| 1154 | A Biomimetic Hierarchical Scaffold: Natural Growth of Nanotitanates on Three-Dimensional Microporous Ti-Based Metals. <i>Nano Letters</i> , 2008, 8, 3803-3808.   | 4.5 | 124       |
| 1155 | Electrostatic drift waves in nonuniform quantum magnetized plasmas. <i>Physics of Plasmas</i> , 2008, 15, 082103.   | 0.7 | 18        |
| 1156 | Effects of tungsten pre-implanted layer on corrosion and electrochemical characteristics of amorphous carbon films on stainless steel. <i>Diamond and Related Materials</i> , 2008, 17, 1738-1742.      | 1.8 | 14        |
| 1157 | Tribological properties of graded diamond-like carbon films on Ti ion-implanted aluminum substrate. <i>Diamond and Related Materials</i> , 2008, 17, 1844-1849.   | 1.8 | 22        |
| 1158 | Formation mechanism and photoluminescence of AlN nanowhiskers. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 025101.  | 1.3 | 38        |
| 1159 | Uniformity of Plasma Density and Film Thickness of Coatings Deposited Inside a Cylindrical Tube by Radio Frequency Sputtering. <i>Plasma Science and Technology</i> , 2008, 10, 560-564.                | 0.7 | 0         |
| 1160 | BIOMIMETIC DEPOSITION OF APATITE ON SURFACE CHEMICALLY MODIFIED POROUS NiTi SHAPEMEMORY ALLOY. <i>Surface Review and Letters</i> , 2008, 15, 97-104.  | 0.5 | 4         |
| 1161 | Corrosion resistance of ZrO <sub>2</sub> â€”Zr-coated biodegradable surgical magnesium alloy. <i>Journal of Materials Research</i> , 2008, 23, 312-319.   | 1.2 | 30        |
| 1162 | Fabrication of graded TiN coatings on nitinol occluders and effects on in vivo nickel release. <i>Bio-Medical Materials and Engineering</i> , 2008, 18, 387-393.  | 0.4 | 8         |
| 1163 | Electrochemical Behavior Al <sub>2</sub> O <sub>3</sub> â€”Al Coated Surgical AZ91 Magnesium Alloy in Simulated Body Fluids. <i>Journal of the Electrochemical Society</i> , 2008, 155, C178.           | 1.3 | 65        |
| 1164 | Electromagnetic drift waves in nonuniform quantum magnetized electronâ€”positronâ€”ion plasmas. <i>Journal of Physics A: Mathematical and Theoretical</i> , 2008, 41, 115501.                           | 0.7 | 21        |
| 1165 | Nanocrystal-induced line narrowing of surface acoustic phonons in the Raman spectra of embedded $\text{Ge}$ nanocrystals. <i>Physical Review B</i> , 2008, 78, .  | 1.1 | 14        |
| 1166 | Direct coupling of pulsed radio frequency and pulsed high power in novel pulsed power system for plasma immersion ion implantation. <i>Review of Scientific Instruments</i> , 2008, 79, 043501.         | 0.6 | 2         |
| 1167 | Investigation of plasma distribution in electron-focused electric field enhanced glow discharge plasma immersion ion implantation. <i>Journal of Applied Physics</i> , 2008, 104, 043303.               | 1.1 | 11        |
| 1168 | Role of fluorine in plasma nitridated ZrO <sub>2</sub> thin films under irradiation. <i>Applied Physics Letters</i> , 2008, 93, 122907.   | 1.5 | 2         |
| 1169 | One-step growth and field emission properties of quasisaligned TiO <sub>2</sub> nanowire/carbon nanocone core-shell nanostructure arrays on Ti substrates. <i>Applied Physics Letters</i> , 2008, 93, . | 1.5 | 60        |
| 1170 | In situ growth of aligned CdS nanowire arrays on Cd foil and their optical and electron field emission properties. <i>Journal of Applied Physics</i> , 2008, 104, 014312.                               | 1.1 | 19        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1171 | Theoretical investigation of sheath expansion and implant fluence uniformity in enhanced glow discharge plasma immersion ion implantation. <i>Applied Physics Letters</i> , 2008, 93, 091501.   | 1.5 | 8         |
| 1172 | Investigation of plasma immersion ion implantation of nickel-titanium rod by multiple-grid particle-in-cell simulation. <i>Journal of Applied Physics</i> , 2008, 103, 053308.  | 1.1 | 7         |
| 1173 | Fabrication of silicon-on-insulator (SOI) and high-k materials using plasma technology. , 2008, , .   |     | 1         |
| 1174 | Temperature dependent photoluminescence from ZnO nanowires and nanosheets on brass substrate. <i>Applied Physics Letters</i> , 2008, 93, .  | 1.5 | 32        |
| 1175 | Fabrication for multilayered composite thin films by dual-channel vacuum arc deposition. <i>Review of Scientific Instruments</i> , 2008, 79, 065104.  | 0.6 | 1         |
| 1176 | Ion trajectories in plasma ion implantation of slender cylindrical bores using a small inner end source. <i>Applied Physics Letters</i> , 2008, 93, 191501.   | 1.5 | 3         |
| 1177 | Interface-induced pseudoelastic behavior in Bi-metal multilayer nanowires. <i>Applied Physics Letters</i> , 2008, 92, 123103.   | 1.5 | 9         |
| 1178 | Response to "Comment on 'Effects of magnetic field gradient on ion beam current in cylindrical Hall ion source'" [J. Appl. Phys. 104, 066102 (2008)]. <i>Journal of Applied Physics</i> , 2008, 104, 066103.  | 1.1 | 0         |
| 1179 | Degradation susceptibility of surgical magnesium alloy in artificial biological fluid containing albumin. <i>Journal of Materials Research</i> , 2007, 22, 1806-1814.   | 1.2 | 130       |
| 1180 | Influence of acetylene to argon flow rate ratios on structure and properties of hydrogenated amorphous carbon films produced on steel substrates by plasma immersion ion implantation and deposition. <i>Journal of Materials Research</i> , 2007, 22, 982-988. | 1.2 | 1         |
| 1181 | Activation volume and incipient plastic deformation of uniaxially-loaded gold nanowires at very high strain rates. <i>Nanotechnology</i> , 2007, 18, 455702.  | 1.3 | 10        |
| 1182 | Energy anisotropy of bimetal core-shell nanorods and its effects on morphology. <i>Nanotechnology</i> , 2007, 18, 445101.   | 1.3 | 3         |
| 1183 | Experimental and theoretical investigation of the effects of sample size on copper plasma immersion ion implantation into polyethylene. <i>Journal of Applied Physics</i> , 2007, 101, 113302.  | 1.1 | 2         |
| 1184 | A ground-based radio frequency inductively coupled plasma apparatus for atomic oxygen simulation in low Earth orbit. <i>Review of Scientific Instruments</i> , 2007, 78, 103301.  | 0.6 | 6         |
| 1185 | Interfacial compound suppression and dielectric properties enhancement of F <sup>+</sup> N codoped ZrO <sub>2</sub> thin films. <i>Applied Physics Letters</i> , 2007, 90, 082906.  | 1.5 | 8         |
| 1186 | Spontaneous reorientation of bimetal multilayer nanowires. <i>Applied Physics Letters</i> , 2007, 91, 253114.   | 1.5 | 14        |
| 1187 | Effects of magnetic field gradient on ion beam current in cylindrical Hall ion source. <i>Journal of Applied Physics</i> , 2007, 102, 123305.   | 1.1 | 12        |
| 1188 | Mechanism of enhanced adhesion between hydrogenated amorphous carbon films and tungsten preimplanted steel substrates. <i>Journal of Applied Physics</i> , 2007, 101, 053520.   | 1.1 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1189 | Corrosion resistance of titanium ion implanted AZ91 magnesium alloy. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2007, 25, 334-339.   | 0.9 | 68        |
| 1190 | Effects of plasma immersion ion nitridation on dielectric properties of HfO <sub>2</sub> . <i>Applied Physics Letters</i> , 2007, 90, 122901.   | 1.5 | 21        |
| 1191 | Dependence of ion sheath collapse on secondary electron emission in plasma immersion ion implantation. <i>Applied Physics Letters</i> , 2007, 90, 131503.   | 1.5 | 7         |
| 1192 | Behaviors of Platelets Adherent on Si-N(H) Surface Prepared from Ammonia Plasma-Implanted Silicon. <i>Key Engineering Materials</i> , 2007, 330-332, 889-892.   | 0.4 | 2         |
| 1193 | Nano-film and Coating for Biomedical Application Prepared by Plasma-based Technologies. <i>Materials Research Society Symposia Proceedings</i> , 2007, 1020, 1.   | 0.1 | 0         |
| 1194 | Effects of Ti/TiN multilayer on corrosion resistance of nickel-titanium orthodontic brackets in artificial saliva. <i>Corrosion Science</i> , 2007, 49, 3783-3796.  | 3.0 | 93        |
| 1195 | Plasma-Treated Biomaterials. <i>IEEE Transactions on Plasma Science</i> , 2007, 35, 181-187.  | 0.6 | 72        |
| 1196 | Microwave enhanced ion-cut silicon layer transfer. <i>Journal of Applied Physics</i> , 2007, 101, 114915.   | 1.1 | 2         |
| 1197 | Comparative study of mechanical properties of a-C:H films produced on tungsten pre-implanted stainless steel substrate by plasma immersion ion implantation and deposition. <i>Diamond and Related Materials</i> , 2007, 16, 1304-1311. | 1.8 | 5         |
| 1198 | A flexible curvilinear electromagnetic filter for direct current cathodic arc source. <i>Review of Scientific Instruments</i> , 2007, 78, 095103.   | 0.6 | 2         |
| 1199 | Mechanical and tribological properties of TiC/amorphous hydrogenated carbon composite coatings fabricated by DC magnetron sputtering with and without sample bias. <i>Diamond and Related Materials</i> , 2007, 16, 181-186.            | 1.8 | 78        |
| 1200 | Structure and properties of zirconia (ZrO <sub>2</sub> ) films fabricated by plasma-assisted cathodic arc deposition. <i>Journal Physics D: Applied Physics</i> , 2007, 40, 2293-2299.  | 1.3 | 48        |
| 1201 | Hemocompatibility and anti-bacterial properties of silver doped diamond-like carbon prepared by pulsed filtered cathodic vacuum arc deposition. <i>Diamond and Related Materials</i> , 2007, 16, 1353-1360.                             | 1.8 | 100       |
| 1202 | Quantum-confined and tunable optical emission from sub-10-nm silicon oxide nanowires in aqueous suspension. <i>Applied Physics Letters</i> , 2007, 91, 193111.  | 1.5 | 3         |
| 1203 | Evolution mechanism of nanocrystalline tungsten-carbon and effects on tungsten implanted amorphous hydrogenated carbon. <i>Journal of Applied Physics</i> , 2007, 102, 113517.  | 1.1 | 5         |
| 1204 | Corrosion behavior of biomedical AZ91 magnesium alloy in simulated body fluids. <i>Journal of Materials Research</i> , 2007, 22, 2004-2011.   | 1.2 | 189       |
| 1205 | Structure and topographies of diamond-like carbon films produced on tungsten pre-implanted stainless steel substrate by plasma immersion ion implantation and deposition. <i>Diamond and Related Materials</i> , 2007, 16, 1490-1499.   | 1.8 | 7         |
| 1206 | Direct and Large-Area Growth of One-Dimensional ZnO Nanostructures from and on a Brass Substrate. <i>Journal of Physical Chemistry C</i> , 2007, 111, 5876-5881.  | 1.5 | 70        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1207 | Dispersion of linear waves in quantum plasmas. <i>Physics of Plasmas</i> , 2007, 14, 062102.   | 0.7 | 83        |
| 1208 | Polarized Raman scattering of Ge nanocrystals embedded in a-SiO <sub>2</sub> . <i>Applied Physics Letters</i> , 2007, 90, 081909.  | 1.5 | 12        |
| 1209 | Behavior of human umbilical vein endothelial cells on micro-patterned amorphous hydrogenated carbon films produced by plasma immersion ion implantation & deposition and plasma etching. <i>Diamond and Related Materials</i> , 2007, 16, 550-557. | 1.8 | 12        |
| 1210 | Nickel release behavior, cytocompatibility, and superelasticity of oxidized porous single-phase NiTi. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 81A, 948-955.   | 2.1 | 41        |
| 1211 | Surface characteristics, biocompatibility, and mechanical properties of nickel-titanium plasma-implanted with nitrogen at different implantation voltages. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 82A, 469-478.          | 2.1 | 34        |
| 1212 | Antimicrobial polyethylene with controlled copper release. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 83A, 838-844.  | 2.1 | 53        |
| 1213 | Enhancement of surface properties of biomaterials using plasma-based technologies. <i>Surface and Coatings Technology</i> , 2007, 201, 8076-8082.  | 2.2 | 67        |
| 1214 | Plasma processing of AISI 304 stainless steel using radio frequency hollow cathode discharge. <i>Surface and Coatings Technology</i> , 2007, 201, 8650-8653.   | 2.2 | 7         |
| 1215 | Effects of pulsing frequency on shape recovery and investigation of nickel out-diffusion after mechanical bending of nitrogen plasma implanted NiTi shape memory alloys. <i>Surface and Coatings Technology</i> , 2007, 201, 8286-8290.            | 2.2 | 10        |
| 1216 | Plasma surface treatment of artificial orthopedic and cardiovascular biomaterials. <i>Surface and Coatings Technology</i> , 2007, 201, 5601-5606.  | 2.2 | 61        |
| 1217 | Nitrogen plasma-implanted nickel titanium alloys for orthopedic use. <i>Surface and Coatings Technology</i> , 2007, 201, 5607-5612.  | 2.2 | 27        |
| 1218 | Particle-in-cell numerical simulation of non-uniform plasma immersion ion implantation. <i>Surface and Coatings Technology</i> , 2007, 201, 5458-5462.   | 2.2 | 6         |
| 1219 | Enhancement of corrosion resistance of AISI 420 stainless steels by nitrogen and silicon plasma immersion ion implantation. <i>Surface and Coatings Technology</i> , 2007, 201, 4879-4883.   | 2.2 | 23        |
| 1220 | Microstructure and visible-photoluminescence of titanium dioxide thin films fabricated by dual cathodic arc and nitrogen plasma deposition. <i>Surface and Coatings Technology</i> , 2007, 201, 4897-4900.   | 2.2 | 11        |
| 1221 | Fabrication and characteristics of novel microelectronic structures fabricated by plasma-based techniques. <i>Surface and Coatings Technology</i> , 2007, 201, 6745-6751.  | 2.2 | 1         |
| 1222 | Effects of plasma treatment on bioactivity of TiO <sub>2</sub> coatings. <i>Surface and Coatings Technology</i> , 2007, 201, 6878-6881.  | 2.2 | 12        |
| 1223 | Effects of pulse parameters on macro-particle production in pulsed cathodic vacuum arc deposition. <i>Surface and Coatings Technology</i> , 2007, 201, 6542-6544.  | 2.2 | 5         |
| 1224 | Plasma distribution in the slender bore excited by coaxial rf electrode. <i>Surface and Coatings Technology</i> , 2007, 201, 6651-6654.  | 2.2 | 4         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1225 | Behavior of endothelial cells on micro-patterned titanium oxide fabricated by plasma immersion ion implantation and deposition and plasma etching. <i>Surface and Coatings Technology</i> , 2007, 201, 6874-6877.  | 2.2 | 17        |
| 1226 | Effects of electron-focusing electric field upon enhanced glow discharge plasma ion implantation. <i>Surface and Coatings Technology</i> , 2007, 201, 6516-6519.   | 2.2 | 8         |
| 1227 | Antibacterial copper-containing titanium nitride films produced by dual magnetron sputtering. <i>Surface and Coatings Technology</i> , 2007, 201, 8606-8609.   | 2.2 | 79        |
| 1228 | Improvement of interfacial and microstructure properties of high-k ZrO <sub>2</sub> thin films fabricated by filtered cathodic arc deposition using nitrogen incorporation. <i>Surface and Coatings Technology</i> , 2007, 201, 8282-8285.                       | 2.2 | 14        |
| 1229 | Fabrication of highly (1000) oriented textured zinc oxide films by metal cathodic arc and oxygen dual plasma deposition and their optical properties. <i>Surface and Coatings Technology</i> , 2007, 201, 8348-8351.   | 2.2 | 7         |
| 1230 | Corrosion behavior of AZ91 magnesium alloy treated by plasma immersion ion implantation and deposition in artificial physiological fluids. <i>Thin Solid Films</i> , 2007, 516, 422-427.   | 0.8 | 111       |
| 1231 | Comparative studies on influence of acetylene to argon flow rate ratios on nano-scratch behavior of a-C:H films produced on steel substrates by plasma immersion ion implantation and deposition. <i>Thin Solid Films</i> , 2007, 516, 252-256.                  | 0.8 | 6         |
| 1232 | Optical and mechanical properties of alumina films fabricated on Kapton polymer by plasma immersion ion implantation and deposition using different biases. <i>Applied Surface Science</i> , 2007, 253, 9483-9488.   | 3.1 | 16        |
| 1233 | Pore formation mechanism and characterization of porous NiTi shape memory alloys synthesized by capsule-free hot isostatic pressing. <i>Acta Materialia</i> , 2007, 55, 3437-3451.   | 3.8 | 86        |
| 1234 | Synthesis and characterization of super hard, self-lubricating Ti-Si-C-N nanocomposite coatings. <i>Acta Materialia</i> , 2007, 55, 6350-6355.   | 3.8 | 99        |
| 1235 | Hydrogen plasma surface activation of silicon for biomedical applications. <i>New Biotechnology</i> , 2007, 24, 113-117.   | 2.7 | 15        |
| 1236 | Platelet activation behavior on nitrogen plasma-implanted silicon. <i>Materials Science and Engineering C</i> , 2007, 27, 928-932.   | 3.8 | 17        |
| 1237 | Oxygen and sodium plasma-implanted nickel-titanium shape memory alloy: A novel method to promote hydroxyapatite formation and suppress nickel leaching. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2007, 257, 687-691.                     | 0.6 | 4         |
| 1238 | Characteristics of end Hall ion source with magnetron hollow cathode discharge. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2007, 257, 796-800.   | 0.6 | 11        |
| 1239 | Structure and wear properties of NiTi modified by nitrogen plasma immersion ion implantation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 444, 192-197.                                | 2.6 | 21        |
| 1240 | Influence of heat treatment on degradation behavior of bio-degradable die-cast AZ63 magnesium alloy in simulated body fluid. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 456, 350-357. | 2.6 | 160       |
| 1241 | Effective passivation on Si nanocrystal surface by peroxide. <i>Journal of Crystal Growth</i> , 2007, 304, 86-89.  | 0.7 | 3         |
| 1242 | Luminescence properties of ultrasmall amorphous Si nanoparticles with sizes smaller than 2nm. <i>Journal of Crystal Growth</i> , 2007, 304, 476-480.   | 0.7 | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1243 | Plasma-treated Polyethylene Surfaces for Improved Binding of Active Protein. <i>Plasma Processes and Polymers</i> , 2007, 4, 583-590.   | 1.6 | 42        |
| 1244 | Chemical and Physical Properties of Copper and Nitrogen Plasma-Implanted Polyethylene. <i>Plasma Processes and Polymers</i> , 2007, 4, 158-164.   | 1.6 | 6         |
| 1245 | Formation of apatite on hydrogenated amorphous silicon (a-Si:H) film deposited by plasma-enhanced chemical vapor deposition. <i>Materials Chemistry and Physics</i> , 2007, 101, 124-128.   | 2.0 | 20        |
| 1246 | Luminescent small-diameter 3C-SiC nanocrystals fabricated via a simple chemical etching method. <i>Nanotechnology</i> , 2007, 18, 365603.   | 1.3 | 87        |
| 1247 | Surface structure and properties of biomedical NiTi shape memory alloy after Fenton's oxidation. <i>Acta Biomaterialia</i> , 2007, 3, 795-806.  | 4.1 | 71        |
| 1248 | Effects of water plasma immersion ion implantation on surface electrochemical behavior of NiTi shape memory alloys in simulated body fluids. <i>Applied Surface Science</i> , 2007, 253, 3154-3159.                               | 3.1 | 22        |
| 1249 | Effects of NH <sub>3</sub> , O <sub>2</sub> , and N <sub>2</sub> co-implantation on Cu out-diffusion and antimicrobial properties of copper plasma-implanted polyethylene. <i>Applied Surface Science</i> , 2007, 253, 8981-8985. | 3.1 | 28        |
| 1250 | Mechanical properties, bioactivity and corrosion resistance of oxygen and sodium plasma treated nickel titanium shape memory alloy. <i>Surface and Coatings Technology</i> , 2007, 202, 1308-1312.                                | 2.2 | 9         |
| 1251 | In vitro and in vivo characterization of novel plasma treated nickel titanium shape memory alloy for orthopedic implantation. <i>Surface and Coatings Technology</i> , 2007, 202, 1247-1251.                                      | 2.2 | 37        |
| 1252 | Origin of low-temperature photoluminescence from SnO <sub>2</sub> nanowires fabricated by thermal evaporation and annealed in different ambients. <i>Applied Physics Letters</i> , 2006, 88, 183112.                              | 1.5 | 128       |
| 1253 | Synthesis and low-temperature photoluminescence properties of SnO <sub>2</sub> nanowires and nanobelts. <i>Nanotechnology</i> , 2006, 17, 1695-1699.  | 1.3 | 228       |
| 1254 | Effects of pulsing parameters on production and distribution of macroparticles in cathodic vacuum arc deposition. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2006, 24, 957-961.              | 0.9 | 2         |
| 1255 | Local vibration at the surface of a Ge nanocrystal embedded in a silicon oxide matrix. <i>Journal of Applied Physics</i> , 2006, 99, 014301.  | 1.1 | 11        |
| 1256 | Silver nanocrystal superlattice coating for molecular sensing by surface-enhanced Raman spectroscopy. <i>Applied Physics Letters</i> , 2006, 89, 131914.  | 1.5 | 39        |
| 1257 | The effect of N <sup>+</sup> -implanted aluminum substrate on the mechanical properties of TiN films. <i>Surface and Coatings Technology</i> , 2006, 200, 2672-2678.  | 2.2 | 11        |
| 1258 | Nucleation and growth of amorphous carbon film on tungsten-implanted stainless steel substrates. <i>Diamond and Related Materials</i> , 2006, 15, 1580-1584.  | 1.8 | 9         |
| 1259 | Biocompatibility of calcium and phosphorus doped diamond-like carbon thin films synthesized by plasma immersion ion implantation and deposition. <i>Diamond and Related Materials</i> , 2006, 15, 893-897.                        | 1.8 | 52        |
| 1260 | Surface-enhanced Raman characteristics of Ag cap aggregates on silicon nanowire arrays. <i>Nanotechnology</i> , 2006, 17, 5769-5772.  | 1.3 | 58        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1261 | Characteristics and surface energy of silicon-doped diamond-like carbon films fabricated by plasma immersion ion implantation and deposition. <i>Diamond and Related Materials</i> , 2006, 15, 1276-1281.  | 1.8  | 46        |
| 1262 | Improvement of adhesion strength of amorphous carbon films on tungsten ion implanted 321 stainless steel substrate. <i>Diamond and Related Materials</i> , 2006, 15, 952-957.  | 1.8  | 17        |
| 1263 | Luminescence from colloidal 3C-SiC nanocrystals in different solvents. <i>Applied Physics Letters</i> , 2006, 88, 041909.  | 1.5  | 76        |
| 1264 | Current transport studies of ZnO <sup>n</sup> -p-Si heterostructures grown by plasma immersion ion implantation and deposition. <i>Applied Physics Letters</i> , 2006, 88, 132104.   | 1.5  | 76        |
| 1265 | Nitrogen binding behavior in ZnO films with time-resolved cathodoluminescence. <i>Applied Surface Science</i> , 2006, 252, 8131-8134.  | 3.1  | 12        |
| 1266 | Improvement of surface porosity and properties of alumina films by incorporation of Fe micrograins in micro-arc oxidation. <i>Applied Surface Science</i> , 2006, 253, 863-868.  | 3.1  | 66        |
| 1267 | Effects of nitrogen ion implantation and implantation energy on surface properties and adhesion strength of TiN films deposited on aluminum by magnetron sputtering. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 415, 140-144. | 2.6  | 14        |
| 1268 | Mechanism of mechanical property enhancement in nitrogen and titanium implanted 321 stainless steel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 425, 1-6.   | 2.6  | 17        |
| 1269 | Ion implantation of organisms. <i>Materials Science and Engineering Reports</i> , 2006, 54, 49-120.  | 14.8 | 75        |
| 1270 | Bioactivity of plasma implanted biomaterials. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2006, 242, 1-7.   | 0.6  | 23        |
| 1271 | Ignition and dynamics of high-voltage glow discharge plasma implantation. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2006, 242, 275-278.   | 0.6  | 8         |
| 1272 | Water plasma implantation/oxidation of magnesium alloys for corrosion resistance. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2006, 242, 300-302.   | 0.6  | 26        |
| 1273 | Improvement on corrosion resistance of NiTi orthopedic materials by carbon plasma immersion ion implantation. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2006, 242, 270-274.   | 0.6  | 13        |
| 1274 | Effects of O <sub>2</sub> and H <sub>2</sub> O plasma immersion ion implantation on surface chemical composition and surface energy of poly vinyl chloride. <i>Applied Surface Science</i> , 2006, 252, 7884-7889.   | 3.1  | 15        |
| 1275 | Stability of luminescent 3C-SiC nanocrystallites in aqueous solution. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2006, 360, 336-338.   | 0.9  | 31        |
| 1276 | Antimicrobial properties of copper plasma-modified polyethylene. <i>Polymer</i> , 2006, 47, 7441-7445.   | 1.8  | 91        |
| 1277 | Structure and mechanical properties of magnesium alloy treated by micro-arc discharge oxidation using direct current and high-frequency bipolar pulsing modes. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 435-436, 123-126.   | 2.6  | 78        |
| 1278 | On the origin of light emission from porous anodic alumina formed in sulfuric acid. <i>Solid State Communications</i> , 2006, 137, 621-624.  | 0.9  | 52        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1279 | In vitro bioactivity of plasma-sprayed TiO <sub>2</sub> coating after sodium hydroxide treatment. <i>Surface and Coatings Technology</i> , 2006, 200, 5487-5492.   | 2.2  | 39        |
| 1280 | Structure and microwave-absorbing properties of Fe-particle containing alumina prepared by micro-arc discharge oxidation. <i>Surface and Coatings Technology</i> , 2006, 201, 292-295.                                     | 2.2  | 47        |
| 1281 | Anti-corrosion characteristics of nitride-coated AISI 316L stainless steel coronary stents. <i>Surface and Coatings Technology</i> , 2006, 201, 2802-2806.   | 2.2  | 43        |
| 1282 | Surface modification of W9Cr4V2Mo high-temperature bearing steel by rare earth ion implantation. <i>Surface and Coatings Technology</i> , 2006, 201, 4357-4360.  | 2.2  | 8         |
| 1283 | Nucleation and growth of calcium phosphate on Ca-implanted titanium surface. <i>Surface Science</i> , 2006, 600, 651-656.  | 0.8  | 29        |
| 1284 | Low-dimensional SiC nanostructures: Fabrication, luminescence, and electrical properties. <i>Progress in Materials Science</i> , 2006, 51, 983-1031.   | 16.0 | 312       |
| 1285 | Antibacterial properties of plasma-modified and triclosan or bronopol coated polyethylene. <i>Polymer</i> , 2006, 47, 931-936.   | 1.8  | 75        |
| 1286 | Hemocompatibility of lanthanum oxide films fabricated by dual plasma deposition. <i>Thin Solid Films</i> , 2006, 515, 1219-1222.   | 0.8  | 30        |
| 1287 | Plasma surface modification of poly vinyl chloride for improvement of antibacterial properties. <i>Biomaterials</i> , 2006, 27, 44-51.   | 5.7  | 130       |
| 1288 | Bioactivity and cytocompatibility of zirconia (ZrO <sub>2</sub> ) films fabricated by cathodic arc deposition. <i>Biomaterials</i> , 2006, 27, 3904-3911.  | 5.7  | 106       |
| 1289 | Intergrowth mechanism of silicon nanowires and silver dendrites. <i>Journal of Electronic Materials</i> , 2006, 35, 1879-1884.   | 1.0  | 60        |
| 1290 | Characterization of amorphous and nanocrystalline carbon films. <i>Materials Chemistry and Physics</i> , 2006, 96, 253-277.  | 2.0  | 967       |
| 1291 | Surface antibacterial characteristics of plasma-modified polyethylene. <i>Biopolymers</i> , 2006, 83, 62-68.   | 1.2  | 25        |
| 1292 | Surface characteristics, mechanical properties, and cytocompatibility of oxygen plasma-implanted porous nickel titanium shape memory alloy. <i>Journal of Biomedical Materials Research - Part A</i> , 2006, 79A, 139-146. | 2.1  | 38        |
| 1293 | Plasma-nitrided high-k polycrystalline nano-array induced by electron irradiation. <i>Nanotechnology</i> , 2006, 17, 4379-4383.  | 1.3  | 4         |
| 1294 | Si nanowires sheathed with thin diamondlike carbon films. <i>Journal of Vacuum Science &amp; Technology B</i> , 2006, 24, 1702.  | 1.3  | 1         |
| 1295 | Resonant electron transfer and luminescent enhancement in a toluene suspension of Si nanocrystals. <i>Journal of Chemical Physics</i> , 2006, 125, 054713.   | 1.2  | 9         |
| 1296 | Fabrication of silicon-on-SiO <sub>2</sub> /diamondlike-carbon dual insulator using ion cutting and mitigation of self-heating effects. <i>Applied Physics Letters</i> , 2006, 88, 142108.                                 | 1.5  | 13        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1297 | In situ fabrication of alumina nanotube array and photoluminescence. Applied Physics Letters, 2006, 89, 073114.  | 1.5 | 16        |
| 1298 | Energy band mixing in core-shell-structured Si <sup>3+</sup> -FeSi <sub>2</sub> nanocomposites. Applied Physics Letters, 2006, 89, 053114.   | 1.5 | 1         |
| 1299 | Optical emission from C <sub>60</sub> -coupled Fe <sup>2+</sup> -FeSi <sub>2</sub> nanocomposites. Applied Physics Letters, 2006, 89, 233114.  | 1.5 | 2         |
| 1300 | Corrosion resistance and antithrombogenic behavior of La and Nd ion implanted stainless steels. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2006, 24, 1790-1794.                       | 0.9 | 8         |
| 1301 | Light-induced bioactive TiO <sub>2</sub> surface. Applied Physics Letters, 2006, 88, 013905.   | 1.5 | 32        |
| 1302 | Optical emission from the aggregated state in poly [2-methoxy-5-(2-ethyl-hexyloxy)-p-phenylene vinylene]. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2006, 24, 202-205.               | 0.9 | 11        |
| 1303 | Control of interfacial silicate between HfO <sub>2</sub> and Si by high concentration ozone. Applied Physics Letters, 2006, 88, 072903.  | 1.5 | 30        |
| 1304 | Fabrication of novel silicon-on-insulator substrates using plasma-based technology. , 2006, , .  |     | 0         |
| 1305 | Experimental and numerical evaluations of adhesion strength and stress in TiN films deposited on Ti-implanted aluminum. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2006, 24, 212-217. | 0.9 | 3         |
| 1306 | Enhanced electron field emission from oriented columnar AlN and mechanism. Applied Physics Letters, 2006, 88, 251103.  | 1.5 | 10        |
| 1307 | Silver nanocrystal superlattices: Self-assembly and optical emission. Applied Physics Letters, 2006, 88, 143111.   | 1.5 | 12        |
| 1308 | Vacuum electron field emission from SnO <sub>2</sub> nanowhiskers annealed in N <sub>2</sub> and O <sub>2</sub> atmospheres. Applied Physics Letters, 2006, 88, 013109.  | 1.5 | 29        |
| 1309 | Synthesis and magnetic properties of Zn <sub>1-x</sub> CoxO nanorods. Journal of Applied Physics, 2006, 99, 074303.  | 1.1 | 69        |
| 1310 | Photoluminescence from C <sub>60</sub> -coupled porous structures formed on Fe <sup>+</sup> -implanted silicon. Journal of Chemical Physics, 2006, 125, 014706.  | 1.2 | 2         |
| 1311 | Fabrication and field emission property of a Si nanotip array. Nanotechnology, 2006, 17, 5573-5576.  | 1.3 | 22        |
| 1312 | Fabrication of rutile TiO <sub>2</sub> thin films by low-temperature, bias-assisted cathodic arc deposition and their dielectric properties. Journal of Materials Research, 2006, 21, 844-850.                     | 1.2 | 7         |
| 1313 | Interfacial characteristics of fully depleted SiGe-on-insulator (SGOI) substrate fabricated by modified Ge condensation. Semiconductor Science and Technology, 2005, 20, L31-L35.                                  | 1.0 | 2         |
| 1314 | Formation of silicon on plasma synthesized SiO <sub>x</sub> N <sub>y</sub> and reaction mechanism. Applied Surface Science, 2005, 243, 89-95.  | 3.1 | 3         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1315 | Plasma nitridation and microstructure of high-k ZrO <sub>2</sub> thin films fabricated by cathodic arc deposition. <i>Journal of Crystal Growth</i> , 2005, 277, 422-427.   | 0.7 | 19        |
| 1316 | From Si nanotubes to nanowires: Synthesis, characterization, and self-assembly. <i>Journal of Crystal Growth</i> , 2005, 277, 143-148.  | 0.7 | 66        |
| 1317 | Catalytic growth of $\hat{\pm}$ -FeSi <sub>2</sub> and silicon nanowires. <i>Journal of Crystal Growth</i> , 2005, 280, 286-291.  | 0.7 | 6         |
| 1318 | Strain relaxation mechanism in SiGe-on-insulator fabricated by Ge condensation. <i>Journal of Crystal Growth</i> , 2005, 281, 275-280.  | 0.7 | 10        |
| 1319 | Mo-containing diamond-like carbon films with blue emission. <i>Journal of Crystal Growth</i> , 2005, 281, 538-542.  | 0.7 | 4         |
| 1320 | Self-organized synthesis of micrometer scale silver disks by electroless metal deposition on Si-incorporated diamond-like carbon films. <i>Journal of Crystal Growth</i> , 2005, 284, 470-476.  | 0.7 | 5         |
| 1321 | Polycrystalline tubular nanostructures of germanium. <i>Journal of Crystal Growth</i> , 2005, 285, 59-65.   | 0.7 | 6         |
| 1322 | Light emission from as-prepared and oxidized Si nanowires with diameters of 5–15nm. <i>Journal of Crystal Growth</i> , 2005, 285, 620-626.  | 0.7 | 13        |
| 1323 | Solvent effect on light-emitting property of Si nanocrystals. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2005, 334, 447-452.  | 0.9 | 23        |
| 1324 | Anti-corrosion performance of oxidized and oxygen plasma-implanted NiTi alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 390, 444-451.                             | 2.6 | 47        |
| 1325 | Relaxed SiGe-on-insulator fabricated by dry oxidation of sandwiched Si/SiGe/Si structure. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2005, 124-125, 153-157.                                   | 1.7 | 10        |
| 1326 | Bioconductivity and mechanical properties of plasma-sprayed dicalcium silicate/zirconia composite coating. <i>Materials Science and Engineering C</i> , 2005, 25, 509-515.  | 3.8 | 25        |
| 1327 | Determination of nitrogen-related defects in N-implanted ZnO films by dynamic cathodoluminescence. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2005, 237, 307-311.   | 0.6 | 12        |
| 1328 | Surface modification of polymeric materials by plasma immersion ion implantation. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2005, 237, 417-421.  | 0.6 | 49        |
| 1329 | Improvements of anti-corrosion and mechanical properties of NiTi orthopedic materials by acetylene, nitrogen and oxygen plasma immersion ion implantation. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2005, 237, 411-416. | 0.6 | 46        |
| 1330 | Formation of titanium nitride barrier layer in nickel–titanium shape memory alloys by nitrogen plasma immersion ion implantation for better corrosion resistance. <i>Thin Solid Films</i> , 2005, 488, 20-25.                                   | 0.8 | 50        |
| 1331 | Effects of pretreatment by ion implantation and interlayer on adhesion between aluminum substrate and TiN film. <i>Thin Solid Films</i> , 2005, 493, 152-159.   | 0.8 | 30        |
| 1332 | Structure and properties of Ca-plasma-implanted titanium. <i>Surface and Coatings Technology</i> , 2005, 191, 43-48.  | 2.2 | 36        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1333 | Electrical properties of AlN thin films prepared by ion beam enhanced deposition. Surface and Coatings Technology, 2005, 196, 130-134.  | 2.2 | 27        |
| 1334 | Influence of ion energies on the surface morphology of carbon films. Surface and Coatings Technology, 2005, 196, 241-245.   | 2.2 | 15        |
| 1335 | Corrosion resistance improvement of magnesium alloy using nitrogen plasma ion implantation. Surface and Coatings Technology, 2005, 198, 454-458.  | 2.2 | 75        |
| 1336 | Improvement of surface bioactivity on titanium by water and hydrogen plasma immersion ion implantation. Biomaterials, 2005, 26, 6129-6135.  | 5.7 | 102       |
| 1337 | Plasma-treated nanostructured TiO <sub>2</sub> surface supporting biomimetic growth of apatite. Biomaterials, 2005, 26, 6143-6150.  | 5.7 | 110       |
| 1338 | Experimental investigation of hybrid-evaporation-glow discharge plasma immersion ion implantation. Journal of Applied Physics, 2005, 97, 113301.  | 1.1 | 19        |
| 1339 | Formation of silicon-on-aluminum nitride using ion-cut and theoretical investigation of self-heating effects. Materials Letters, 2005, 59, 510-513.   | 1.3 | 2         |
| 1340 | Early apatite deposition and osteoblast growth on plasma-sprayed dicalcium silicate coating. Journal of Biomedical Materials Research - Part A, 2005, 74A, 356-365.   | 2.1 | 28        |
| 1341 | Bioactivity of titanium following sodium plasma immersion ion implantation and deposition. Biomaterials, 2005, 26, 5465-5473.   | 5.7 | 65        |
| 1342 | Controlled Growth of ZnO films on Si Substrate and N-doping Behavior. Materials Research Society Symposia Proceedings, 2005, 864, 7111.   | 0.1 | 1         |
| 1343 | Self-assembled growth and blue emission of a SiO <sub>x</sub> -capped ( $x=0.5\text{--}0.8$ ) silicon nanowire array. Nanotechnology, 2005, 16, 2222-2226.  | 1.3 | 5         |
| 1344 | Improvement of interfacial and dielectric properties of sputtered Ta <sub>2</sub> O <sub>5</sub> thin films by substrate biasing and the underlying mechanism. Journal of Applied Physics, 2005, 97, 114106.              | 1.1 | 24        |
| 1345 | Visible cathodoluminescence of 4 Å... single-walled carbon nanotubes. Applied Physics Letters, 2005, 87, 213114.  | 1.5 | 17        |
| 1346 | Microwave-cut silicon layer transfer. Applied Physics Letters, 2005, 87, 224103.  | 1.5 | 12        |
| 1347 | Thermal stability of diamondlike carbon buried layer fabricated by plasma immersion ion implantation and deposition in silicon on insulator. Journal of Applied Physics, 2005, 98, 053502.                                | 1.1 | 22        |
| 1348 | Improvement of nitrogen retained dose using ammonia as a precursor in nitrogen plasma immersion ion implantation of silicon. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2005, 23, 1346-1349. | 0.9 | 7         |
| 1349 | Germanium movement mechanism in SiGe-on-insulator fabricated by modified Ge condensation. Journal of Applied Physics, 2005, 97, 064504.   | 1.1 | 31        |
| 1350 | Silicon layer transfer using plasma hydrogenation. Applied Physics Letters, 2005, 87, 111910.   | 1.5 | 12        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1351 | Low-frequency Raman scattering of Ge and Si nanocrystals in silica matrix. <i>Journal of Applied Physics</i> , 2005, 98, 064303.  | 1.1 | 20        |
| 1352 | Investigation of plasma hydrogenation and trapping mechanism for layer transfer. <i>Applied Physics Letters</i> , 2005, 86, 031904.   | 1.5 | 27        |
| 1353 | Anti-Corrosion Properties of Nitrogen and Oxygen Plasma-Implanted Nickel-Titanium Shape Memory Alloy. <i>Solid State Phenomena</i> , 2005, 107, 111-114.  | 0.3 | 3         |
| 1354 | Cr/CrN Compound Films Prepared by Ion Beam Assisted Deposition for Improving the Performance of Bearing Steel. <i>Plasma Science and Technology</i> , 2005, 7, 2959-2961.   | 0.7 | 3         |
| 1355 | Self-assembled growth and green emission of gold nanowhiskers. <i>Applied Physics Letters</i> , 2005, 87, 223115.   | 1.5 | 21        |
| 1356 | Plasma hydrogenation of strained Si <sup>δ</sup> -SiGe <sup>δ</sup> -Si heterostructure for layer transfer without ion implantation. <i>Applied Physics Letters</i> , 2005, 87, 091902.   | 1.5 | 40        |
| 1357 | Experimental Evidence for the Quantum Confinement Effect in 3C-SiC Nanocrystallites. <i>Physical Review Letters</i> , 2005, 94, 026102.   | 2.9 | 288       |
| 1358 | Linear ion source with magnetron hollow cathode discharge. <i>Review of Scientific Instruments</i> , 2005, 76, 113502.  | 0.6 | 11        |
| 1359 | Self-assembled growth and enhanced blue emission of SiO <sub>x</sub> N <sub>y</sub> -capped silicon nanowire arrays. <i>Applied Physics Letters</i> , 2005, 86, 193111.   | 1.5 | 23        |
| 1360 | Surface energy, wettability, and blood compatibility phosphorus doped diamond-like carbon films. <i>Diamond and Related Materials</i> , 2005, 14, 78-85.  | 1.8 | 230       |
| 1361 | Thermal stability of metal-doped diamond-like carbon fabricated by dual plasma deposition. <i>Diamond and Related Materials</i> , 2005, 14, 1489-1493.  | 1.8 | 46        |
| 1362 | Synthesis and optical properties of germanium nanorod array fabricated on porous anodic alumina and Si-based templates. <i>Applied Physics Letters</i> , 2005, 86, 021111.  | 1.5 | 30        |
| 1363 | Implantation dynamics of plasma implantation into insulating strips. <i>Journal Physics D: Applied Physics</i> , 2004, 37, 50-54.   | 1.3 | 11        |
| 1364 | Formation of silicon on plasma synthesized aluminum nitride structure by ion cutting. <i>Journal of Vacuum Science &amp; Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2004, 22, 2748. | 1.6 | 2         |
| 1365 | Influence of thickness and dielectric properties on implantation efficacy in plasma immersion ion implantation of insulators. <i>Journal of Applied Physics</i> , 2004, 95, 3319-3323.  | 1.1 | 14        |
| 1366 | Low-temperature photoluminescence of hydrogen ion and plasma implanted silicon and porous silicon. <i>Journal of Applied Physics</i> , 2004, 96, 248-251.   | 1.1 | 5         |
| 1367 | Formation of silicon-on-diamond by direct bonding of plasma-synthesized diamond-like carbon to silicon. <i>Applied Physics Letters</i> , 2004, 85, 2532-2534.   | 1.5 | 16        |
| 1368 | Optical emission from silicon-based SiO <sub>2</sub> islands fabricated by anodic alumina templates. <i>Journal of Applied Physics</i> , 2004, 96, 1443-1446.   | 1.1 | 4         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1369 | Synthesis of aluminum nitride films by plasma immersion ion implantation-deposition using hybrid gas-metal cathodic arc gun. Review of Scientific Instruments, 2004, 75, 719-724.   | 0.6 | 9         |
| 1370 | Plasma hydrogenation of strain-relaxed SiGe-Si heterostructure for layer transfer. Applied Physics Letters, 2004, 85, 4944-4946.  | 1.5 | 5         |
| 1371 | Mechanism of apatite formation on hydrogen plasma-implanted single-crystal silicon. Applied Physics Letters, 2004, 85, 3623-3625.   | 1.5 | 13        |
| 1372 | Effects of mesh-assisted carbon plasma immersion ion implantation on the surface properties of insulating silicon carbide ceramics. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2004, 22, 356-360.    | 0.9 | 13        |
| 1373 | Recent developments and applications of plasma immersion ion implantation. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2004, 22, 289. | 1.6 | 106       |
| 1374 | Fabrication of silicon carbide thin films by plasma immersion ion implantation with self-ignited glow discharge. Thin Solid Films, 2004, 447-448, 153-157.  | 0.8 | 6         |
| 1375 | Mechanism of apatite formation on wollastonite coatings in simulated body fluids. Biomaterials, 2004, 25, 1755-1761.  | 5.7 | 315       |
| 1376 | Surface composition and surface energy of Teflon treated by metal plasma immersion ion implantation. Surface Science, 2004, 573, 426-432.   | 0.8 | 45        |
| 1377 | Oxygen segregation and Ge diffusion in annealed oxygen ion-implanted relaxed SiGe/Si heterostructures. Journal of Electronic Materials, 2004, 33, 207-212.  | 1.0 | 1         |
| 1378 | Hemocompatibility of nitrogen-doped, hydrogen-free diamond-like carbon prepared by nitrogen plasma immersion ion implantation-deposition. Journal of Biomedical Materials Research Part B, 2004, 70A, 107-114.                    | 3.0 | 45        |
| 1379 | Microstructure investigation of $BaxSr_{1-x}TiO_3$ thin film grown on porous silicon substrate. Materials Science in Semiconductor Processing, 2004, 7, 253-258.  | 1.9 | 9         |
| 1380 | Biomimetic growth of apatite on hydrogen-implanted silicon. Biomaterials, 2004, 25, 5575-5581.  | 5.7 | 41        |
| 1381 | Plasma surface modification of titanium for hard tissue replacements. Surface and Coatings Technology, 2004, 186, 227-233.  | 2.2 | 54        |
| 1382 | Plasma immersion ion implantation of industrial gears. Surface and Coatings Technology, 2004, 186, 260-264.   | 2.2 | 10        |
| 1383 | Two-dimensional numerical simulation of non-uniform plasma immersion ion implantation. Surface and Coatings Technology, 2004, 186, 47-52.   | 2.2 | 11        |
| 1384 | Molybdenum-carbon film fabricated using metal cathodic arc and acetylene dual plasma deposition. Surface and Coatings Technology, 2004, 186, 112-117.   | 2.2 | 28        |
| 1385 | Growth and visible photoluminescence of highly oriented (100) zinc oxide film synthesized on silicon by plasma immersion ion implantation. Materials Science in Semiconductor Processing, 2004, 7, 459-462.                       | 1.9 | 9         |
| 1386 | Cu oxide nanowire array grown on Si-based SiO <sub>2</sub> nanoscale islands via nanochannels. Acta Materialia, 2004, 52, 5051-5055.  | 3.8 | 16        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1387 | Formation of Si-based nano-island array on porous anodic alumina. <i>Acta Materialia</i> , 2004, 52, 5633-5637.  | 3.8 | 13        |
| 1388 | Interactions between plasma and ionization gauge in plasma immersion ion implantation. <i>Surface and Coatings Technology</i> , 2003, 169-170, 36-40.  | 2.2 | 4         |
| 1389 | Room-temperature electroluminescence from H-plasma-implanted silicon. <i>Semiconductor Science and Technology</i> , 2003, 18, L55-L58.   | 1.0 | 4         |
| 1390 | Oxygen profile engineering in silicon by germanium addition and high-temperature annealing. <i>Applied Physics Letters</i> , 2003, 83, 305-307.  | 1.5 | 5         |
| 1391 | Flexible system for multiple plasma immersion ion implantation-deposition processes. <i>Review of Scientific Instruments</i> , 2003, 74, 5137-5140.  | 0.6 | 9         |
| 1392 | Current control for magnetized plasma in direct-current plasma-immersion ion implantation. <i>Applied Physics Letters</i> , 2003, 82, 2014-2016.   | 1.5 | 11        |
| 1393 | Effects of assistant anode on planar inductively coupled magnetized argon plasma in plasma immersion ion implantation. <i>Journal of Applied Physics</i> , 2003, 93, 5883-5887.  | 1.1 | 15        |
| 1394 | Enhancement of implantation energy using a conducting grid in plasma immersion ion implantation of dielectric/polymeric materials. <i>Review of Scientific Instruments</i> , 2003, 74, 3697-3700.  | 0.6 | 29        |
| 1395 | Anode double layer in magnetized radio frequency inductively coupled hydrogen plasma. <i>Journal of Applied Physics</i> , 2003, 94, 1390-1395.   | 1.1 | 11        |
| 1396 | Relaxed silicon-germanium-on-insulator substrates by oxygen implantation into pseudomorphic silicon germanium/silicon heterostructure. <i>Applied Physics Letters</i> , 2003, 82, 2452-2454.   | 1.5 | 14        |
| 1397 | Characteristics and polarization-enhanced model of wurtzite aluminum nitride thin films synthesized on Si(100) substrates by pulsed laser deposition. <i>Journal of Applied Physics</i> , 2003, 94, 1934-1940.   | 1.1 | 10        |
| 1398 | Semiconductor applications of plasma immersion ion implantation. <i>Plasma Physics and Controlled Fusion</i> , 2003, 45, 555-570.  | 0.9 | 25        |
| 1399 | Silicon carbide formation by methane plasma immersion ion implantation into silicon. <i>Journal of Vacuum Science &amp; Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2003, 21, 1375.   | 1.6 | 17        |
| 1400 | Automatically reigniting dc vacuum arc plasma source. <i>Review of Scientific Instruments</i> , 2002, 73, 2971-2973.   | 0.6 | 3         |
| 1401 | Effects of bias voltage on the corrosion resistance of titanium nitride thin films fabricated by dynamic plasma immersion ion implantation-deposition. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2002, 20, 160-164.  | 0.9 | 14        |
| 1402 | Enhancement of implantation efficiency by grid biasing in radio-frequency inductively coupled plasma direct-current plasma immersion ion implantation. <i>Journal of Vacuum Science &amp; Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2002, 20, 1452. | 1.6 | 5         |
| 1403 | Plasma transport in magnetic duct filter. <i>Journal Physics D: Applied Physics</i> , 2002, 35, 3176-3180.   | 1.3 | 11        |
| 1404 | Effects of cathode materials and arc current on optimal bias of a cathodic arc through a magnetic duct. <i>Applied Physics Letters</i> , 2002, 80, 3700-3702.  | 1.5 | 18        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1405 | Effects of magnetic field on pulse wave forms in plasma immersion ion implantation in a radio-frequency, inductively coupled plasma. <i>Journal of Applied Physics</i> , 2002, 92, 2284-2289.   | 1.1 | 6         |
| 1406 | Multiple ion-focusing effects in plasma immersion ion implantation. <i>Applied Physics Letters</i> , 2002, 81, 3744-3746.   | 1.5 | 15        |
| 1407 | Charging of dielectric substrate materials during plasma immersion ion implantation. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2002, 187, 485-491.   | 0.6 | 30        |
| 1408 | Bias voltage influence on surface morphology of titanium nitride synthesized by dynamic nitrogen and titanium plasma immersion ion implantation and deposition. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 337, 236-240. | 2.6 | 6         |
| 1409 | Structural analysis of arc deposited diamond-like carbon films by Raman and X-ray photoelectron spectroscopy. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2002, 94, 95-101.   | 1.7 | 40        |
| 1410 | Fabrication of SOI structure with AlN film as buried insulator by Ion-Cut process. <i>Applied Surface Science</i> , 2002, 199, 287-292.   | 3.1 | 18        |
| 1411 | Nitrogen depth profiles in plasma implanted stainless steel. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2002, 299, 577-580.   | 0.9 | 12        |
| 1412 | Contamination issues in hydrogen plasma immersion ion implantation of silicon—a brief review. <i>Surface and Coatings Technology</i> , 2002, 156, 244-252.  | 2.2 | 17        |
| 1413 | Experimental investigation of the electrical characteristics and initiation dynamics of pulsed high-voltage glow discharge. <i>Journal Physics D: Applied Physics</i> , 2001, 34, 354-359.  | 1.3 | 27        |
| 1414 | Hydrogen-induced surface blistering of sample chuck materials in hydrogen plasma immersion ion implantation. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2001, 19, 2301-2306.   | 0.9 | 7         |
| 1415 | Preparation of gallium nitride (GaN) and related compounds by plasma immersion ion implantation and rapid thermal annealing. <i>Surface and Coatings Technology</i> , 2001, 136, 142-145.   | 2.2 | 8         |
| 1416 | Energy distribution and depth profile in BF <sub>3</sub> plasma doping. <i>Surface and Coatings Technology</i> , 2001, 136, 146-150.  | 2.2 | 13        |
| 1417 | Applications of plasma immersion ion implantation in microelectronics—a brief review. <i>Surface and Coatings Technology</i> , 2001, 136, 151-156.  | 2.2 | 28        |
| 1418 | Dynamic nitrogen and titanium plasma ion implantation/deposition at different bias voltages. <i>Thin Solid Films</i> , 2001, 390, 139-144.  | 0.8 | 11        |
| 1419 | Steady-state direct-current plasma immersion ion implantation using an electron cyclotron resonance plasma source. <i>Thin Solid Films</i> , 2001, 390, 145-148.  | 0.8 | 9         |
| 1420 | Oxygen-induced nickel segregation in nitrogen plasma implanted AISI 304 stainless steel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 316, 200-204.  | 2.6 | 42        |
| 1421 | Target temperature simulation during fast-pulsing plasma immersion ion implantation. <i>Journal Physics D: Applied Physics</i> , 2001, 34, 1639-1645.   | 1.3 | 11        |
| 1422 | Silicon-on-Insulator Structure Fabricated by Electron Beam Evaporation of Si on Porous Si and Epitaxial Layer Transfer. <i>Chinese Physics Letters</i> , 2001, 18, 662-664.   | 1.3 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1423 | Damage in hydrogen plasma implanted silicon. Journal of Applied Physics, 2001, 90, 1735-1739.   | 1.1 | 23        |
| 1424 | Quasi-direct current plasma immersion ion implantation. Applied Physics Letters, 2001, 79, 3044-3046.   | 1.5 | 10        |
| 1425 | Investigation of low-pressure elevated-temperature plasma immersion ion implantation of AISI 304 stainless steel. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2001, 19, 1008-1012.                      | 0.9 | 14        |
| 1426 | Steady-state direct-current plasma immersion ion implantation using a multipolar magnetic field electron cyclotron resonance plasma source. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2001, 19, 2889. | 0.9 | 4         |
| 1427 | Intense blue-light emission from carbon-plasma-implanted porous silicon. Applied Physics Letters, 2001, 78, 37-39.  | 1.5 | 35        |
| 1428 | Metallic contamination in hydrogen plasma immersion ion implantation of silicon. Journal of Applied Physics, 2001, 90, 3743-3749.   | 1.1 | 10        |
| 1429 | Modeling of the relationship between implantation parameters and implantation dose during plasma immersion ion implantation. Physics Letters, Section A: General, Atomic and Solid State Physics, 2000, 277, 42-46.                 | 0.9 | 21        |
| 1430 | Electrochemical corrosion properties of AISI304 steel treated by low-temperature plasma immersion ion implantation. Scripta Materialia, 2000, 43, 417-422.  | 2.6 | 19        |
| 1431 | Efficacy of high-frequency, low-voltage plasma immersion ion implantation of a bar-shaped target. Journal of Applied Physics, 2000, 88, 2221-2225.  | 1.1 | 13        |
| 1432 | Modeling of incident particle energy distribution in plasma immersion ion implantation. Journal of Applied Physics, 2000, 88, 4961-4966.  | 1.1 | 22        |
| 1433 | Direct temperature monitoring for semiconductors in plasma immersion ion implantation. Review of Scientific Instruments, 2000, 71, 2839-2842.   | 0.6 | 23        |
| 1434 | Profile control in BF <sub>3</sub> plasma doping. Journal of Applied Physics, 2000, 88, 3198-3201.  | 1.1 | 13        |
| 1435 | The effect of high-dose nitrogen plasma immersion ion implantation on silicone surfaces. Journal Physics D: Applied Physics, 2000, 33, 2869-2874.   | 1.3 | 31        |
| 1436 | Direct current plasma implantation using a grounded conducting grid. Journal of Applied Physics, 2000, 87, 4094-4097.   | 1.1 | 29        |
| 1437 | Special modulator for high frequency, low-voltage plasma immersion ion implantation. Review of Scientific Instruments, 1999, 70, 1824-1828.   | 0.6 | 36        |
| 1438 | Accurate determination of pulsed current waveform in plasma immersion ion implantation processes. Journal of Applied Physics, 1999, 86, 3567-3570.  | 1.1 | 24        |
| 1439 | Particle-in-cell and Monte Carlo simulation of the hydrogen plasma immersion ion implantation process. Journal of Applied Physics, 1999, 86, 1817-1821.   | 1.1 | 35        |
| 1440 | In situ sample temperature measurement in plasma immersion ion implantation. Review of Scientific Instruments, 1999, 70, 2818-2821.   | 0.6 | 17        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1441 | Surface metal contamination on silicon wafers after hydrogen plasma immersion ion implantation. Nuclear Instruments & Methods in Physics Research B, 1999, 155, 75-78.  | 0.6  | 16        |
| 1442 | Inner surface ion implantation using deflecting electric field. Nuclear Instruments & Methods in Physics Research B, 1998, 143, 306-310.  | 0.6  | 10        |
| 1443 | Microcavity engineering by plasma immersion ion implantation. Materials Chemistry and Physics, 1998, 57, 1-16.  | 2.0  | 24        |
| 1444 | Plasma immersion ion implantation for SOI synthesis: SIMOX and ion-cut. Journal of Electronic Materials, 1998, 27, 1059-1066.   | 1.0  | 13        |
| 1445 | Floating low-temperature radio-frequency plasma oxidation of polycrystalline silicon-germanium. Applied Physics Letters, 1998, 73, 360-362.   | 1.5  | 10        |
| 1446 | Sample stage induced dose and energy nonuniformity in plasma immersion ion implantation of silicon. Applied Physics Letters, 1998, 73, 202-204.   | 1.5  | 24        |
| 1447 | Low-Dielectric Constant SiO(F,C) Films for ULSI Interconnections Prepared by CF4 Plasma Ion Implantation. Materials Research Society Symposia Proceedings, 1998, 511, 63.   | 0.1  | 0         |
| 1448 | Ion-cut silicon-on-insulator fabrication with plasma immersion ion implantation. Applied Physics Letters, 1997, 71, 2767-2769.  | 1.5  | 42        |
| 1449 | Hydrogen induced silicon surface layer cleavage. Applied Physics Letters, 1997, 71, 1804-1806.  | 1.5  | 72        |
| 1450 | Separation of plasma implantation of oxygen to form silicon on insulator. Applied Physics Letters, 1997, 70, 1748-1750.   | 1.5  | 30        |
| 1451 | Combined impurity gettering effects of helium-induced cavities and oxygen precipitates created by plasma immersion ion implantation. Thin Solid Films, 1997, 300, 64-67.  | 0.8  | 11        |
| 1452 | Synthesis of Soi Materials Using Plasma Immersion Ion Implantation. Materials Research Society Symposia Proceedings, 1996, 438, 333.  | 0.1  | 6         |
| 1453 | Formation of Buried Porous Silicon Structure by Hydrogen Plasma Immersion Ion Implantation. Materials Research Society Symposia Proceedings, 1996, 452, 427.  | 0.1  | 3         |
| 1454 | Plasma immersion ion implantation—a fledgling technique for semiconductor processing. Materials Science and Engineering Reports, 1996, 17, 207-280.   | 14.8 | 335       |
| 1455 | Improving the plasma immersion ion implantation impact energy inside a cylindrical bore by using an auxiliary electrode. Applied Physics Letters, 1996, 69, 3815-3817.  | 1.5  | 42        |
| 1456 | SIMS and microelectronics. Materials Chemistry and Physics, 1994, 38, 203-223.  | 2.0  | 11        |
| 1457 | Determination of oxygen concentration in heavily doped silicon. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 1993, 11, 92. | 1.6  | 6         |
| 1458 | Quantitative determination of boron and phosphorus in borophosphosilicate glass by secondary ion mass spectrometry. Analytical Chemistry, 1985, 57, 1071-1074.  | 3.2  | 17        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1459 | SIMS studies on anomalous behavior of phosphorus and other implants in silicon. Radiation Effects, 1982, 61, 201-205.  | 0.4 | 2         |
| 1460 | Secondary ion mass spectrometric image depth profile analysis of thin layers. Analytical Chemistry, 1982, 54, 2208-2210.                                     | 3.2 | 12        |
| 1461 | <i>In Vitro</i> Degradation and Biocompatibility of WE43, ZK60, and AZ91 Biodegradable Magnesium Alloys. Advanced Materials Research, 0, 287-290, 2008-2014. | 0.3 | 7         |
| 1462 | Topochemical Synthesis of Copper Phosphide Nanoribbons for Flexible Optoelectronic Memristors. Advanced Functional Materials, 0, , 2110900.                  | 7.8 | 11        |