

Jonathan King

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/10910632/jonathan-king-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|----------------|-----------------|
| 145 papers | 9,216 citations | 59 h-index | 92 g-index |
| 149 ext. papers | 9,624 ext. citations | 8.4 avg, IF | 5.78 L-index |

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 145 | Hydro-epidemiological modelling of bacterial transport and decay in nearshore coastal waters. <i>Water Research</i> , 2021 , 196, 117049 | 12.5 | 5 |
| 144 | Cataract. <i>Nature Reviews Disease Primers</i> , 2015 , 1, 15014 | 51.1 | 36 |
| 143 | Tyrosine/cysteine cluster sensitizing human D-crystallin to ultraviolet radiation-induced photoaggregation in vitro. <i>Biochemistry</i> , 2014 , 53, 979-90 | 3.2 | 22 |
| 142 | Tryptophan cluster protects human D-crystallin from ultraviolet radiation-induced photoaggregation in vitro. <i>Photochemistry and Photobiology</i> , 2013 , 89, 1106-15 | 3.6 | 33 |
| 141 | The C-terminal cysteine annulus participates in auto-chaperone function for Salmonella phage P22 tailspike folding and assembly. <i>Bacteriophage</i> , 2012 , 2, 36-49 | | 3 |
| 140 | Contributions of aromatic pairs to the folding and stability of long-lived human D-crystallin. <i>Protein Science</i> , 2011 , 20, 513-28 | 6.3 | 32 |
| 139 | Ubiquitin proteasome pathway-mediated degradation of proteins: effects due to site-specific substrate deamidation 2010 , 51, 4164-73 | | 21 |
| 138 | Formation of amyloid fibrils in vitro from partially unfolded intermediates of human gammaC-crystallin 2010 , 51, 672-8 | | 65 |
| 137 | Partially folded aggregation intermediates of human gammaD-, gammaC-, and gammaS-crystallin are recognized and bound by human alphaB-crystallin chaperone. <i>Journal of Molecular Biology</i> , 2010 , 401, 134-52 | 6.5 | 55 |
| 136 | Zernike phase contrast cryo-electron microscopy and tomography for structure determination at nanometer and subnanometer resolutions. <i>Structure</i> , 2010 , 18, 903-12 | 5.2 | 110 |
| 135 | Hydrophobic core mutations associated with cataract development in mice destabilize human gammaD-crystallin. <i>Journal of Biological Chemistry</i> , 2009 , 284, 33285-95 | 5.4 | 44 |
| 134 | Mechanism of the very efficient quenching of tryptophan fluorescence in human gamma D- and gamma S-crystallins: the gamma-crystallin fold may have evolved to protect tryptophan residues from ultraviolet photodamage. <i>Biochemistry</i> , 2009 , 48, 3708-16 | 3.2 | 77 |
| 133 | Femtosecond fluorescence spectra of tryptophan in human gamma-crystallin mutants: site-dependent ultrafast quenching. <i>Journal of the American Chemical Society</i> , 2009 , 131, 16751-7 | 16.4 | 37 |
| 132 | The structure of the cataract-causing P23T mutant of human gammaD-crystallin exhibits distinctive local conformational and dynamic changes. <i>Biochemistry</i> , 2009 , 48, 2597-609 | 3.2 | 51 |
| 131 | Backbone structure of the infectious epsilon15 virus capsid revealed by electron cryomicroscopy. <i>Nature</i> , 2008 , 451, 1130-4 | 50.4 | 188 |
| 130 | Mechanism of the efficient tryptophan fluorescence quenching in human gammaD-crystallin studied by time-resolved fluorescence. <i>Biochemistry</i> , 2008 , 47, 10705-21 | 3.2 | 50 |
| 129 | Formation of amyloid fibrils in vitro by human gammaD-crystallin and its isolated domains. <i>Molecular Vision</i> , 2008 , 14, 81-9 | 2.3 | 60 |

| | | | |
|-----|---|------|-----|
| 128 | Human I-crystallins form fibrillar amyloid aggregates through a partially unfolded intermediate. <i>FASEB Journal</i> , 2008 , 22, 1010.3 | 0.9 | |
| 127 | Mutations associated with early cataract development in mice destabilize human gammaD-crystallin. <i>FASEB Journal</i> , 2008 , 22, 232-232 | 0.9 | |
| 126 | Genomic and structural analysis of Syn9, a cyanophage infecting marine Prochlorococcus and Synechococcus. <i>Environmental Microbiology</i> , 2007 , 9, 1675-95 | 5.2 | 139 |
| 125 | Genome sequence, structural proteins, and capsid organization of the cyanophage Syn5: a "horned" bacteriophage of marine synechococcus. <i>Journal of Molecular Biology</i> , 2007 , 368, 966-81 | 6.5 | 78 |
| 124 | Cryo-EM asymmetric reconstruction of bacteriophage P22 reveals organization of its DNA packaging and infecting machinery. <i>Structure</i> , 2006 , 14, 1073-82 | 5.2 | 136 |
| 123 | An elongated spine of buried core residues necessary for in vivo folding of the parallel beta-helix of P22 tailspike adhesin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 3575-80 | 11.5 | 26 |
| 122 | Glutamine deamidation destabilizes human gammaD-crystallin and lowers the kinetic barrier to unfolding. <i>Journal of Biological Chemistry</i> , 2006 , 281, 30782-93 | 5.4 | 97 |
| 121 | Mechanism of the highly efficient quenching of tryptophan fluorescence in human gammaD-crystallin. <i>Biochemistry</i> , 2006 , 45, 11552-63 | 3.2 | 81 |
| 120 | Fold recognition and accurate sequence-structure alignment of sequences directing beta-sheet proteins. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 63, 976-85 | 4.2 | 20 |
| 119 | Structure of epsilon15 bacteriophage reveals genome organization and DNA packaging/injection apparatus. <i>Nature</i> , 2006 , 439, 612-6 | 50.4 | 258 |
| 118 | Frequencies of hydrophobic and hydrophilic runs and alternations in proteins of known structure. <i>Protein Science</i> , 2006 , 15, 102-12 | 6.3 | 36 |
| 117 | Stalled folding mutants in the triple beta-helix domain of the phage P22 tailspike adhesin. <i>Journal of Molecular Biology</i> , 2005 , 354, 1103-17 | 6.5 | 6 |
| 116 | Contributions of hydrophobic domain interface interactions to the folding and stability of human gammaD-crystallin. <i>Protein Science</i> , 2005 , 14, 569-81 | 6.3 | 85 |
| 115 | Amino Acid Sequence Control of the Folding of the Parallel I-Helix, the Simplest I-Sheet Fold. <i>Lecture Notes in Computer Science</i> , 2005 , 472-473 | 0.9 | |
| 114 | Interdomain side-chain interactions in human gammaD crystallin influencing folding and stability. <i>Protein Science</i> , 2005 , 14, 2030-43 | 6.3 | 81 |
| 113 | Aggregation of granulocyte-colony stimulating factor in vitro involves a conformationally altered monomeric state. <i>Protein Science</i> , 2005 , 14, 2246-57 | 6.3 | 89 |
| 112 | Monoclonal antibody epitope mapping describes tailspike beta-helix folding and aggregation intermediates. <i>Journal of Biological Chemistry</i> , 2005 , 280, 23032-40 | 5.4 | 9 |
| 111 | Wrap-and-Pack: a new paradigm for beta structural motif recognition with application to recognizing beta trefoils. <i>Journal of Computational Biology</i> , 2005 , 12, 777-95 | 1.7 | 8 |

| | | | |
|-----|--|------|-----|
| 110 | Lattice Transformations and Subunit Conformational Changes in Phage Capsid Maturation. <i>Journal of Theoretical Medicine</i> , 2005 , 6, 99-105 | | 1 |
| 109 | Protein folding failure sets high-temperature limit on growth of phage P22 in Salmonella enterica serovar Typhimurium. <i>Applied and Environmental Microbiology</i> , 2004 , 70, 4840-7 | 4.8 | 14 |
| 108 | Wrap-and-pack 2004 , | | 1 |
| 107 | Buried hydrophobic side-chains essential for the folding of the parallel beta-helix domains of the P22 tailspike. <i>Protein Science</i> , 2004 , 13, 2291-303 | 6.3 | 13 |
| 106 | Probing folding and fluorescence quenching in human gammaD crystallin Greek key domains using triple tryptophan mutant proteins. <i>Protein Science</i> , 2004 , 13, 2223-35 | 6.3 | 87 |
| 105 | In vitro unfolding, refolding, and polymerization of human gammaD crystallin, a protein involved in cataract formation. <i>Protein Science</i> , 2003 , 12, 480-90 | 6.3 | 136 |
| 104 | Homotrimeric, beta-stranded viral adhesins and tail proteins. <i>Journal of Bacteriology</i> , 2003 , 185, 4022-30 | 5.5 | 43 |
| 103 | The interdigitated beta-helix domain of the P22 tailspike protein acts as a molecular clamp in trimer stabilization. <i>Protein Science</i> , 2002 , 11, 820-30 | 6.3 | 29 |
| 102 | Predicting the beta-helix fold from protein sequence data. <i>Journal of Computational Biology</i> , 2002 , 9, 261-76 | 1.7 | 30 |
| 101 | Characterization of the protrimer intermediate in the folding pathway of the interdigitated beta-helix tailspike protein. <i>Biochemistry</i> , 2002 , 41, 5093-103 | 3.2 | 21 |
| 100 | Cyanobacterial photosynthesis in the oceans: the origins and significance of divergent light-harvesting strategies. <i>Trends in Microbiology</i> , 2002 , 10, 134-42 | 12.4 | 267 |
| 99 | Frequencies of amino acid strings in globular protein sequences indicate suppression of blocks of consecutive hydrophobic residues. <i>Protein Science</i> , 2001 , 10, 1023-31 | 6.3 | 76 |
| 98 | Role for cysteine residues in the in vivo folding and assembly of the phage P22 tailspike. <i>Protein Science</i> , 2001 , 10, 397-410 | 6.3 | 28 |
| 97 | A newly synthesized, ribosome-bound polypeptide chain adopts conformations dissimilar from early in vitro refolding intermediates. <i>Journal of Biological Chemistry</i> , 2001 , 276, 25411-20 | 5.4 | 64 |
| 96 | Distinct cysteine sulfhydryl environments detected by analysis of Raman S-hh markers of Cys-->Ser mutant proteins. <i>Journal of Molecular Biology</i> , 2001 , 307, 899-911 | 6.5 | 81 |
| 95 | Phycobiliprotein genes of the marine photosynthetic prokaryote Prochlorococcus: evidence for rapid evolution of genetic heterogeneity. <i>Microbiology (United Kingdom)</i> , 2001 , 147, 3171-82 | 2.9 | 30 |
| 94 | Beta-helix core packing within the triple-stranded oligomerization domain of the P22 tailspike. <i>Protein Science</i> , 2000 , 9, 2338-43 | 6.3 | 22 |
| 93 | Visualization of the maturation transition in bacteriophage P22 by electron cryomicroscopy. <i>Journal of Molecular Biology</i> , 2000 , 297, 615-26 | 6.5 | 62 |

| | | | |
|----|---|-----|-----|
| 92 | In vitro unfolding/refolding of wild type phage P22 scaffolding protein reveals capsid-binding domain. <i>Journal of Biological Chemistry</i> , 1999 , 274, 16135-40 | 5.4 | 15 |
| 91 | Folding and stability of mutant scaffolding proteins defective in P22 capsid assembly. <i>Journal of Biological Chemistry</i> , 1999 , 274, 16141-6 | 5.4 | 8 |
| 90 | There's a right way and a wrong way: in vivo and in vitro folding, misfolding and subunit assembly of the P22 tailspike. <i>Structure</i> , 1999 , 7, R131-9 | 5.2 | 66 |
| 89 | Detection of early aggregation intermediates by native gel electrophoresis and native western blotting. <i>Methods in Enzymology</i> , 1999 , 309, 333-50 | 1.7 | 20 |
| 88 | Solution x-ray scattering-based estimation of electron cryomicroscopy imaging parameters for reconstruction of virus particles. <i>Biophysical Journal</i> , 1999 , 76, 2249-61 | 2.9 | 32 |
| 87 | Effects of oxygen on recombinant protein expression. <i>Biotechnology Progress</i> , 1998 , 14, 393-409 | 2.8 | 56 |
| 86 | Cold rescue of the thermolabile tailspike intermediate at the junction between productive folding and off-pathway aggregation. <i>Protein Science</i> , 1998 , 7, 1516-23 | 6.3 | 34 |
| 85 | Role of the scaffolding protein in P22 procapsid size determination suggested by T = 4 and T = 7 procapsid structures. <i>Biophysical Journal</i> , 1998 , 74, 559-68 | 2.9 | 81 |
| 84 | Mutational effects on inclusion body formation. <i>Advances in Protein Chemistry</i> , 1997 , 50, 243-64 | | 34 |
| 83 | Prevalence of temperature sensitive folding mutations in the parallel beta coil domain of the phage P22 tailspike endorhamnosidase. <i>Journal of Molecular Biology</i> , 1997 , 267, 88-102 | 6.5 | 43 |
| 82 | Monitoring the refolding pathway for a large multimeric protein using capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1997 , 769, 315-323 | 4.5 | 19 |
| 81 | Disulphide-bonded intermediate on the folding and assembly pathway of a non-disulphide bonded protein. <i>Nature Structural Biology</i> , 1997 , 4, 450-5 | | 53 |
| 80 | Conformation of P22 tailspike folding and aggregation intermediates probed by monoclonal antibodies. <i>Protein Science</i> , 1997 , 6, 99-108 | 6.3 | 60 |
| 79 | Polymerization mechanism of polypeptide chain aggregation. <i>Biotechnology and Bioengineering</i> , 1997 , 54, 333-43 | 4.9 | 73 |
| 78 | Polymerization mechanism of polypeptide chain aggregation 1997 , 54, 333 | | 1 |
| 77 | Three-dimensional structure of scaffolding-containing phage p22 procapsids by electron cryo-microscopy. <i>Journal of Molecular Biology</i> , 1996 , 260, 85-98 | 6.5 | 88 |
| 76 | Thermolabile folding intermediates: inclusion body precursors and chaperonin substrates. <i>FASEB Journal</i> , 1996 , 10, 57-66 | 0.9 | 138 |
| 75 | Scaffolding mutants identifying domains required for P22 procapsid assembly and maturation. <i>Virology</i> , 1996 , 225, 82-96 | 3.6 | 55 |

| | | | |
|----|---|------|-----|
| 74 | Unexpected pathways to protein stabilization. <i>Nature Biotechnology</i> , 1996 , 14, 436 | 44.5 | 2 |
| 73 | Specific aggregation of partially folded polypeptide chains: the molecular basis of inclusion body composition. <i>Nature Biotechnology</i> , 1996 , 14, 1283-7 | 44.5 | 277 |
| 72 | Multimeric intermediates in the pathway to the aggregated inclusion body state for P22 tailspike polypeptide chains. <i>Protein Science</i> , 1995 , 4, 900-8 | 6.3 | 75 |
| 71 | Stability of wild-type and temperature-sensitive protein subunits of the phage P22 capsid. <i>Journal of Biological Chemistry</i> , 1995 , 270, 16595-601 | 5.4 | 25 |
| 70 | In vitro folding of phage P22 coat protein with amino acid substitutions that confer in vivo temperature sensitivity. <i>Biochemistry</i> , 1995 , 34, 6815-26 | 3.2 | 31 |
| 69 | Binding of scaffolding subunits within the P22 procapsid lattice. <i>Virology</i> , 1994 , 205, 188-97 | 3.6 | 44 |
| 68 | Three-dimensional transformation of capsids associated with genome packaging in a bacterial virus. <i>Journal of Molecular Biology</i> , 1993 , 231, 65-74 | 6.5 | 151 |
| 67 | Inhibition of viral capsid assembly by 1,1Ubi(4-anilidonaphthalene-5-sulfonic acid). <i>Biochemistry</i> , 1993 , 32, 10658-65 | 3.2 | 63 |
| 66 | Folding of the phage P22 coat protein in vitro. <i>Biochemistry</i> , 1993 , 32, 10839-47 | 3.2 | 56 |
| 65 | Amino Acid Sequence Determinants of Polypeptide Chain Folding and Inclusion Body Formation. <i>ACS Symposium Series</i> , 1993 , 24-37 | 0.4 | 2 |
| 64 | Amino acid substitutions influencing intracellular protein folding pathways. <i>FEBS Letters</i> , 1992 , 307, 20-5.8 | 45 | |
| 63 | Folding and assembly of oligomeric proteins in Escherichia coli. <i>Current Opinion in Biotechnology</i> , 1992 , 3, 468-73 | 11.4 | 31 |
| 62 | Mechanisms of Inclusion Body Formation. <i>ACS Symposium Series</i> , 1991 , 35-49 | 0.4 | 18 |
| 61 | Thermal unfolding pathway for the thermostable P22 tailspike endorhamnosidase. <i>Biochemistry</i> , 1991 , 30, 6260-9 | 3.2 | 62 |
| 60 | Pathway for the Thermal Unfolding of Wild Type and Mutant Forms of the Thermostable P22 Tailspike Endorhamnosidase. <i>ACS Symposium Series</i> , 1991 , 119-132 | 0.4 | 2 |
| 59 | Mutations Affecting Protein Folding and Misfolding in Vivo 1991 , 129-136 | | 1 |
| 58 | Conformational states of the bacteriophage P22 capsid subunit in relation to self-assembly. <i>Biochemistry</i> , 1990 , 29, 5626-33 | 3.2 | 32 |
| 57 | Conformational stability of P22 tailspike proteins carrying temperature-sensitive folding mutations. <i>Biochemistry</i> , 1990 , 29, 4181-7 | 3.2 | 32 |

| | | | |
|----|--|------|-----|
| 56 | Novel second-site suppression of a cold-sensitive defect in phage P22 procapsid assembly. <i>Journal of Molecular Biology</i> , 1990 , 216, 701-16 | 6.5 | 24 |
| 55 | Genetic Analysis of Polypeptide Chain Folding and Misfolding in Vivo 1990 , 59-78 | | 4 |
| 54 | Protein Folding Intermediates and Inclusion Body Formation.. <i>Nature Biotechnology</i> , 1989 , 7, 690-697 | 44.5 | 196 |
| 53 | Purification and organization of the gene 1 portal protein required for phage P22 DNA packaging. <i>Biochemistry</i> , 1988 , 27, 1849-56 | 3.2 | 78 |
| 52 | Scaffolding protein regulates the polymerization of P22 coat subunits into icosahedral shells in vitro. <i>Journal of Molecular Biology</i> , 1988 , 202, 743-57 | 6.5 | 167 |
| 51 | Initiation of P22 procapsid assembly in vivo. <i>Journal of Molecular Biology</i> , 1988 , 202, 77-86 | 6.5 | 69 |
| 50 | Secondary structure and thermostability of the phage P22 tailspike. XX. Analysis by Raman spectroscopy of the wild-type protein and a temperature-sensitive folding mutant. <i>Journal of Molecular Biology</i> , 1988 , 199, 491-502 | 6.5 | 56 |
| 49 | Nature and distribution of sites of temperature-sensitive folding mutations in the gene for the P22 tailspike polypeptide chain. <i>Journal of Molecular Biology</i> , 1988 , 204, 607-19 | 6.5 | 61 |
| 48 | Aggregate formation from thermolabile intermediates in the maturation of the thermostable P22 tailspike. <i>Biochemical Society Transactions</i> , 1988 , 16, 105-8 | 5.1 | 2 |
| 47 | Identification of sites influencing the folding and subunit assembly of the P22 tailspike polypeptide chain using nonsense mutations. <i>Genetics</i> , 1987 , 117, 157-71 | 4 | 26 |
| 46 | Genetic Analysis of Protein Folding Pathways. <i>Nature Biotechnology</i> , 1986 , 4, 297-303 | 44.5 | 20 |
| 45 | Mutational analysis of protein folding pathways: the P22 tailspike endorhamnosidase. <i>Methods in Enzymology</i> , 1986 , 131, 250-66 | 1.7 | 47 |
| 44 | The DNA injection apparatus of phage p22. <i>Biophysical Journal</i> , 1986 , 49, 24-6 | 2.9 | 19 |
| 43 | Identification of the 9-aminoacridine/DNA complex responsible for photodynamic inactivation of P22. <i>Biochemistry</i> , 1986 , 25, 5858-64 | 3.2 | 13 |
| 42 | A late gene product of phage P22 affecting virus infectivity. <i>Virology</i> , 1985 , 143, 368-79 | 3.6 | 6 |
| 41 | Steps in the stabilization of newly packaged DNA during phage P22 morphogenesis. <i>Journal of Molecular Biology</i> , 1984 , 172, 523-43 | 6.5 | 79 |
| 40 | DNA injection proteins are targets of acridine-sensitized photoinactivation of bacteriophage P22. <i>Journal of Molecular Biology</i> , 1984 , 180, 837-63 | 6.5 | 27 |
| 39 | Genetic and biochemical analysis of in vivo protein folding and subunit assembly. <i>Biopolymers</i> , 1983 , 22, 125-9 | 2.2 | 8 |

| | | | |
|----|--|------|-----|
| 38 | The Use of Salmonella Bacteriophage P22 to Study the Multiple Mechanisms of Acridine-Induced Damage 1983 , 79-109 | | |
| 37 | The Legal and Legislative Background. <i>Environment</i> , 1982 , 24, 24-36 | 2.8 | |
| 36 | Assembly in vitro of bacteriophage P22 procapsids from purified coat and scaffolding subunits. <i>Journal of Molecular Biology</i> , 1982 , 156, 633-65 | 6.5 | 62 |
| 35 | Structural studies of P22 phage, precursor particles, and proteins by laser Raman spectroscopy. <i>Biochemistry</i> , 1982 , 21, 3866-78 | 3.2 | 38 |
| 34 | Temperature-sensitive mutants blocked in the folding or subunit of the bacteriophage P22 tail spike protein. II. Active mutant proteins matured at 30 degrees C. <i>Journal of Molecular Biology</i> , 1981 , 145, 633-51 | 6.5 | 101 |
| 33 | Temperature-sensitive mutants blocked in the folding or subunit assembly of the bacteriophage P22 tail spike protein. III. Intensive polypeptide chains synthesized at 39 degrees C. <i>Journal of Molecular Biology</i> , 1981 , 145, 653-76 | 6.5 | 72 |
| 32 | Purification of the coat and scaffolding proteins from procapsids of bacteriophage P22. <i>Virology</i> , 1981 , 112, 529-47 | 3.6 | 61 |
| 31 | From genes to organelles. <i>Quarterly Review of Biology</i> , 1980 , 55, 329-33 | 5.4 | |
| 30 | Scaffolding proteins and the genetic control of virus shell assembly. <i>Quarterly Review of Biology</i> , 1980 , 55, 369-93 | 5.4 | 17 |
| 29 | Investigation of secondary structures and macromolecular interactions in bacteriophage p22 by laser Raman spectroscopy. <i>Biophysical Journal</i> , 1980 , 32, 234-7 | 2.9 | 5 |
| 28 | Temperature-sensitive mutants blocked in the folding or subunit assembly of the bacteriophage P22 tail-spike protein. I. Fine-structure mapping. <i>Genetics</i> , 1980 , 96, 331-52 | 4 | 58 |
| 27 | Regulation of Structural Protein Interactions as Revealed in Phage Morphogenesis 1980 , 101-132 | | 18 |
| 26 | Structural studies of bacteriophage lambda heads and proheads by small angle X-ray diffraction. <i>Journal of Molecular Biology</i> , 1979 , 134, 575-94 | 6.5 | 31 |
| 25 | Genetic Control of Complex Bacteriophage Assembly 1979 , 581-633 | | 11 |
| 24 | Control of the synthesis of phage P22 scaffolding protein is coupled to capsid assembly. <i>Cell</i> , 1978 , 15, 551-60 | 56.2 | 49 |
| 23 | Structure of phage P22 coat protein aggregates formed in the absence of the scaffolding protein. <i>Journal of Molecular Biology</i> , 1978 , 126, 721-47 | 6.5 | 101 |
| 22 | The size of the bacteriophage T4 head in solution with comments about the dimension of virus particles as visualized by electron microscopy. <i>Journal of Molecular Biology</i> , 1978 , 122, 247-53 | 6.5 | 25 |
| 21 | Isolation and characterization of precursors in T4 baseplate assembly. The complex of gene 10 and gene 11 products. <i>Journal of Molecular Biology</i> , 1978 , 124, 469-86 | 6.5 | 19 |

| | | | |
|----|--|------|-----|
| 20 | Antigenic gene products of bacteriophage T4 baseplates. <i>Virology</i> , 1978 , 86, 312-28 | 3.6 | 9 |
| 19 | Molecular reorganization in the hexagon to star transition of the baseplate of bacteriophage T4. <i>Journal of Molecular Biology</i> , 1977 , 116, 489-523 | 6.5 | 94 |
| 18 | Functions of two new genes in Salmonella phage P22 assembly. <i>Virology</i> , 1977 , 76, 725-39 | 3.6 | 75 |
| 17 | Assembly of the tail of bacteriophage T4. <i>Journal of Supramolecular Structure</i> , 1975 , 3, 24-38 | | 15 |
| 16 | Harvard XYY study. <i>Science</i> , 1975 , 187, 298-9 | 33.3 | 7 |
| 15 | Genetic control of bacteriophage T4 baseplate morphogenesis. I. Sequential assembly of the major precursor, in vivo and in vitro. <i>Journal of Molecular Biology</i> , 1975 , 99, 645-72 | 6.5 | 99 |
| 14 | Genetic control of bacteriophage T4 baseplate morphogenesis. II. Mutants unable to form the central part of the baseplate. <i>Journal of Molecular Biology</i> , 1975 , 99, 673-94 | 6.5 | 78 |
| 13 | Genetic control of bacteriophage T4 baseplate morphogenesis. III. Formation of the central plug and overall assembly pathway. <i>Journal of Molecular Biology</i> , 1975 , 99, 695-716 | 6.5 | 114 |
| 12 | Intracellular visualization of precursor capsids in phage P22 mutant infected cells. <i>Virology</i> , 1975 , 68, 182-99 | 3.6 | 67 |
| 11 | P22 morphogenesis. I: Catalytic scaffolding protein in capsid assembly. <i>Journal of Supramolecular Structure</i> , 1974 , 2, 202-24 | | 146 |
| 10 | Catalytic head assembling protein in virus morphogenesis. <i>Nature</i> , 1974 , 251, 112-9 | 50.4 | 182 |
| 9 | Bacteriophage T4 tail assembly: structural proteins and their genetic identification. <i>Journal of Molecular Biology</i> , 1973 , 75, 315-37 | 6.5 | 82 |
| 8 | Bacteriophage T4 tail assembly: proteins of the sheath, core and baseplate. <i>Journal of Molecular Biology</i> , 1973 , 75, 339-58 | 6.5 | 82 |
| 7 | Mechanism of head assembly and DNA encapsulation in Salmonella phage p22. I. Genes, proteins, structures and DNA maturation. <i>Journal of Molecular Biology</i> , 1973 , 80, 669-95 | 6.5 | 253 |
| 6 | Mechanism of head assembly and DNA encapsulation in Salmonella phage P22. II. Morphogenetic pathway. <i>Journal of Molecular Biology</i> , 1973 , 80, 697-731 | 6.5 | 203 |
| 5 | Genetic Identification of Amino Acid Sequences Influencing Protein Folding 1973 , 275-291 | | |
| 4 | Polypeptides of the tail fibres of bacteriophage T4. <i>Journal of Molecular Biology</i> , 1971 , 62, 465-77 | 6.5 | 872 |
| 3 | Bacteriophage T4 tail assembly: four steps in core formation. <i>Journal of Molecular Biology</i> , 1971 , 58, 693-709 | 6.5 | 80 |

| | | | |
|---|---|-----|-----|
| 2 | Assembly of bacteriophage T4 tail fibers: the sequence of gene product interaction. <i>Journal of Molecular Biology</i> , 1969 , 39, 583-601 | 6.5 | 72 |
| 1 | Assembly of the tail of bacteriophage T4. <i>Journal of Molecular Biology</i> , 1968 , 32, 231-62 | 6.5 | 227 |