

R Ramesh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10913201/publications.pdf>

Version: 2024-02-01

575
papers

72,039
citations

613
124
h-index

640
256
g-index

594
all docs

594
docs citations

594
times ranked

27225
citing authors

#	ARTICLE	IF	CITATIONS
1	Epitaxial BiFeO ₃ Multiferroic Thin Film Heterostructures. <i>Science</i> , 2003, 299, 1719-1722.	6.0	5,548
2	Thousandfold Change in Resistivity in Magnetoresistive La-Ca-Mn-O Films. <i>Science</i> , 1994, 264, 413-415.	6.0	4,552
3	Multiferroics: progress and prospects in thin films. <i>Nature Materials</i> , 2007, 6, 21-29.	13.3	3,543
4	Multiferroic BaTiO ₃ -CoFe ₂ O ₄ Nanostructures. <i>Science</i> , 2004, 303, 661-663.	6.0	2,051
5	Above-bandgap voltages from ferroelectric photovoltaic devices. <i>Nature Nanotechnology</i> , 2010, 5, 143-147.	15.6	1,496
6	Direct evidence for a half-metallic ferromagnet. <i>Nature</i> , 1998, 392, 794-796.	13.7	1,268
7	Electric-field control of local ferromagnetism using a magnetoelectric multiferroic. <i>Nature Materials</i> , 2008, 7, 478-482.	13.3	1,219
8	Conduction at domain walls in oxide multiferroics. <i>Nature Materials</i> , 2009, 8, 229-234.	13.3	1,212
9	Electrical control of antiferromagnetic domains in multiferroic BiFeO ₃ films at room temperature. <i>Nature Materials</i> , 2006, 5, 823-829.	13.3	1,160
10	Advances in magnetoelectric multiferroics. <i>Nature Materials</i> , 2019, 18, 203-212.	13.3	1,084
11	A Strain-Driven Morphotropic Phase Boundary in BiFeO ₃ . <i>Science</i> , 2009, 326, 977-980.	6.0	1,065
12	Domain wall nanoelectronics. <i>Reviews of Modern Physics</i> , 2012, 84, 119-156.	16.4	1,018
13	Observation of polar vortices in oxide superlattices. <i>Nature</i> , 2016, 530, 198-201.	13.7	682
14	Reversible electric control of exchange bias in a multiferroic field-effect device. <i>Nature Materials</i> , 2010, 9, 756-761.	13.3	633
15	Deterministic switching of ferromagnetism at room temperature using an electric field. <i>Nature</i> , 2014, 516, 370-373.	13.7	570
16	Ferroelectric Field Effect Transistor Based on Epitaxial Perovskite Heterostructures. <i>Science</i> , 1997, 276, 238-240.	6.0	566
17	Dramatically enhanced polarization in (001), (101), and (111) BiFeO ₃ thin films due to epitaxial-induced transitions. <i>Applied Physics Letters</i> , 2004, 84, 5261-5263.	1.5	558
18	Advances in the growth and characterization of magnetic, ferroelectric, and multiferroic oxide thin films. <i>Materials Science and Engineering Reports</i> , 2010, 68, 89-133.	14.8	553

#	ARTICLE	IF	CITATIONS
19	Room-temperature antiferromagnetic memory resistor. <i>Nature Materials</i> , 2014, 13, 367-374.	13.3	546
20	Dynamics of ferroelastic domains in ferroelectric thin films. <i>Nature Materials</i> , 2003, 2, 43-47.	13.3	503
21	Leakage mechanisms in BiFeO ₃ thin films. <i>Applied Physics Letters</i> , 2007, 90, 072902.	1.5	501
22	Electric modulation of conduction in multiferroic Ca-doped BiFeO ₃ films. <i>Nature Materials</i> , 2009, 8, 485-493.	13.3	481
23	Photovoltaic effects in BiFeO ₃ . <i>Applied Physics Letters</i> , 2009, 95, .	1.5	460
24	Magnetic Properties at Surface Boundary of a Half-Metallic Ferromagnet La _{0.7} Sr _{0.3} MnO ₃ . <i>Physical Review Letters</i> , 1998, 81, 1953-1956.	2.9	457
25	Photoconductivity in BiFeO ₃ thin films. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	447
26	Polarization Control of Electron Tunneling into Ferroelectric Surfaces. <i>Science</i> , 2009, 324, 1421-1425.	6.0	441
27	Very large magnetoresistance in perovskite-like La ₂ Ca _{1-x} Mn _x O thin films. <i>Applied Physics Letters</i> , 1994, 64, 3045-3047.	1.5	438
28	Electric Field-Induced Magnetization Switching in Epitaxial Columnar Nanostructures. <i>Nano Letters</i> , 2005, 5, 1793-1796.	4.5	426
29	Observation of room-temperature polar skyrmions. <i>Nature</i> , 2019, 568, 368-372.	13.7	417
30	Anisotropic conductance at improper ferroelectric domain walls. <i>Nature Materials</i> , 2012, 11, 284-288.	13.3	409
31	Ferroelastic switching for nanoscale non-volatile magnetoelectric devices. <i>Nature Materials</i> , 2010, 9, 309-314.	13.3	407
32	Electric-Field-Induced Magnetization Reversal in a Ferromagnet-Multiferroic Heterostructure. <i>Physical Review Letters</i> , 2011, 107, 217202.	2.9	405
33	Giant Piezoelectricity on Si for Hyperactive MEMS. <i>Science</i> , 2011, 334, 958-961.	6.0	394
34	Non-volatile memory based on the ferroelectric photovoltaic effect. <i>Nature Communications</i> , 2013, 4, 1990.	5.8	394
35	Critical thickness and orbital ordering in ultrathin $\text{La}_2\text{Ca}_1\text{Mn}_x\text{O}$ films. <i>Physical Review B</i> , 2008, 78, 113202.	1.1	372
36	Fatigue and retention in ferroelectric Y ₂ Ba ₄ Cu ₃ O ₇ /Pb _{0.9} Zr _{0.1} TiO ₃ /Y ₂ Ba ₄ Cu ₃ O ₇ heterostructures. <i>Applied Physics Letters</i> , 1992, 61, 1537-1539.	1.5	369

#	ARTICLE	IF	CITATIONS
37	Colossal magnetoresistance in La _{1-x} Ca _x MnO ferromagnetic thin films (invited). Journal of Applied Physics, 1994, 76, 6929-6933.	1.1	369
38	Domain Wall Conductivity in La-Doped BiFeO_3 . Physical Review Letters, 2010, 105, 197603.	2.9	357
39	Co-occurrence of Superparamagnetism and Anomalous Hall Effect in Highly Reduced Cobalt-Doped Rutile TiO ₂ Films. Physical Review Letters, 2004, 92, 166601.	2.9	352
40	Ferroelectric LaSrCoO/PbZrTiO/LaSrCo heterostructures on silicon via template growth. Applied Physics Letters, 1993, 63, 3592-3594.	1.5	351
41	Interlayer coupling effect in high-T _c superconductors probed by $\text{YBa}_2\text{Cu}_3\text{O}_7/\text{PrBa}_2\text{Cu}_3\text{O}_7$ superlattices. Physical Review Letters, 1990, 64, 3086-3089.	2.9	347
42	Optical band gap of BiFeO ₃ grown by molecular-beam epitaxy. Applied Physics Letters, 2008, 92, .	1.5	345
43	Interface Ferromagnetism and Orbital Reconstruction in $\text{BiFeO}_3/\text{La}_0.7\text{Sr}_0.3\text{MnO}_3$. Physical Review Letters, 2010, 105, 027201.	2.9	335
44	Deterministic control of ferroelastic switching in multiferroic materials. Nature Nanotechnology, 2009, 4, 868-875.	15.6	331
45	Electric-Field Control of Nonvolatile Magnetization in $\text{Co}_{40}\text{Fe}_{20}\text{B}_{20}\text{Pb}_{20}$. Physical Review Letters, 2010, 105, 027201.		

#	ARTICLE	IF	CITATIONS
55	Nanoscale Domain Control in Multiferroic BiFeO ₃ Thin Films. <i>Advanced Materials</i> , 2006, 18, 2307-2311.	11.1	262
56	Transition-element doping effects in La _{0.7} Ca _{0.3} MnO ₃ . <i>Physical Review B</i> , 1999, 59, 533-537.	1.1	261
57	Ultrafast polarization switching in thin-film ferroelectrics. <i>Applied Physics Letters</i> , 2004, 84, 1174-1176.	1.5	261
58	Controlling Self-Assembled Perovskite-Spinel Nanostructures. <i>Nano Letters</i> , 2006, 6, 1401-1407.	4.5	256
59	Electroresistance and Electronic Phase Separation in Mixed-Valent Manganites. <i>Physical Review Letters</i> , 2001, 86, 5998-6001.	2.9	255
60	Full Electric Control of Exchange Bias. <i>Physical Review Letters</i> , 2013, 110, 067202.	2.9	252
61	Voltage offsets in (Pb,La)(Zr,Ti)O ₃ thin films. <i>Applied Physics Letters</i> , 1995, 66, 484-486.	1.5	250
62	Synthesis and ferroelectric properties of epitaxial BiFeO ₃ thin films grown by sputtering. <i>Applied Physics Letters</i> , 2006, 88, 242904.	1.5	250
63	Epitaxial BiFeO ₃ thin films on Si. <i>Applied Physics Letters</i> , 2004, 85, 2574-2576.	1.5	249
64	Domain Control in Multiferroic BiFeO ₃ through Substrate Vicinality. <i>Advanced Materials</i> , 2007, 19, 2662-2666.	11.1	245
65	Science and technology of ferroelectric films and heterostructures for non-volatile ferroelectric memories. <i>Materials Science and Engineering Reports</i> , 2001, 32, 191-236.	14.8	238
66	Dielectric properties in heteroepitaxial Ba _{0.6} Sr _{0.4} TiO ₃ thin films: Effect of internal stresses and dislocation-type defects. <i>Applied Physics Letters</i> , 2000, 77, 1695-1697.	1.5	237
67	Electric field control of magnetism using BiFeO ₃ -based heterostructures. <i>Applied Physics Reviews</i> , 2014, 1, 021303.	5.5	234
68	Metalorganic chemical vapor deposition of lead-free ferroelectric BiFeO ₃ films for memory applications. <i>Applied Physics Letters</i> , 2005, 87, 102903.	1.5	231
69	Stress-induced effects in epitaxial (La _{0.7} Sr _{0.3})MnO ₃ films. <i>Journal of Magnetism and Magnetic Materials</i> , 1997, 172, 229-236.	1.0	223
70	Domain configurations due to multiple misfit relaxation mechanisms in epitaxial ferroelectric thin films. II. Experimental verification and implications. <i>Journal of Applied Physics</i> , 1994, 76, 477-483.	1.1	221
71	Strain-Induced Polarization Rotation in Epitaxial (001) $\langle mml:mml \rangle$ BiFeO $\langle mml:mml \rangle$ Thin Films. <i>Physical Review Letters</i> , 2008, 101, 107602.	2.9	221
72	Epitaxial Cuprate Superconductor/Ferroelectric Heterostructures. <i>Science</i> , 1991, 252, 944-946.	6.0	220

#	ARTICLE	IF	CITATIONS
73	Material characteristics of perovskite manganese oxide thin films for bolometric applications. <i>Applied Physics Letters</i> , 1997, 71, 2535-2537.	1.5	219
74	Optical conductivity of manganites: Crossover from Jahn-Teller small polaron to coherent transport in the ferromagnetic state. <i>Physical Review B</i> , 1998, 58, 16093-16102.	1.1	219
75	Linear and nonlinear optical properties of BiFeO ₃ . <i>Applied Physics Letters</i> , 2008, 92, .	1.5	213
76	Interface control of bulk ferroelectric polarization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 9710-9715.	3.3	212
77	Nanoscale Control of Domain Architectures in BiFeO ₃ Thin Films. <i>Nano Letters</i> , 2009, 9, 1726-1730.	4.5	210
78	Nanoscale imaging of domain dynamics and retention in ferroelectric thin films. <i>Applied Physics Letters</i> , 1997, 71, 3492-3494.	1.5	204
79	Multiferroic BiFeO ₃ films: domain structure and polarization dynamics. <i>Phase Transitions</i> , 2006, 79, 991-1017.	0.6	202
80	a-axis oriented epitaxial YBa ₂ Cu ₃ O ₇ -x/PrBa ₂ Cu ₃ O ₇ -y heterostructures. <i>Applied Physics Letters</i> , 1990, 57, 2484-2486.	1.5	200
81	Optical Evidence for the Dynamic Jahn-Teller Effect in Nd _{0.7} Sr _{0.3} MnO ₃ . <i>Physical Review Letters</i> , 1996, 77, 2081-2084.	2.9	195
82	Voltage shifts and imprint in ferroelectric capacitors. <i>Applied Physics Letters</i> , 1995, 67, 866-868.	1.5	193
83	Thickness dependence of magnetoresistance in La-Ca-Mn-O epitaxial films. <i>Applied Physics Letters</i> , 1995, 67, 557-559.	1.5	191
84	All-a-axis oriented YBa ₂ Cu ₃ O ₇ -y/PrBa ₂ Cu ₃ O ₇ -z/YBa ₂ Cu ₃ O ₇ -y Josephson devices operating at 80 K. <i>Applied Physics Letters</i> , 1991, 59, 742-744.	1.5	187
85	Effect of hydrogen on Pb(Zr,Ti)O ₃ -based ferroelectric capacitors. <i>Applied Physics Letters</i> , 1998, 73, 1973-1975.	1.5	187
86	Multiferroic and magnetoelectric heterostructures. <i>Acta Materialia</i> , 2012, 60, 2449-2470.	3.8	183
87	Magnetization reversal in nucleation controlled magnets. II. Effect of grain size and size distribution on intrinsic coercivity of Fe-Nd-B magnets. <i>Journal of Applied Physics</i> , 1988, 64, 6416-6423.	1.1	182
88	Stable and epitaxial metal/III-V semiconductor heterostructures. <i>Materials Science and Engineering Reports</i> , 1990, 5, 99-170.	5.8	180
89	Ferroelectric size effects in multiferroic BiFeO ₃ thin films. <i>Applied Physics Letters</i> , 2007, 90, 252906.	1.5	180
90	Preparation and properties of nickel ferrite (NiFe ₂ O ₄) nanoparticles via sol-gel auto-combustion method. <i>Materials Research Bulletin</i> , 2011, 46, 2204-2207.	2.7	178

#	ARTICLE	IF	CITATIONS
91	Polarization relaxation kinetics and 180° domain wall dynamics in ferroelectric thin films. Physical Review B, 2001, 65, .	1.1	174
92	Bismuth cuprate high-T _c superconductors using cationic substitution. Physical Review B, 1989, 39, 4316-4326.	1.1	173
93	Synthesis and characterization of NiFe ₂ O ₄ nanoparticles and nanorods. Journal of Alloys and Compounds, 2013, 563, 6-11.	2.8	169
94	Self-assembled single-crystal ferromagnetic iron nanowires formed by decomposition. Nature Materials, 2004, 3, 533-538.	13.3	165
95	Can interface dislocations degrade ferroelectric properties?. Applied Physics Letters, 2004, 85, 2044-2046.	1.5	165
96	Role of 90° domains in lead zirconate titanate thin films. Applied Physics Letters, 2000, 77, 292-294.	1.5	164
97	Spin-polarized quasiparticle injection devices using Au/YBa ₂ Cu ₃ O ₇ /LaAlO ₃ /Nd _{0.7} Sr _{0.3} MnO ₃ heterostructures. Applied Physics Letters, 1997, 71, 1718-1720.	1.5	161
98	Phase coexistence and electric-field control of toroidal order in oxide superlattices. Nature Materials, 2017, 16, 1003-1009.	13.3	159
99	Scaling of ferroelectric properties in thin films. Applied Physics Letters, 1999, 75, 409-411.	1.5	157
100	Electrically controllable spontaneous magnetism in nanoscale mixed phase multiferroics. Nature Communications, 2011, 2, 225.	5.8	155
101	Large resistivity modulation in mixed-phase metallic systems. Nature Communications, 2015, 6, 5959.	5.8	154
102	Application of a near coincidence site lattice theory to the orientations of YBa ₂ Cu ₃ O ₇ grains on (001)MgO substrates. Applied Physics Letters, 1990, 57, 1690-1692.	1.5	153
103	Optical properties of quasi-tetragonal BiFeO ₃ thin films. Applied Physics Letters, 2010, 96, .	1.5	153
104	Oriented ferroelectric La _x Sr _{1-x} Co ₃ O/Pb _{1-x} Zr _x Ti ₃ O/La _x Sr _{1-x} Co ₃ O heterostructures on [001] Pt/SiO ₂ Si substrates using a bismuth titanate template layer. Applied Physics Letters, 1994, 64, 2511-2513.	1.5	152
105	Magnetotransport anisotropy effects in epitaxial magnetite(Fe ₃ O ₄)thin films. Physical Review B, 1998, 57, 7823-7828.	1.1	150
106	Origin of surface roughness for c-axis oriented Y ₂ Ba ₄ Cu ₃ O ₇ superconducting films. Applied Physics Letters, 1990, 57, 1814-1816.	1.5	149
107	Optical properties and magnetochromism in multiferroic $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \\ \text{display}=\text{"inline"} <\text{mml:mrow}> <\text{mml:msub}> <\text{mml:mrow}> <\text{mml:mtext}> \text{BiFeO} </\text{mml:mtext}> </\text{mml:mrow}> <\text{mml:mn}> 3 </\text{mml:mn}> </\text{mml:mrow}>$ Physical Review B, 2009, 79, .	1.1	149
108	Thickness dependence of structural and electrical properties in epitaxial lead zirconate titanate films. Journal of Applied Physics, 1999, 86, 595-602.	1.1	144

#	ARTICLE	IF	CITATIONS
109	Metal-ferroelectric-metal structures with Schottky contacts. II. Analysis of the experimental current-voltage and capacitance-voltage characteristics of Pb(Zr,Ti)O ₃ thin films. <i>Journal of Applied Physics</i> , 2005, 98, 124104.	1.1	141
110	Synthesis and characterization of nickel ferrite magnetic nanoparticles. <i>Materials Research Bulletin</i> , 2011, 46, 2208-2211.	2.7	137
111	Leakage current mechanisms in lead-based thin-film ferroelectric capacitors. <i>Physical Review B</i> , 1999, 59, 16022-16027.	1.1	136
112	Anisotropic magnetoresistance in an antiferromagnetic semiconductor. <i>Nature Communications</i> , 2014, 5, 4671.	5.8	136
113	Effect of crystallinity on the magnetoresistance in perovskite manganese oxide thin films. <i>Applied Physics Letters</i> , 1997, 71, 282-284.	1.5	135
114	Magnetization reversal in nucleation controlled magnets. I. Theory. <i>Journal of Applied Physics</i> , 1988, 64, 6406-6415.	1.1	133
115	Vacancy formation in (Pb,La)(Zr,Ti)O ₃ capacitors with oxygen deficiency and the effect on voltage offset. <i>Applied Physics Letters</i> , 2000, 77, 127-129.	1.5	133
116	MATERIALS SCIENCE: Orienting Ferroelectric Films. <i>Science</i> , 2002, 296, 1975-1976.	6.0	133
117	Imaging three-dimensional polarization in epitaxial polydomain ferroelectric thin films. <i>Journal of Applied Physics</i> , 2002, 91, 1477-1481.	1.1	133
118	Imprint and oxygen deficiency in (Pb,La)(Zr,Ti)O ₃ thinâ€¢film capacitors with Laâ€¢Srâ€¢Coâ€¢O electrodes. <i>Applied Physics Letters</i> , 1995, 66, 1337-1339.	1.5	132
119	Three-dimensional heteroepitaxy in self-assembled BaTiO ₃ â€¢CoFe ₂ O ₄ nanostructures. <i>Applied Physics Letters</i> , 2004, 85, 2035-2037.	1.5	132
120	Magnetotransport at Domain Walls in<math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:math>BiFeO</mml:math>3</mml:math></math>. <i>Physical Review Letters</i> , 2012, 108, 067203.	2.9	131
121	Spontaneous Ordering of Oxide Nanostructures. <i>Science</i> , 2000, 287, 2235-2237.	6.0	130
122	Misfit dislocations in nanoscale ferroelectric heterostructures. <i>Applied Physics Letters</i> , 2005, 86, 192910.	1.5	130
123	Epitaxial ferroelectric Pb(Zr,â€¢Ti)O ₃ thin films on Si using SrTiO ₃ template layers. <i>Applied Physics Letters</i> , 2002, 80, 97-99.	1.5	128
124	Functional electronic inversion layers at ferroelectric domain walls. <i>Nature Materials</i> , 2017, 16, 622-627.	13.3	127
125	Epitaxial growth of ferroelectric bismuth titanate thin films by pulsed laser deposition. <i>Applied Physics Letters</i> , 1990, 57, 1505-1507.	1.5	124
126	Effects of crystalline quality and electrode material on fatigue in Pb(Zr,Ti)O ₃ thin film capacitors. <i>Applied Physics Letters</i> , 1993, 63, 27-29.	1.5	124

#	ARTICLE	IF	CITATIONS
127	Alignment of defect dipoles in polycrystalline ferroelectrics. <i>Applied Physics Letters</i> , 1995, 67, 1689-1691.	1.5	124
128	Thickness dependence of structural and piezoelectric properties of epitaxial Pb(Zr0.52Ti0.48)O3 films on Si and SrTiO3 substrates. <i>Applied Physics Letters</i> , 2006, 88, 142904.	1.5	122
129	Structure and interface chemistry of perovskite-spinel nanocomposite thin films. <i>Applied Physics Letters</i> , 2006, 89, 172902.	1.5	122
130	Scanning force microscopy of domain structure in ferroelectric thin films: imaging and control. <i>Nanotechnology</i> , 1997, 8, A38-A43.	1.3	121
131	Dependence of dielectric properties on internal stresses in epitaxial barium strontium titanate thin films. <i>Applied Physics Letters</i> , 2001, 78, 2354-2356.	1.5	121
132	Measurement of Internal Stresses via the Polarization in Epitaxial Ferroelectric Films. <i>Physical Review Letters</i> , 2000, 85, 190-193.	2.9	119
133	Polarization switching in epitaxial BiFeO3 films. <i>Applied Physics Letters</i> , 2005, 87, 252902.	1.5	118
134	Epitaxial ferromagnetic MnAl films on GaAs. <i>Applied Physics Letters</i> , 1990, 57, 2609-2611.	1.5	116
135	Two-phonon coupling to the antiferromagnetic phase transition in multiferroic BiFeO3. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	116
136	Positive giant magnetoresistance in a Fe3O4/SrTiO3/La0.7Sr0.3MnO3 heterostructure. <i>Applied Physics Letters</i> , 1998, 73, 689-691.	1.5	115
137	Realizing intrinsic piezoresponse in epitaxial submicron lead zirconate titanate capacitors on Si. <i>Applied Physics Letters</i> , 2002, 81, 4215-4217.	1.5	113
138	Effect of substrate-induced strains on the spontaneous polarization of epitaxial BiFeO3 thin films. <i>Journal of Applied Physics</i> , 2007, 101, 114105.	1.1	113
139	Size effects in ultrathin epitaxial ferroelectric heterostructures. <i>Applied Physics Letters</i> , 2004, 84, 5225-5227.	1.5	112
140	Universal Ti-rich termination of atomically flat SrTiO3 (001), (110), and (111) surfaces. <i>Applied Physics Letters</i> , 2011, 98, .	1.5	112
141	Growth of colossal magnetoresistance thin films on silicon. <i>Applied Physics Letters</i> , 1996, 69, 1005-1007.	1.5	111
142	Evidence for power-law frequency dependence of intrinsic dielectric response in the CaCu3Ti4O12. <i>Physical Review B</i> , 2004, 70, .	1.1	110
143	Self-assembled multiferroic nanostructures in the CoFe2O4-PbTiO3 system. <i>Applied Physics Letters</i> , 2005, 87, 072909.	1.5	109
144	Strain Control of Domain-Wall Stability in Epitaxial BiFeO_3 Films. <i>Physical Review Letters</i> , 2007, 99, 217601.	2.9	109

#	ARTICLE		IF	CITATIONS
145	Structural perfection of $\text{YBa}_2\text{Cu}_3\text{O}$ thin films controlled by the growth mechanism. <i>Applied Physics Letters</i> , 1990, 57, 1064-1066.		1.5	108
146	Ferroelectric $\text{PbZr}_{0.2}\text{Ti}_{0.8}\text{O}_3$ thin films on epitaxial $\text{YBa}_2\text{Cu}_3\text{O}$. <i>Applied Physics Letters</i> , 1991, 59, 3542-3544.	1.5	108	
147	Influence of contact electrodes on leakage characteristics in ferroelectric thin films. <i>Journal of Applied Physics</i> , 2001, 90, 375-382.	1.1	107	
148	Ferroelectric domain structure in epitaxial BiFeO_3 films. <i>Applied Physics Letters</i> , 2005, 87, 182912.	1.5	107	
149	Epitaxial (001) BiFeO_3 membranes with substantially reduced fatigue and leakage. <i>Applied Physics Letters</i> , 2008, 92, 062910.	1.5	107	
150	Epitaxy of $\text{YBa}_2\text{Cu}_3\text{O}$ thin films grown on single-crystal MgO . <i>Applied Physics Letters</i> , 1990, 56, 2243-2245.	1.5	106	
151	Scaling of structure and electrical properties in ultrathin epitaxial ferroelectric heterostructures. <i>Journal of Applied Physics</i> , 2006, 100, 051609.	1.1	106	
152	Room temperature exchange bias and spin valves based on $\text{BiFeO}_3\text{-SrRuO}_3\text{-SrTiO}_3\text{-Si}$ (001) heterostructures. <i>Applied Physics Letters</i> , 2007, 91, .	1.5	105	
153	Optical creation of a supercrystal with three-dimensional nanoscale periodicity. <i>Nature Materials</i> , 2019, 18, 377-383.	13.3	105	
154	Scaling of ferroelectric and piezoelectric properties in $\text{Pt/SrBi}_2\text{Ta}_2\text{O}_9/\text{Pt}$ thin films. <i>Applied Physics Letters</i> , 1999, 75, 3874-3876.	1.5	104	
155	Synthesis and characterization of NiFe_2O_4 nanosheet via polymer assisted co-precipitation method. <i>Materials Letters</i> , 2011, 65, 483-485.	1.3	104	
156	Effect of oxygen stoichiometry on the electrical properties of $\text{La}_0.5\text{Sr}_0.5\text{CoO}_3$ electrodes. <i>Journal of Applied Physics</i> , 1997, 81, 3543-3547.	1.1	103	
157	Role of substrate on the dielectric and piezoelectric behavior of epitaxial lead magnesium niobate-lead titanate relaxor thin films. <i>Applied Physics Letters</i> , 2000, 77, 438-440.	1.5	103	
158	Low voltage performance of epitaxial BiFeO_3 films on Si substrates through lanthanum substitution. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	103	
159	Depolarizing-field-mediated 180° switching in ferroelectric thin films with 90° domains. <i>Applied Physics Letters</i> , 2002, 80, 1424-1426.	1.5	101	
160	Electric Field Effect in Diluted Magnetic Insulator Anatase $\text{Co}_{0.9}\text{TiO}_2$. <i>Physical Review Letters</i> , 2005, 94, 126601.	2.9	100	
161	Hidden Magnetic Configuration in Epitaxial $\text{La}_{1-x}\text{Sr}_x\text{FeO}_3$. <i>Physical Review Letters</i> , 2010, 105, 257204.	2.9	100	
162	Orthorhombic $\text{La}_{1-x}\text{Sr}_x\text{FeO}_3$. <i>Physical Review Letters</i> , 2012, 109, 247606.	2.9	100	

#	ARTICLE	IF	CITATIONS
163	Correlation between magnetic homogeneity, oxygen content, and electrical and magnetic properties of perovskite manganite thin films. <i>Applied Physics Letters</i> , 1998, 73, 2672-2674.	1.5	99
164	Unusual Electric Field Effects in Nd _{0.7} Sr _{0.3} MnO ₃ . <i>Physical Review Letters</i> , 1996, 77, 1159-1162.	2.9	97
165	Manganite-based devices: opportunities, bottlenecks and challenges. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 1998, 356, 1661-1680.	1.6	97
166	Effect of mechanical constraint on the dielectric and piezoelectric behavior of epitaxial Pb(Mg _{1/3} Nb _{2/3})O ₃ (90%)â€“PbTiO ₃ (10%) relaxor thin films. <i>Applied Physics Letters</i> , 1999, 75, 4183-4185.	1.5	96
167	Atomic Structure of Highly Strained \langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> \times mml:msub> \times mml:mi>BiFeO \times mml:mi> \times mml:mn>3 \times mml:mn \times mml:msub> \times mml:math>ThinFilms. <i>Physical Review Letters</i> , 2012, 108, 047601.	2.9	96
168	Near-field examination of perovskite-based superlenses and superlens-enhanced probe-object coupling. <i>Nature Communications</i> , 2011, 2, 249.	5.8	95
169	Tuning the Competition between Ferromagnetism and Antiferromagnetism in a Half-Doped Manganite through Magnetoelectric Coupling. <i>Physical Review Letters</i> , 2013, 111, 127601.	2.9	93
170	Quantification of flexoelectricity in PbTiO ₃ /SrTiO ₃ superlattice polar vortices using machine learning and phase-field modeling. <i>Nature Communications</i> , 2017, 8, 1468.	5.8	93
171	Pulsed-laser-deposited epitaxial Sr ₂ FeMoO ₆ â€“y thin films: Positive and negative magnetoresistance regimes. <i>Applied Physics Letters</i> , 1999, 74, 3696-3698.	1.5	92
172	Adsorption-controlled molecular-beam epitaxial growth of BiFeO ₃ . <i>Applied Physics Letters</i> , 2007, 91, .	1.5	91
173	On the grainâ€boundary phase in iron rareâ€earth boron magnets. <i>Journal of Applied Physics</i> , 1987, 61, 2993-2998.	1.1	90
174	Effect of crystallographic orientation on ferroelectric properties of PbZr _{0.2} Ti _{0.8} O ₃ thin films. <i>Applied Physics Letters</i> , 1993, 63, 731-733.	1.5	89
175	Imprint of (Pb,La)(Zr,Ti)O ₃ thin films with various crystalline qualities. <i>Applied Physics Letters</i> , 1996, 68, 484-486.	1.5	89
176	Polytypoid structure of Pb-modified Bi-Ca-Sr-Cu-O superconductor. <i>Physical Review B</i> , 1988, 38, 7070-7073.	1.1	88
177	Dielectric properties of SrTiO ₃ thin films used in highT _c superconducting fieldâ€effect devices. <i>Applied Physics Letters</i> , 1992, 60, 1744-1746.	1.5	88
178	POINT DEFECT CHEMISTRY OF METAL OXIDE HETEROSTRUCTURES. <i>Annual Review of Materials Research</i> , 1998, 28, 463-499.	5.5	88
179	Heteroepitaxially enhanced magnetic anisotropy in BaTiO ₃ â€“CoFe ₂ O ₄ nanostructures. <i>Applied Physics Letters</i> , 2007, 90, 113113.	1.5	88
180	Full Electroresistance Modulation in a Mixed-Phase Metallic Alloy. <i>Physical Review Letters</i> , 2016, 116, 097203.	2.9	88

#	ARTICLE	IF	CITATIONS
181	New non-superconducting layered Bi-oxide phases of formula $\text{Bi}_2\text{M}_3\text{Co}_2\text{O}_y$ containing Co instead of Cu. <i>Solid State Communications</i> , 1989, 71, 663-668.	0.9	87
182	Low-frequency optical response in epitaxial thin films of $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$ exhibiting colossal magnetoresistance. <i>Applied Physics Letters</i> , 1996, 68, 3555-3557.	1.5	87
183	Imaging of microwave permittivity, tunability, and damage recovery in $(\text{Ba},\text{Sr})\text{TiO}_3$ thin films. <i>Applied Physics Letters</i> , 1999, 75, 3180-3182.	1.5	86
184	Effect of the electrode layer on the polydomain structure of epitaxial $\text{PbZr}_{0.2}\text{Ti}_{0.8}\text{O}_3$ thin films. <i>Journal of Applied Physics</i> , 1999, 85, 3271-3277.	1.1	86
185	Local negative permittivity and topological phase transition in polar skyrmions. <i>Nature Materials</i> , 2021, 20, 194-201.	13.3	86
186	Three-domain architecture of stress-free epitaxial ferroelectric films. <i>Journal of Applied Physics</i> , 2001, 89, 553-556.	1.1	85
187	Prominent electrochromism through vacancy-order melting in a complex oxide. <i>Nature Communications</i> , 2012, 3, 799.	5.8	85
188	Probing electric field control of magnetism using ferromagnetic resonance. <i>Nature Communications</i> , 2015, 6, 6082.	5.8	85
189	Epitaxial $\text{Y}_1\text{Ba}_2\text{Cu}_3\text{O}_{7-y}/\text{Y}_{1-x}\text{Pr}_x\text{Ba}_2\text{Cu}_3\text{O}_{7-y}$ heterostructures. <i>Applied Physics Letters</i> , 1990, 56, 391-393.	1.5	84
190	Probing the Role of Single Defects on the Thermodynamics of Electric-Field Induced Phase Transitions. <i>Physical Review Letters</i> , 2008, 100, 155703.	2.9	83
191	Magnon sidebands and spin-charge coupling in bismuth ferrite probed by nonlinear optical spectroscopy. <i>Physical Review B</i> , 2009, 79, .	1.1	82
192	Domain nucleation and relaxation kinetics in ferroelectric thin films. <i>Applied Physics Letters</i> , 2000, 77, 3275-3277.	1.5	81
193	Exploration of artificial multiferroic thin-film heterostructures using composition spreads. <i>Applied Physics Letters</i> , 2004, 84, 3091-3093.	1.5	81
194	Effect of growth conditions on surface morphology and photoelectric work function characteristics of iridium oxide thin films. <i>Applied Physics Letters</i> , 1999, 74, 1394-1396.	1.5	80
195	Enhanced photocatalytic activities of ZnO dumbbell/reduced graphene oxide nanocomposites for degradation of organic pollutants via efficient charge separation pathway. <i>Applied Surface Science</i> , 2019, 487, 1279-1288.	3.1	80
196	Colossal magnetoresistive manganite-based ferroelectric field-effect transistor on Si. <i>Applied Physics Letters</i> , 2004, 84, 750-752.	1.5	78
197	Direct hysteresis measurements of single nanosized ferroelectric capacitors contacted with an atomic force microscope. <i>Applied Physics Letters</i> , 2001, 79, 3678-3680.	1.5	77
198	Phase-field model for epitaxial ferroelectric and magnetic nanocomposite thin films. <i>Applied Physics Letters</i> , 2007, 90, 052909.	1.5	77

#	ARTICLE	IF	CITATIONS
199	Nanoscale Scanning Force Imaging of Polarization Phenomena in Ferroelectric Thin Films. MRS Bulletin, 1998, 23, 33-42.	1.7	76
200	Electromechanical Coupling among Edge Dislocations, Domain Walls, and Nanodomains in BiFeO ₃ Revealed by Unit-Cell-Wise Strain and Polarization Maps. Nano Letters, 2013, 13, 1410-1415.	4.5	76
201	Synthesis, structural and optical properties of ZnO spindle/reduced graphene oxide composites with enhanced photocatalytic activity under visible light irradiation. Optical Materials, 2018, 79, 186-195.	1.7	76
202	Quantitative imaging of dielectric permittivity and tunability with a near-field scanning microwave microscope. Review of Scientific Instruments, 2000, 71, 2751-2758.	0.6	75
203	Direct Observation of Structural Defects in Laser-Deposited Superconducting Y-Ba-Cu-O Thin Films. Science, 1990, 247, 57-59.	6.0	74
204	Preparation of sheet like polycrystalline NiFe ₂ O ₄ nanostructure with PVA matrices and their properties. Materials Letters, 2011, 65, 1438-1440.	1.3	74
205	Intrinsic single-domain switching in ferroelectric materials on a nearly ideal surface. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 20204-20209.	3.3	73
206	Large critical current densities in YBa ₂ Cu ₃ O _{7-x} thin films made at high deposition rates. Applied Physics Letters, 1990, 57, 523-525.	1.5	72
207	(Ba,Sr)TiO ₃ thin films with conducting perovskite electrodes for dynamic random access memory applications. Applied Physics Letters, 1999, 74, 3194-3196.	1.5	72
208	Improved properties of La _{2/3} Ca _{1/3} MnO ₃ thin films by addition of silver. Applied Physics Letters, 1999, 74, 2857-2859.	1.5	72
209	Interface properties of magnetic tunnel junction $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:mrow><mml:msub><mml:math>La</mml:math></mml:mrow><mml:mrow><mml:mn>1.1</mml:mn><mml:mn>0.7</mml:mn></mml:mrow>$ Physical Review B, 2010, 82,..	1.1	71
210	Ultrafast Laser Induced Conductive and Resistive Transients in La _{0.7} Ca _{0.3} MnO ₃ : Charge Transfer and Relaxation Dynamics. Physical Review Letters, 1998, 81, 1310-1313.	2.9	70
211	Finite element modeling of piezoresponse in nanostructured ferroelectric films. Applied Physics Letters, 2004, 84, 2626-2628.	1.5	70
212	Computer simulation of ferroelectric domain structures in epitaxial BiFeO ₃ thin films. Journal of Applied Physics, 2008, 103, .	1.1	70
213	Tunable band gap in Bi(Fe _{1-x} Mn _x)O ₃ films. Applied Physics Letters, 2010, 96, .	1.5	70
214	Probing the evolution of antiferromagnetism in multiferroics. Physical Review B, 2010, 81, .	1.1	70
215	Epitaxy-distorted spin-orbit Mott insulator in Sr $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:msub><mml:math>IrO</mml:math></mml:msub></mml:mrow>$ thin films. Physical Review B, 2013, 87, .	1.1	70
216	Epitaxial integration of (0001) BiFeO ₃ with (0001) GaN. Applied Physics Letters, 2007, 90, 172908.	1.5	69

#	ARTICLE	IF	CITATIONS
217	Synthesis, studies and growth mechanism of ferromagnetic NiFe ₂ O ₄ nanosheet. Applied Surface Science, 2012, 258, 6648-6652.	3.1	69
218	Fatigue and aging in ferroelectric PbZr0.2Ti0.8O ₃ /YBa ₂ Cu ₃ O ₇ heterostructures. Integrated Ferroelectrics, 1992, 1, 1-15.	0.3	68
219	In-plane grain boundary effects on the magnetotransport properties of La _{0.7} Sr _{0.3} MnO ₃ . Applied Physics Letters, 1998, 72, 1113-1115.	1.5	67
220	New non-superconducting modulation-free BiPbSr ₂ MO _y phases (M = Co, Mn, Fe) isotypic with the 10 K Bi ₂ Sr ₂ CuO _y superconductor. Physica C: Superconductivity and Its Applications, 1990, 167, 20-34.	0.6	66
221	Radiation damage and its recovery in focused ion beam fabricated ferroelectric capacitors. Journal of Applied Physics, 2002, 92, 3275-3278.	1.1	66
222	Ferroelectric domain wall pinning at a bicrystal grain boundary in bismuth ferrite. Applied Physics Letters, 2008, 93, .	1.5	66
223	New modulated structure in a Pb-doped Bi-Ca-Sr-Cu-O superconductor. Applied Physics Letters, 1988, 53, 2220-2222.	1.5	65
224	Unraveling Deterministic Mesoscopic Polarization Switching Mechanisms: Spatially Resolved Studies of a Tilt Grain Boundary in Bismuth Ferrite. Advanced Functional Materials, 2009, 19, 2053-2063.	7.8	65
225	Pulsed laser deposition-induced reduction of SrTiO ₃ crystals. Acta Materialia, 2010, 58, 457-463.	3.8	65
226	Defect structure of laser deposited Y-Ba-Cu-O thin films on single crystal MgO substrate. Journal of Materials Research, 1990, 5, 704-716.	1.2	64
227	Effect of lattice mismatch strains on the structural and magnetic properties of barium ferrite films. Applied Physics Letters, 1998, 72, 3443-3445.	1.5	64
228	Nonlinear electric field dependence of piezoresponse in epitaxial ferroelectric lead zirconate titanate thin films. Journal of Applied Physics, 2003, 94, 5147.	1.1	64
229	Orientation-dependent potential barriers in case of epitaxial Pt-BiFeO ₃ -SrRuO ₃ capacitors. Applied Physics Letters, 2009, 94, .	1.5	63
230	High-temperature thermoelectric response of double-doped $\text{BiFeO}_3\text{-SrRuO}_3$ capacitors. Physical Review B, 2010, 82, .	1.1	63
231	Nanoscale phase boundaries: a new twist to novel functionalities. Nanoscale, 2012, 4, 6196.	2.8	63
232	The atomic structure of growth interfaces in Y-Ba-Cu-O thin films. Journal of Materials Research, 1991, 6, 2264-2271.	1.2	61
233	Engineering of Self-Assembled Domain Architectures with Ultra-high Piezoelectric Response in Epitaxial Ferroelectric Films. Advanced Functional Materials, 2007, 17, 2094-2100.	7.8	61
234	Quantitative determination of anisotropic magnetoelectric coupling in BiFeO ₃ -CoFe ₂ O ₄ nanostructures. Applied Physics Letters, 2010, 97, .	1.5	61

#	ARTICLE	IF	CITATIONS
235	Desirable magnetotransport properties in doped Mn-oxide-based superlattices. <i>Journal of Applied Physics</i> , 1997, 81, 4950-4952.	1.1	60
236	Surface outgrowth problem in c-axis oriented $\text{YBa}_2\text{Cu}_3\text{O}$ superconducting thin films. <i>Applied Physics Letters</i> , 1991, 58, 1557-1559.	1.5	59
237	Ultrathin Limit of Exchange Bias Coupling at Oxide Multiferroic/Ferromagnetic Interfaces. <i>Advanced Materials</i> , 2013, 25, 4739-4745.	11.1	59
238	Induced Magnetization in $\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_3/\text{Pb}_{0.9}\text{La}_{0.1}(\text{Zr}_{0.2}\text{Ti}_{0.8})_{0.975}\text{O}_3/\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_3$ heterostructures on LaAlO_3 . <i>Physical Review Letters</i> , 2014, 113, 047204.	1.9	59
239	Ferroelectric bismuth titanate/superconductor ($\text{YBa}_2\text{Cu}_3\text{O}$) thin film heterostructures on silicon. <i>Applied Physics Letters</i> , 1991, 59, 1782-1784.	1.5	58
240	Microstructure of epitaxial $\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_3/\text{Pb}_{0.9}\text{La}_{0.1}(\text{Zr}_{0.2}\text{Ti}_{0.8})_{0.975}\text{O}_3/\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_3$ heterostructures on LaAlO_3 . <i>Applied Physics Letters</i> , 1993, 63, 1628-1630.	1.5	58
241	Facile construction of djembe-like ZnO and its composite with g-C ₃ N ₄ as a visible-light-driven heterojunction photocatalyst for the degradation of organic dyes. <i>Materials Science in Semiconductor Processing</i> , 2020, 106, 104754.	1.9	57
242	Epitaxial La-doped SrTiO_3 on silicon: A conductive template for epitaxial ferroelectrics on silicon. <i>Applied Physics Letters</i> , 2002, 80, 4801-4803.	1.5	56
243	A new spin on spintronics. <i>Nature Materials</i> , 2010, 9, 380-381.	13.3	56
244	$\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_3/\text{Pb}(\text{Nb}_{0.04}\text{Zr}_{0.28}\text{Ti}_{0.68})\text{O}_3/\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_3$ thin film heterostructures on Si using TiN/Pt conducting barrier. <i>Applied Physics Letters</i> , 1997, 71, 356-358.	1.5	55
245	Formation of 90° elastic domains during local 180° switching in epitaxial ferroelectric thin films. <i>Applied Physics Letters</i> , 2004, 84, 254-256.	1.5	55
246	Scaling of ferroelectric properties in $\text{LaSrCoO}/\text{PbLaZrTiO}/\text{LaSrCoO}$ capacitors. <i>Applied Physics Letters</i> , 1994, 64, 1588-1590.	1.5	54
247	Anomalously large measured thermoelectric power factor in $\text{Sr}_{1-x}\text{LaxTiO}_3$ thin films due to SrTiO_3 substrate reduction. <i>Applied Physics Letters</i> , 2008, 92, 202113.	1.5	54
248	Growth and properties of c-axis textured $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ films on SiO_2/Si substrates with a $\text{Bi}_4\text{Ti}_3\text{O}_12$ template layer. <i>Applied Physics Letters</i> , 1997, 70, 1763-1765.	1.5	53
249	+Capacitance-voltage characteristics of $\text{BiFeO}_3\text{-SrTiO}_3\text{-GaN}$ heteroepitaxial structures. <i>Applied Physics Letters</i> , 2007, 91, .	1.5	53
250	Electrically reversible cracks in an intermetallic film controlled by an electric field. <i>Nature Communications</i> , 2018, 9, 41.	5.8	53
251	Epitaxial ferroelectric thin films for memory applications. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 1994, 22, 283-289.	1.7	52
252	Hole-state density of $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$ ($0 < x < 0.5$) across the insulator/metal phase boundary. <i>Physical Review B</i> , 2000, 61, 5666-5671.	1.1	52

#	ARTICLE	IF	CITATIONS
253	The dependence of oxygen vacancy distributions in BiFeO ₃ films on oxygen pressure and substrate. Applied Physics Letters, 2009, 95, .	1.5	52
254	Evidence of Sharp and Diffuse Domain Walls in BiFeO ₃ by Means of Unit-Cell-Wise Strain and Polarization Maps Obtained with High Resolution Scanning Transmission Electron Microscopy. Physical Review Letters, 2012, 109, 047601.	2.9	52
255	Three dimensional flower-like CuO/Co ₃ O ₄ /r-GO heterostructure for high-performance asymmetric supercapacitors. Journal of Alloys and Compounds, 2020, 846, 156439.	2.8	52
256	Grain boundaries and interfaces in Y-Ba-Cu-O films laser deposited on single-crystal MgO. Physical Review B, 1990, 42, 10141-10151.	1.1	51
257	Electro-optic properties of single crystalline ferroelectric thin films. Applied Physics Letters, 1993, 63, 596-598.	1.5	51
258	Oxide electrodes as barriers to hydrogen damage of Pb(Zr,Ti)O ₃ -based ferroelectric capacitors. Applied Physics Letters, 1999, 74, 3023-3025.	1.5	51
259	Spatially resolved mapping of ferroelectric switching behavior in self-assembled multiferroic nanostructures: strain, size, and interface effects. Nanotechnology, 2007, 18, 405701.	1.3	51
260	Synthesis and Study of Structural, Morphological and Magnetic Properties of ZnFe ₂ O ₄ Nanoparticles. Journal of Superconductivity and Novel Magnetism, 2014, 27, 1499-1502.	0.8	51
261	Activation field of ferroelectric (Pb,La)(Zr,Ti)O ₃ thin film capacitors. Applied Physics Letters, 1997, 71, 2211-2213.	1.5	50
262	Influence of 90 MeV oxygen ion induced disorder on the magnetotransport in epitaxial La _{0.7} Ca _{0.3} MnO ₃ thin films. Journal of Applied Physics, 1998, 84, 6255-6261.	1.1	50
263	Vacancy defects in (Pb, ϵ ,La)(Zr, ϵ ,Ti)O ₃ capacitors observed by positron annihilation. Applied Physics Letters, 1998, 73, 318-320.	1.5	50
264	Oscillatory Exchange Coupling and Giant Positive Magnetoresistance in TiN/Fe ₃ O ₄ Superlattices. Physical Review Letters, 1999, 83, 1680-1683.	2.9	50
265	Tuning magnetic properties of magnetoelectric BiFeO ₃ -NiFe ₂ O ₄ nanostructures. Journal of Magnetism and Magnetic Materials, 2009, 321, L5-L9.	1.0	50
266	Galvanomagnetic properties of epitaxial MnAl films on GaAs. Journal of Applied Physics, 1991, 69, 4689-4691.	1.1	49
267	Hysteresis relaxation in (Pb,La)(Zr,Ti)O ₃ thin film capacitors with (La,Sr)CoO ₃ electrodes. Applied Physics Letters, 1996, 69, 2540-2542.	1.5	49
268	Evaluation of imprint in fully integrated (La,Sr)CoO ₃ /Pb(Nb,Zr,Ti)O ₃ /(La,Sr)CoO ₃ ferroelectric capacitors. Journal of Applied Physics, 1998, 83, 2165-2171.	1.1	49
269	Can lead nonstoichiometry influence ferroelectric properties of Pb(Zr,Ti)O ₃ thin films?. Applied Physics Letters, 1999, 75, 716-718.	1.5	48
270	Observation of Ferromagnetic Resonance in SrRuO_3 by the Time-Resolved Magneto-Optical Kerr Effect. Physical Review Letters, 2009, 102, 177601.	2.9	48

#	ARTICLE	IF	CITATIONS
271	Phase decomposition and structural defects in a $\text{YBa}_2\text{Cu}_3\text{O}_7$ superconductor. <i>Applied Physics Letters</i> , 1990, 57, 1458-1460.	1.5	47
272	Activation fields in ferroelectric thin film capacitors: Area dependence. <i>Applied Physics Letters</i> , 1998, 73, 3366-3368.	1.5	47
273	Growth and structure of PbVO_3 thin films. <i>Applied Physics Letters</i> , 2007, 90, 062903.	1.5	47
274	Angle dependence of the ferromagnetic resonance linewidth and two magnon losses in pulsed laser deposited films of yttrium iron garnet, MnZn ferrite, and NiZn ferrite. <i>Journal of Applied Physics</i> , 1999, 85, 7838-7848.	1.1	46
275	Epitaxial Multiferroic BiFeO_3 Thin Films: Progress and Future Directions. <i>Ferroelectrics</i> , 2007, 354, 167-177.	0.3	46
276	Clear correlations observed between $\text{YBa}_2\text{Cu}_3\text{O}_7$ thin film properties and GHz microwave resonator performance. <i>Applied Physics Letters</i> , 1991, 58, 1789-1791.	1.5	45
277	1/f electrical noise in epitaxial thin films of the manganite oxides $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$ and $\text{Pr}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$. <i>Applied Physics Letters</i> , 1996, 69, 851-853.	1.5	45
278	Focused ion-beam patterning of nanoscale ferroelectric capacitors. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 1998, 16, 3899.	1.6	45
279	Diagnostics of colossal magnetoresistance manganite films by Raman spectroscopy. <i>Applied Physics Letters</i> , 1998, 73, 3217-3219.	1.5	45
280	Superconductivity at 27 K in modulation-free $\text{Bi}_{2-x}\text{Pb}_x\text{Sr}_2\text{y}\text{La}_y\text{Cu}_6$ phases with $x=0.0...0.2$. <i>Physica C: Superconductivity and Its Applications</i> , 1990, 172, 13-22.	0.6	44
281	Effect of ultraviolet light on fatigue of lead zirconate titanate thin film capacitors. <i>Applied Physics Letters</i> , 1994, 65, 254-256.	1.5	44
282	Aku-band gold/baxsr1-xtio3/laalo3 conductor/thin-film ferroelectric microstrip line phase shifter for room-temperature communications applications. <i>Microwave and Optical Technology Letters</i> , 1999, 20, 53-56.	0.9	44
283	Electric-Field Control of Magnetism in Complex Oxide Thin Films. <i>MRS Bulletin</i> , 2008, 33, 1047-1050.	1.7	44
284	Ferromagnetism at room temperature in $\text{La}_{0.8}\text{Ca}_{0.2}\text{MnO}_3$ thin films. <i>Applied Physics Letters</i> , 1999, 74, 1886-1888.	1.5	43
285	Spin-charge-lattice coupling through resonant multimagnon excitations in multiferroic BiFeO_3 . <i>Applied Physics Letters</i> , 2009, 94, 161905.	1.5	43
286	Probing ferroelectricity in $\text{PbZr}_x\text{Ti}_{1-x}\text{O}_3$ channel. <i>Physical Review B</i> , 2010, 82, 115110.	1.5	43
287	Emergent phenomena at multiferroic heterointerfaces. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2012, 370, 4856-4871.	1.6	43
288	Ferroelectric field-effect transistor with a $\text{SrRu}_x\text{Ti}_{1-x}\text{O}_3$ channel. <i>Applied Physics Letters</i> , 2003, 82, 4770-4772.	1.5	42

#	ARTICLE		IF	CITATIONS
289	Probing mixed tetragonal/rhombohedral-like monoclinic phases in strained bismuth ferrite films by optical second harmonic generation. <i>Applied Physics Letters</i> , 2010, 97, 112903.		1.5	41
290	Microstructure of Pb-modified BiCaSrCuO superconductor. <i>Applied Physics Letters</i> , 1988, 53, 1759-1761			40
291	Growth and magnetic control of twinning structure in thin films of Heusler shape memory compound Ni ₂ MnGa. <i>Applied Physics Letters</i> , 2008, 93, .		1.5	39
292	Preparation and properties of NiFe ₂ O ₄ nanowires. <i>Materials Letters</i> , 2012, 66, 314-317.		1.3	39
293	MBE growth of ferromagnetic metastable epitaxial MnAl thin films on AlAs/GaAs heterostructures. <i>Journal of Crystal Growth</i> , 1991, 111, 978-983.		0.7	38
294	Switching properties of Pb(Nb,Zr,Ti)O ₃ capacitors using SrRuO ₃ electrodes. <i>Applied Physics Letters</i> , 1999, 75, 1787-1789.		1.5	38
295	Controlling crystallization of Pb(Zr,Ti)O ₃ thin films on IrO ₂ electrodes at low temperature through interface engineering. <i>Applied Physics Letters</i> , 2003, 82, 1263-1265.		1.5	38
296	Hydrogen absorption characteristics of the Zr-xHoxCo ₂ system in the pressure range 0-40 bar. <i>Journal of Alloys and Compounds</i> , 1993, 191, 101-105.		2.8	37
297	Ion implantation induced enhancement of magnetoresistance in La _{0.67} Ca _{0.33} MnO ₃ . <i>Applied Physics Letters</i> , 1996, 69, 3089-3091.		1.5	37
298	Orientation dependence of the converse piezoelectric constants for epitaxial single domain ferroelectric films. <i>Applied Physics Letters</i> , 2004, 85, 278-280.		1.5	37
299	Modification of critical current density of MgB ₂ films irradiated with 200 MeV Ag ions. <i>Applied Physics Letters</i> , 2004, 84, 2352-2354.		1.5	37
300	Mutual induction of magnetic 3d and 4f order in multiferroic hexagonal ErMnO ₃ . <i>Physical Review B</i> , 2012, 86, .		1.1	37
301	Doping mechanism in Bi(Pb)SrCaCuO superconductors. <i>Journal of Applied Physics</i> , 1989, 66, 4878-4885.	1.1		36
302	Template approaches to growth of oriented oxide heterostructures on SiO ₂ /Si. <i>Journal of Electronic Materials</i> , 1994, 23, 19-23.		1.0	36
303	Laser-Ablation Deposition and Characterization of Ferroelectric Capacitors for Nonvolatile Memories. <i>MRS Bulletin</i> , 1996, 21, 31-36.		1.7	36
304	Recovery of forming gas damaged Pb(Nb,Zr,Ti)O ₃ capacitors. <i>Applied Physics Letters</i> , 2000, 76, 918-920.	1.5		36
305	Polar and magnetic properties of PbVO ₃ thin films. <i>Physical Review B</i> , 2007, 75, .		1.1	36
306	Multiferroics: progress and prospects in thin films. , 2009, , 20-28.			36

#	ARTICLE	IF	CITATIONS
307	A new era in ferroelectrics. <i>APL Materials</i> , 2020, 8, .	2.2	36
308	Dynamics of polarization loss in (Pb, La)(Zr, Ti)O ₃ thin film capacitors. <i>Applied Physics Letters</i> , 1998, 72, 3300-3302.	1.5	35
309	Realization of epitaxial barium ferrite films of high crystalline quality with small resonance losses. <i>Journal of Applied Physics</i> , 1999, 85, 7459-7466.	1.1	35
310	Threading dislocation generation in epitaxial (Ba,Sr) TiO ₃ films grown on (001) LaAlO ₃ by pulsed laser deposition. <i>Applied Physics Letters</i> , 2004, 84, 1742-1744.	1.5	35
311	Strain-driven phase transitions and associated dielectric/piezoelectric anomalies in BiFeO ₃ thin films. <i>Applied Physics Letters</i> , 2010, 97, .	1.5	35
312	Defect microstructures in epitaxial PbZr _{0.2} Ti _{0.8} O ₃ films grown on (001) SrTiO ₃ by pulsed laser deposition. <i>Journal of Materials Science</i> , 2006, 41, 697-707.	1.7	34
313	Planar electrode piezoelectric force microscopy to study electric polarization switching in BiFeO ₃ . <i>Applied Physics Letters</i> , 2007, 90, 202909.	1.5	34
314	High-resolution electron microscopy of the c=30.5 Å... and d=38.2 Å... polytypoids in the Bi ₂ Ca ₃ Sr ₂ Cu ₃ O ₁₀ superconductor. <i>Applied Physics Letters</i> , 1988, 53, 1016-1018.	1.5	33
315	Preparation of thin film high temperature superconductors. <i>IEEE Transactions on Magnetics</i> , 1991, 27, 982-989.	1.2	33
316	Oxide nanostructures through self-assembly. <i>Applied Physics Letters</i> , 2001, 78, 1442-1444.	1.5	33
317	Study of Microstructure in SrTiO ₃ /Si by High-resolution Transmission Electron Microscopy. <i>Journal of Materials Research</i> , 2002, 17, 204-213.	1.2	33
318	Materials science and integration bases for fabrication of (BaxSr _{1-x})TiO ₃ thin film capacitors with layered Cu-based electrodes. <i>Journal of Applied Physics</i> , 2003, 94, 6192-6200.	1.1	33
319	Ferroelectric nanostructures via a modified focused ion beam technique. <i>Nanotechnology</i> , 2006, 17, 338-343.	1.3	33
320	Investigation on mesoporous bimetallic tungstate nanostructure for high-performance solid-state supercapattery. <i>Journal of Alloys and Compounds</i> , 2021, 875, 160066.	2.8	33
321	Direct integration of ferroelectric La ₂ “Sr ₂ “Co ₃ “O/Pb ₂ “Nb ₂ “Zr ₂ “Ti ₂ “O/La ₂ “Sr ₂ “Co ₃ “O capacitors on silicon with conducting barrier layers. <i>Applied Physics Letters</i> , 1996, 68, 1350-1352.	1.5	32
322	Structural and dielectric properties of epitaxial Ba _{1-x} Sr _x TiO ₃ /Bi ₄ Ti ₃ O ₁₂ /ZrO ₂ heterostructures grown on silicon. <i>Applied Physics Letters</i> , 2000, 77, 1523-1525.	1.5	32
323	Columnar defect induced phase transformation in epitaxial La _{0.7} Ca _{0.3} MnO ₃ films. <i>Journal of Applied Physics</i> , 2000, 87, 4210-4215.	1.1	32
324	Low-temperature integration of lead-based ferroelectric capacitors on Si with diffusion barrier layer. <i>Applied Physics Letters</i> , 2002, 80, 3599-3601.	1.5	32

#	ARTICLE	IF	CITATIONS
325	Effects of compositional variations on the properties of superconducting $(Bi,Pb)2Sr2Ca2Cu3O_7$. Journal of Applied Physics, 1989, 66, 728-734.	1.1	31
326	Improvement in spin-wave resonance characteristics of epitaxial barium-ferrite thin films by using an aluminum-doped strontium-ferrite buffer layer. Applied Physics Letters, 1999, 74, 594-596.	1.5	31
327	Growth of high-quality hexagonal $ErMnO_3$ single crystals by the pressurized floating-zone method. Journal of Crystal Growth, 2015, 409, 75-79.	0.7	31
328	Superconductor defect structure. Nature, 1990, 346, 420-420.	13.7	30
329	Low voltage performance of $Pb(Zr,Ti)O_3$ capacitors through donor doping. Applied Physics Letters, 1997, 71, 3578-3580.	1.5	30
330	Layered Cu-based electrode for high-dielectric constant oxide thin film-based devices. Applied Physics Letters, 2003, 82, 1452-1454.	1.5	30
331	Synthesis of Fe_3O_4 nanoflowers by one pot surfactant assisted hydrothermal method and its properties. Materials Letters, 2012, 70, 73-75.	1.3	30
332	Standing spin wave resonances in manganite films. Physics Letters, Section A: General, Atomic and Solid State Physics, 1995, 209, 246-248.	0.9	29
333	Phenomenological analysis of domain width in rhombohedral $BiFeO_3$. Physical Review B, 2009, 80, 115129.	1.1	29
334	Structural, thermal, dielectric and magnetic properties of $NiFe_2O_4$ nanoleaf. Journal of Alloys and Compounds, 2012, 537, 203-207.	2.8	29
335	Revealing the hidden structural phases of $FeRh$. Physical Review B, 2016, 94, .	1.1	29
336	Ultrafine MnO_2 /graphene based hybrid nanoframeworks as high-performance flexible electrode for energy storage applications. Journal of Materials Science: Materials in Electronics, 2020, 31, 6910-6918.	1.1	29
337	Grain boundaries and defects in superconducting $Bi_{1-x}Sr_xCa_yCu_3O$ ceramics. Journal of Applied Physics, 1990, 67, 379-387.	1.1	28
338	Control of domain structure of epitaxial $PbZr0.2Ti0.8O_3$ thin films grown on vicinal (001) $SrTiO_3$ substrates. Applied Physics Letters, 2001, 79, 2805-2807.	1.5	28
339	Observation of domain walls in $PbZr0.2Ti0.8O_3$ thin film using scanning nonlinear dielectric microscopy. Applied Physics Letters, 2003, 83, 2650-2652.	1.5	28
340	Nanoscale polarization relaxation in a polycrystalline ferroelectric thin film: Role of local environments. Applied Physics Letters, 2005, 86, 262910.	1.5	28
341	Electric field control of ferromagnetism using multi-ferroics: the bismuth ferrite story. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2014, 372, 20120437.	1.6	28
342	Perspective: Emergent topologies in oxide superlattices. APL Materials, 2018, 6, 100901.	2.2	28

#	ARTICLE	IF	CITATIONS
343	Enabling ultra-low-voltage switching in BaTiO ₃ . <i>Nature Materials</i> , 2022, 21, 779-785.	13.3	28
344	Microstructure studies of a-axis oriented YBa ₂ Cu ₃ O _{7-x} -PrBa ₂ Cu ₃ O _{7-y} heterostructures. <i>Physica C: Superconductivity and Its Applications</i> , 1990, 170, 325-332.	0.6	27
345	Metal ion and oxygen vacancies in bulk and thin film La _{1-x} Sr _x CoO ₃ . <i>Physical Review B</i> , 1999, 59, 13365-13369.	1.1	27
346	Voltage-dependent ferromagnetic resonance in epitaxial multiferroic nanocomposites. <i>Applied Physics Letters</i> , 2010, 96, .	1.5	27
347	Imaging and characterization of conducting ferroelectric domain walls by photoemission electron microscopy. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	27
348	Microstructure of c-axis oriented lead titanate thin films by pulsed laser ablation. <i>Applied Physics Letters</i> , 1993, 62, 1742-1744.	1.5	26
349	Metal-Oxide Heterostructures. <i>Annual Review of Materials Research</i> , 1995, 25, 647-678.	5.5	26
350	Ordering in (La,Sr)(Al,Ta)O ₃ substrates. <i>Journal of Materials Research</i> , 2003, 18, 1698-1704.	1.2	26
351	Enhanced photocatalytic activity of reduced graphene oxide/SrSnO ₃ nanocomposite for aqueous organic pollutant degradation. <i>Optik</i> , 2020, 206, 164055.	1.4	26
352	Microstructure of epitaxial oxide thin film heterostructures on silicon by pulsed laser deposition. <i>Applied Physics Letters</i> , 1994, 64, 3407-3409.	1.5	25
353	Intrinsic effective piezoelectric coefficient e _{31,f} for ferroelectric thin films. <i>Applied Physics Letters</i> , 2005, 86, 152901.	1.5	25
354	Effect of 90° domain movement on the piezoelectric response of patterned PbZr0.2Ti0.8O ₃ -SrTiO ₃ -Si heterostructures. <i>Applied Physics Letters</i> , 2005, 87, 072907.	1.5	25
355	Synthesis of superparamagnetic ZnFe ₂ O ₄ nanoparticle by surfactant assisted hydrothermal method. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 4279-4283.	1.1	25
356	Hidden Magnetic States Emergent Under Electric Field, In A Room Temperature Composite Magnetoelectric Multiferroic. <i>Scientific Reports</i> , 2017, 7, 15460.	1.6	25
357	Structure and magnetism of Bi ₂ (Sr,Ca) ₂ MnO _{6+y} antiferromagnets with ferrimagnetic layers. <i>Physical Review B</i> , 1990, 41, 4489-4501.	1.1	24
358	Surface resistance of thin Perovskite films – high-temperature superconductors and giant magnetoresistance manganites. <i>Thin Solid Films</i> , 1996, 288, 256-261.	0.8	24
359	Linear and nonlinear optical properties of multifunctional PbVO ₃ thin films. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	24
360	Nanoscale Probing of High Photovoltages at 109° Domain Walls. <i>Ferroelectrics</i> , 2012, 433, 123-126.	0.3	24

#	ARTICLE	IF	CITATIONS
361	Structural evolution in lead substituted Bi-Sr-Ca-O superconductors. <i>Journal of Materials Research</i> , 1991, 6, 278-288.	1.2	23
362	Growth and characterization of (Y ₃ Fe ₅ O ₁₂) _x (Bi ₃ Fe ₅ O ₁₂) _{1-x} heterostructures by pulsed laser deposition. <i>Applied Physics Letters</i> , 1995, 66, 830-832.	1.5	23
363	Correlation between oxidation resistance and crystallinity of Ti-Al as a barrier layer for high-density memories. <i>Acta Materialia</i> , 2000, 48, 3387-3394.	3.8	23
364	Nanoscale x-ray magnetic circular dichroism probing of electric-field-induced magnetic switching in multiferroic nanostructures. <i>Applied Physics Letters</i> , 2007, 90, 123104.	1.5	23
365	Direct evidence for the effect of lattice distortions in the transport properties of perovskite-type manganite films. <i>Physical Review B</i> , 1996, 54, 10014-10018.	1.1	22
366	Novel high-T _c transistors with manganite oxides. <i>Journal of Applied Physics</i> , 1998, 83, 6780-6782.	1.1	22
367	Microstructure of melt spun Nd-Fe-Co-B magnets. <i>Acta Metallurgica</i> , 1989, 37, 1945-1955.	2.1	21
368	Growth and properties of large area Bi _{2+x} Sr _{2-x} CuO _{6+y} single crystals. <i>Physica C: Superconductivity and Its Applications</i> , 1991, 175, 261-268.	0.6	21
369	Vacancy defects in thin-film La _{0.5} Sr _{0.5} CoO ₃ observed by positron annihilation. <i>Applied Physics Letters</i> , 1998, 73, 508-510.	1.5	21
370	Magnetic imaging of perovskite thin films by ferromagnetic resonance microscopy-La _{0.7} Sr _{0.3} MnO ₃ . <i>Applied Physics Letters</i> , 1999, 75, 1947-1948.	1.5	21
371	Electric field control of magnetization direction across the antiferromagnetic to ferromagnetic transition. <i>Scientific Reports</i> , 2017, 7, 5366.	1.6	21
372	Creation of bulk, superlatticelike structure and giant magnetoresistance effect in a deformed Cu-Ni-Fe alloy. <i>Applied Physics Letters</i> , 1994, 64, 1039-1041.	1.5	20
373	Self-organized pattern formation in the oxidation of supported iron thin films. I. An experimental study. <i>Physical Review B</i> , 2001, 64, .	1.1	20
374	Suppression of martensitic phase transition at the Ni ₂ MnGa film surface. <i>Applied Physics Letters</i> , 2008, 93, 022501.	1.5	20
375	Adsorption-Controlled Growth of BiFeO ₃ by MBE and Integration with Wide Band Gap Semiconductors. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2009, 56, 1528-1533.	1.7	20
376	Dynamic in situ observation of voltage-driven repeatable magnetization reversal at room temperature. <i>Scientific Reports</i> , 2016, 6, 23696.	1.6	20
377	Further evidence for the presence of a 38.2 Å phase in a Bi-Ca-Sr-Cu-O superconductor. <i>Applied Physics Letters</i> , 1988, 53, 615-617.	1.5	19
378	Properties of epitaxially grown A-axis oriented YBa ₂ Cu ₃ O _{7-x} -PrBa ₂ Cu ₃ O _{7-y} heterostructures. <i>IEEE Transactions on Magnetics</i> , 1991, 27, 1603-1606.	1.2	19

#	ARTICLE	IF	CITATIONS
379	Ferroelectric and piezoelectric properties of bismuth titanate thin films grown on different bottom electrodes by soft chemical solution and microwave annealing. <i>Materials Research Bulletin</i> , 2007, 42, 975-981.	2.7	19
380	Simultaneous imaging of the ferromagnetic and ferroelectric structure in multiferroic heterostructures. <i>APL Materials</i> , 2014, 2, 076109.	2.2	19
381	Increase of T _c and disappearance of the structural modulation in the system Bi-Sr-Sm-Ce-Cu-O upon Pb substitution. <i>Physica C: Superconductivity and Its Applications</i> , 1990, 170, 284-290.	0.6	18
382	Epitaxial relations between insitu superconducting YBa ₂ Cu ₃ O _{7-x} thin films and BaTiO ₃ /MgAl ₂ O ₄ /Si substrates. <i>Journal of Applied Physics</i> , 1990, 68, 1772-1776.	1.1	18
383	Microstructural evolution of laser deposited superconducting Y-Ba-Cu-O films. <i>Physica C: Superconductivity and Its Applications</i> , 1991, 173, 163-172.	0.6	18
384	Direct spectroscopic evidence of charge reversal at the Pb(Zr0.2Ti0.8)O ₃ /La0.7Sr0.3MnO ₃ heterointerface. <i>Physical Review B</i> , 2011, 83, .	1.1	18
385	BiFeO ₃ /La _{0.7} Sr _{0.3} MnO ₃ heterostructures deposited on spark plasma sintered LaAlO ₃ substrates. <i>Applied Physics Letters</i> , 2014, 104, 082914.	1.5	18
386	Oxide Ferroelectric /Cuprate Superconductor Heterostructures: Growth and Properties. <i>Materials Research Society Symposia Proceedings</i> , 1991, 243, 477.	0.1	17
387	Magnetic characterization of epitaxial Y ₅ FeeO ₁₂ /Bi ₃ Fe ₅ O ₁₂ and Y ₅ Fe ₃ O ₁₂ /Eu ₁ Bi ₂ Fe ₅ O ₁₂ heterostructures grown by pulsed laser deposition. <i>Journal of Applied Physics</i> , 1994, 76, 6287-6289.	1.1	17
388	Conducting barriers for vertical integration of ferroelectric capacitors on Si. <i>Applied Physics Letters</i> , 1999, 74, 230-232.	1.5	17
389	Studies of thin film growth and oxidation processes for conductive Ti-Al diffusion barrier layers via in situ surface sensitive analytical techniques. <i>Applied Physics Letters</i> , 2001, 79, 800-802.	1.5	17
390	Theoretical investigation of the intrinsic piezoelectric properties for tetragonal BaTiO ₃ epitaxial films. <i>Applied Surface Science</i> , 2006, 252, 3394-3400.	3.1	17
391	Surface, bulk, and interface electronic states of epitaxial BiFeO ₃ films. <i>Journal of Vacuum Science & Technology B</i> , 2009, 27, 2012-2014.	1.3	17
392	Frontiers in strain-engineered multifunctional ferroic materials. <i>MRS Communications</i> , 2016, 6, 151-166.	0.8	17
393	La0.5Sr0.5CoO ₃ electrode technology for Pb(Zr,Ti)O ₃ thin film nonvolatile memories. <i>Microelectronic Engineering</i> , 1995, 29, 223-230.	1.1	16
394	Structural and ferromagnetic resonance characteristics of BaFe ₁₂ O ₁₉ films with minimal linewidths. <i>Applied Physics Letters</i> , 2001, 79, 385-387.	1.5	16
395	Origin of antiphase domain boundaries and their effect on the dielectric constant of Ba0.5Sr0.5TiO ₃ films grown on MgO substrates. <i>Applied Physics Letters</i> , 2002, 81, 4398-4400.	1.5	16
396	Translation domains in multiferroics. <i>Phase Transitions</i> , 2013, 86, 33-52.	0.6	16

#	ARTICLE	IF	CITATIONS
397	Solubility of hydrogen in $Zr_{1-x}HoxCo_2$ ($0 \leq x \leq 1$) alloys. <i>Journal of the Less Common Metals</i> , 1991, 170, 75-82.	0.9	15
398	Thin film $Y_{1-x}Ba_xCu_3O$ high superconductors: structure-property relationships. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 1992, 14, 188-213.	1.7	15
399	The kinetics of hydrogen absorption in $Zr_{1-x}HoxCo_2$ ($x = 0.4, 0.6$ and 0.8) alloys. <i>Journal of Alloys and Compounds</i> , 1994, 205, 211-214.	2.8	15
400	The temperature dependence of ferroelectric imprint. <i>Integrated Ferroelectrics</i> , 1995, 10, 279-288.	0.3	15
401	Enhanced-response pyroelectric heterostructures. <i>Applied Physics Letters</i> , 2000, 77, 2388-2390.	1.5	15
402	Depth profile study of ferroelectric $PbZr_{0.2}Ti_{0.8}O_3$ films. <i>Journal of Applied Physics</i> , 2002, 92, 6762-6767.	1.1	15
403	Polarization switching of submicron ferroelectric capacitors using an atomic force microscope. <i>Applied Physics Letters</i> , 2004, 84, 3130-3132.	1.5	15
404	Determination of the spin-flip time in ferromagnetic $SrRuO_3$ from time-resolved Kerr measurements. <i>Physical Review B</i> , 2011, 83, .	1.1	15
405	Functional ferroic heterostructures with tunable integral symmetry. <i>Nature Communications</i> , 2014, 5, 4295.	5.8	15
406	Influence of cationic stoichiometry of $La_{1-x}Sr_xCoO_3$ electrodes on the ferroelectric properties of lead based thin film memory elements. <i>Journal of Applied Physics</i> , 1998, 83, 1617-1624.	1.1	14
407	Size and shape evolution of embedded single-crystal β -Fe nanowires. <i>Applied Physics Letters</i> , 2005, 87, 203110.	1.5	14
408	Nanoscale characterization of emergent phenomena in multiferroics. <i>Current Opinion in Solid State and Materials Science</i> , 2012, 16, 216-226.	5.6	14
409	Ambipolar transport and magneto-resistance crossover in a Mott insulator, Sr_2IrO_4 . <i>Journal of Physics Condensed Matter</i> , 2016, 28, 505304.	0.7	14
410	Engineering new limits to magnetostriiction through metastability in iron-gallium alloys. <i>Nature Communications</i> , 2021, 12, 2757.	5.8	14
411	Facile, low cost synthesis of cauliflower-shaped ZnO with MWCNT/rGO nanocomposites and their photocatalytic activity. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 15763-15777.	1.1	14
412	Ferroelectric La-Sr-Co-O / Pb-Zr-Ti-O / La-Sr-Co-O Heterostructures on Silicon: Reliability Testing. <i>Materials Research Society Symposia Proceedings</i> , 1993, 310, 195.	0.1	13
413	Imprint of La-Sr-Co-O/Pb-La-Zr-Ti-O/La-Sr-Co-O Heterostructures Grown by Pulsed Laser Deposition. <i>Materials Research Society Symposia Proceedings</i> , 1994, 361, 67.	0.1	13
414	Hydrogen absorption studies in $Zr_0.4Ho_0.6Fe_2$. <i>Journal of Alloys and Compounds</i> , 1995, 226, 46-50.	2.8	13

#	ARTICLE	IF	CITATIONS
415	Voltage Shifts and Defect-Dipoles in Ferroelectric Capacitors. Materials Research Society Symposia Proceedings, 1996, 433, 257.	0.1	13
416	Stress-induced surface magnetization of (La _{0.7} /Sr _{0.3})MnO ₃ thin films. IEEE Transactions on Magnetics, 1997, 33, 3964-3966.	1.2	13
417	Fe ₃ O ₄ /SrTiO ₃ /La _{0.7} Sr _{0.3} MnO ₃ heterostructure: growth and properties.. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1998, 56, 134-139.	1.7	13
418	Near-field second-harmonic microscopy of thin ferroelectric films. Optics Letters, 2000, 25, 835.	1.7	13
419	Suppression of antiphase domain boundary formation in Ba _{0.5} Sr _{0.5} TiO ₃ films grown on vicinal MgO substrates. Applied Physics Letters, 2004, 85, 2905-2907.	1.5	13
420	Theoretical Predictions for the Intrinsic Converse Longitudinal Piezoelectric Constants of Lead Zirconate Titanate Epitaxial Films. Advanced Engineering Materials, 2005, 7, 229-232.	1.6	13
421	Synthesis and study of magnetic properties of NiFe ₂ O ₄ nanoparticles by PVA assisted auto-combustion method. Journal of Materials Science: Materials in Electronics, 2012, 23, 1011-1015.	1.1	13
422	One pot facile hydrothermal synthesis of superparamagnetic ZnFe ₂ O ₄ nanoparticles and their properties. Journal of Sol-Gel Science and Technology, 2014, 71, 147-151.	1.1	13
423	Microstructure-property correlations in the Bi(Pb)SrCaCuO superconducting system. Journal of Applied Physics, 1989, 66, 1265-1272.	1.1	12
424	A microstructure based magnetization reversal model in sintered FeNdB magnets. II. Effect of post sintering treatments. Journal of Applied Physics, 1990, 68, 5772-5777.	1.1	12
425	Ferroelectric properties and reliability of La-Sr-Co-O/Pb-La-Zr-Ti-O/La-Sr-Co-O heterostructures on silicon for non-volatile memory applications. Integrated Ferroelectrics, 1995, 9, 317-333.	0.3	12
426	Studies of metallic species and oxygen incorporation during sputter-deposition of SrBi ₂ Ta ₂ O ₉ films, using mass spectroscopy of recoiled ions. Applied Physics Letters, 1998, 72, 2529-2531.	1.5	12
427	Mixing of high speed coaxial jets. Experiments in Fluids, 2001, 30, 339-345.	1.1	12
428	Near-field second harmonic imaging of the c/a/c/a polydomain structure of epitaxial PbZrxTi _{1-x} O ₃ thin films. Journal of Microscopy, 2001, 202, 250-254.	0.8	12
429	Electric field control of magnetism: multiferroics and magnetoelectrics. Rivista Del Nuovo Cimento, 2021, 44, 251-289.	2.0	12
430	Structure and composition of the 115 K superconducting phase in the BiCaSrCuO system. Applied Physics Letters, 1988, 53, 520-522.	1.5	11
431	A microstructure based magnetization reversal model in sintered FeNdB magnets. I. Journal of Applied Physics, 1990, 68, 5767-5771.	1.1	11
432	Raman spectra of bismuth cuprate high-T _c superconductors and 3d-metal-substituted phases. Physical Review B, 1991, 43, 418-423.	1.1	11

#	ARTICLE	IF	CITATIONS
433	Laser ablation-deposited PZT thin films for piezoelectric microsensors and microactuators. <i>Integrated Ferroelectrics</i> , 1995, 10, 89-98.	0.3	11
434	Pulsed laser-ablation deposition of thin films of molybdenum silicide and its properties as a conducting barrier for ferroelectric random-access memory technology. <i>Journal of Materials Research</i> , 1999, 14, 940-947.	1.2	11
435	Magnetoelectric complex-oxide heterostructures. <i>Philosophical Magazine Letters</i> , 2007, 87, 155-164.	0.5	11
436	INVESTIGATING ELECTRIC FIELD CONTROL OF MAGNETISM WITH NEUTRON SCATTERING, NONLINEAR OPTICS AND SYNCHROTRON X-RAY SPECTROMICROSCOPY. <i>International Journal of Modern Physics B</i> , 2012, 26, 1230004.	1.0	11
437	Probing single magnon excitations in Sr ₂ IrO ₄ using O <i>i>K</i> -edge resonant inelastic x-ray scattering. <i>Journal of Physics Condensed Matter</i> , 2015, 27, 202202.	0.7	11
438	Recovery of original superconducting properties in ion-irradiated Y ₁ Ba ₂ Cu ₃ O ₇ thin films. <i>Applied Physics Letters</i> , 1990, 57, 2265-2267.	1.5	10
439	Concentration and temperature dependence of electrical resistivity in Zr _{1-x} HoxCo _{2(0.00x+0.1)} intermetallic compounds and their hydrides. <i>Journal of Applied Physics</i> , 1994, 76, 3556-3561.	1.1	10
440	Fatigue and photoresponse of lead zirconate titanate thin film capacitors. <i>Integrated Ferroelectrics</i> , 1995, 6, 289-300.	0.3	10
441	Characterization of epitaxial La _{0.7} Ba _{0.3} MnO ₃ structures using ferromagnetic resonance. <i>Journal of Applied Physics</i> , 1996, 80, 2334-2338.	1.1	10
442	Emerging Multiferroic Memories. , 2014, , 103-166.		10
443	Synthesis of dumbbell shaped ZnO crystals using one-pot hydrothermal method and their characterisations. <i>Materials Letters</i> , 2014, 122, 230-233.	1.3	10
444	Photoelectrochemical properties and photocatalytic degradation of methyl orange dye by different ZnO nanostructures. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 9732-9742.	1.1	10
445	Effect of quench rate on the intrinsic coercivity of iron-rare earth-boron permanent magnets. <i>Acta Metallurgica</i> , 1988, 36, 3137-3147.	2.1	9
446	Buried Metal/III-V Semiconductor Heteroepitaxy: Approaches to Lattice Matching. <i>Materials Research Society Symposia Proceedings</i> , 1990, 198, 153.	0.1	9
447	PrBa ₂ /Cu _{3-y} Nb _y O _{7-z} insulating films for YBa ₂ /Cu ₃ O _{7-y} based high T _c electronics. <i>IEEE Transactions on Magnetics</i> , 1991, 27, 1600-1602.	1.2	9
448	Structure and properties of ferroelectric PbZr0.2Ti0.8O ₃ /YBa ₂ Cu ₃ O ₇ heterostructures. <i>Journal of Electronic Materials</i> , 1992, 21, 513-518.	1.0	9
449	Mechanism(s) for the Suppression of the Switchable Polarization in PZT and BaTiO ₃ . <i>Materials Research Society Symposia Proceedings</i> , 1994, 361, 51.	0.1	9
450	Polydomain formation in epitaxial PbTiO ₃ films. <i>Scripta Materialia</i> , 1998, 39, 1435-1441.	2.6	9

#	ARTICLE	IF	CITATIONS
451	Epitaxial Pb(Zr,Ti)O ₃ Capacitors on Si by Liquid Delivery Metalorganic Chemical Vapor Deposition. Journal of Electroceramics, 2005, 14, 37-44.	0.8	9
452	Simultaneous measurement of the piezoelectric and dielectric response of nanoscale ferroelectric capacitors by an atomic force microscopy based approach. Applied Physics A: Materials Science and Processing, 2006, 84, 67-71.	1.1	9
453	Electronic excitation induced structural and optical modifications in InGaN/GaN quantum well structures grown by MOCVD. Nuclear Instruments & Methods in Physics Research B, 2017, 394, 81-88.	0.6	9
454	Enhanced photocatalytic activity of ZnO hexagonal tube/r-GO composite on degradation of organic aqueous pollutant and study of charge transport properties. Chemosphere, 2022, 291, 132782.	4.2	9
455	On the Origin of the Structural Modulation in the Bi Cuprates As Derived from 3d-Metal Substituted Phases. Materials Research Society Symposia Proceedings, 1989, 156, 317.	0.1	8
456	Pulsed Laser Deposition of High T _c Superconducting thin Films: Present and Future. Materials Research Society Symposia Proceedings, 1990, 191, 129.	0.1	8
457	Interface crystallography and stability in epitaxial metal (NiAl, CoAl)/III-V Semiconductor heterostructures. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1990, 6, 147-157.	1.7	8
458	Polytypoidic structures in high temperature oxide superconductors. Materials Letters, 1990, 9, 357-364.	1.3	8
459	YBa ₂ Cu ₃ O _{7-x} films on flexible, partially stabilized zirconia substrates with fully stabilized zirconia buffer layers. Applied Physics Letters, 1991, 59, 1638-1640.	1.5	8
460	Microstructure of Epitaxial Ferroelectric YBa ₂ Cu ₃ O _{7-x} /Pb _{0.9} La _{0.1} (Zr _{0.2} Ti _{0.8}) _{0.975} O ₃ /YBa ₂ Cu ₃ O _{7-x} Heterostructures on LaAlO ₃ . Journal of the American Ceramic Society, 1993, 76, 3141-3143.	1.9	8
461	A Review of Orientation-Microstructure-Property Relationships for PZT / Metal or Metal-Oxide Layered Heterostructures. Materials Research Society Symposia Proceedings, 1994, 341, 341.	0.1	8
462	Colossal magnetoresistance in La-Y-Ca-Mn-O films. IEEE Transactions on Magnetics, 1996, 32, 4692-4694.	1.2	8
463	Low temperature growth and reliability of ferroelectric memory cell integrated on Si with conducting barrier stack. Journal of Materials Research, 1997, 12, 1589-1594.	1.2	8
464	Orientation dependence of the intrinsic converse longitudinal piezoelectric constant for 0.67Pb(Mg _{1/3} Nb _{2/3})O ₃ -0.33PbTiO ₃ ferroelectric films with a rhombohedral structure. Smart Materials and Structures, 2005, 14, 524-528.	1.8	8
465	Cation ordering in epitaxial lead zirconate titanate films. Applied Physics Letters, 2008, 93, 262903.	1.5	8
466	Bifunctional copper zinc bimetallic tungstate nanoparticles decorated reduced graphene oxide (CuZnWO ₄ /rGO) for high-performance photocatalytic and supercapacitor application. Journal of Materials Science: Materials in Electronics, 2022, 33, 8446-8459.	1.1	8
467	Annealing effect on photocatalytic activity of ZnO nanostructures for organic dye degradation. Journal of Materials Science: Materials in Electronics, 2022, 33, 8868-8879.	1.1	8
468	Investigation on synergistic effect of rGO and carbon quantum dots-embedded ZnO hollow spheres for improved photocatalytic aqueous pollutant removal process. Journal of Materials Science: Materials in Electronics, 2021, 32, 28633-28647.	1.1	8

#	ARTICLE	IF	CITATIONS
469	The extraordinary Hall effect in coherent epitaxial \tilde{I}_{II} , (Mn,Ni)Al thin films on GaAs. <i>Journal of Applied Physics</i> , 1993, 73, 6399-6401.	1.1	7
470	Correlation of large dielectric response with the ordering transitions in $\text{Pr}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$. <i>Physical Review B</i> , 2000, 62, R11961-R11964.	1.1	7
471	A study of vacancy-related defects in $(\text{Pb},\text{La})(\text{Zr},\text{Ti})\text{O}_3$ thin films using positron annihilation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2000, 47, 916-920.	1.7	7
472	Local dielectric measurements of $\text{BaTiO}_3\text{-CoFe}_2\text{O}_4$ nanocomposites through microwave microscopy. <i>Journal of Materials Research</i> , 2007, 22, 1193-1199.	1.2	7
473	Effective thermal boundary resistance from thermal decoupling of magnons and phonons in SrRuO_3 films. <i>Physical Review B</i> , 2010, 82, .	1.3	7
474	Epitaxial strain controlled magnetocrystalline anisotropy in ultrathin FeRh/MgO bilayers. <i>AIP Advances</i> , 2017, 7, 055914.	0.6	7
475	Low Voltage Performance in Lead Based Ferroelectric Thin Film Memory Elements with $(\text{La},\text{Sr})\text{CoO}_3$ Electrodes. , 1997, , 221-241.		7
476	Effect of Dy Additions on Microstructure and Magnetic Properties of Fe-Nd-B Magnets. <i>Materials Research Society Symposia Proceedings</i> , 1987, 96, 203.	0.1	6
477	Improvement in intrinsic coercivity of sintered Fe-Nd-B magnets by the introduction of non-magnetic dispersoids. <i>Acta Metallurgica</i> , 1989, 37, 1421-1431.	2.1	6
478	Lorentz electron microscopy of iron-rare-earth-boron sintered permanent magnets. <i>Journal of Applied Physics</i> , 1990, 67, 6968-6975.	1.1	6
479	A Template Approach to Metal/III-V Semiconductor Epitaxy. <i>Materials Research Society Symposia Proceedings</i> , 1991, 221, 271.	0.1	6
480	Ferroelectric La-Sr-Co-O/Pb-La-Zr-Ti-O/La-Sr-Co-O heterostructures on silicon. <i>Integrated Ferroelectrics</i> , 1994, 5, 145-154.	0.3	6
481	Studies of ferroelectric field effects in $\text{Pt}/\text{Pb}(\text{Zr}_{0.5}/\text{Ti}_{0.5})\text{O}_3/\text{YBa}_2\text{Cu}_3\text{O}_7$ heterostructures. <i>IEEE Transactions on Applied Superconductivity</i> , 1997, 7, 3516-3519.	1.1	6
482	Room Temperature Magnetoresistance at Low Magnetic Fields in $\text{La}_{0.7}\text{Ba}_{0.3}\text{MnO}_3$. , 2000, 4, 167-177.		6
483	High density ferroelectric memories: Materials, processing and scaling. <i>Integrated Ferroelectrics</i> , 2000, 28, 213-225.	0.3	6
484	A simple wet chemical route to synthesize ferromagnetic nickel ferrite nanoparticles in the presence of oleic acid as a surfactant. <i>Journal of Materials Science: Materials in Electronics</i> , 2012, 23, 1041-1044.	1.1	6
485	Electric-field control of magnetism. <i>MRS Bulletin</i> , 2019, 44, 288-294.	1.7	6
486	Optimization of piezoelectric MEMS process on Sr and La co-doped PZT thin films. <i>Journal of Advanced Dielectrics</i> , 2020, 10, 2050010.	1.5	6

#	ARTICLE	IF	CITATIONS
487	Microstructure of Interfaces in YBa ₂ Cu ₃ O _{7-x} Thin Films. , 1994, , 71-115.		6
488	Design and preparation of NiCoS nanostructures on Ni foam for high-performance asymmetric supercapacitor application. Journal of Materials Science: Materials in Electronics, 2022, 33, 9256-9268.	1.1	6
489	Interrelationships between structure and property in magnetic materials. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1989, 3, 435-441.	1.7	5
490	Imprint of ferroelectric PLZT thin-film capacitors with lanthanum strontium cobalt oxide electrodes. , 0, , .		5
491	Positron annihilation studies of vacancy related defects in ceramic and thin film Pb(Zr,Ti)O ₃ materials. Integrated Ferroelectrics, 1995, 8, 121-128.	0.3	5
492	Fabrication and testing of micron-size (Pb,La)(Zr,Ti)O ₃ thin film capacitors. Integrated Ferroelectrics, 1995, 8, 35-44.	0.3	5
493	Lead based ferroelectric capacitors for low voltage non-volatile memory applications. Integrated Ferroelectrics, 1998, 19, 159-177.	0.3	5
494	Studies on freejets from nozzles for high-speed mixing applications. Experiments in Fluids, 2000, 29, 359-368.	1.1	5
495	Electrical transport and magnetic properties of a possible electron-doped layered manganese oxide. Physical Review B, 2000, 61, 4141-4145.	1.1	5
496	Ferroelectric domains in the multiferroic phase of ErMnO ₃ imaged by low-temperature photoemission electron microscopy. Journal of Physics: Conference Series, 2015, 592, 012120.	0.3	5
497	Properties of superconducting YBa ₂ /Cu ₃ O _{7- delta} / time films made at high deposition rates. IEEE Transactions on Magnetics, 1991, 27, 1445-1448.	1.2	4
498	Epitaxial $\ddot{\text{I}}$,MnAl/AlAs/GaAs Heterostructures with Perpendicular Magnetization. Materials Research Society Symposia Proceedings, 1991, 231, 341.	0.1	4
499	Ferromagnetic antiresonance in La _{0.7} Ba _{0.3} MnO ₃ traced out by temperature variation. Journal of Applied Physics, 1997, 81, 5157-5158.	1.1	4
500	Studies of hydrogen-induced degradation processes in Pb(Zr _{1-x} Ti _x)O ₃ (PZT) and SrBi ₂ Ta ₂ O ₉ (SBT) ferroelectric film-based capacitors. Integrated Ferroelectrics, 1999, 27, 147-157.	0.3	4
501	Nanoscale electromechanical phenomena in ferroelectric thin films. Materials Research Society Symposia Proceedings, 2000, 655, 223.	0.1	4
502	Formation of the (La _{0.67} Sr _{0.33}) ₂ MnO ₄ Phase in La _x Mn ₂ O ₅ Thin Films by Pulsed Laser Deposition. Journal of Materials Research, 2000, 15, 1524-1527.	1.2	4
503	Direct observation of domain dynamics in lead zirconate titanate thin films. Integrated Ferroelectrics, 2001, 32, 199-208.	0.3	4
504	Electrical measurements on capacitor sizes in the submicron regime for the characterization of real memory cell capacitors. Integrated Ferroelectrics, 2001, 37, 163-172.	0.3	4

#	ARTICLE	IF	CITATIONS
505	Observation of nearly intrinsic ferromagnetic resonance linewidth in BaFe ₁₂ O ₁₉ films deposited by pulsed laser deposition. <i>IEEE Transactions on Magnetics</i> , 2001, 37, 2377-2379.	1.2	4
506	Epitaxial BiFeO ₃ Multiferroic Thin Film Heterostructures.. <i>ChemInform</i> , 2003, 34, no.	0.1	4
507	Application of an ultrafast photonic technique to study polarization switching dynamics of thin-film ferroelectric capacitors. <i>Journal of Lightwave Technology</i> , 2003, 21, 3282-3291.	2.7	4
508	Correlation between nanoscale and nanosecond resolved ferroelectric domain dynamics and local mechanical compliance. <i>Journal of Applied Physics</i> , 2011, 109, 091607.	1.1	4
509	X-ray diffraction studies of stripelike ferroelectric domains in thin films of BiFeO ₃ . <i>Physical Review B</i> , 2014, 89, .		
510	Effect of TEA on the structural and magnetic properties of ferromagnetic ZnFe ₂ O ₄ nanoparticles. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 547-553.	1.1	4
511	Synthesis of r-GO-incorporated CoWO ₄ nanostructure for high-performance supercapattery applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 9312-9323.	1.1	4
512	acâ€susceptibility studies on Zr _{1-x} HoxCo _{2[0â‰xâ‰1]} system and their hydrides. <i>Journal of Applied Physics</i> , 1995, 77, 2090-2093.	1.1	3
513	Vacancy Related Defects in La _{0.5} Sr _{0.5} CoO ₃ -Î° Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 1997, 474, 229.	0.1	3
514	Nanoscale Investigation of Polarization Retention Loss in Ferroelectric Thin Films VIA Scanning Force Microscopy. <i>Materials Research Society Symposia Proceedings</i> , 1997, 493, 53.	0.1	3
515	Conducting diffusion barriers for integration of ferroelectric capacitors on Si. <i>Integrated Ferroelectrics</i> , 1999, 25, 205-221.	0.3	3
516	Analysis of thin PZT films as a function of depth and thickness by GIXS. <i>Integrated Ferroelectrics</i> , 2000, 29, 127-141.	0.3	3
517	Direct measurements of optical phonons in SrTiO ₃ nanosystems. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2003, 19, 236-239.	1.3	3
518	Structural, surface potential and optical studies of AlGaN based double heterostructures irradiated by 120ÂMeV Si ₉₊ swift heavy ions. <i>Journal of Alloys and Compounds</i> , 2016, 679, 94-103.	2.8	3
519	Nanoscale Domain Dynamics in Ferroelectric Thin Films. , 2004, , 87-109.		3
520	Materials for a Sustainable Microelectronics Future: Electric Field Control of Magnetism with Multiferroics. <i>Journal of the Indian Institute of Science</i> , 2022, 102, 489-511.	0.9	3
521	Electron microscopy of the Pb-Sr-Ca-Er-Cu-O superconductor. <i>Journal of Materials Research</i> , 1990, 5, 251-257.	1.2	2
522	Direct observation of a new cationic vacancy ordered defect structure in laser-deposited superconducting Y _{1-x} Ba _x Cu ₃ O thin films. <i>Materials Letters</i> , 1990, 10, 23-27.	1.3	2

#	ARTICLE	IF	CITATIONS
523	Ferroelectric PbZr0.2Ti0.8O3 thin films on epitaxial Y-Ba-Cu-O. Integrated Ferroelectrics, 1992, 1, 205-212.	0.3	2
524	Reliability studies of polycrystalline La-Sr-Co-O/Pb-La-Zr-Ti-O/La-Sr-Co-O capacitors on silicon. Integrated Ferroelectrics, 1996, 12, 53-62.	0.3	2
525	Defect Identification in $(La, Sr)CoO_3$ Using Positron Annihilation Spectroscopy. Materials Research Society Symposia Proceedings, 1998, 541, 161.	0.1	2
526	Spin-polarized quasiparticle injection into YBCO. IEEE Transactions on Applied Superconductivity, 1999, 9, 3640-3643.	1.1	2
527	Superconducting cuprates and magnetoresistive manganites: similarities and contrasts. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1999, 63, 36-43.	1.7	2
528	Cellular Domain Architecture of Stress-free Epitaxial Ferroelectric Films. Materials Research Society Symposia Proceedings, 2000, 655, 431.	0.1	2
529	Nanoscale Piezoelectric Phenomena in Epitaxial PZT Thin Films. Nanoscience and Technology, 2004, , 163-191.	1.5	2
530	Manganite, Magnetite, and Double- Perovskite Thin Films and Heterostructures. , 2005, , 153-192.		2
531	Pulsed Laser Ablation-Deposition and Characterization of Ferroelectric Metal Oxide Heterostructures. , 1995, , 1-22.		2
532	Pseudocapacitive behavior of coin-like NiO/r-GO nanocomposites as an efficient electrode material for energy storage application. Materials Technology, 2022, 37, 2718-2726.	1.5	2
533	Key issues and challenges in device level fabrication of MEMS acoustic sensors using piezo thin films doped with strontium and lanthanum. Journal of Materials Science: Materials in Electronics, 2022, 33, 11271-11280.	1.1	2
534	Magnetic and magneto-optical properties of $Y_{3}/Fe_{5}O_{12}/Eu_{1}/Bi_{2}Fe_{5}O_{12}$ heterostructures. IEEE Transactions on Magnetics, 1995, 31, 3242-3244.	1.2	1
535	Microstructure Investigations and Structure-Property Correlations in Ferroelectric thin film Capacitors. Materials Research Society Symposia Proceedings, 1997, 493, 171.	0.1	1
536	In-Plane Grain Boundary Effects on the Transport Properties of $La_{0.7}Sr_{0.3}MnO_3$ Thin Films. Materials Research Society Symposia Proceedings, 1997, 494, 257.	0.1	1
537	Response to "Comment on "Ferromagnetism at room temperature in $La_{0.8}Ca_{0.2}MnO_3$ thin films". [Appl. Phys. Lett. 76, 1209 (2000)]. Applied Physics Letters, 2000, 76, 1210-1210.	1.5	1
538	Electric Field Control of Magnetism Using Multiferroic Bismuth Ferrite. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2014, 61, S19-S24.	0.1	1
539	Three-Dimensional Polarization by Means of Scanning HOLZ-CBED Technique. Microscopy and Microanalysis, 2018, 24, 178-179.	0.2	1
540	Field-modulated microwave absorption study of Pb-modified Bi Ca Sr Cu O. Physica C: Superconductivity and Its Applications, 1989, 162-164, 21-22.	0.6	0

#	ARTICLE	IF	CITATIONS
541	Atomic Resolution Electron Microscopy of Bismuth Cuprates. Materials Research Society Symposia Proceedings, 1989, 169, 777.	0.1	0
542	Observation of Structural Defects in Epitaxial Ferroelectric Bismuth Titanate/PrBa ₂ Cu ₃ O ₇ Superconductor thin Film Heterostructures on LaAlO ₃ . Materials Research Society Symposia Proceedings, 1991, 243, 399.	0.1	0
543	Oriented growth in oxide thin film heterostructures. Scripta Metallurgica Et Materialia, 1993, 29, 885-888.	1.0	0
544	Interfaces in Ferroelectric Metal Oxide Heterostructures. Materials Research Society Symposia Proceedings, 1994, 343, 431.	0.1	0
545	Growth of (001) oriented LaSrCoO/PbLaZrTiO/LaSrCoO ferroelectric capacitors on (001) GaAs with a MgO buffer layer. Integrated Ferroelectrics, 1996, 12, 63-69.	0.3	0
546	Stress-Induced Surface Magnetization of La _{0.7} Sr _{0.3} MnO ₃ /MnO ₃ Thin Films. , 0, , .		0
547	Fabrication Of La _{0.7} Sr _{0.3} MnO ₃ /La _{0.5} Sr _{0.5} CoO ₃ /La _{0.7} Sr _{0.3} MnO ₃ Heterostructures for Spin Valve Applications. Materials Research Society Symposia Proceedings, 1997, 494, 243.	0.1	0
548	Photoelectric workfunctions of metals oxide films and emission characteristics of molybdenum emitter tips with oxide coatings. , 0, , .		0
549	An investigation of vacancy-related defects in (Pb,La)(Zr,Ti)O ₃ thin films using positron annihilation. , 0, , .		0
550	Spin reorientation transition due to thickness ratio variation in EuBi ₂ Fe ₅ O ₁₂ /Y ₃ Fe ₅ O ₁₂ multilayer filmsâ€”ferrimagnetic resonance studies. Journal of Applied Physics, 1998, 83, 3750-3753.	1.1	0
551	Studies of Metallic Species Incorporation During Growth of SrBi ₂ Ta ₂ O ₉ Films on YBa ₂ Cu ₃ O _{7-x} Substrates Using Mass Spectroscopy of Recoiled Ions. Materials Research Society Symposia Proceedings, 1998, 541, 281.	0.1	0
552	The Stress State and Domain Structure of Epitaxial PbZr _{0.2} Ti _{0.8} O ₃ Films on (001) SrTiO ₃ with and without La _{0.5} Sr _{0.5} CoO ₃ Electrode Layer. Materials Research Society Symposia Proceedings, 1998, 541, 357.	0.1	0
553	Optical Phase and Amplitude Modulation in (9/65/35) Pb-La-Zr-Ti-O Thin Films. Materials Research Society Symposia Proceedings, 1998, 541, 753.	0.1	0
554	Infrared absorbing oxide electrodes in epitaxial pyroelectric Pb-La-Ti-O heterostructures with controlled domain orientation. Integrated Ferroelectrics, 1999, 25, 135-147.	0.3	0
555	Field Emission Energy Distribution and Current-Voltage Characteristics Using Single Tip Gated Diodes. Materials Research Society Symposia Proceedings, 1999, 558, 85.	0.1	0
556	Oxygen Deficiency and Vacancy Formation in LSCO/PLZT/LSCO Capacitors. Materials Research Society Symposia Proceedings, 1999, 596, 393.	0.1	0
557	Epitaxial PMN-PT Relaxor Thin Films: Dependence of Dielectric and Piezoelectric Properties on Film Thickness. Materials Research Society Symposia Proceedings, 1999, 596, 505.	0.1	0
558	Cation Ordering Structure in La _{0.8} Ca _{0.2} MnO ₃ Thin Films by Pulsed Laser Deposition. Materials Research Society Symposia Proceedings, 1999, 602, 81.	0.1	0

#	ARTICLE	IF	CITATIONS
559	Deposition and Electrical Characterization of Dielectric/Ferromagnetic Heterostructure. Materials Research Society Symposia Proceedings, 1999, 602, 363.	0.1	0
560	Near field Optical second Harmonic Imaging of the Polydomain Structure of Epitaxial PbZrxTi1-xO3 thin films. Materials Research Society Symposia Proceedings, 2000, 655, 437.	0.1	0
561	Interfacial Mismatch and Interface Structure of Epitaxial Pb(Mg1/3Nb2/3)O3 (90%)- PbTiO3 (10%) Relaxor Thin Films. Microscopy and Microanalysis, 2000, 6, 462-463.	0.2	0
562	Growth and Characterization of Self Assembled Palladium Oxide Nanostructures. Materials Research Society Symposia Proceedings, 2001, 666, 511.	0.1	0
563	Oxide Electrodes for Buried-Channel Field Effect Transistors. Materials Research Society Symposia Proceedings, 2001, 666, 541.	0.1	0
564	Ferroelectric Field Effect Device. Materials Research Society Symposia Proceedings, 2002, 747, 1.	0.1	0
565	A Transmission Electron Microscopy Study of Dislocation Substructures in PLD-grown Epitaxial Films of (Ba,Sr)TiO3 on (001) LaAlO3. Materials Research Society Symposia Proceedings, 2003, 784, 271.	0.1	0
566	Nanoscale Phenomena in Ferroelectric Thin Films. , 2005, , 3-29.		0
567	Effective Direct Piezoelectric Constants in Epitaxial Ferroelectric Films as MEMS Sensors. Materials Research Society Symposia Proceedings, 2005, 881, 1.	0.1	0
568	Adsorption-controlled growth of BiFeO3 by MBE and integration with wide band gap semiconductors. , 2008, , .		0
569	Strain tunability of spontaneous polarization and enhanced ferroelectric properties in epitaxial (001) BiFeO3 thin films. , 2008, , .		0
570	The application of ultrafast photonic technique on polarization switching dynamics study of thin film ferroelectric PZT capacitors. , 2003, , .		0
571	Microstructural characterization of Y-Ba-Cu-O laser deposited with high deposition rates on SrTiO3. Proceedings Annual Meeting Electron Microscopy Society of America, 1990, 48, 56-57.	0.0	0
572	Epitaxial ferroelectric thin films. Proceedings Annual Meeting Electron Microscopy Society of America, 1994, 52, 572-573.	0.0	0
573	Preparation of cross section samples of ferrimagnetic iron garnet thin films for EM structural characterization. Proceedings Annual Meeting Electron Microscopy Society of America, 1995, 53, 514-515.	0.0	0
574	Simulation Studies on Packaging of Piezo MEMS Acoustic Sensor for Underwater Applications. , 2021, , .		0
575	Science and Technologyof Complex Correlated Oxides: The Legacy of John Goodenough. Journal of the Electrochemical Society, 0, , .	1.3	0