

Yu-Chung Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10913601/publications.pdf>

Version: 2024-02-01

81
papers

3,233
citations

136950

32
h-index

161849

54
g-index

82
all docs

82
docs citations

82
times ranked

4381
citing authors

#	ARTICLE	IF	CITATIONS
1	Taiwan Society of Colon and Rectal Surgeons (TSCRS) Consensus for Cytoreduction Selection in Metastatic Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 1762-1776.	1.5	7
2	AKT1 internal tandem duplications and point mutations are the genetic hallmarks of sclerosing pneumocytoma. <i>Modern Pathology</i> , 2020, 33, 391-403.	5.5	23
3	Lymphovascular Invasion as the Major Prognostic Factor in Node-Negative Esophageal Cancer After Primary Esophagectomy. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1459-1468.	1.7	19
4	Cellular prion protein transcriptionally regulated by NFIL3 enhances lung cancer cell lamellipodium formation and migration through JNK signaling. <i>Oncogene</i> , 2020, 39, 385-398.	5.9	27
5	Multidisciplinary team discussion results in survival benefit for patients with stage III non-small-cell lung cancer. <i>PLoS ONE</i> , 2020, 15, e0236503.	2.5	25
6	CT-Guided Core Biopsy for Peripheral Sub-solid Pulmonary Nodules to Predict Predominant Histological and Aggressive Subtypes of Lung Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 4405-4412.	1.5	25
7	Lymphadenectomy is Unnecessary for Pure Ground-Glass Opacity Pulmonary Nodules. <i>Journal of Clinical Medicine</i> , 2020, 9, 672.	2.4	15
8	Electromagnetic Navigation-Guided Preoperative Localization of Small Malignant Pulmonary Tumors. <i>Annals of Thoracic Surgery</i> , 2020, 109, 1566-1573.	1.3	15
9	The Prognostic Impact of Extracapsular Lymph Node Involvement in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 3071-3082.	1.5	5
10	Electromagnetic navigation-guided versus computed tomography-guided percutaneous localization of small lung nodules before uniportal video-assisted thoracoscopic surgery: a propensity score-matched analysis. <i>European Journal of Cardio-thoracic Surgery</i> , 2020, 58, i85-i91.	1.4	11
11	The feasibility of electromagnetic navigation-guided percutaneous microcoil localization for thoracoscopic resection of small pulmonary nodules. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 157, e211-e214.	0.8	12
12	Complications after Chest Tube Removal and Reinterventions in Patients with Digital Drainage Systems. <i>Journal of Clinical Medicine</i> , 2019, 8, 2092.	2.4	8
13	Procedure-Specific Risk Prediction for Recurrence in Patients Undergoing Lobectomy or Sublobar Resection for Small (≤ 2 cm) Lung Adenocarcinoma: An International Cohort Analysis. <i>Journal of Thoracic Oncology</i> , 2019, 14, 72-86.	1.1	41
14	Impact of perineural invasion as a histopathological prognostic factor in ypStage II/III oesophageal squamous cell carcinoma. <i>European Journal of Cardio-thoracic Surgery</i> , 2019, 55, 927-933.	1.4	5
15	Glycopyrronium bromide inhibits lung inflammation and small airway remodeling induced by subchronic cigarette smoke exposure in mice. <i>Respiratory Physiology and Neurobiology</i> , 2018, 249, 16-22.	1.6	10
16	Electromagnetic Navigation-Guided One-Stage Dual Localization of Small Pulmonary Nodules. <i>Chest</i> , 2018, 154, 1462-1463.	0.8	4
17	High <i>O</i> -linked <i>N</i> -acetylglucosamine transferase expression predicts poor survival in patients with early stage lung adenocarcinoma. <i>Oncotarget</i> , 2018, 9, 31032-31044.	1.8	14
18	Effect of postoperative systemic therapy on pulmonary adenocarcinoma with unexpected pleural spread detected during thoracotomy or thoracoscopy. <i>Oncotarget</i> , 2018, 9, 5435-5444.	1.8	6

#	ARTICLE	IF	CITATIONS
19	Evaluating PD-L1 status and its correlation with clinical features in surgically resected lung adenocarcinoma patients: Comparison of tissue microarrays and whole tissue section.. Journal of Clinical Oncology, 2018, 36, 8548-8548.	1.6	0
20	“No drain”uniportal thoroscopic resection for posterior mediastinal paravertebral Mullerian cyst. Annals of Translational Medicine, 2018, 6, 462-462.	1.7	2
21	Fucoidan induces Toll-like receptor 4-regulated reactive oxygen species and promotes endoplasmic reticulum stress-mediated apoptosis in lung cancer. Scientific Reports, 2017, 7, 44990.	3.3	71
22	Prognostic Factors in Completely Resected Node-Negative Lung Adenocarcinoma of 3 cm or Smaller. Journal of Thoracic Oncology, 2017, 12, 1824-1833.	1.1	28
23	Prognostic histological factors in patients with esophageal squamous cell carcinoma after preoperative chemoradiation followed by surgery. BMC Cancer, 2017, 17, 62.	2.6	23
24	Generating a robust prediction model for stage I lung adenocarcinoma recurrence after surgical resection. Oncotarget, 2017, 8, 79712-79721.	1.8	3
25	Effect of walking on circadian rhythms and sleep quality of patients with lung cancer: a randomised controlled trial. British Journal of Cancer, 2016, 115, 1304-1312.	6.4	62
26	Thoroscopic Lobectomy Produces Long-Term Survival Similar to That with Open Lobectomy in Cases of Non-Small Cell Lung Carcinoma: A Propensity-Matched Analysis Using a Population-Based Cancer Registry. Journal of Thoracic Oncology, 2016, 11, 1326-1334.	1.1	12
27	Adjuvant Chemotherapy Improves the Probability of Freedom From Recurrence in Patients With Resected Stage IB Lung Adenocarcinoma. Annals of Thoracic Surgery, 2016, 101, 1346-1353.	1.3	41
28	Factors predicting occult lymph node metastasis in completely resected lung adenocarcinoma of 3 cm or smaller. European Journal of Cardio-thoracic Surgery, 2016, 50, 329-336.	1.4	34
29	Adjuvant Therapy for Thymic Carcinoma – A Decade of Experience in a Taiwan National Teaching Hospital. PLoS ONE, 2016, 11, e0146609.	2.5	7
30	Factors predicting organ-specific distant metastasis in patients with completely resected lung adenocarcinoma. Oncotarget, 2016, 7, 58261-58273.	1.8	15
31	The Prognostic Impact of Preoperative and Postoperative Chemoradiation in Clinical Stage II and III Esophageal Squamous Cell Carcinomas. Medicine (United States), 2015, 94, e1002.	1.0	13
32	Prognostic Factors of Survival after Recurrence in Patients with Resected Lung Adenocarcinoma. Journal of Thoracic Oncology, 2015, 10, 1328-1336.	1.1	35
33	Percutaneous cryoablation for inoperable malignant lung tumors: Midterm results. Cryobiology, 2015, 70, 60-65.	0.7	13
34	Discovery of prognostic biomarkers for predicting lung cancer metastasis using microarray and survival data. BMC Bioinformatics, 2015, 16, 54.	2.6	21
35	Method Designed to Respect Molecular Heterogeneity Can Profoundly Correct Present Data Interpretations for Genome-Wide Expression Analysis. PLoS ONE, 2015, 10, e0121154.	2.5	2
36	Learning Thoroscopic Lobectomy in Resident Training. Thoracic and Cardiovascular Surgeon, 2014, 62, 690-695.	1.0	10

#	ARTICLE	IF	CITATIONS
37	Predictive Value of the International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society Classification of Lung Adenocarcinoma in Tumor Recurrence and Patient Survival. <i>Journal of Clinical Oncology</i> , 2014, 32, 2357-2364.	1.6	228
38	Interleukin-17A Modulates Circulating Tumor Cells in Tumor Draining Vein of Colorectal Cancers and Affects Metastases. <i>Clinical Cancer Research</i> , 2014, 20, 2885-2897.	7.0	49
39	Loss of CRNN expression is associated with advanced tumor stage and poor survival in patients with esophageal squamous cell carcinoma. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 147, 1612-1618.e4.	0.8	14
40	Survival Benefits of Postoperative Chemoradiation for Lymph Node-Positive Esophageal Squamous Cell Carcinoma. <i>Annals of Thoracic Surgery</i> , 2014, 97, 1734-1741.	1.3	58
41	Open Versus Thoracoscopic Esophagectomy in Patients with Esophageal Squamous Cell Carcinoma. <i>World Journal of Surgery</i> , 2014, 38, 402-409.	1.6	38
42	Role of right upper mediastinal lymph node metastasis in patients with esophageal squamous cell carcinoma after tri-incisional esophagectomies. <i>Surgery</i> , 2014, 156, 1269-1277.	1.9	16
43	TPX2 expression is associated with cell proliferation and patient outcome in esophageal squamous cell carcinoma. <i>Journal of Gastroenterology</i> , 2014, 49, 1231-1240.	5.1	48
44	An Octogenarian With Dysphagia and Weight Loss. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, A27-A28.	4.4	1
45	Fucoidan inhibition of lung cancer <i>in vivo</i> and <i>in vitro</i> : role of the Smurf2-dependent ubiquitin proteasome pathway in TGF β 2 receptor degradation. <i>Oncotarget</i> , 2014, 5, 7870-7885.	1.8	79
46	The development of complete personalized treatment plans for colon cancer patients utilizing three gene prediction models.. <i>Journal of Clinical Oncology</i> , 2014, 32, e14553-e14553.	1.6	0
47	The Prognostic Value of the Number of Negative Lymph Nodes in Esophageal Cancer Patients After Trans thoracic Resection. <i>Annals of Thoracic Surgery</i> , 2013, 96, 995-1001.	1.3	49
48	Surgical Results of Synchronous Multiple Primary Lung Cancers: Similar to the Stage-Matched Solitary Primary Lung Cancers?. <i>Annals of Thoracic Surgery</i> , 2013, 96, 1966-1974.	1.3	89
49	Bile acids increase alveolar epithelial permeability via mitogen-activated protein kinase, cytosolic phospholipase A ₂ , cyclooxygenase-2, prostaglandin E ₂ and junctional proteins. <i>Respirology</i> , 2013, 18, 848-856.	2.3	22
50	Gorham's Disease complicated with bilateral chylothorax and successfully treated with Interferon- α 2a. <i>Thoracic Cancer</i> , 2013, 4, 207-211.	1.9	2
51	Comparison of survival among neoadjuvant chemoradiation responders, non-responders and patients receiving primary resection for locally advanced oesophageal squamous cell carcinoma: does neoadjuvant chemoradiation benefit all?. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2013, 17, 460-466.	1.1	19
52	Prognostic Value of the New International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society Lung Adenocarcinoma Classification on Death and Recurrence in Completely Resected Stage I Lung Adenocarcinoma. <i>Annals of Surgery</i> , 2013, 258, 1079-1086.	4.2	175
53	Stromal invasion and micropapillary pattern in 212 consecutive surgically resected stage I lung adenocarcinomas: histopathological categories for prognosis prediction. <i>Journal of Clinical Pathology</i> , 2012, 65, 910-918.	2.0	30
54	Predictors of Death, Local Recurrence, and Distant Metastasis in Completely Resected Pathological Stage-I Non-Small-Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2012, 7, 1115-1123.	1.1	102

#	ARTICLE	IF	CITATIONS
55	Prognostic Significance of the Extent of Visceral Pleural Invasion in Completely Resected Node-Negative Non-small Cell Lung Cancer. <i>Chest</i> , 2012, 142, 141-150.	0.8	36
56	Time Trends of Overall Survival and Survival after Recurrence in Completely Resected Stage I Non-small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2012, 7, 397-405.	1.1	27
57	Protein arginine methyltransferase 5 is a potential oncoprotein that upregulates <sc>G</sc>1 cyclins/cyclinâ€dependent kinases and the phosphoinositide 3â€kinase/<sc>AKT</sc> signaling cascade. <i>Cancer Science</i> , 2012, 103, 1640-1650.	3.9	166
58	Followâ€up after primary treatment of soft tissue sarcoma of extremities: Impact of frequency of followâ€up imaging on diseaseâ€specific survival. <i>Journal of Surgical Oncology</i> , 2012, 106, 155-161.	1.7	25
59	Matrix metalloprotease-9 induces transforming growth factor-Î²1 production in airway epithelium via activation of epidermal growth factor receptors. <i>Life Sciences</i> , 2011, 89, 204-212.	4.3	34
60	The roles of transforming growth factor-Î²1 and vascular endothelial growth factor in the tracheal granulation formation. <i>Pulmonary Pharmacology and Therapeutics</i> , 2011, 24, 23-31.	2.6	23
61	Preoperative Positron Emission Tomography/Computed Tomography Predicts Advanced Lymph Node Metastasis in Esophageal Squamous Cell Carcinoma Patients. <i>World Journal of Surgery</i> , 2011, 35, 1321-1326.	1.6	20
62	Prognostic Factors for Post-recurrence Survival in Esophageal Squamous Cell Carcinoma Patients with Recurrence after Resection. <i>Journal of Gastrointestinal Surgery</i> , 2011, 15, 558-565.	1.7	79
63	The total number of resected lymph node is not a prognostic factor for recurrence in esophageal squamous cell carcinoma patients undergone transthoracic esophagectomy. <i>Journal of Surgical Oncology</i> , 2011, 103, 416-420.	1.7	11
64	Brain, the last fortress of sarcoma: Similar dismal outcome but discrepancy of timing of brain metastasis in bone and soft tissue sarcoma. <i>Journal of Surgical Oncology</i> , 2011, 104, 765-770.	1.7	25
65	Co-Overexpression of Cyclooxygenase-2 and Microsomal Prostaglandin E Synthase-1 Adversely Affects the Postoperative Survival in Non-small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2010, 5, 1167-1174.	1.1	23
66	Soft Tissue Sarcoma of Extremities: The Prognostic Significance of Adequate Surgical Margins in Primary Operation and Reoperation After Recurrence. <i>Annals of Surgical Oncology</i> , 2010, 17, 2102-2111.	1.5	81
67	Comparison of the 6th and 7th Editions of the American Joint Committee on Cancer Tumor-Node-Metastasis Staging System in Patients With Resected Esophageal Carcinoma. <i>Annals of Thoracic Surgery</i> , 2010, 89, 1024-1031.	1.3	104
68	Prognostic factors of postrecurrence survival in completely resected stage I non-small cell lung cancer with distant metastasis. <i>Thorax</i> , 2010, 65, 241-245.	5.6	69
69	The Metastatic Lymph Node Number and Ratio Are Independent Prognostic Factors in Esophageal Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2009, 13, 1913-1920.	1.7	67
70	Prognostic Variables in Thoracic Esophageal Squamous Cell Carcinoma. <i>Annals of Thoracic Surgery</i> , 2009, 87, 1056-1065.	1.3	68
71	Positron Emission Tomographyâ€Computed Tomography in Predicting Locoregional Invasion in Esophageal Squamous Cell Carcinoma. <i>Annals of Thoracic Surgery</i> , 2009, 87, 1564-1568.	1.3	45
72	Bile Acid Aspiration in Suspected Ventilator-Associated Pneumonia. <i>Chest</i> , 2009, 136, 118-124.	0.8	41

#	ARTICLE	IF	CITATIONS
73	Bile acids induce CCN2 production through p38 MAP kinase activation in human bronchial epithelial cells: A factor contributing to airway fibrosis. <i>Respirology</i> , 2008, 13, 983-989.	2.3	14
74	Exposure of Airway Epithelium to Bile Acids Associated With Gastroesophageal Reflux Symptoms. <i>Chest</i> , 2007, 132, 1548-1556.	0.8	93
75	Prognostic factors in resected stage I non-small cell lung cancer with a diameter of 3 cm or less: Visceral pleural invasion did not influence overall and disease-free survival. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007, 134, 638-643.	0.8	39
76	Leukotriene C ₄ Induces TGF- β ₁ Production in Airway Epithelium via p38 Kinase Pathway. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2006, 34, 101-107.	2.9	70
77	Long-term results of pathological stage I non-small cell lung cancer: validation of using the number of totally removed lymph nodes as a staging control. <i>European Journal of Cardio-thoracic Surgery</i> , 2003, 24, 994-1001.	1.4	71
78	Neutrophil elastase stimulates human airway epithelial cells to produce PGE ₂ through activation of p44/42 MAPK and upregulation of cyclooxygenase-2. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2003, 285, L925-L930.	2.9	22
79	Primary thymic carcinoma. <i>Annals of Thoracic Surgery</i> , 2002, 73, 1076-1081.	1.3	111
80	Duodenal reflux induces cyclooxygenase-2 in the esophageal mucosa of rats: Evidence for involvement of bile acids. <i>Gastroenterology</i> , 2001, 121, 1391-1399.	1.3	134
81	Management of Primary Chest wall Tuberculosis. <i>Scandinavian Journal of Thoracic and Cardiovascular Surgery</i> , 1995, 29, 119-123.	0.2	49