

Ellen T Chang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10922949/publications.pdf>

Version: 2024-02-01

115
papers

8,392
citations

47006

47
h-index

46799

89
g-index

118
all docs

118
docs citations

118
times ranked

11252
citing authors

#	ARTICLE	IF	CITATIONS
1	The Enigmatic Epidemiology of Nasopharyngeal Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1765-1777.	2.5	1,092
2	Lung Cancer Incidence in Never Smokers. <i>Journal of Clinical Oncology</i> , 2007, 25, 472-478.	1.6	498
3	Autoimmune and Chronic Inflammatory Disorders and Risk of Non-Hodgkin Lymphoma by Subtype. <i>Journal of the National Cancer Institute</i> , 2006, 98, 51-60.	6.3	361
4	The non-Hodgkin lymphomas: A review of the epidemiologic literature. <i>International Journal of Cancer</i> , 2007, 120, 1-39.	5.1	359
5	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	2.1	265
6	Why we should routinely screen Asian American adults for hepatitis B: A cross-sectional study of Asians in California. <i>Hepatology</i> , 2007, 46, 1034-1040.	7.3	226
7	Immunological Quantitation and Localization of ACAT-1 and ACAT-2 in Human Liver and Small Intestine. <i>Journal of Biological Chemistry</i> , 2000, 275, 28083-28092.	3.4	195
8	Enigmatic sex disparities in cancer incidence. <i>European Journal of Epidemiology</i> , 2012, 27, 187-196.	5.7	182
9	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	21.4	179
10	A genome-wide association study of Hodgkin's lymphoma identifies new susceptibility loci at 2p16.1 (REL), 8q24.21 and 10p14 (GATA3). <i>Nature Genetics</i> , 2010, 42, 1126-1130.	21.4	177
11	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , 2010, 42, 661-664.	21.4	152
12	Infectious Mononucleosis, Childhood Social Environment, and Risk of Hodgkin Lymphoma. <i>Cancer Research</i> , 2007, 67, 2382-2388.	0.9	146
13	Alcohol consumption and risk of non-Hodgkin lymphoma: a pooled analysis. <i>Lancet Oncology</i> , The, 2005, 6, 469-476.	10.7	137
14	Genome sequencing analysis identifies Epstein-Barr virus subtypes associated with high risk of nasopharyngeal carcinoma. <i>Nature Genetics</i> , 2019, 51, 1131-1136.	21.4	133
15	A critical review of perfluorooctanoate and perfluorooctanesulfonate exposure and cancer risk in humans. <i>Critical Reviews in Toxicology</i> , 2014, 44, 1-81.	3.9	132
16	A critical review of perfluorooctanoate and perfluorooctanesulfonate exposure and immunological health conditions in humans. <i>Critical Reviews in Toxicology</i> , 2016, 46, 279-331.	3.9	127
17	Dietary Phytoestrogen, Serum Enterolactone and Risk of Prostate Cancer: The Cancer Prostate Sweden Study (Sweden). <i>Cancer Causes and Control</i> , 2006, 17, 169-180.	1.8	121
18	Family History of Hematopoietic Malignancy and Risk of Lymphoma. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1466-1474.	6.3	120

#	ARTICLE	IF	CITATIONS
19	Recombinant Acyl-CoA:cholesterol Acyltransferase-1 (ACAT-1) Purified to Essential Homogeneity Utilizes Cholesterol in Mixed Micelles or in Vesicles in a Highly Cooperative Manner. <i>Journal of Biological Chemistry</i> , 1998, 273, 35132-35141.	3.4	119
20	Reliability of Self-Reported Family History of Cancer in a Large Case-Control Study of Lymphoma. <i>Journal of the National Cancer Institute</i> , 2006, 98, 61-68.	6.3	114
21	Low-level arsenic exposure and developmental neurotoxicity in children: A systematic review and risk assessment. <i>Toxicology</i> , 2015, 337, 91-107.	4.2	107
22	HLA-A alleles and infectious mononucleosis suggest a critical role for cytotoxic T-cell response in EBV-related Hodgkin lymphoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 6400-6405.	7.1	102
23	Diet and Risk of Ovarian Cancer in the California Teachers Study Cohort. <i>American Journal of Epidemiology</i> , 2007, 165, 802-813.	3.4	96
24	Association of frequent consumption of fatty fish with prostate cancer risk is modified by COX2 polymorphism. <i>International Journal of Cancer</i> , 2007, 120, 398-405.	5.1	96
25	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	12.8	94
26	GWAS of Follicular Lymphoma Reveals Allelic Heterogeneity at 6p21.32 and Suggests Shared Genetic Susceptibility with Diffuse Large B-cell Lymphoma. <i>PLoS Genetics</i> , 2011, 7, e1001378.	3.5	93
27	Dietary Factors and Risk of Non-Hodgkin Lymphoma in Men and Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 512-520.	2.5	88
28	Disparities in Liver Cancer Incidence by Nativity, Acculturation, and Socioeconomic Status in California Hispanics and Asians. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3106-3118.	2.5	84
29	<i>Borrelia</i> infection and risk of non-Hodgkin lymphoma. <i>Blood</i> , 2008, 111, 5524-5529.	1.4	80
30	Lymphoid Malignancies in U.S. Asians: Incidence Rate Differences by Birthplace and Acculturation. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1064-1077.	2.5	77
31	Aspirin and the Risk of Hodgkin's Lymphoma in a Population-Based Case-Control Study. <i>Journal of the National Cancer Institute</i> , 2004, 96, 305-315.	6.3	76
32	Hepatitis B and liver cancer knowledge and preventive practices among Asian Americans in the San Francisco Bay Area, California. <i>Asian Pacific Journal of Cancer Prevention</i> , 2007, 8, 127-34.	1.2	72
33	Dietary intake of phytoestrogens, estrogen receptor-beta polymorphisms and the risk of prostate cancer. <i>Prostate</i> , 2006, 66, 1512-1520.	2.3	69
34	Adulthood residential ultraviolet radiation, sun sensitivity, dietary vitamin D, and risk of lymphoid malignancies in the California Teachers Study. <i>Blood</i> , 2011, 118, 1591-1599.	1.4	69
35	Active and Passive Smoking and Risk of Nasopharyngeal Carcinoma: A Population-Based Case-Control Study in Southern China. <i>American Journal of Epidemiology</i> , 2017, 185, 1272-1280.	3.4	68
36	Body Mass Index and Risk of Malignant Lymphoma in Scandinavian Men and Women. <i>Journal of the National Cancer Institute</i> , 2005, 97, 210-218.	6.3	63

#	ARTICLE	IF	CITATIONS
37	Dose-response for assessing the cancer risk of inorganic arsenic in drinking water: the scientific basis for use of a threshold approach. <i>Critical Reviews in Toxicology</i> , 2019, 49, 36-84.	3.9	63
38	The Jade Ribbon Campaign: A Model Program for Community Outreach and Education to Prevent Liver Cancer in Asian Americans. <i>Journal of Immigrant and Minority Health</i> , 2009, 11, 281-290.	1.6	61
39	Atopy and Risk of Non-Hodgkin Lymphoma. <i>Journal of the National Cancer Institute</i> , 2007, 99, 158-166.	6.3	60
40	Serum YKL-40 and Interleukin 6 Levels in Hodgkin Lymphoma. <i>Clinical Cancer Research</i> , 2008, 14, 6974-6978.	7.0	58
41	The burden of liver cancer in Asians and Pacific Islanders in the Greater San Francisco Bay Area, 1990 through 2004. <i>Cancer</i> , 2007, 109, 2100-2108.	4.1	57
42	Racial/ethnic variation in EBV-positive classical Hodgkin lymphoma in California populations. <i>International Journal of Cancer</i> , 2008, 123, 1499-1507.	5.1	57
43	San Francisco Hep B Free: A Grassroots Community Coalition to Prevent Hepatitis B and Liver Cancer. <i>Journal of Community Health</i> , 2011, 36, 538-551.	3.8	57
44	Heterogeneity of Risk Factors and Antibody Profiles in Epstein-Barr Virus Genome-Positive and -Negative Hodgkin Lymphoma. <i>Journal of Infectious Diseases</i> , 2004, 189, 2271-2281.	4.0	54
45	Quantification of familial risk of nasopharyngeal carcinoma in a high-incidence area. <i>Cancer</i> , 2017, 123, 2716-2725.	4.1	54
46	Body Size, Recreational Physical Activity, and B-Cell Non-Hodgkin Lymphoma Risk Among Women in the California Teachers Study. <i>American Journal of Epidemiology</i> , 2009, 170, 1231-1240.	3.4	52
47	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Peripheral T-Cell Lymphomas: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 66-75.	2.1	52
48	Systematic review and meta-analysis of glyphosate exposure and risk of lymphohematopoietic cancers. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2016, 51, 402-434.	1.5	51
49	Nutrient Intake and Risk of Non-Hodgkin's Lymphoma. <i>American Journal of Epidemiology</i> , 2006, 164, 1222-1232.	3.4	50
50	Past recreational physical activity, body size, and all-cause mortality following breast cancer diagnosis: results from the breast cancer family registry. <i>Breast Cancer Research and Treatment</i> , 2010, 123, 531-542.	2.5	50
51	Head and neck cancer-specific survival based on socioeconomic status in Asians and Pacific Islanders. <i>Cancer</i> , 2011, 117, 1935-1945.	4.1	49
52	Wine and other alcohol consumption and risk of ovarian cancer in the California Teachers Study cohort. <i>Cancer Causes and Control</i> , 2007, 18, 91-103.	1.8	46
53	Oral Hygiene and Risk of Nasopharyngeal Carcinoma: A Population-Based Case-Control Study in China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1201-1207.	2.5	46
54	Epidemiology of Non-small Cell Lung Cancer in Asian Americans: Incidence Patterns Among Six Subgroups by Nativity. <i>Journal of Thoracic Oncology</i> , 2008, 3, 1391-1397.	1.1	45

#	ARTICLE	IF	CITATIONS
55	Disparities in survival after Hodgkin lymphoma: a population-based study. <i>Cancer Causes and Control</i> , 2009, 20, 1881-1892.	1.8	44
56	Medication Use and Risk of Non-Hodgkin's Lymphoma. <i>American Journal of Epidemiology</i> , 2005, 162, 965-974.	3.4	42
57	Genetic variation in chromosomal translocation breakpoint and immune function genes and risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2010, 21, 759-769.	1.8	42
58	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Mycosis Fungoides and Sezary Syndrome: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 98-105.	2.1	42
59	Sunlight exposure, vitamin D, and risk of non-Hodgkin lymphoma in the Nursesâ€™ Health Study. <i>Cancer Causes and Control</i> , 2011, 22, 1731-1741.	1.8	39
60	An Assessment of the Cox Proportional Hazards Regression Model for Epidemiologic Studies. <i>Risk Analysis</i> , 2018, 38, 777-794.	2.7	38
61	3 For Life: A Model Pilot Program to Prevent Hepatitis B Virus Infection and Liver Cancer in Asian and Pacific Islander Americans. <i>American Journal of Health Promotion</i> , 2009, 23, 176-181.	1.7	36
62	Long-term survival in young and middle-aged Hodgkin lymphoma patients in Sweden 1992-2009: trends in cure proportions by clinical characteristics. <i>American Journal of Hematology</i> , 2015, 90, 1128-1134.	4.1	36
63	A critical review of the epidemiology of Agent Orange/TCDD and prostate cancer. <i>European Journal of Epidemiology</i> , 2014, 29, 667-723.	5.7	34
64	Childhood social environment and Hodgkin's lymphoma: new findings from a population-based case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1361-70.	2.5	34
65	Prediagnosis Reproductive Factors and All-Cause Mortality for Women with Breast Cancer in the Breast Cancer Family Registry. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1792-1797.	2.5	32
66	Polymorphic Variation in NFKB1 and Other Aspirin-Related Genes and Risk of Hodgkin Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 976-986.	2.5	32
67	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Sporadic Burkitt Lymphoma/Leukemia: The Interlymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 106-114.	2.1	32
68	Body Size, Physical Activity, and Risk of Hodgkin's Lymphoma in Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1095-1101.	2.5	30
69	Cigarette Smoking and Risk of Hodgkin Lymphoma: A Population-Based Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1561-1566.	2.5	30
70	Exposure to UV radiation and risk of Hodgkin lymphoma: a pooled analysis. <i>Blood</i> , 2013, 122, 3492-3499.	1.4	30
71	Diesel Engine Exhaust and Lung Cancer Mortality: Time-Related Factors in Exposure and Risk. <i>Risk Analysis</i> , 2015, 35, 663-675.	2.7	29
72	Dietary Patterns and Risk of Ovarian Cancer in the California Teachers Study Cohort. <i>Nutrition and Cancer</i> , 2008, 60, 285-291.	2.0	27

#	ARTICLE	IF	CITATIONS
73	Alcohol drinking and risk of localized versus advanced and sporadic versus familial prostate cancer in Sweden. <i>Cancer Causes and Control</i> , 2005, 16, 275-284.	1.8	26
74	Alcohol Consumption Over Time and Risk of Lymphoid Malignancies in the California Teachers Study Cohort. <i>American Journal of Epidemiology</i> , 2010, 172, 1373-1383.	3.4	25
75	Autoimmune and Atopic Disorders and Risk of Classical Hodgkin Lymphoma. <i>American Journal of Epidemiology</i> , 2015, 182, 624-632.	3.4	25
76	Past and Recent Salted Fish and Preserved Food Intakes Are Weakly Associated with Nasopharyngeal Carcinoma Risk in Adults in Southern China. <i>Journal of Nutrition</i> , 2019, 149, 1596-1605.	2.9	25
77	Body size and the risk of ovarian cancer by hormone therapy use in the California Teachers Study cohort. <i>Cancer Causes and Control</i> , 2010, 21, 2241-2248.	1.8	24
78	A comprehensive risk score for effective risk stratification and screening of nasopharyngeal carcinoma. <i>Nature Communications</i> , 2021, 12, 5189.	12.8	24
79	Alcohol intake and risk of non-Hodgkin lymphoma in men and women. <i>Cancer Causes and Control</i> , 2004, 15, 1067-1076.	1.8	22
80	Aspirin and Other Nonsteroidal Anti-inflammatory Drugs in Relation to Hodgkin Lymphoma Risk in Northern Denmark. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 59-64.	2.5	22
81	Medical training fails to prepare providers to care for patients with chronic hepatitis B infection. <i>World Journal of Gastroenterology</i> , 2015, 21, 6914-6923.	3.3	22
82	Childhood Social Environment and Risk of Non-Hodgkin Lymphoma in Adults. <i>Cancer Research</i> , 2007, 67, 11074-11082.	0.9	21
83	Family history of breast cancer and all-cause mortality after breast cancer diagnosis in the Breast Cancer Family Registry. <i>Breast Cancer Research and Treatment</i> , 2009, 117, 167-176.	2.5	20
84	Time Trends in Rates of Hodgkin Lymphoma Histologic Subtypes: True Incidence Changes or Evolving Diagnostic Practice?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1474-1488.	2.5	20
85	Medical History, Medication Use, and Risk of Nasopharyngeal Carcinoma. <i>American Journal of Epidemiology</i> , 2018, 187, 2117-2125.	3.4	20
86	Lifestyle factors, autoimmune disease and family history in prognosis of non-Hodgkin lymphoma overall and subtypes. <i>International Journal of Cancer</i> , 2013, 132, 2659-2666.	5.1	18
87	Number of siblings and risk of Hodgkin's lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1236-43.	2.5	18
88	Allergy-associated symptoms in relation to childhood non-Hodgkin lymphomas as contrasted to Hodgkin lymphomas: A case-control study in Greece and meta-analysis. <i>European Journal of Cancer</i> , 2012, 48, 1860-1866.	2.8	17
89	Dietary Pattern and Risk of Hodgkin Lymphoma in a Population-Based Case-Control Study. <i>American Journal of Epidemiology</i> , 2015, 182, 405-416.	3.4	17
90	RE: "TEN LARGEST RACIAL AND ETHNIC HEALTH DISPARITIES IN THE UNITED STATES BASED ON HEALTHY PEOPLE 2010 OBJECTIVES". <i>American Journal of Epidemiology</i> , 2007, 166, 1105-1106.	3.4	16

#	ARTICLE	IF	CITATIONS
91	Vitamin D Receptor Genotypes, Ultraviolet Radiation Exposure, and Risk of Non-Hodgkin Lymphoma. <i>American Journal of Epidemiology</i> , 2011, 173, 48-54.	3.4	16
92	A critical review of the epidemiology of Agent Orange or 2,3,7,8-tetrachlorodibenzo-p-dioxin and lymphoid malignancies. <i>Annals of Epidemiology</i> , 2015, 25, 275-292.e30.	1.9	15
93	Body mass index, body shape, and risk of nasopharyngeal carcinoma: A population-based case-control study in Southern China. <i>Cancer Medicine</i> , 2019, 8, 1835-1844.	2.8	15
94	Evaluation of the antibody response to the EBV proteome in EBV-associated classical Hodgkin lymphoma. <i>International Journal of Cancer</i> , 2020, 147, 608-618.	5.1	15
95	Seasonal variation in the diagnosis of Hodgkin lymphoma in Sweden. <i>International Journal of Cancer</i> , 2005, 115, 127-130.	5.1	14
96	Hodgkin lymphoma incidence in ethnic enclaves in California. <i>Leukemia and Lymphoma</i> , 2015, 56, 3270-3280.	1.3	14
97	Smoking, air pollution, and lung cancer risk in the Nurses' Health Study cohort: time-dependent confounding and effect modification. <i>Critical Reviews in Toxicology</i> , 2020, 50, 189-200.	3.9	14
98	Nutrients and Genetic Variation Involved in One-Carbon Metabolism and Hodgkin Lymphoma Risk: A Population-based Case-Control Study. <i>American Journal of Epidemiology</i> , 2011, 174, 816-827.	3.4	13
99	Body size and risk of Hodgkin's lymphoma by age and gender: a population-based case-control study in Connecticut and Massachusetts. <i>Cancer Causes and Control</i> , 2013, 24, 287-295.	1.8	13
100	Increased healthcare use up to 10 years among relapse-free Hodgkin lymphoma survivors in the era of intensified chemotherapy and limited radiotherapy. <i>American Journal of Hematology</i> , 2017, 92, 251-258.	4.1	13
101	Essential concepts for interpreting the dose-response of low-level arsenic exposure in epidemiological studies. <i>Toxicology</i> , 2021, 457, 152801.	4.2	12
102	Anthropometric, behavioral, and female reproductive factors and risk of multiple myeloma: a pooled analysis. <i>Cancer Causes and Control</i> , 2013, 24, 1279-1289.	1.8	11
103	Low Levels of Knowledge and Preventive Practices Regarding Vertical Hepatitis B Transmission among Perinatal Nurses. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2012, 41, 494-505.	0.5	10
104	Sex- and Kindred-Specific Familial Risk of Non-Hodgkin's Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2496-2499.	2.5	9
105	Subtype of dietary fat in relation to risk of Hodgkin lymphoma: a population-based case-control study in Connecticut and Massachusetts. <i>Cancer Causes and Control</i> , 2013, 24, 485-494.	1.8	8
106	Reproductive history and risk of nasopharyngeal carcinoma: A population-based case-control study in southern China. <i>Oral Oncology</i> , 2019, 88, 102-108.	1.5	8
107	Environmental Factors for Epstein-Barr Virus Reactivation in a High-Risk Area of Nasopharyngeal Carcinoma: A Population-Based Study. <i>Open Forum Infectious Diseases</i> , 2022, 9, ofac128.	0.9	8
108	Higher incidence of head and neck cancers among Vietnamese American men in California. <i>Head and Neck</i> , 2010, 32, 1336-1344.	2.0	7

#	ARTICLE	IF	CITATIONS
109	Management of hepatitis B infected pregnant women: a cross-sectional study of obstetricians. BMC Pregnancy and Childbirth, 2019, 19, 275.	2.4	6
110	Understanding the validity of self-reported positive family history of lymphoma in extended families to facilitate genetic epidemiology and clinical practice. Leukemia and Lymphoma, 2007, 48, 1110-1118.	1.3	5
111	A model program for hepatitis B vaccination and education of schoolchildren in rural China. International Journal of Public Health, 2012, 57, 581-588.	2.3	5
112	Intake of Alcohol and Tea and Risk of Nasopharyngeal Carcinoma: A Population-Based Caseâ€“Control Study in Southern China. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 545-553.	2.5	5
113	RE: â€œDIESEL EXHAUST AND LUNG CANCERâ€”AFTERMATH OF BECOMING AN IARC GROUP 1 CARCINOGENâ€”, American Journal of Epidemiology, 2019, 188, 489-491.	3.4	2
114	Making sense of seasonal fluctuations in lymphoma diagnosis. Leukemia and Lymphoma, 2007, 48, 223-224.	1.3	0
115	FIVE AUTHORS REPLY. American Journal of Epidemiology, 2018, 187, 399-399.	3.4	0