
## **Constanze Jonak**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10924025/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The optimal use of chlormethine gel for mycosis fungoides: An expert consensus from Germany, Austria and Switzerland (DACH region). JDDG - Journal of the German Society of Dermatology, 2022, 20, 579-586.	0.8	7
2	Persistence of mature dendritic cells, T <sub>H</sub> 2A, and Tc2 cells characterize clinically resolved atopic dermatitis under IL-4Rα blockade. Science Immunology, 2021, 6, .	11.9	76
3	Spontaneously Resolved Atopic Dermatitis Shows Melanocyte and Immune Cell Activation Distinct From Healthy Control Skin. Frontiers in Immunology, 2021, 12, 630892.	4.8	21
4	Effectiveness and clinical predictors of drug survival in psoriasis patients receiving apremilast: A registry analysis. JAAD International, 2021, 2, 62-75.	2.2	13
5	Single-Cell RNA Sequencing Reveals Tissue Compartment-Specific Plasticity of Mycosis Fungoides Tumor Cells. Frontiers in Immunology, 2021, 12, 666935.	4.8	27
6	Single-cell RNA sequencing reveals markers of disease progression in primary cutaneous T-cell lymphoma. Molecular Cancer, 2021, 20, 124.	19.2	24
7	Mycosis fungoides und Sézaryâ€ <del>S</del> yndrom. JDDG - Journal of the German Society of Dermatology, 2021, 19, 1307-1335.	0.8	2
8	Mycosis fungoides and Sézary syndrome. JDDG - Journal of the German Society of Dermatology, 2021, 19, 1307-1334.	0.8	2
9	Phase II trial of atezolizumab (anti-PD-L1) in the treatment of stage IIb–IVB mycosis fungoides/Sézary syndrome patients relapsed/refractory after a previous systemic treatment (PARCT). European Journal of Cancer, 2021, 156, S22-S23.	2.8	3
10	Blood will tell: profiling Sézary syndrome. Blood, 2021, 138, 2450-2451.	1.4	0
11	Recent advances in understanding and managing cutaneous T-cell lymphomas. F1000Research, 2020, 9, 331.	1.6	18
12	Health-related Quality of Life in Cutaneous Lymphomas: Past, Present and Future. Acta Dermato-Venereologica, 2019, 99, 640-646.	1.3	26
13	Brentuximab vedotin or physician's choice in CD30-positive cutaneous T-cell lymphoma (ALCANZA): an international, open-label, randomised, phase 3, multicentre trial. Lancet, The, 2017, 390, 555-566.	13.7	444
14	A phase III study of lenalidomide maintenance after debulking therapy in patients with advanced cutaneous T-cell lymphoma - EORTC 21081 (NCT01098656): results and lessons learned for future trial designs. European Journal of Dermatology, 2017, 27, 286-294.	0.6	16
15	Transformed mycosis fungoides: bridging to allogeneic stem cell transplantation with brentuximab vedotin. Leukemia and Lymphoma, 2016, 57, 206-208.	1.3	12
16	Subcutaneous dissemination pattern in extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue lymphoma. Haematologica, 2012, 97, 766-770.	3.5	12
17	An itchy rash in a young Caucasian woman. Dermatology Practical and Conceptual, 2012, 2, 203a04.	0.9	4
18	Combining in vivo reflectance with fluorescence confocal microscopy provides additive information on skin morphology. Dermatology Practical and Conceptual, 2012, 2, 3-12.	0.9	5

CONSTANZE JONAK

#	Article	IF	CITATIONS
19	The hsp27kD heat shock protein and p38-MAPK signaling are required for regular epidermal differentiation. Journal of Dermatological Science, 2011, 61, 32-37.	1.9	42
20	Intradermal Indocyanine Green for In Vivo Fluorescence Laser Scanning Microscopy of Human Skin: A Pilot Study. PLoS ONE, 2011, 6, e23972.	2.5	29
21	Rituximab Plus Dose–Reduced Cyclophosphamide, Mitoxantrone, Vincristine, and Prednisolone Are Effective in Elderly Patients with Diffuse Large B-Cell Lymphoma of the Thyroid. Thyroid, 2010, 20, 425-427.	4.5	17
22	Significance of heat shock proteins in the skin upon UV exposure. Frontiers in Bioscience - Landmark, 2009, Volume, 4758.	3.0	29
23	The combination of 5-fluorouracil, leukovorin, etoposide, and cisplatin (FLEP) in patients with metastatic esophageal cancer. A single-institution experience. Anticancer Research, 2008, 28, 4101-4.	1.1	1
24	The expression of the 27-kd heat shock protein in keratinization disorders: an immunohistological study. Human Pathology, 2005, 36, 686-693.	2.0	11