

# Ellen M Arruda

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/10924033/ellen-m-arruda-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87  
papers

7,963  
citations

33  
h-index

89  
g-index

93  
ext. papers

8,782  
ext. citations

4.7  
avg, IF

5.86  
L-index

#	Paper	IF	Citations
87	A three-dimensional constitutive model for the large stretch behavior of rubber elastic materials. <i>Journal of the Mechanics and Physics of Solids</i> , <b>1993</b> , 41, 389-412	5	1972
86	Ultrastrong and stiff layered polymer nanocomposites. <i>Science</i> , <b>2007</b> , 318, 80-3	33.3	1322
85	Constitutive Models of Rubber Elasticity: A Review. <i>Rubber Chemistry and Technology</i> , <b>2000</b> , 73, 504-523	1.7	751
84	Effects of strain rate, temperature and thermomechanical coupling on the finite strain deformation of glassy polymers. <i>Mechanics of Materials</i> , <b>1995</b> , 19, 193-212	3.3	454
83	Evolution of plastic anisotropy in amorphous polymers during finite straining. <i>International Journal of Plasticity</i> , <b>1993</b> , 9, 697-720	7.6	341
82	Dispersions of aramid nanofibers: a new nanoscale building block. <i>ACS Nano</i> , <b>2011</b> , 5, 6945-54	16.7	337
81	Finite element modeling of human skin using an isotropic, nonlinear elastic constitutive model. <i>Journal of Biomechanics</i> , <b>2000</b> , 33, 645-52	2.9	155
80	Remodeling of biological tissue: Mechanically induced reorientation of a transversely isotropic chain network. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2005</b> , 53, 1552-1573	5	149
79	Engineering of functional tendon. <i>Tissue Engineering</i> , <b>2004</b> , 10, 755-61		131
78	Abiotic tooth enamel. <i>Nature</i> , <b>2017</b> , 543, 95-98	50.4	127
77	Reactive Aramid Nanostructures as High-Performance Polymeric Building Blocks for Advanced Composites. <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 2072-2080	15.6	124
76	The large strain compression, tension, and simple shear of polycarbonate. <i>Polymer Engineering and Science</i> , <b>1994</b> , 34, 716-725	2.3	121
75	Structure and functional evaluation of tendon-skeletal muscle constructs engineered in vitro. <i>Tissue Engineering</i> , <b>2006</b> , 12, 3149-58		111
74	Tissue engineering of recellularized small-diameter vascular grafts. <i>Tissue Engineering</i> , <b>2005</b> , 11, 778-86		101
73	Can nature's design be improved upon? High strength, transparent nacre-like nanocomposites with double network of sacrificial cross links. <i>Journal of Physical Chemistry B</i> , <b>2008</b> , 112, 14359-63	3.4	93
72	Prostatic fibrosis is associated with lower urinary tract symptoms. <i>Journal of Urology</i> , <b>2012</b> , 188, 1375-81	2.5	89
71	A New Constitutive Model for the Compressibility of Elastomers at Finite Deformations. <i>Rubber Chemistry and Technology</i> , <b>2001</b> , 74, 541-559	1.7	86

70	Effects of initial anisotropy on the finite strain deformation behavior of glassy polymers. <i>International Journal of Plasticity</i> , <b>1993</b> , 9, 783-811	7.6	82
69	A rheological network model for the continuum anisotropic and viscoelastic behavior of soft tissue. <i>Biomechanics and Modeling in Mechanobiology</i> , <b>2004</b> , 3, 56-65	3.8	77
68	Three-dimensional engineered bone-ligament-bone constructs for anterior cruciate ligament replacement. <i>Tissue Engineering - Part A</i> , <b>2012</b> , 18, 103-16	3.9	75
67	A closed-form, hierarchical, multi-interphase model for composites Derivation, verification and application to nanocomposites. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2011</b> , 59, 43-63	5	69
66	LBL assembled laminates with hierarchical organization from nano- to microscale: high-toughness nanomaterials and deformation imaging. <i>ACS Nano</i> , <b>2009</b> , 3, 1564-72	16.7	64
65	The Role of Nanoparticle Layer Separation in the Finite Deformation Response of Layered Polyurethane-Clay Nanocomposites. <i>Macromolecules</i> , <b>2009</b> , 42, 6588-6595	5.5	64
64	Aramid nanofiber-reinforced transparent nanocomposites. <i>Journal of Composite Materials</i> , <b>2015</b> , 49, 1873-1879	2.7	58
63	Finite strain response, microstructural evolution and phase transformation of crystalline isotactic polypropylene. <i>Polymer</i> , <b>2005</b> , 46, 455-470	3.9	55
62	Regional stiffening with aging in tibialis anterior tendons of mice occurs independent of changes in collagen fibril morphology. <i>Journal of Applied Physiology</i> , <b>2011</b> , 111, 999-1006	3.7	47
61	Effect of implantation on engineered skeletal muscle constructs. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , <b>2013</b> , 7, 434-42	4.4	46
60	Swelling and Mechanical Stretching of Elastomeric Materials. <i>Mathematics and Mechanics of Solids</i> , <b>2001</b> , 6, 641-659	2.3	42
59	Regional variation of tibialis anterior tendon mechanics is lost following denervation. <i>Journal of Applied Physiology</i> , <b>2006</b> , 101, 1113-7	3.7	41
58	Deconstructing the anterior cruciate ligament: what we know and do not know about function, material properties, and injury mechanics. <i>Journal of Biomechanical Engineering</i> , <b>2015</b> , 137, 020906	2.1	39
57	Simultaneously high stiffness and damping in nanoengineered microtruss composites. <i>ACS Nano</i> , <b>2014</b> , 8, 3468-75	16.7	35
56	The effects of the interphase and strain gradients on the elasticity of layer by layer (LBL) polymer/clay nanocomposites. <i>International Journal of Solids and Structures</i> , <b>2011</b> , 48, 1044-1053	3.1	33
55	Ultrastructure of myotendinous junctions in tendon-skeletal muscle constructs engineered in vitro. <i>Histology and Histopathology</i> , <b>2009</b> , 24, 541-50	1.4	33
54	Design of armor for protection against blast and impact. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2015</b> , 85, 98-111	5	31
53	Morphological and functional characteristics of three-dimensional engineered bone-ligament-bone constructs following implantation. <i>Journal of Biomechanical Engineering</i> , <b>2009</b> , 131, 101017	2.1	30

52	Highly ductile multilayered films by layer-by-layer assembly of oppositely charged polyurethanes for biomedical applications. <i>Langmuir</i> , <b>2009</b> , 25, 14093-9	4	30
51	TGF- $\beta$ enhances contractility in engineered skeletal muscle. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , <b>2013</b> , 7, 562-71	4.4	29
50	Heterogeneity of tibial plateau cartilage in response to a physiological compressive strain rate. <i>Journal of Orthopaedic Research</i> , <b>2013</b> , 31, 370-5	3.8	29
49	Three-dimensional engineered bone from bone marrow stromal cells and their autogenous extracellular matrix. <i>Tissue Engineering - Part A</i> , <b>2009</b> , 15, 187-95	3.9	29
48	Denervation does not change the ratio of collagen I and collagen III mRNA in the extracellular matrix of muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2007</b> , 292, R983-7	3.2	29
47	Finite element simulations of orthotropic hyperelasticity. <i>Finite Elements in Analysis and Design</i> , <b>2002</b> , 38, 983-998	2.2	28
46	Implantation increases tensile strength and collagen content of self-assembled tendon constructs. <i>Journal of Applied Physiology</i> , <b>2010</b> , 108, 875-81	3.7	25
45	An investigation into the three-dimensional stress-birefringence-strain relationship in elastomers. <i>Polymer Engineering and Science</i> , <b>1995</b> , 35, 395-402	2.3	23
44	An error-minimizing approach to inverse Langevin approximations. <i>Rheologica Acta</i> , <b>2015</b> , 54, 887-902	2.3	21
43	Allogeneic versus autologous derived cell sources for use in engineered bone-ligament-bone grafts in sheep anterior cruciate ligament repair. <i>Tissue Engineering - Part A</i> , <b>2015</b> , 21, 1047-54	3.9	21
42	Development of a scaffoldless three-dimensional engineered nerve using a nerve-fibroblast co-culture. <i>In Vitro Cellular and Developmental Biology - Animal</i> , <b>2010</b> , 46, 438-44	2.6	20
41	Constitutive Modeling of a Thermoplastic Olefin Over a Broad Range of Strain Rates. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , <b>2006</b> , 128, 551-558	1.8	20
40	Rate dependent finite strain constitutive modeling of polyurethane and polyurethane/clay nanocomposites. <i>International Journal of Solids and Structures</i> , <b>2015</b> , 54, 147-155	3.1	17
39	Digital image correlation-aided mechanical characterization of the anteromedial and posterolateral bundles of the anterior cruciate ligament. <i>Acta Biomaterialia</i> , <b>2017</b> , 56, 44-57	10.8	16
38	Tissue-Engineered Tendon for Enthesis Regeneration in a Rat Rotator Cuff Model. <i>BioResearch Open Access</i> , <b>2017</b> , 6, 47-57	2.4	16
37	Tissue-engineered tendon constructs for rotator cuff repair in sheep. <i>Journal of Orthopaedic Research</i> , <b>2018</b> , 36, 289-299	3.8	16
36	Simultaneously high stiffness and damping in a class of wavy layered composites. <i>Composite Structures</i> , <b>2013</b> , 101, 104-110	5.3	16
35	Fresh versus frozen engineered bone-ligament-bone grafts for sheep anterior cruciate ligament repair. <i>Tissue Engineering - Part C: Methods</i> , <b>2015</b> , 21, 548-56	2.9	15

34	Nonisothermal model of glass fiber drawing stability. <i>Rheologica Acta</i> , <b>1996</b> , 35, 584-596	2.3	15
33	Evaluation of hyperelastic models for the non-linear and non-uniform high strain-rate mechanics of tibial cartilage. <i>Journal of Biomechanics</i> , <b>2013</b> , 46, 1604-10	2.9	14
32	A study on the role of articular cartilage soft tissue constitutive form in models of whole knee biomechanics. <i>Biomechanics and Modeling in Mechanobiology</i> , <b>2017</b> , 16, 117-138	3.8	14
31	Hyperelastic modeling of location-dependent human distal femoral cartilage mechanics. <i>International Journal of Non-Linear Mechanics</i> , <b>2015</b> , 68, 146-156	2.8	12
30	Full-volume displacement mapping of anterior cruciate ligament bundles with dualMRI. <i>Extreme Mechanics Letters</i> , <b>2018</b> , 19, 7-14	3.9	11
29	The effect of implantation on scaffoldless three-dimensional engineered bone constructs. <i>In Vitro Cellular and Developmental Biology - Animal</i> , <b>2009</b> , 45, 512-22	2.6	11
28	The effect of football helmet facemasks on impact behavior during linear drop tests. <i>Journal of Biomechanics</i> , <b>2018</b> , 79, 227-231	2.9	10
27	Characterization and Constitutive Modeling of a Plasticized Poly(vinyl Chloride) for a Broad Range of Strain Rates. <i>Rubber Chemistry and Technology</i> , <b>2001</b> , 74, 560-573	1.7	10
26	Fresh and Frozen Tissue-Engineered Three-Dimensional Bone-Ligament-Bone Constructs for Sheep Anterior Cruciate Ligament Repair Following a 2-Year Implantation. <i>BioResearch Open Access</i> , <b>2016</b> , 5, 289-298	2.4	9
25	A constitutive model for finite deformation response of layered polyurethane-montmorillonite nanocomposites. <i>Mechanics of Materials</i> , <b>2011</b> , 43, 186-193	3.3	9
24	Femoral enthesal shape and attachment angle as potential risk factors for anterior cruciate ligament injury. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2018</b> , 88, 313-321	4.1	8
23	Robust high resolution strain imaging by alternating pulsed field gradient stimulated echo imaging (APGSTEi) at 7 Tesla. <i>Journal of Magnetic Resonance</i> , <b>2020</b> , 310, 106620	3	7
22	Generalized error-minimizing, rational inverse Langevin approximations. <i>Mathematics and Mechanics of Solids</i> , <b>2019</b> , 24, 1630-1647	2.3	6
21	Constitutive modeling of the anterior cruciate ligament bundles and patellar tendon with full-field methods. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2021</b> , 156, 104577	5	6
20	Evaluating continuum level descriptions of the medial collateral ligament. <i>International Journal of Solids and Structures</i> , <b>2018</b> , 138, 245-263	3.1	5
19	A Micromechanical Viscoelastic Constitutive Model for Native and Engineered Anterior Cruciate Ligaments <b>2013</b> , 351-363		4
18	Effect of soft segment and clay volume fraction on rate dependent damping of polyurethane and polyurethane-clay nanocomposites. <i>Journal of Reinforced Plastics and Composites</i> , <b>2014</b> , 33, 2129-2135	2.9	3
17	A Particle Size-Shape-Dependent Three-Phase Two-Step Mori-Tanaka Method for Studying the Interphase of Polymer/Clay Nanocomposites <b>2008</b> ,		3

16	A Non-Local Visco-Plastic Model With Strain Laplacian Effects and Interphase Effects for Simulating the Stiffness and Yield Strength of a Class of Polymer Nanocomposites <b>2008</b> ,		3
15	Fiber splay precludes the direct identification of ligament material properties: Implications for ACL graft selection. <i>Journal of Biomechanics</i> , <b>2020</b> , 113, 110104	2.9	3
14	The Effect of Articular Cartilage Focal Defect Size and Location in Whole Knee Biomechanics Models. <i>Journal of Biomechanical Engineering</i> , <b>2020</b> , 142,	2.1	3
13	Shock wave impact on the viability of MDA-MB-231 cells. <i>PLoS ONE</i> , <b>2020</b> , 15, e0234138	3.7	2
12	Development of Scaffold-less 3D Bone Tissue Engineered from Rat Bone Marrow Stromal Cells. <i>FASEB Journal</i> , <b>2007</b> , 21, A1233	0.9	2
11	Investigation of Fiber-Driven Mechanical Behavior of Human and Porcine Bladder Tissue Tested Under Identical Conditions. <i>Journal of Biomechanical Engineering</i> , <b>2021</b> , 143,	2.1	2
10	Elastic-Viscoplastic Deformation of Polymers <b>2001</b> , 398-407		1
9	The Role of Interface and Reinforcement in the Finite Deformation Response of Polyurethane-Montmorillonite Nanocomposites. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , <b>2011</b> , 133-137	0.3	
8	Myotendinous junction protein expression in engineered muscle-tendon constructs. <i>FASEB Journal</i> , <b>2006</b> , 20, A413	0.9	
7	Structure and Functional Evaluation of Tendon?Skeletal Muscle Constructs Engineered in Vitro. <i>Tissue Engineering</i> , <b>2006</b> , 061012064037003		
6	Scleraxis is expressed in adult tendons and is upregulated in response to mechanical loading. <i>FASEB Journal</i> , <b>2009</b> , 23, 955.30	0.9	
5	Nonlinear Viscoelasticity of Native and Engineered Ligament and Tendon. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , <b>2011</b> , 423-427	0.3	
4	Shock wave impact on the viability of MDA-MB-231 cells <b>2020</b> , 15, e0234138		
3	Shock wave impact on the viability of MDA-MB-231 cells <b>2020</b> , 15, e0234138		
2	Shock wave impact on the viability of MDA-MB-231 cells <b>2020</b> , 15, e0234138		
1	Shock wave impact on the viability of MDA-MB-231 cells <b>2020</b> , 15, e0234138		