

# Guangyi Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1092591/publications.pdf>

Version: 2024-02-01

59  
papers

2,464  
citations

186265  
28  
h-index

197818  
49  
g-index

62  
all docs

62  
docs citations

62  
times ranked

1874  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Production of Copolyester Monomers from Plant-Based Acrylate and Acetaldehyde. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .  | 13.8 | 1         |
| 2  | Synthesis of renewable alkylated decalins with <i>p</i> -quinone and 2-methyl-2,4-pentanediol. <i>Sustainable Energy and Fuels</i> , 2022, 6, 834-840.                                   | 4.9  | 5         |
| 3  | Synthesis of jet fuel and diesel range cycloalkanes with 2-methylfuran and benzaldehyde. <i>Sustainable Energy and Fuels</i> , 2022, 6, 1156-1163.                                       | 4.9  | 4         |
| 4  | Synthesis of jet fuel range high-density polycycloalkanes with vanillin and cyclohexanone. <i>Sustainable Energy and Fuels</i> , 2022, 6, 1616-1624.                                     | 4.9  | 6         |
| 5  | Synthesis of jet fuel range polycyclic alkanes and aromatics from furfuryl alcohol and isoprene. <i>Green Chemistry</i> , 2022, 24, 3130-3136.   | 9.0  | 10        |
| 6  | Synthesis of renewable aviation fuel additives with aromatic aldehydes and methyl isobutyl ketone under solvent-free conditions. <i>Sustainable Energy and Fuels</i> , 2021, 5, 556-563. | 4.9  | 4         |
| 7  | Synthesis of bio-based methylcyclopentadiene via direct hydrodeoxygenation of 3-methylcyclopent-2-enone derived from cellulose. <i>Nature Communications</i> , 2021, 12, 46.             | 12.8 | 27        |
| 8  | Synthesis of renewable alkylated naphthalenes with benzaldehyde and angelica lactone. <i>Green Chemistry</i> , 2021, 23, 5474-5480.  | 9.0  | 0         |
| 9  | Direct Synthesis of Methylcyclopentadiene with 2,5-Hexanedione over Zinc Molybdates. <i>ACS Catalysis</i> , 2021, 11, 4810-4820.   | 11.2 | 19        |
| 10 | Direct synthesis of a jet fuel range dicycloalkane by the aqueous phase hydrodeoxygenation of polycarbonate. <i>Green Chemistry</i> , 2021, 23, 3693-3699.                               | 9.0  | 16        |
| 11 | Direct synthesis of a high-density aviation fuel using a polycarbonate. <i>Green Chemistry</i> , 2021, 23, 912-919.  | 9.0  | 19        |
| 12 | Synthesis of jet fuel range high-density dicycloalkanes with methyl benzaldehyde and acetone. <i>Sustainable Energy and Fuels</i> , 2020, 4, 5560-5567.                                  | 4.9  | 12        |
| 13 | Sustainable Production of Safe Plasticizers with Bio-Based Fumarates and 1,3-Dienes. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 7367-7374.                       | 3.7  | 12        |
| 14 | Making JP-10 Superfuel Affordable with a Lignocellulosic Platform Compound. <i>Angewandte Chemie</i> , 2019, 131, 12282-12286.   | 2.0  | 17        |
| 15 | Synthesis of Diesel and Jet Fuel Range Cycloalkanes with Cyclopentanone and Furfural. <i>Catalysts</i> , 2019, 9, 886.   | 3.5  | 11        |
| 16 | Synthesis of Decaline-Type Thermal-Stable Jet Fuel Additives with Cycloketones. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 17354-17361.                                 | 6.7  | 21        |
| 17 | Synthesis of jet fuel range high-density polycycloalkanes with polycarbonate waste. <i>Green Chemistry</i> , 2019, 21, 3789-3795.  | 9.0  | 30        |
| 18 | Making JP-10 Superfuel Affordable with a Lignocellulosic Platform Compound. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 12154-12158.                                    | 13.8 | 78        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Synthesis of gasoline and jet fuel range cycloalkanes and aromatics from poly(ethylene terephthalate) waste. <i>Green Chemistry</i> , 2019, 21, 2709-2719.  | 9.0  | 61        |
| 20 | Integrated Conversion of Cellulose to High-Density Aviation Fuel. <i>Joule</i> , 2019, 3, 1028-1036.  | 24.0 | 113       |
| 21 | Production of 1,2-Cyclohexanedicarboxylates from Diacetone Alcohol and Fumarates. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 2980-2988.  | 6.7  | 10        |
| 22 | Synthesis of jet fuel additive with cyclopentanone. <i>Journal of Energy Chemistry</i> , 2019, 29, 23-30.   | 12.9 | 19        |
| 23 | Dehydration of Carbohydrates to 5-Hydroxymethylfurfural over Lignosulfonate-Based Acidic Resin. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 5645-5652.  | 6.7  | 30        |
| 24 | Synthesis of 1,4-Cyclohexanedimethanol, 1,4-Cyclohexanedicarboxylic Acid and 1,2-Cyclohexanedicarboxylates from Formaldehyde, Crotonaldehyde and Acrylate/Fumarate. <i>Angewandte Chemie</i> , 2018, 130, 7017-7021.                        | 2.0  | 22        |
| 25 | Synthesis of 1,4-Cyclohexanedimethanol, 1,4-Cyclohexanedicarboxylic Acid and 1,2-Cyclohexanedicarboxylates from Formaldehyde, Crotonaldehyde and Acrylate/Fumarate. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6901-6905. | 13.8 | 26        |
| 26 | Synthesis of Renewable C <sub>8</sub> -C <sub>10</sub> Alkanes with Angelica Lactone and Furfural from Carbohydrates. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 6126-6134.  | 6.7  | 29        |
| 27 | Efficient Production of N-Butyl Levulinate Fuel Additive from Levulinic Acid Using Amorphous Carbon Enriched with Oxygenated Groups. <i>Catalysts</i> , 2018, 8, 14.  | 3.5  | 40        |
| 28 | Synthesis of high-density aviation fuels with methyl benzaldehyde and cyclohexanone. <i>Green Chemistry</i> , 2018, 20, 3753-3760.  | 9.0  | 29        |
| 29 | Synthesis of Renewable High-Density Fuel with Cyclopentanone Derived from Hemicellulose. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 1812-1817.   | 6.7  | 60        |
| 30 | Sustainable production of pyromellitic acid with pinacol and diethyl maleate. <i>Green Chemistry</i> , 2017, 19, 1663-1667.   | 9.0  | 21        |
| 31 | Solid Acid-Catalyzed Dehydration of Pinacol Derivatives in Ionic Liquid: Simple and Efficient Access to Branched 1,3-Dienes. <i>ACS Catalysis</i> , 2017, 7, 2576-2582.   | 11.2 | 16        |
| 32 | Sustainable Production of <i>o</i> -Xylene from Biomass-Derived Pinacol and Acrolein. <i>ChemSusChem</i> , 2017, 10, 2880-2885.   | 6.8  | 18        |
| 33 | Highly efficient synthesis of 5-hydroxymethylfurfural with carbohydrates over renewable cyclopentanone-based acidic resin. <i>Green Chemistry</i> , 2017, 19, 1855-1860.  | 9.0  | 35        |
| 34 | Direct Synthesis of Renewable Dodecanol and Dodecane with Methyl Isobutyl Ketone over Dual-Bed Catalyst Systems. <i>ChemSusChem</i> , 2017, 10, 825-829.  | 6.8  | 12        |
| 35 | Synthesis of Diesel and Jet Fuel Range Alkanes with Furfural and Angelica Lactone. <i>ACS Catalysis</i> , 2017, 7, 5880-5886.   | 11.2 | 85        |
| 36 | Synthesis of renewable high-density fuel with isophorone. <i>Scientific Reports</i> , 2017, 7, 6111.  | 3.3  | 23        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Synthesis of jet fuel range cycloalkane from isophorone with glycerol as a renewable hydrogen source. <i>Catalysis Today</i> , 2017, 298, 16-20.  | 4.4  | 13        |
| 38 | Dual-bed catalyst system for the direct synthesis of high density aviation fuel with cyclopentanone from lignocellulose. <i>AIChE Journal</i> , 2016, 62, 2754-2761.                            | 3.6  | 44        |
| 39 | Direct synthesis of gasoline and diesel range branched alkanes with acetone from lignocellulose. <i>Green Chemistry</i> , 2016, 18, 3707-3711.  | 9.0  | 33        |
| 40 | Synthesis of High-Density Aviation Fuel with Cyclopentanol. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 6160-6166.  | 6.7  | 50        |
| 41 | Synthesis of jet fuel range cycloalkanes with diacetone alcohol from lignocellulose. <i>Green Chemistry</i> , 2016, 18, 5751-5755.  | 9.0  | 41        |
| 42 | Synthesis of renewable diesel with 2-methylfuran and angelica lactone derived from carbohydrates. <i>Green Chemistry</i> , 2016, 18, 1218-1223.   | 9.0  | 32        |
| 43 | Industrially scalable and cost-effective synthesis of 1,3-cyclopentanediol with furfuryl alcohol from lignocellulose. <i>Green Chemistry</i> , 2016, 18, 3607-3613.                             | 9.0  | 37        |
| 44 | Synthesis of high density aviation fuel with cyclopentanol derived from lignocellulose. <i>Scientific Reports</i> , 2015, 5, 9565.  | 3.3  | 60        |
| 45 | Protonated titanate nanotubes as a highly active catalyst for the synthesis of renewable diesel and jet fuel range alkanes. <i>Applied Catalysis B: Environmental</i> , 2015, 170-171, 124-134. | 20.2 | 55        |
| 46 | Lignosulfonate-based acidic resin for the synthesis of renewable diesel and jet fuel range alkanes with 2-methylfuran and furfural. <i>Green Chemistry</i> , 2015, 17, 3644-3652.               | 9.0  | 73        |
| 47 | Aqueous phase hydrogenation of acetic acid to ethanol over Ir-MoOx/SiO <sub>2</sub> catalyst. <i>Catalysis Communications</i> , 2014, 43, 38-41.  | 3.3  | 57        |
| 48 | Synthesis of diesel range alkanes with 2-methylfuran and mesityl oxide from lignocellulose. <i>Catalysis Today</i> , 2014, 234, 91-99.  | 4.4  | 39        |
| 49 | Aqueous phase hydrogenation of levulinic acid to 1,4-pentanediol. <i>Chemical Communications</i> , 2014, 50, 1414.  | 4.1  | 136       |
| 50 | Synthesis of renewable diesel range alkanes by hydrodeoxygenation of furans over Ni/H <sub>2</sub> under mild conditions. <i>Green Chemistry</i> , 2014, 16, 594-599.                           | 9.0  | 79        |
| 51 | Synthesis of renewable high-density fuels using cyclopentanone derived from lignocellulose. <i>Chemical Communications</i> , 2014, 50, 2572.  | 4.1  | 143       |
| 52 | Synthesis of Diesel or Jet Fuel Range Cycloalkanes with 2-Methylfuran and Cyclopentanone from Lignocellulose. <i>Energy &amp; Fuels</i> , 2014, 28, 5112-5118.                                  | 5.1  | 104       |
| 53 | Production of Renewable Jet Fuel Range Branched Alkanes with Xylose and Methyl Isobutyl Ketone. <i>Industrial &amp; Engineering Chemistry Research</i> , 2014, 53, 13618-13625.                 | 3.7  | 36        |
| 54 | Synthesis of renewable diesel with the 2-methylfuran, butanal and acetone derived from lignocellulose. <i>Bioresource Technology</i> , 2013, 134, 66-72.  | 9.6  | 88        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Synthesis of renewable diesel with hydroxyacetone and 2-methyl-furan. Chemical Communications, 2013, 49, 5727.  | 4.1 | 116       |
| 56 | Solvent-Free Synthesis of C <sub>10</sub> and C <sub>11</sub> Branched Alkanes from Furfural and Methyl Isobutyl Ketone. ChemSusChem, 2013, 6, 1149-1152. | 6.8 | 107       |
| 57 | Synthesis of High-Quality Diesel with Furfural and 2-Methylfuran from Hemicellulose. ChemSusChem, 2012, 5, 1958-1966.                                     | 6.8 | 177       |
| 58 | Synthesis of Branched Octahydro-Indene with Methyl Benzaldehyde and Methyl Isobutyl Ketone. ACS Sustainable Chemistry and Engineering, 0, , .             | 6.7 | 1         |
| 59 | Production of Copolyester Monomers from Plant-Based Acrylate and Acetaldehyde. Angewandte Chemie, 0, , .  | 2.0 | 0         |