

# James R Swartz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10927384/publications.pdf>

Version: 2024-02-01

118  
papers

7,648  
citations

44069

48  
h-index

56724

83  
g-index

121  
all docs

121  
docs citations

121  
times ranked

5274  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cell-free technologies for biopharmaceutical research and production. <i>Current Opinion in Biotechnology</i> , 2022, 76, 102719.	6.6	15
2	Streamlined circular proximity ligation assay provides high stringency and compatibility with low-affinity antibodies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E925-E933.	7.1	23
3	The exciting potential of modular nanoparticles for rapid development of highly effective vaccines. <i>Current Opinion in Chemical Engineering</i> , 2018, 19, 1-8.	7.8	9
4	Cell-free biomanufacturing. <i>Current Opinion in Chemical Engineering</i> , 2018, 22, 177-183.	7.8	65
5	Expanding biological applications using cell-free metabolic engineering: An overview. <i>Metabolic Engineering</i> , 2018, 50, 156-172.	7.0	52
6	System analysis and improved [FeFe] hydrogenase O <sub>2</sub> tolerance suggest feasibility for photosynthetic H <sub>2</sub> production. <i>Metabolic Engineering</i> , 2018, 49, 21-27.	7.0	19
7	Virus-like particles: Next-generation nanoparticles for targeted therapeutic delivery. <i>Bioengineering and Translational Medicine</i> , 2017, 2, 43-57.	7.1	256
8	High-throughput Screening of Catalytic H <sub>2</sub> Production. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 1012-1016.	13.8	17
9	High-throughput Screening of Catalytic H <sub>2</sub> Production. <i>Angewandte Chemie</i> , 2017, 129, 1032-1036.	2.0	3
10	Characterization of [FeFe] Hydrogenase O <sub>2</sub> Sensitivity Using a New, Physiological Approach. <i>Journal of Biological Chemistry</i> , 2016, 291, 21563-21570.	3.4	15
11	Functional properties of flagellin as a stimulator of innate immunity. <i>Scientific Reports</i> , 2016, 6, 18379.	3.3	40
12	The Radical SAM Enzyme HydG Requires Cysteine and a Dangler Iron for Generating an Organometallic Precursor to the [FeFe]-Hydrogenase H-Cluster. <i>Journal of the American Chemical Society</i> , 2016, 138, 1146-1149.	13.7	46
13	Biosynthesis of the [FeFe] Hydrogenase H Cluster: A Central Role for the Radical SAM Enzyme HydG. <i>Inorganic Chemistry</i> , 2016, 55, 478-487.	4.0	24
14	X-ray crystallographic and EPR spectroscopic analysis of HydG, a maturase in [FeFe]-hydrogenase H-cluster assembly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1362-1367.	7.1	97
15	Assessing sequence plasticity of a virus-like nanoparticle by evolution toward a versatile scaffold for vaccines and drug delivery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 12360-12365.	7.1	117
16	Development of a synthetic pathway to convert glucose to hydrogen using cell free extracts. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 9113-9124.	7.1	28
17	Cysteine as a ligand platform in the biosynthesis of the FeFe hydrogenase H cluster. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11455-11460.	7.1	60
18	Chemical lysis of cyanobacteria. <i>Journal of Biological Engineering</i> , 2015, 9, 10.	4.7	35

#	ARTICLE	IF	CITATIONS
19	The HydG Enzyme Generates an Fe(CO) <sub>2</sub> (CN) Synthron in Assembly of the FeFe Hydrogenase H-Cluster. <i>Science</i> , 2014, 343, 424-427.	12.6	109
20	Cell-Free Synthesis of the H-Cluster: A Model for the In Vitro Assembly of Metalloprotein Metal Centers. <i>Methods in Molecular Biology</i> , 2014, 1122, 49-72.	0.9	21
21	Direct Polymerization of Proteins. <i>ACS Synthetic Biology</i> , 2014, 3, 353-362.	3.8	49
22	Production and stabilization of the trimeric influenza hemagglutinin stem domain for potentially broadly protective influenza vaccines. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 125-130.	7.1	184
23	The Cyanide Ligands of [FeFe] Hydrogenase: Pulse EPR Studies of <sup>13</sup> C and <sup>15</sup> N-Labeled H-Cluster. <i>Journal of the American Chemical Society</i> , 2014, 136, 12237-12240.	13.7	37
24	Broadening Horizons and Teaching Basic Biology Through Cell-Free Synthesis of Green Fluorescent Protein in a High School Laboratory Course. <i>Journal of Science Education and Technology</i> , 2013, 22, 963-973.	3.9	7
25	Using <i>E. coli</i> -based cell-free protein synthesis to evaluate the kinetic performance of an orthogonal tRNA and aminoacyl-tRNA synthetase pair. <i>Biochemical and Biophysical Research Communications</i> , 2013, 431, 291-295.	2.1	17
26	Pluripotency transcription factor Sox2 is strongly adsorbed by heparin but requires a protein transduction domain for cell internalization. <i>Biochemical and Biophysical Research Communications</i> , 2013, 431, 641-645.	2.1	1
27	<i>Escherichia coli</i> -based cell free production of flagellin and ordered flagellin display on virus-like particles. <i>Biotechnology and Bioengineering</i> , 2013, 110, 2073-2085.	3.3	49
28	Nuclear Resonance Vibrational Spectroscopy and Electron Paramagnetic Resonance Spectroscopy of <sup>57</sup> Fe-Enriched [FeFe] Hydrogenase Indicate Stepwise Assembly of the H-Cluster. <i>Biochemistry</i> , 2013, 52, 818-826.	2.5	33
29	Cell-free co-production of an orthogonal transfer RNA activates efficient site-specific non-natural amino acid incorporation. <i>Nucleic Acids Research</i> , 2013, 41, 5949-5963.	14.5	96
30	A Radical Intermediate in Tyrosine Scission to the CO and CN <sup>+</sup> Ligands of FeFe Hydrogenase. <i>Science</i> , 2013, 342, 472-475.	12.6	107
31	A vaccine directed to B cells and produced by cell-free protein synthesis generates potent antilymphoma immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 14526-14531.	7.1	47
32	Cell-free production of trimeric influenza hemagglutinin head domain proteins as vaccine antigens. <i>Biotechnology and Bioengineering</i> , 2012, 109, 2962-2969.	3.3	29
33	Simplifying and streamlining <i>Escherichia coli</i> -based cell-free protein synthesis. <i>Biotechnology Progress</i> , 2012, 28, 413-420.	2.6	48
34	Evolution of an [FeFe] hydrogenase with decreased oxygen sensitivity. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 2965-2976.	7.1	52
35	Generation of hydrogen from NADPH using an [FeFe] hydrogenase. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 2977-2983.	7.1	27
36	Transforming biochemical engineering with cell-free biology. <i>AIChE Journal</i> , 2012, 58, 5-13.	3.6	104

#	ARTICLE	IF	CITATIONS
37	New Insights into [FeFe] Hydrogenase Activation and Maturase Function. PLoS ONE, 2012, 7, e45850.	2.5	66
38	Discovery of Improved EGF Agonists Using a Novel In Vitro Screening Platform. Journal of Molecular Biology, 2011, 413, 406-415.	4.2	9
39	Escherichia coli-based production of a tumor idiotype antibody fragment " tetanus toxin fragment C fusion protein vaccine for B cell lymphoma. Protein Expression and Purification, 2011, 75, 15-20.	1.3	12
40	Solubility partner IF2 Domain I enables high yield synthesis of transducible transcription factors in Escherichia coli. Protein Expression and Purification, 2011, 80, 145-151.	1.3	9
41	Surface Functionalization of Virus-Like Particles by Direct Conjugation Using Azide-Alkyne Click Chemistry. Bioconjugate Chemistry, 2011, 22, 376-387.	3.6	136
42	Localization of BiP to translating ribosomes increases soluble accumulation of secreted eukaryotic proteins in an <i>Escherichia coli</i> cell-free system. Biotechnology and Bioengineering, 2011, 108, 1739-1748.	3.3	9
43	A filter microplate assay for quantitative analysis of DNA binding proteins using fluorescent DNA. Analytical Biochemistry, 2011, 415, 168-174.	2.4	8
44	Efficient disulfide bond formation in virus-like particles. Journal of Biotechnology, 2011, 154, 230-239.	3.8	91
45	Cell-free H-cluster Synthesis and [FeFe] Hydrogenase Activation: All Five CO and CN Ligands Derive from Tyrosine. PLoS ONE, 2011, 6, e20346.	2.5	79
46	Comparing the functional properties of the Hsp70 chaperones, DnaK and BiP. Biophysical Chemistry, 2010, 149, 58-66.	2.8	25
47	A Cell-Free Microtiter Plate Screen for Improved [FeFe] Hydrogenases. PLoS ONE, 2010, 5, e10554.	2.5	47
48	High-Yield Expression of Heterologous [FeFe] Hydrogenases in Escherichia coli. PLoS ONE, 2010, 5, e15491.	2.5	144
49	Site-Specific Incorporation of <i>p</i> -Propargyloxyphenylalanine in a Cell-Free Environment for Direct Protein-Protein Click Conjugation. Bioconjugate Chemistry, 2010, 21, 255-263.	3.6	178
50	Development of an In Vitro Compartmentalization Screen for High-Throughput Directed Evolution of [FeFe] Hydrogenases. PLoS ONE, 2010, 5, e15275.	2.5	78
51	Continued Protein Synthesis at Low [ATP] and [GTP] Enables Cell Adaptation during Energy Limitation. Journal of Bacteriology, 2009, 191, 1083-1091.	2.2	60
52	High-level cell-free synthesis yields of proteins containing site-specific non-natural amino acids. Biotechnology and Bioengineering, 2009, 102, 400-416.	3.3	107
53	Cell-free synthesis of functional aquaporin Z in synthetic liposomes. Biotechnology and Bioengineering, 2009, 104, 40-49.	3.3	99
54	Cell-free production of transducible transcription factors for nuclear reprogramming. Biotechnology and Bioengineering, 2009, 104, 1047-1058.	3.3	36

#	ARTICLE	IF	CITATIONS
55	Universal cell-free protein synthesis. <i>Nature Biotechnology</i> , 2009, 27, 731-732.	17.5	23
56	Multiply mutated Gaussia luciferases provide prolonged and intense bioluminescence. <i>Biochemical and Biophysical Research Communications</i> , 2009, 389, 563-568.	2.1	84
57	Cell-free production of Gaussia princeps luciferase antibody fragment bioconjugates for ex vivo detection of tumor cells. <i>Biochemical and Biophysical Research Communications</i> , 2009, 390, 971-976.	2.1	22
58	Tyrosine, Cysteine, and S-Adenosyl Methionine Stimulate In Vitro [FeFe] Hydrogenase Activation. <i>PLoS ONE</i> , 2009, 4, e7565.	2.5	63
59	Novel Anti-CD19/IgG Bispecific Diabody Vaccine for B-Cell Lymphoma. <i>Blood</i> , 2009, 114, 2712-2712.	1.4	0
60	Cell-free synthesis and maturation of [FeFe] hydrogenases. <i>Biotechnology and Bioengineering</i> , 2008, 99, 59-67.	3.3	104
61	Development of cell-free protein synthesis platforms for disulfide bonded proteins. <i>Biotechnology and Bioengineering</i> , 2008, 99, 351-367.	3.3	126
62	<i>Escherichia coli</i> -based cell-free synthesis of virus-like particles. <i>Biotechnology and Bioengineering</i> , 2008, 100, 28-37.	3.3	158
63	Cell-free metabolic engineering promotes high-level production of bioactive Gaussia princeps luciferase. <i>Metabolic Engineering</i> , 2008, 10, 187-200.	7.0	75
64	Rapid Expression and Purification of 100 nmol Quantities of Active Protein Using Cell-Free Protein Synthesis. <i>Biotechnology Progress</i> , 2008, 20, 102-109.	2.6	63
65	Affinity Purification of Lipid Vesicles. <i>Biotechnology Progress</i> , 2008, 20, 262-268.	2.6	6
66	Streamlining Escherichia Coli S30 Extract Preparation for Economical Cell-Free Protein Synthesis. <i>Biotechnology Progress</i> , 2008, 21, 460-465.	2.6	106
67	An Economical Method for Cell-Free Protein Synthesis using Glucose and Nucleoside Monophosphates. <i>Biotechnology Progress</i> , 2008, 21, 1146-1153.	2.6	109
68	High yield cell-free production of integral membrane proteins without refolding or detergents. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008, 1778, 1237-1250.	2.6	101
69	An integrated cell-free metabolic platform for protein production and synthetic biology. <i>Molecular Systems Biology</i> , 2008, 4, 220.	7.2	313
70	Cell-free production of scFv fusion proteins: an efficient approach for personalized lymphoma vaccines. <i>Blood</i> , 2007, 109, 3393-3399.	1.4	116
71	Evidence for an additional disulfide reduction pathway in Escherichia coli. <i>Journal of Bioscience and Bioengineering</i> , 2007, 103, 373-376.	2.2	11
72	Cell-free synthesis of proteins that require disulfide bonds using glucose as an energy source. <i>Biotechnology and Bioengineering</i> , 2007, 97, 901-908.	3.3	45

#	ARTICLE	IF	CITATIONS
73	A sequential expression system for high-throughput functional genomic analysis. <i>Proteomics</i> , 2007, 7, 3870-3879.	2.2	26
74	Energy Systems for ATP Regeneration in Cell-Free Protein Synthesis Reactions. , 2007, 375, 3-17.		46
75	Total amino acid stabilization during cell-free protein synthesis reactions. <i>Journal of Biotechnology</i> , 2006, 123, 193-203.	3.8	98
76	Rapid Expression of Functional Genomic Libraries. <i>Journal of Proteome Research</i> , 2006, 5, 3288-3300.	3.7	36
77	Simultaneous expression and maturation of the iron-sulfur protein ferredoxin in a cell-free system. <i>Biotechnology and Bioengineering</i> , 2006, 94, 128-138.	3.3	20
78	Rapid expression of vaccine proteins for B-cell lymphoma in a cell-free system. <i>Biotechnology and Bioengineering</i> , 2005, 89, 503-511.	3.3	71
79	Energizing cell-free protein synthesis with glucose metabolism. <i>Biotechnology and Bioengineering</i> , 2005, 90, 606-613.	3.3	155
80	Efficient and scalable method for scaling up cell free protein synthesis in batch mode. <i>Biotechnology and Bioengineering</i> , 2005, 91, 516-521.	3.3	78
81	Quantitative polysome analysis identifies limitations in bacterial cell-free protein synthesis. <i>Biotechnology and Bioengineering</i> , 2005, 91, 425-435.	3.3	113
82	Cell-Free Protein Synthesis With Prokaryotic Combined Transcription-Translation. , 2004, 267, 169-182.		72
83	Genetic Analysis of Disulfide Isomerization in <i>Escherichia coli</i> : Expression of DsbC Is Modulated by RNase E-Dependent mRNA Processing. <i>Journal of Bacteriology</i> , 2004, 186, 654-660.	2.2	12
84	Expression of Active Murine Granulocyte-Macrophage Colony-Stimulating Factor in an <i>Escherichia coli</i> Cell-Free System. <i>Biotechnology Progress</i> , 2004, 20, 1689-1696.	2.6	41
85	Enhancing multiple disulfide bonded protein folding in a cell-free system. <i>Biotechnology and Bioengineering</i> , 2004, 86, 188-195.	3.3	125
86	Efficient production of a bioactive, multiple disulfide-bonded protein using modified extracts of <i>Escherichia coli</i> . <i>Biotechnology and Bioengineering</i> , 2004, 85, 122-129.	3.3	139
87	Mimicking the <i>Escherichia coli</i> cytoplasmic environment activates long-lived and efficient cell-free protein synthesis. <i>Biotechnology and Bioengineering</i> , 2004, 86, 19-26.	3.3	376
88	Substrate replenishment extends protein synthesis with an in vitro translation system designed to mimic the cytoplasm. <i>Biotechnology and Bioengineering</i> , 2004, 87, 465-471.	3.3	105
89	Cell-free production of active <i>E. coli</i> thioredoxin reductase and glutathione reductase. <i>FEBS Letters</i> , 2004, 559, 66-70.	2.8	18
90	A Novel Method for Producing Custom-Made Idiotype Vaccines for Lymphoma Immunotherapy Using a Cell-Free Expression System.. <i>Blood</i> , 2004, 104, 1410-1410.	1.4	0

#	ARTICLE	IF	CITATIONS
91	Improved Composition and Energy Supply for Bacterial Batch Systems. , 2002, , 41-52.		0
92	Advances in Escherichia coli production of therapeutic proteins. Current Opinion in Biotechnology, 2001, 12, 195-201.	6.6	389
93	Regeneration of adenosine triphosphate from glycolytic intermediates for cell-free protein synthesis. Biotechnology and Bioengineering, 2001, 74, 309-316.	3.3	208
94	Effect of Sequences of the Active-Site Dipeptides of DsbA and DsbC on In Vivo Folding of Multidisulfide Proteins in <i>Escherichia coli</i> . Journal of Bacteriology, 2001, 183, 980-988.	2.2	52
95	Regeneration of adenosine triphosphate from glycolytic intermediates for cell-free protein synthesis. Biotechnology and Bioengineering, 2001, 74, 309-316.	3.3	4
96	Prolonging Cell-Free Protein Synthesis by Selective Reagent Additions. Biotechnology Progress, 2000, 16, 385-390.	2.6	141
97	Title is missing!. Biotechnology Letters, 2000, 22, 1537-1542.	2.2	41
98	Prolonging cell-free protein synthesis with a novel ATP regeneration system. Biotechnology and Bioengineering, 1999, 66, 180-188.	3.3	201
99	<i>E. coli</i> -Based In Vitro Transcription/Translation: In Vivo-Specific Synthesis Rates and High Yields in a Batch System. BioTechniques, 1998, 24, 862-868.	1.8	20
100	Expression of Active Human Tissue-Type Plasminogen Activator in <i>Escherichia coli</i> . Applied and Environmental Microbiology, 1998, 64, 4891-4896.	3.1	129
101	In Vitro and In Vivo Redox States of the <i>Escherichia coli</i> Periplasmic Oxidoreductases DsbA and DsbC. Biochemistry, 1997, 36, 10067-10072.	2.5	132
102	Protein Folding Activities of <i>Escherichia coli</i> Protein Disulfide Isomerase. Biochemistry, 1994, 33, 4231-4236.	2.5	40
103	Single-Step Solubilization and Folding of IGF-1 Aggregates from <i>Escherichia coli</i> . ACS Symposium Series, 1993, , 178-188.	0.5	10
104	Measurement of cell mass concentration with a continuous-flow viscometer. Biotechnology and Bioengineering, 1979, 21, 519-523.	3.3	29
105	Purification of Acetate Kinase by Affinity Chromatography. Preparative Biochemistry and Biotechnology, 1978, 8, 479-502.	0.5	3
106	Thermodynamic evaluation of microbial growth. Biotechnology and Bioengineering, 1976, 18, 1811-1814.	3.3	22
107	Gene Cloning and Expression in Molecular Colonies. , 0, , 191-206.		0
108	Large-Scale Batch Reactions for Cell-Free Protein Synthesis. , 0, , 207-235.		7

#	ARTICLE	IF	CITATIONS
109	Cell-Free Protein Synthesis Systems: Historical Landmarks, Classification, and General Methods. , 0, , 1-34.		6
110	Functional Genomic Analysis using Sequential Cell-Free Protein Synthesis. , 0, , 51-67.		0
111	Cell-Free Technology for Rapid Production of Patient-Specific Fusion Protein Vaccines. , 0, , 69-82.		0
112	Bacterial Cell-Free System for Highly Efficient Protein Synthesis. , 0, , 83-97.		13
113	The Use of the Escherichia coli Cell-Free Protein Synthesis for Structural Biology and Structural Proteomics. , 0, , 99-109.		6
114	The Constructive Approach for Cell-Free Translation. , 0, , 35-50.		0
115	Novel Techniques using PCR and Cell-Free Protein Synthesis Systems for Combinatorial Bioengineering. , 0, , 179-189.		2
116	Cell-Free Production of Membrane Proteins in the Presence of Detergents. , 0, , 165-178.		1
117	Cell-Free Expression of Integral Membrane Proteins for Structural Studies. , 0, , 141-164.		2
118	The Wheat Germ Cell-Free Protein Synthesis System. , 0, , 111-139.		3