

# Riccardo Schiavina

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10929687/publications.pdf>

Version: 2024-02-01

226  
papers

6,439  
citations

87723

38  
h-index

88477

70  
g-index

229  
all docs

229  
docs citations

229  
times ranked

5992  
citing authors

#	ARTICLE	IF	CITATIONS
1	Complications After Systematic, Random, and Image-guided Prostate Biopsy. <i>European Urology</i> , 2017, 71, 353-365.	0.9	353
2	<sup>11</sup> C-Choline Positron Emission Tomography/Computerized Tomography for Preoperative Lymph-Node Staging in Intermediate-Risk and High-Risk Prostate Cancer: Comparison with Clinical Staging Nomograms. <i>European Urology</i> , 2008, 54, 392-401.	0.9	232
3	Validation of the 2009 TNM Version in a Large Multi-Institutional Cohort of Patients Treated for Renal Cell Carcinoma: Are Further Improvements Needed?. <i>European Urology</i> , 2010, 58, 588-595.	0.9	205
4	<sup>18</sup> F-FACBC (anti-1-amino-3- <sup>18</sup> F-fluorocyclobutane-1-carboxylic acid) versus <sup>11</sup> C-choline PET/CT in prostate cancer relapse: results of a prospective trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1601-1610.	3.3	204
5	Prostate Cancer: Sextant Localization with MR Imaging, MR Spectroscopy, and <sup>11</sup> C-Choline PET/CT. <i>Radiology</i> , 2007, 244, 797-806.	3.6	193
6	New Clinical Indications for <sup>18</sup> F/ <sup>11</sup> C-choline, New Tracers for Positron Emission Tomography and a Promising Hybrid Device for Prostate Cancer Staging: A Systematic Review of the Literature. <i>European Urology</i> , 2016, 70, 161-175.	0.9	184
7	Detection and localization of prostate cancer: correlation of ( <sup>11</sup> C)-choline PET/CT with histopathologic step-section analysis. <i>Journal of Nuclear Medicine</i> , 2005, 46, 1642-9.	2.8	178
8	Is there a role for <sup>11</sup> C-choline PET/CT in the early detection of metastatic disease in surgically treated prostate cancer patients with a mild PSA increase <1.5Ång/ml?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 55-63.	3.3	166
9	Simple Enucleation is Equivalent to Traditional Partial Nephrectomy for Renal Cell Carcinoma: Results of a Nonrandomized, Retrospective, Comparative Study. <i>Journal of Urology</i> , 2011, 185, 1604-1610.	0.2	153
10	Early Biochemical Relapse After Radical Prostatectomy: Which Prostate Cancer Patients May Benefit from a Restaging <sup>11</sup> C-Choline PET/CT Scan Before Salvage Radiation Therapy?. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1424-1429.	2.8	118
11	<sup>18</sup> F-Fluciclovine PET/CT for the Detection of Prostate Cancer Relapse. <i>Clinical Nuclear Medicine</i> , 2015, 40, e386-e391.	0.7	118
12	Comparison of <sup>18</sup> F-FACBC and <sup>11</sup> C-choline PET/CT in patients with radically treated prostate cancer and biochemical relapse: preliminary results. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 11-17.	3.3	109
13	Role of <sup>11</sup> C-choline PET/CT in the re-staging of prostate cancer patients with biochemical relapse and negative results at bone scintigraphy. <i>European Journal of Radiology</i> , 2012, 81, e893-e896.	1.2	106
14	<sup>68</sup> Ga-PSMA- <sup>11</sup> PET/CT in prostate cancer patients with biochemical recurrence after radical prostatectomy and PSA <0.5Ång/ml. Efficacy and impact on treatment strategy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 11-19.	3.3	96
15	Impact of <sup>11</sup> C-choline PET/CT on clinical decision making in recurrent prostate cancer: results from a retrospective two-centre trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 2222-2231.	3.3	86
16	Positive Surgical Margins After Nephron-Sparing Surgery for Renal Cell Carcinoma: Incidence, Clinical Impact, and Management. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 5-9.	0.9	79
17	<sup>11</sup> C-Choline PET/CT for restaging prostate cancer. Results from 4,426 scans in a single-centre patient series. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1971-1979.	3.3	79
18	<sup>11</sup> C-Choline PET/CT in castration-resistant prostate cancer patients treated with docetaxel. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 84-91.	3.3	77

#	ARTICLE	IF	CITATIONS
19	An increased body mass index is associated with a worse prognosis in patients administered BCG immunotherapy for T1 bladder cancer. <i>World Journal of Urology</i> , 2019, 37, 507-514.	1.2	77
20	Perioperative Complications and Mortality After Radical Cystectomy When Using a Standardized Reporting Methodology. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 189-197.	0.9	75
21	<sc>PADUA</sc> and R.E.N.A.L. nephrometry scores correlate with perioperative outcomes of robot-assisted partial nephrectomy: analysis of the Vattikuti Global Quality Initiative in Robotic Urologic Surgery (<sc>GQI</sc>â€<sc>RUS</sc>) database. <i>BJU International</i> , 2017, 119, 456-463.	1.3	75
22	Current Strategies and Novel Therapeutic Approaches for Metastatic Urothelial Carcinoma. <i>Cancers</i> , 2020, 12, 1449.	1.7	72
23	18F-FACBC Compared With 11C-Choline PET/CT in Patients With Biochemical Relapse After Radical Prostatectomy: A Prospective Study in 28 Patients. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 106-110.	0.9	68
24	MRI Displays the Prostatic Cancer Anatomy and Improves the Bundles Management Before Robot-Assisted Radical Prostatectomy. <i>Journal of Endourology</i> , 2018, 32, 315-321.	1.1	68
25	Androgen deprivation therapy influences the uptake of 11C-choline in patients with recurrent prostate cancer: the preliminary results of a sequential PET/CT study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1985-1989.	3.3	67
26	Systemic Inflammatory Markers and Oncologic Outcomes in Patients with High-risk Non-muscle-invasive Urothelial Bladder Cancer. <i>European Urology Oncology</i> , 2018, 1, 403-410.	2.6	66
27	The Role of 11C-Choline PET Imaging in the Early Detection of Recurrence in Surgically Treated Prostate Cancer Patients With Very Low PSA Level <math>\leq 0.5</math> ng/mL. <i>Clinical Nuclear Medicine</i> , 2013, 38, e342-e345.	0.7	63
28	Perioperative Outcomes of Open, Laparoscopic, and Robotic Partial Nephrectomy: A Prospective Multicenter Observational Study (The RECORD 2 Project). <i>European Urology Focus</i> , 2021, 7, 390-396.	1.6	63
29	The Role of Prostate-specific Antigen Persistence After Radical Prostatectomy for the Prediction of Clinical Progression and Cancer-specific Mortality in Node-positive Prostate Cancer Patients. <i>European Urology</i> , 2016, 69, 1142-1148.	0.9	60
30	Can Testis-Sparing Surgery for Small Testicular Masses Be Considered a Valid Alternative to Radical Orchiectomy? A Prospective Single-Center Study. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 522-526.	0.9	58
31	Prediction nomogram for 68Ga-PSMA-11 PET/CT in different clinical settings of PSA failure after radical treatment for prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 136-146.	3.3	56
32	Validation of Neutrophil-to-lymphocyte Ratio in a Multi-institutional Cohort of Patients With T1G3 Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 445-452.	0.9	55
33	The extent of pelvic lymph node dissection correlates with the biochemical recurrence rate in patients with intermediate- and high-risk prostate cancer. <i>BJU International</i> , 2011, 108, 1262-1268.	1.3	54
34	Open versus laparoscopic partial nephrectomy for clinical T1a renal masses: a matched-pair comparison of 280 patients with TRIFECTA outcomes (RECORD Project). <i>World Journal of Urology</i> , 2014, 32, 257-263.	1.2	54
35	11C-Choline PET/CT detects the site of relapse in the majority of prostate cancer patients showing biochemical recurrence after EBRT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 878-886.	3.3	54
36	Expanding utilization of robotic partial nephrectomy for clinical T1b and complex T1a renal masses. <i>World Journal of Urology</i> , 2013, 31, 499-504.	1.2	53

#	ARTICLE	IF	CITATIONS
37	11C-Choline PET/CT in patients with hormone-resistant prostate cancer showing biochemical relapse after radical prostatectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 149-155.	3.3	49
38	Acute kidney injury promotes development of papillary renal cell adenoma and carcinoma from renal progenitor cells. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	46
39	Evaluating the effect of time from prostate cancer diagnosis to radical prostatectomy on cancer control: Can surgery be postponed safely?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 150.e9-150.e15.	0.8	40
40	Diagnostic Accuracy of 11C-Choline PET/CT in Preoperative Lymph Node Staging of Bladder Cancer. <i>Clinical Nuclear Medicine</i> , 2014, 39, e308-e312.	0.7	39
41	11C-Choline PET/CT Identifies Osteoblastic and Osteolytic Lesions in Patients with Metastatic Prostate Cancer. <i>Clinical Nuclear Medicine</i> , 2015, 40, e265-e270.	0.7	39
42	Accuracy of MRI/MRSI-based transrectal ultrasound biopsy in peripheral and transition zones of the prostate gland in patients with prior negative biopsy. <i>NMR in Biomedicine</i> , 2010, 23, 1017-1026.	1.6	38
43	Real-time Augmented Reality Three-dimensional Guided Robotic Radical Prostatectomy: Preliminary Experience and Evaluation of the Impact on Surgical Planning. <i>European Urology Focus</i> , 2021, 7, 1260-1267.	1.6	38
44	A Prospective, Multicenter Evaluation of Predictive Factors for Positive Surgical Margins After Nephron-Sparing Surgery for Renal Cell Carcinoma: The RECORD1 Italian Project. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 165-170.	0.9	37
45	Role of Clinical and Surgical Factors for the Prediction of Immediate, Early and Late Functional Results, and its Relationship with Cardiovascular Outcome after Partial Nephrectomy: Results from the Prospective Multicenter RECORD 1 Project. <i>Journal of Urology</i> , 2018, 199, 927-932.	0.2	37
46	Which patients with clinical localized renal mass would achieve the trifecta after partial nephrectomy? The impact of surgical technique. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 339-349.	3.9	36
47	Should CARMENA Really Change our Attitude Towards Cytoreductive Nephrectomy in Metastatic Renal Cell Carcinoma? A Systematic Review and Meta-Analysis Evaluating Cytoreductive Nephrectomy in the Era of Targeted Therapy. <i>Targeted Oncology</i> , 2018, 13, 705-714.	1.7	35
48	Ex vivo HR-MAS magnetic resonance spectroscopy of normal and malignant human renal tissues. <i>Anticancer Research</i> , 2007, 27, 3195-204.	0.5	35
49	The impact of the extent of lymph-node dissection on biochemical relapse after radical prostatectomy in node-negative patients. <i>Anticancer Research</i> , 2010, 30, 2297-302.	0.5	35
50	Urology in the Time of Coronavirus: Reduced Access to Urgent and Emergent Urological Care during the Coronavirus Disease 2019 Outbreak in Italy. <i>Urologia Internationalis</i> , 2020, 104, 631-636.	0.6	34
51	What is the standard surgical approach to large volume BPE? Systematic review of existing randomized clinical trials. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 22-29.	3.9	34
52	Preservation of the smooth muscular internal (vesical) sphincter and of the proximal urethra during retropubic radical prostatectomy: Description of the technique. <i>International Journal of Urology</i> , 2012, 19, 783-785.	0.5	33
53	Differing Risk of Cancer Death Among Patients With Pathologic T3a Renal Cell Carcinoma: Identification of Risk Categories According to Fat Infiltration and Renal Vein Thrombosis. <i>Clinical Genitourinary Cancer</i> , 2013, 11, 451-457.	0.9	32
54	Restaging Clear Cell Renal Carcinoma With 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014, 39, e320-e324.	0.7	32

#	ARTICLE	IF	CITATIONS
55	Augmented Reality to Guide Selective Clamping and Tumor Dissection During Robot-assisted Partial Nephrectomy: A Preliminary Experience. <i>Clinical Genitourinary Cancer</i> , 2021, 19, e149-e155.	0.9	32
56	Testis Sparing Surgery of Small Testicular Masses: Retrospective Analysis of a Multicenter Cohort. <i>Journal of Urology</i> , 2020, 203, 760-766.	0.2	32
57	<scp>TriMatch</scp> comparison of the efficacy of <scp>FloSeal</scp> versus <scp>TachoSil</scp> versus no hemostatic agents for partial nephrectomy: Results from a large multicenter dataset. <i>International Journal of Urology</i> , 2015, 22, 47-52.	0.5	31
58	Small Renal Masses Initially Managed Using Active Surveillance: Results From a Retrospective Study With Long-Term Follow-Up. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 178-181.	0.9	30
59	11C-Choline PET/CT and Bladder Cancer. <i>Clinical Nuclear Medicine</i> , 2015, 40, e124-e128.	0.7	30
60	Surveillance for small renal masses: retrospective analysis of a cohort of 42 patients with long-term follow-up. <i>International Urology and Nephrology</i> , 2013, 45, 307-312.	0.6	29
61	The Impact of 3D Digital Reconstruction on the Surgical Planning of Partial Nephrectomy: A Case-control Study. Still Time for a Novel Surgical Trend?. <i>Clinical Genitourinary Cancer</i> , 2020, 18, e669-e678.	0.9	29
62	Active surveillance for clinically localized renal tumors: An updated review of current indications and clinical outcomes. <i>International Journal of Urology</i> , 2015, 22, 432-438.	0.5	28
63	Small Renal Masses Managed With Active Surveillance: Predictors of Tumor Growth Rate After Long-Term Follow-Up. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e87-e92.	0.9	28
64	Radioguided surgery with $^{125}\text{I}$ radiation: a novel application with Ga68. <i>Scientific Reports</i> , 2018, 8, 16171.	1.6	28
65	New Hormonal Agents in Patients With Nonmetastatic Castration-Resistant Prostate Cancer: Meta-Analysis of Efficacy and Safety Outcomes. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e871-e877.	0.9	28
66	The number of nodes removed as well as the template of the dissection is independently correlated to cancer-specific survival after radical cystectomy for muscle-invasive bladder cancer. <i>International Urology and Nephrology</i> , 2013, 45, 711-719.	0.6	27
67	Differing risk of cancer death among patients with lymph node metastasis after radical prostatectomy and pelvic lymph node dissection: identification of risk categories according to number of positive nodes and <scp>G</scp>leason score. <i>BJU International</i> , 2013, 111, 1237-1244.	1.3	27
68	External Validation of the Updated Nomogram Predicting Lymph Node Invasion in Patients with Prostate Cancer Undergoing Extended Pelvic Lymph Node Dissection. <i>Urologia Internationalis</i> , 2013, 90, 277-282.	0.6	27
69	The Prognostic Impact of Tumor Size on Cancer-Specific and Overall Survival Among Patients With Pathologic T3a Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e235-e241.	0.9	26
70	Predictors of Residual T1 High Grade on Re-Transurethral Resection in a Large Multi-Institutional Cohort of Patients with Primary T1 High-Grade/Grade 3 Bladder Cancer. <i>Journal of Cancer</i> , 2018, 9, 4250-4254.	1.2	26
71	The Use of Augmented Reality to Guide the Intraoperative Frozen Section During Robot-assisted Radical Prostatectomy. <i>European Urology</i> , 2021, 80, 480-488.	0.9	26
72	Pelvic Lymph Node Dissection in Prostate Cancer: Indications, Extent and Tailored Approaches. <i>Urologia</i> , 2017, 84, 9-19.	0.3	25

#	ARTICLE	IF	CITATIONS
73	The occurrence of intraoperative complications during partial nephrectomy and their impact on postoperative outcome: results from the RECORD1 project. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 47-54.	3.9	25
74	Prognostic factors in a large multi-institutional series of papillary renal cell carcinoma. <i>BJU International</i> , 2012, 109, 1140-1146.	1.3	24
75	Laparoscopic and robotic ureteral stenosis repair: a multi-institutional experience with a long-term follow-up. <i>Journal of Robotic Surgery</i> , 2016, 10, 323-330.	1.0	24
76	in-bore MRI-guided Prostate Biopsy Using an Endorectal Nonmagnetic Device: A Prospective Study of 70 Consecutive Patients. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 417-427.	0.9	24
77	The Predictive Role of Biomarkers for the Detection of Acute Kidney Injury After Partial or Radical Nephrectomy: A Systematic Review of the Literature. <i>European Urology Focus</i> , 2020, 6, 344-353.	1.6	24
78	Perioperative and Mid-term Oncological and Functional Outcomes After Partial Nephrectomy for Complex (PADUA Score $\geq 10$ ) Renal Tumors: A Prospective Multicenter Observational Study (the Tj ETQq0 0 0 rgt /Overlock 10 Tf	1.3	24
79	<sup>11</sup> C-Choline PET/CT for Restaging of Bladder Cancer. <i>Clinical Nuclear Medicine</i> , 2015, 40, e1-e5.	0.7	23
80	Comparison between the diagnostic accuracies of <sup>18</sup> F-fluorodeoxyglucose positron emission tomography/computed tomography and conventional imaging in recurrent urothelial carcinomas: a retrospective, multicenter study. <i>Abdominal Radiology</i> , 2018, 43, 2391-2399.	1.0	23
81	<sup>18</sup> F-FDG PET/CT and Urothelial Carcinoma: Impact on Management and Prognosis A Multicenter Retrospective Study. <i>Cancers</i> , 2019, 11, 700.	1.7	23
82	Nomogram for predicting the likelihood of postoperative surgical complications in patients treated with partial nephrectomy: a prospective multicentre observational study (the <scp>RECOR</scp> 2) Tj ETQq0 0 0 rgt /Overlock 10 Tf	1.3	23
83	High-Grade T1 on Re-Transurethral Resection after Initial High-Grade T1 Confers Worse Oncological Outcomes: Results of a Multi-Institutional Study. <i>Urologia Internationalis</i> , 2018, 101, 7-15.	0.6	22
84	Three-dimensional digital reconstruction of renal model to guide preoperative planning of robot-assisted partial nephrectomy. <i>International Journal of Urology</i> , 2019, 26, 931-932.	0.5	22
85	Diagnostic performance of MRI/TRUS fusion-guided biopsies vs. systematic prostate biopsies in biopsy-naïve, previous negative biopsy patients and men undergoing active surveillance. <i>Minerva Urology and Nephrology</i> , 2021, 73, 357-366.	1.3	22
86	Metabolic Imaging in Prostate Cancer: Where We Are. <i>Frontiers in Oncology</i> , 2016, 6, 225.	1.3	21
87	How does <sup>68</sup> Ga-prostate-specific membrane antigen positron emission tomography/computed tomography impact the management of patients with prostate cancer recurrence after surgery?. <i>International Journal of Urology</i> , 2019, 26, 804-811.	0.5	21
88	Transperitoneal vs retroperitoneal minimally invasive partial nephrectomy: comparison of perioperative outcomes and functional follow-up in a large multi-institutional cohort (The RECORD 2) Tj ETQq0 0 0 rgt /Overlock 10 Tf	1.3	21
89	The Impact of SARS-CoV-2 Pandemic on Time to Primary, Secondary Resection and Adjuvant Intravesical Therapy in Patients with High-Risk Non-Muscle Invasive Bladder Cancer: A Retrospective Multi-Institutional Cohort Analysis. <i>Cancers</i> , 2021, 13, 5276.	1.7	21
90	Predictive accuracy and clinical benefit of a nomogram aimed to predict <sup>68</sup> Ga-PSMA PET/CT positivity in patients with prostate cancer recurrence and PSA $\leq 1$ ng/ml external validation on a single institution database. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2100-2105.	3.3	20



#	ARTICLE	IF	CITATIONS
91	First Case of $^{18}\text{F}$ -FACBC PET/CT-Guided Salvage Retroperitoneal Lymph Node Dissection for Disease Relapse after Radical Prostatectomy for Prostate Cancer and Negative $^{11}\text{C}$ -Choline PET/CT: New Imaging Techniques May Expand Pioneering Approaches. <i>Urologia Internationalis</i> , 2014, 92, 242-245.	0.6	19
92	Wide spectrum mutational analysis of metastatic renal cell cancer: a retrospective next generation sequencing approach. <i>Oncotarget</i> , 2017, 8, 7328-7335.	0.8	19
93	Preoperative Staging With $^{11}\text{C}$ -Choline PET/CT Is Adequately Accurate in Patients With Very High-Risk Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, 305-312.e1.	0.9	19
94	Identification of mobile lipids in human cancer tissues by ex vivo diffusion edited HR-MAS MRS. <i>Oncology Reports</i> , 2009, 22, 1493-6.	1.2	18
95	Retroperitoneal Robot-Assisted Versus Open Partial Nephrectomy for cT1 Renal Tumors: A Matched-Pair Comparison of Perioperative and Early Oncological Outcomes. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e391-e396.	0.9	18
96	Computerized tomography virtual endoscopy in evaluation of upper urinary tract tumors: initial experience. <i>Abdominal Imaging</i> , 2009, 34, 107-112.	2.0	17
97	Improving IMDC Prognostic Prediction Through Evaluation of Initial Site of Metastasis in Patients With Metastatic Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2020, 18, e83-e90.	0.9	17
98	How Can the COVID-19 Pandemic Lead to Positive Changes in Urology Residency?. <i>Frontiers in Surgery</i> , 2020, 7, 563006.	0.6	17
99	Holmium laser prostatectomy in a tertiary Italian center: A prospective cost analysis in comparison with bipolar TURP and open prostatectomy. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 92, .	0.4	17
100	3D Reconstruction and physical renal model to improve percutaneous puncture during PNL. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019, 45, 1281-1282.	0.7	17
101	Robot assisted radical cystectomy with totally intracorporeal urinary diversion: initial, single-surgeon's experience after a modified modular training. <i>Minerva Urology and Nephrology</i> , 2018, 70, 193-201.	1.3	16
102	State-of-the-art imaging techniques in the management of preoperative staging and re-staging of prostate cancer. <i>International Journal of Urology</i> , 2019, 26, 18-30.	0.5	16
103	Predicting positive surgical margins in partial nephrectomy: A prospective multicentre observational study (the RECORD 2 project). <i>European Journal of Surgical Oncology</i> , 2020, 46, 1353-1359.	0.5	16
104	The Promise of Choline-PET/CT in the Detection of Recurrent Prostate Cancer: What Are the Limits of Our Investigation?. <i>European Urology</i> , 2013, 63, 797-799.	0.9	15
105	$^{68}\text{Ga}$ -PSMA-PET/CT-Guided Salvage Retroperitoneal Lymph Node Dissection for Disease Relapse After Radical Prostatectomy for Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e415-e417.	0.9	15
106	Erectile Function Recovery After Nerve-Sparing Radical Prostatectomy for Prostate Cancer: Is Back to Baseline Status Enough for Patient Satisfaction?. <i>Journal of Sexual Medicine</i> , 2016, 13, 669-678.	0.3	15
107	Percutaneous ablation or minimally invasive partial nephrectomy for cT1a renal masses? A propensity score-matched analysis. <i>International Journal of Urology</i> , 2022, 29, 222-228.	0.5	15
108	Nephron-Sparing Surgery for Renal Cell Carcinoma: State of the Art and 10 Years of Multicentric Experience. <i>European Urology Supplements</i> , 2006, 5, 600-609.	0.1	14

#	ARTICLE	IF	CITATIONS
109	11C-Choline PET/CT Scan in Patients With Prostate Cancer Treated With Intermittent ADT. <i>Clinical Nuclear Medicine</i> , 2013, 38, e279-e282.	0.7	14
110	Nodal Occult Metastases in Intermediate- and High-Risk Prostate Cancer Patients Detected Using Serial Section, Immunohistochemistry, and Real-Time Reverse Transcriptase Polymerase Chain Reaction: Prospective Evaluation With Matched-Pair Analysis. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e55-e64.	0.9	14
111	Renal oncocytosis: a clinicopathological and cytogenetic study of 42 tumours occurring in 11 patients. <i>Pathology</i> , 2016, 48, 41-46.	0.3	14
112	Adverse Features and Competing Risk Mortality in Patients With High-Risk Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e239-e248.	0.9	14
113	Combination therapy in advanced urothelial cancer: the role of PARP, HER-2 and mTOR inhibitors. <i>Expert Review of Anticancer Therapy</i> , 2020, 20, 755-763.	1.1	14
114	Multicenter External Validation of a Nomogram for Predicting Positive Prostate-specific Membrane Antigen/Positron Emission Tomography Scan in Patients with Prostate Cancer Recurrence. <i>European Urology Oncology</i> , 2023, 6, 41-48.	2.6	14
115	State of the art of PET/CT with 11-choline and 18F-fluorocholine in the diagnosis and follow-up of localized and locally advanced prostate cancer. <i>Archivos Espanoles De Urologia</i> , 2015, 68, 354-70.	0.1	14
116	Should We Perform Imaging-Guided Lymph Node Dissection in Patients with Lymphatic Recurrence of Prostate Cancer after Radical Prostatectomy?. <i>European Urology</i> , 2009, 55, 1302-1304.	0.9	13
117	Preservation of the smooth muscular internal (vesical) sphincter and of the proximal urethra for the early recovery of urinary continence after retropubic radical prostatectomy: A prospective case-control study. <i>International Journal of Urology</i> , 2014, 21, 157-162.	0.5	13
118	The impact of a structured intensive modular training in the learning curve of robot assisted radical prostatectomy. <i>Archivio Italiano Di Urologia Andrologia</i> , 2018, 90, 1.	0.4	13
119	Toward Individualized Approaches to Partial Nephrectomy: Assessing the Correlation Between Ischemia Time and Patient Health Status (RECORD2 Project). <i>European Urology Oncology</i> , 2021, 4, 645-650.	2.6	13
120	Interpreting nephrometry scores with three-dimensional virtual modelling for better planning of robotic partial nephrectomy and predicting complications. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 836.e1-836.e9.	0.8	13
121	Oncologic outcomes in prostate cancer patients treated with robot-assisted radical prostatectomy: results from a single institution series with more than 10 years follow up. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 38-46.	3.9	13
122	Patterns of positive surgical margins after open radical prostatectomy and their association with clinical recurrence. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 464-473.	3.9	13
123	11C-Choline-MRI-Guided Prostate Biopsy for Prostate Cancer Diagnosis: Results from 140 Consecutive Patients. <i>Current Urology</i> , 2020, 14, 22-31.	0.4	12
124	A Nomogram for the Prediction of Intermediate Significant Renal Function Loss After Robot-assisted Partial Nephrectomy for Localized Renal Tumors: A Prospective Multicenter Observational Study (RECORD2 Project). <i>European Urology Focus</i> , 2022, 8, 980-987.	1.6	12
125	Hypofractionated Postoperative IMRT in Prostate Carcinoma: A Phase I/II Study. , 2017, 37, 5821-5828.		12
126	Percutaneous tumor ablation versus partial nephrectomy for small renal mass: the impact of histologic variant and tumor size. <i>Minerva Urology and Nephrology</i> , 2021, 73, 581-590.	1.3	12



#	ARTICLE	IF	CITATIONS
127	The robotic approach improves the outcomes of ERAS protocol after radical cystectomy: A prospective case-control analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 833.e1-833.e8.	0.8	11
128	Preoperative multiparametric prostate magnetic resonance imaging: a safe clinical practice to reduce incidental prostate cancer in Holmium laser enucleation of the prostate. <i>Central European Journal of Urology</i> , 2019, 72, 106-112.	0.2	11
129	PI-RADS version 2.1 for the evaluation of transition zone lesions: a practical guide for radiologists. <i>British Journal of Radiology</i> , 2022, 95, 20210916.	1.0	11
130	Identification of prostate cancer risk categories according to surgical margins status, pathological stage and Gleason score. <i>International Journal of Urology</i> , 2013, 20, 1097-1103.	0.5	10
131	Body mass index and the clinicopathological characteristics of clinically localized renal masses: An international retrospective review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 459.e1-459.e5.	0.8	10
132	The role of multiparametric MRI in active surveillance for low-risk prostate cancer: The ROMAS randomized controlled trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 433.e1-433.e7.	0.8	10
133	Efficacy and safety of Finasteride (5 alpha-reductase inhibitor) monotherapy in patients with benign prostatic hyperplasia: A critical review of the literature. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 91, 205-210.	0.4	10
134	Testicular sclerosing Sertoli cell tumor: an additional case and review of the literature. <i>Anticancer Research</i> , 2012, 32, 5127-30.	0.5	10
135	Clinical management of a pituitary gland metastasis from clear cell renal cell carcinoma. <i>Anti-Cancer Drugs</i> , 2018, 29, 710-715.	0.7	9
136	A Meta-Analysis Evaluating Clinical Outcomes of Patients with Renal Cell Carcinoma Harboring Chromosome 9P Loss. <i>Molecular Diagnosis and Therapy</i> , 2019, 23, 569-577.	1.6	9
137	Novel Volumetric and Morphological Parameters Derived from Three-dimensional Virtual Modeling to Improve Comprehension of Tumor's Anatomy in Patients with Renal Cancer. <i>European Urology Focus</i> , 2022, 8, 1300-1308.	1.6	9
138	Perioperative Outcomes of Holmium Laser Enucleation of the Prostate: A Systematic Review. <i>Urologia Internationalis</i> , 2022, 106, 979-991.	0.6	9
139	Robot-assisted Cystectomy with Intracorporeal Urinary Diversion After Pelvic Irradiation for Prostate Cancer: Technique and Results from a Single High-volume Center. <i>European Urology</i> , 2021, 80, 489-496.	0.9	9
140	Prediction of significant renal function decline after open, laparoscopic, and robotic partial nephrectomy: External validation of the Martini's nomogram on the RECORD2 project cohort. <i>International Journal of Urology</i> , 2022, 29, 525-532.	0.5	9
141	Predicting survival in node-positive prostate cancer after open, laparoscopic or robotic radical prostatectomy: A competing risk analysis of a multi-institutional database. <i>International Journal of Urology</i> , 2016, 23, 1000-1008.	0.5	8
142	Evaluating the predictive accuracy and the clinical benefit of a nomogram aimed to predict survival in node-positive prostate cancer patients: External validation on a multi-institutional database. <i>International Journal of Urology</i> , 2018, 25, 574-581.	0.5	8
143	A review discussing fluciclovine (18F) PET/CT imaging in the detection of recurrent prostate cancer. <i>Future Oncology</i> , 2018, 14, 1101-1115.	1.1	8
144	Segmental resection of distal ureter with terminal ureteric anastomosis vs bladder cuff removal and ureteric reimplantation for upper tract urothelial carcinoma: results of a multicentre study. <i>BJU International</i> , 2019, 124, 116-123.	1.3	8

#	ARTICLE	IF	CITATIONS
145	Is partial nephrectomy safe and effective in the setting of frail comorbid patients affected by renal cell carcinoma? Insights from the RECORD 2 multicentre prospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 78.e17-78.e26.	0.8	8
146	Diagnostic accuracy of the Novel 29 MHz micro-ultrasound "ExactVuTM" for the detection of clinically significant prostate cancer: A prospective single institutional study. A step forward in the diagnosis of prostate cancer. <i>Archivio Italiano Di Urologia Andrologia</i> , 2021, 93, 132-138.	0.4	8
147	Challenges in the Use of Artificial Intelligence for Prostate Cancer Diagnosis from Multiparametric Imaging Data. <i>Cancers</i> , 2021, 13, 3944.	1.7	8
148	Role of Inter-Observer Variability and Quantification of Muscularis Propria in the Pathological Staging of Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e307-e312.	0.9	7
149	Adding systematic biopsy to magnetic resonance ultrasound fusion targeted biopsy of the prostate in men with previous negative biopsy or enrolled in active surveillance programs. <i>Medicine (United States)</i> 2021;100(14):e27014. doi:10.1097/MD.0000000000002701	1.4	7
150	Protocol of the Italian Radical Cystectomy Registry (RIC): a non-randomized, 24-month, multicenter study comparing robotic-assisted, laparoscopic, and open surgery for radical cystectomy in bladder cancer. <i>BMC Cancer</i> , 2021, 21, 51.	1.1	7
151	[18F]-Fluciclovine PET/CT for preoperative nodal staging in high-risk primary prostate cancer: final results of a prospective trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 49, 390-409.	3.3	7
152	Smooth Muscle Tumor of Uncertain Malignant Potential of the Urinary Bladder: A Case Report and Review of the Literature. <i>Clinical Genitourinary Cancer</i> , 2013, 11, e6-e9.	0.9	6
153	External Validation of Nomogram Predicting the Probability of Specimen-Confined Disease (pT2-3a). <i>International Journal of Urology</i> , 2014, 93, 262-268.	0.6	6
154	Peri-Operative Outcomes after Open and Robot-Assisted Radical Cystectomy by Using an Advanced Bipolar Seal and Cut Technology (Caiman®): A Prospective, Comparative, and Multi-Institutional Study. <i>Current Urology</i> , 2019, 12, 64-69.	0.4	6
155	Posterior muscle-fascial reconstruction and knotless urethro-neo bladder anastomosis during robot-assisted radical cystectomy: Description of the technique and its impact on urinary continence. <i>Archivio Italiano Di Urologia Andrologia</i> , 2019, 91, 5-10.	0.4	6
156	Is Fast Track protocol a safe tool to reduce hospitalization time after radical cystectomy with ileal urinary diversion? Initial results from a single high-volume centre. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 91, 230-236.	0.4	6
157	Segmental ureterectomy vs. radical nephroureterectomy for ureteral carcinoma in patients with a preoperative glomerular filtration rate less than 90 ml/min/1.73 m2: A multicenter study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 601.e11-601.e16.	0.8	6
158	Prognostic performance of magnetic resonance imaging-guided biopsy in defining prostate cancer anterior lesions. <i>World Journal of Urology</i> , 2021, 39, 1473-1479.	1.2	6
159	TNM staging towards a personalized approach in metastatic urothelial carcinoma: what will the future be like?" a narrative review. <i>Translational Andrology and Urology</i> , 2021, 10, 1541-1552.	0.6	6
160	Short Time Delay Between Previous Prostate Biopsy for Prostate Cancer Assessment and Holmium Laser Enucleation of the Prostate Correlates with Worse Perioperative Outcomes. <i>European Urology Focus</i> , 2022, 8, 563-571.	1.6	6
161	Long-term outcomes of Holmium laser enucleation of prostate and predictive model for symptom recurrence. <i>Prostate</i> , 2022, 82, 203-209.	1.2	6
162	PET/Computed Tomography in the Individualization of Treatment of Prostate Cancer. <i>PET Clinics</i> , 2015, 10, 487-494.	1.5	5

#	ARTICLE	IF	CITATIONS
163	Can the multiphasic computed tomography be useful in the clinical management of small renal masses?. <i>Acta Radiologica</i> , 2017, 58, 625-633.	0.5	5
164	Comparison between $\text{m}^{\text{r}}$ -bore $\text{m}^{\text{r}}$ -MRI guided prostate biopsy and standard ultrasound guided biopsy in the patient with suspicious prostate cancer: Preliminary results. <i>Archivio Italiano Di Urologia Andrologia</i> , 2019, 91, .	0.4	5
165	Ejaculation Sparing Bladder Neck Incision with Holmium Laser in Patients with Urinary Symptoms and Small Prostates: Short-Term Functional Results. <i>Urologia Internationalis</i> , 2019, 103, 102-107.	0.6	5
166	Similarities and Differences between Clear Cell Tubulo-Papillary and Conventional Clear Cell Renal Cell Carcinoma: A Comparative Phenotypical and Mutational Analysis. <i>Diagnostics</i> , 2020, 10, 123.	1.3	5
167	Can preoperative multiparametric MRI avoid unnecessary prostate biopsies before holmium laser enucleation of the prostate? Preliminary results of a multicentric cohort of patients. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 524-530.	3.9	5
168	Assessing pentapecta achievement after robot-assisted radical cystectomy and its association with surgical experience: Results from a high-volume institution. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 272.e11-272.e20.	0.8	5
169	Molecular Diagnostic Tools for the Detection of Nodal Micrometastases in Prostate Cancer Patients Undergoing Radical Prostatectomy with Extended Pelvic Lymph Node Dissection: A Prospective Study. <i>Urologia</i> , 2012, 79, 141-146.	0.3	4
170	Lymph node metastases: not always the same prognosis. <i>Nature Reviews Urology</i> , 2013, 10, 435-436.	1.9	4
171	The New Promise of FACBC Position Emission Tomography/Computed Tomography in the Localization of Disease Relapse After Radical Treatment for Prostate Cancer: Are We Turning to the Right Radiotracer?. <i>European Urology</i> , 2014, 65, 255-256.	0.9	4
172	Revised Gleason Grading System Is a Better Predictor of Indolent Prostate Cancer at the Time of Diagnosis: Retrospective Clinical-Pathological Study on Matched Biopsy and Radical Prostatectomy Specimens. <i>Clinical Genitourinary Cancer</i> , 2014, 12, 325-329.	0.9	4
173	Toward the future of the functional imaging of advanced prostate cancer. <i>European Urology Focus</i> , 2017, 3, 240-242.	1.6	4
174	Chronic prostatitis/pelvic pain syndrome: MRI findings and clinical correlations. <i>Andrologia</i> , 2019, 51, e13361.	1.0	4
175	Immunohistochemical over-expression of HER2 does not always match with gene amplification in invasive bladder cancer. <i>Pathology Research and Practice</i> , 2020, 216, 153012.	1.0	4
176	MRI/TRUS FUSION guided biopsy as first approach in ambulatory setting: Feasibility and performance of a new fusion device. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 91, 211-217.	0.4	4
177	$\text{m}^{\text{r}}$ -bore $\text{m}^{\text{r}}$ -MRI prostate biopsy is a safe preoperative clinical tool to exclude significant prostate cancer in symptomatic patients with benign prostatic obstruction before transurethral laser enucleation. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 91, 224-229.	0.4	4
178	PSMA PET/CT to stage high-risk prostate cancer: is already the time to replace conventional imaging?. <i>Minerva Urology and Nephrology</i> , 2021, 73, 135-136.	1.3	4
179	The Role of [18F]Fluciclovine PET/CT in the Characterization of High-Risk Primary Prostate Cancer: Comparison with [11C]Choline PET/CT and Histopathological Analysis. <i>Cancers</i> , 2021, 13, 1575.	1.7	4
180	Definition and Impact on Oncologic Outcomes of Persistently Elevated Prostate-specific Antigen After Salvage Lymph Node Dissection for Node-only Recurrent Prostate Cancer After Radical Prostatectomy: Clinical Implications for Multimodal Therapy. <i>European Urology Oncology</i> , 2022, 5, 285-295.	2.6	4

#	ARTICLE	IF	CITATIONS
181	The Impact of Previous Prostate Surgery on Surgical Outcomes for Patients Treated with Robot-assisted Radical Cystectomy for Bladder Cancer. <i>European Urology</i> , 2021, 80, 358-365.	0.9	4
182	Prognostic and predictive factors to nivolumab in patients with metastatic renal cell carcinoma: a single center study. <i>Anti-Cancer Drugs</i> , 2021, 32, 74-81.	0.7	4
183	Frozen Section Analysis of Unusual Small Testicular Tumor Masses: Report of 3 Cases. <i>Tumori</i> , 2016, 102, S106-S109.	0.6	3
184	Salvage Surgery for Nodal Recurrence of Prostate Cancer: Might the Robotic Approach Render an Experimental Procedure More Acceptable?. <i>European Urology</i> , 2017, 72, 439-441.	0.9	3
185	Not fatal venous air embolism after holmium laser enucleation of the prostate: Case report and review of literature. <i>Archivio Italiano Di Urologia Andrologia</i> , 2020, 92, 55-57.	0.4	3
186	Broad spectrum mutational analysis of chromophobe renal cell carcinoma using next-generation sequencing. <i>Pathology Research and Practice</i> , 2021, 219, 153350.	1.0	3
187	Is robotic approach useful to palliate advanced bladder cancer? A monocentric single surgeon experience. <i>Central European Journal of Urology</i> , 2019, 72, 113-120.	0.2	3
188	Evaluating the performance of clinical and radiological data in predicting prostate cancer in prostate imaging reporting and data system version 2.1 category 3 lesions of the peripheral and the transition zones. <i>International Urology and Nephrology</i> , 2022, 54, 263-271.	0.6	3
189	The impact of multiparametric MRI features to identify the presence of prevalent cribriform pattern in the peripheral zone tumors. <i>Radiologia Medica</i> , 2022, 127, 174-182.	4.7	3
190	Segmental Ureterectomy Versus Radical Nephroureterectomy in Older Patients Treated for Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2022, , .	0.9	3
191	Re: Impact of Complete Bladder Neck Preservation on Urinary Continence, Quality of Life and Surgical Margins After Radical Prostatectomy: A Randomized, Controlled, Single Blind Trial. <i>European Urology</i> , 2013, 64, 338-339.	0.9	2
192	Robot-Assisted Radical Nephroureterectomy for Upper Urinary Tract Urothelial Carcinoma: A Promising Alternative to Open Surgery or a Future "Gold Standard". <i>Clinical Genitourinary Cancer</i> , 2014, 12, e65-e66.	0.9	2
193	Three Unusual Cases of Nutcracker Syndrome Caused by Increased Blood Flow within the Left Renal Vein. <i>Urologia Internationalis</i> , 2016, 96, 484-487.	0.6	2
194	Response to Johnston re: MRI Displays the Prostatic Cancer Anatomy and Improves the Bundles Management Before Robot-Assisted Radical Prostatectomy by Bianchi et al. (From: Johnston WK, III. J) <i>Tj ETQq0 0 Or.rgBT /Overlock 10 Tf</i>		
195	A case of complete response to nivolumab after long-term progression-free survival with tyrosine kinase inhibitor. <i>Anti-Cancer Drugs</i> , 2018, 29, 911-913.	0.7	2
196	Tailored postoperative treatment of prostate cancer: final results of a phase I/II trial. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 564-572.	2.0	2
197	The role of magnetic resonance imaging-guided biopsy for diagnosis of prostate cancer; comparison between FUSION and "IN-BORE" approaches. <i>Minerva Urology and Nephrology</i> , 2021, 73, 90-97.	1.3	2
198	Perioperative outcomes of patients undergoing urological elective surgery during the COVID-19 pandemic: a national overview across 28 Italian institutions. <i>Central European Journal of Urology</i> , 2021, 74, 259-268.	0.2	2

#	ARTICLE	IF	CITATIONS
199	Are Two Meshes Better than One in Sacrocolpopexy for Pelvic Organ Prolapse? Comparison of Single Anterior versus Anterior and Posterior Vaginal Mesh Procedures. <i>Urologia Internationalis</i> , 2021, , 1-9.	0.6	2
200	Robot-Assisted Radical Cystectomy with Intracorporeal Orthotopic Ileal Neobladder: A Safe Strategy in Elderly Patients? Results of Propensity Score Matching in a Single High-Volume Center. <i>Surgical Technology International</i> , 2019, 34, 302-309.	0.1	2
201	Preservation of the internal sphincter and of the proximal urethra during retropubic radical prostatectomy: A safe option for well-selected cases. <i>International Journal of Urology</i> , 2014, 21, 525-525.	0.5	1
202	Clinically Localized Renal Cell Carcinoma: Which is the Best Treatment Strategy?. <i>Clinical Genitourinary Cancer</i> , 2014, 12, e61.	0.9	1
203	Re: Sabine D. Brookman-May, Matthias May, Ingmar Wolff, et al. Evaluation of the Prognostic Significance of Perirenal Fat Invasion and Tumor Size in Patients with pT1-pT3a Localized Renal Cell Carcinoma in a Comprehensive Multicenter Study of the CORONA Project. Can We Improve Prognostic Discrimination for Patients with Stage pT3a tumors? <i>Eur Urol</i> 2015;67:943-51. <i>European Urology</i> , 2016, 69, e99-e100.	0.9	1
204	Anterior Nutcracker Syndrome with Left Gonadal Vein Varicosities on Multiphasic Computed Tomography: An Unexpected Cause of Pyeloureteral Junction Obstruction. <i>Urologia Internationalis</i> , 2016, 97, 482-484.	0.6	1
205	T-L technique for HoLEP: perioperative outcomes of a large single-centre series. <i>Central European Journal of Urology</i> , 2021, 74, 366-371.	0.2	1
206	Bilateral kidney metastases from adenoid cystic carcinoma of lung: a case report and literature review. <i>CEN Case Reports</i> , 2021, 10, 468-472.	0.5	1
207	Impact of HER2 assessment by CISH in urothelial carcinoma: A retrospective single-center experience. <i>Pathology Research and Practice</i> , 2021, 220, 153410.	1.0	1
208	Minimally Invasive Pyelolithotomy: Comparison of Robot-assisted and Laparoscopic Techniques. <i>Surgical Technology International</i> , 2019, 34, 296-301.	0.1	1
209	The role of MRI in the detection of local recurrence: Added value of multiparametric approach and Signal Intensity/Time Curve analysis. <i>Archivio Italiano Di Urologia Andrologia</i> , 2022, 94, 25-31.	0.4	1
210	Re: Impact of Complete Bladder Neck Preservation on Urinary Continence, Quality of Life and Surgical Margins After Radical Prostatectomy: A Randomized, Controlled, Single Blind Trial. <i>Journal of Urology</i> , 2013, 190, 815-816.	0.2	0
211	Robot-assisted partial nephrectomy: Excellent results even in more complex renal tumours. <i>Canadian Urological Association Journal</i> , 2014, 8, 165.	0.3	0
212	Editorial Comment from <a href="#">D Schiavina</a> to Cystectomy and urinary diversion as management of treatment-refractory benign disease: The impact of preoperative urological conditions on perioperative outcomes. <i>International Journal of Urology</i> , 2014, 21, 387-388.	0.5	0
213	Editorial Comment from <a href="#">D Schiavina</a> to Standardized assessment of complications in a contemporary series of European patients undergoing radical cystectomy. <i>International Journal of Urology</i> , 2014, 21, 150-151.	0.5	0
214	Re: Long-term Outcomes of Patients with Lymph Node Metastasis Treated with Radical Prostatectomy Without Adjuvant Androgen-deprivation Therapy. <i>European Urology</i> , 2014, 65, 250-251.	0.9	0
215	Editorial Comment from Dr Schiavina and Dr Borghesi to Postoperative prostate-specific antigen monitoring interval for radical prostatectomy patients with low recurrence risk. <i>International Journal of Urology</i> , 2015, 22, 886-886.	0.5	0
216	Editorial Comment to Local recurrence of renal cell carcinoma that simulated multiple renal arteriovenous fistulas after laparoscopic partial nephrectomy: Report of a rare case. <i>International Journal of Urology</i> , 2016, 23, 891-892.	0.5	0

#	ARTICLE	IF	CITATIONS
217	Editorial Comment. Journal of Urology, 2017, 197, 682-683.	0.2	0
218	Editorial Comment to Molecular diagnosis of lymph node metastasis in patients with upper urinary tract cancer who underwent lymphadenectomy. International Journal of Urology, 2017, 24, 806-807.	0.5	0
219	How can mpMRI help surgical planning in high risk prostate cancer?. Prostate Cancer and Prostatic Diseases, 2020, 23, 364-365.	2.0	0
220	How radical prostatectomy procedures have changed over the last 10 years in Italy: a comparative analysis based on more than 1500 patients participating in the MIRROR-SIU/LUNA and the Pros-IT CNR study. World Journal of Urology, 2021, 39, 1445-1452.	1.2	0
221	The combination of waterjet ablation (Aquabeam®) and holmium laser power for treatment of symptomatic benign prostatic hyperplasia: early functional results. Central European Journal of Urology, 2021, 74, 222-228.	0.2	0
222	Renal Tumors with Oncocytic and Papillary Features: A Phenotypic and Genotypic Study. Diagnostics, 2021, 11, 184.	1.3	0
223	Re: Three-dimensional printed soft kidney model for surgical simulation of robot-assisted partial nephrectomy: A proof-of-concept study. International Journal of Urology, 2021, 28, 875-875.	0.5	0
224	Negative 11C-choline PET/computed tomography imaging in restaging of patients with prostate cancer with serum prostate-specific antigen values >20 ng/mL. Nuclear Medicine Communications, 2020, 41, 1178-1182.	0.5	0
225	Reply by Authors. Journal of Urology, 2020, 203, 766-766.	0.2	0
226	Postoperative outcomes of Fast-Track-enhanced recovery protocol in open radical cystectomy: comparison with standard management in a high-volume center and Trifecta proposal. Minerva Urology and Nephrology, 2022, 73, .	1.3	0