

# Riccardo Schiavina

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/10929687/riccardo-schiavina-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

210  
papers

4,732  
citations

36  
h-index

62  
g-index

229  
ext. papers

5,716  
ext. citations

3.9  
avg, IF

5.26  
L-index

#	Paper	IF	Citations
210	Complications After Systematic, Random, and Image-guided Prostate Biopsy. <i>European Urology</i> , <b>2017</b> , 71, 353-365	10.2	225
209	<sup>11</sup> C-choline positron emission tomography/computerized tomography for preoperative lymph-node staging in intermediate-risk and high-risk prostate cancer: comparison with clinical staging nomograms. <i>European Urology</i> , <b>2008</b> , 54, 392-401	10.2	202
208	( <sup>18</sup> F)-FACBC (anti-1-amino-3-( <sup>18</sup> F)-fluorocyclobutane-1-carboxylic acid) versus ( <sup>11</sup> C)-choline PET/CT in prostate cancer relapse: results of a prospective trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2016</b> , 43, 1601-10	8.8	176
207	Prostate cancer: sextant localization with MR imaging, MR spectroscopy, and <sup>11</sup> C-choline PET/CT. <i>Radiology</i> , <b>2007</b> , 244, 797-806	20.5	175
206	Validation of the 2009 TNM version in a large multi-institutional cohort of patients treated for renal cell carcinoma: are further improvements needed?. <i>European Urology</i> , <b>2010</b> , 58, 588-95	10.2	164
205	Detection and localization of prostate cancer: correlation of ( <sup>11</sup> C)-choline PET/CT with histopathologic step-section analysis. <i>Journal of Nuclear Medicine</i> , <b>2005</b> , 46, 1642-9	8.9	163
204	New Clinical Indications for ( <sup>18</sup> F)/( <sup>11</sup> C)-choline, New Tracers for Positron Emission Tomography and a Promising Hybrid Device for Prostate Cancer Staging: A Systematic Review of the Literature. <i>European Urology</i> , <b>2016</b> , 70, 161-175	10.2	154
203	Is there a role for <sup>11</sup> C-choline PET/CT in the early detection of metastatic disease in surgically treated prostate cancer patients with a mild PSA increase. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2011</b> , 38, 55-63	8.8	149
202	Simple enucleation is equivalent to traditional partial nephrectomy for renal cell carcinoma: results of a nonrandomized, retrospective, comparative study. <i>Journal of Urology</i> , <b>2011</b> , 185, 1604-10	2.5	117
201	Early biochemical relapse after radical prostatectomy: which prostate cancer patients may benefit from a restaging <sup>11</sup> C-Choline PET/CT scan before salvage radiation therapy?. <i>Journal of Nuclear Medicine</i> , <b>2014</b> , 55, 1424-9	8.9	104
200	<sup>18</sup> F-Fluciclovine PET/CT for the Detection of Prostate Cancer Relapse: A Comparison to <sup>11</sup> C-Choline PET/CT. <i>Clinical Nuclear Medicine</i> , <b>2015</b> , 40, e386-91	1.7	95
199	Comparison of <sup>18</sup> F-FACBC and <sup>11</sup> C-choline PET/CT in patients with radically treated prostate cancer and biochemical relapse: preliminary results. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2013</b> , 40 Suppl 1, S11-7	8.8	92
198	Role of <sup>11</sup> C-choline PET/CT in the re-staging of prostate cancer patients with biochemical relapse and negative results at bone scintigraphy. <i>European Journal of Radiology</i> , <b>2012</b> , 81, e893-6	4.7	87
197	Impact of <sup>11</sup> C-choline PET/CT on clinical decision making in recurrent prostate cancer: results from a retrospective two-centre trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2014</b> , 41, 2222-31	8.8	76
196	( <sup>11</sup> C)-Choline PET/CT for restaging prostate cancer. Results from 4,426 scans in a single-centre patient series. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2016</b> , 43, 1971-9	8.8	68
195	( <sup>11</sup> C)-Choline PET/CT in castration-resistant prostate cancer patients treated with docetaxel. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2016</b> , 43, 84-91	8.8	68
194	Ga-PSMA-11 PET/CT in prostate cancer patients with biochemical recurrence after radical prostatectomy and PSA. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2019</b> , 46, 11-19	8.8	67

193	Positive surgical margins after nephron-sparing surgery for renal cell carcinoma: incidence, clinical impact, and management. <i>Clinical Genitourinary Cancer</i> , <b>2013</b> , 11, 5-9	3.3	65
192	18F-FACBC compared with 11C-choline PET/CT in patients with biochemical relapse after radical prostatectomy: a prospective study in 28 patients. <i>Clinical Genitourinary Cancer</i> , <b>2014</b> , 12, 106-110	3.3	58
191	The role of 11C-choline PET imaging in the early detection of recurrence in surgically treated prostate cancer patients with very low PSA level. <i>Clinical Nuclear Medicine</i> , <b>2013</b> , 38, e342-5	1.7	58
190	An increased body mass index is associated with a worse prognosis in patients administered BCG immunotherapy for T1 bladder cancer. <i>World Journal of Urology</i> , <b>2019</b> , 37, 507-514	4	57
189	MRI Displays the Prostatic Cancer Anatomy and Improves the Bundles Management Before Robot-Assisted Radical Prostatectomy. <i>Journal of Endourology</i> , <b>2018</b> , 32, 315-321	2.7	54
188	Androgen deprivation therapy influences the uptake of 11C-choline in patients with recurrent prostate cancer: the preliminary results of a sequential PET/CT study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2011</b> , 38, 1985-9	8.8	54
187	Perioperative complications and mortality after radical cystectomy when using a standardized reporting methodology. <i>Clinical Genitourinary Cancer</i> , <b>2013</b> , 11, 189-97	3.3	52
186	The extent of pelvic lymph node dissection correlates with the biochemical recurrence rate in patients with intermediate- and high-risk prostate cancer. <i>BJU International</i> , <b>2011</b> , 108, 1262-8	5.6	49
185	PADUA and R.E.N.A.L. nephrometry scores correlate with perioperative outcomes of robot-assisted partial nephrectomy: analysis of the Vattikuti Global Quality Initiative in Robotic Urologic Surgery (GQI-RUS) database. <i>BJU International</i> , <b>2017</b> , 119, 456-463	5.6	48
184	11C-choline PET/CT detects the site of relapse in the majority of prostate cancer patients showing biochemical recurrence after EBRT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2014</b> , 41, 878-86	8.8	46
183	Can testis-sparing surgery for small testicular masses be considered a valid alternative to radical orchiectomy? A prospective single-center study. <i>Clinical Genitourinary Cancer</i> , <b>2013</b> , 11, 522-6	3.3	45
182	Validation of Neutrophil-to-lymphocyte Ratio in a Multi-institutional Cohort of Patients With T1G3 Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2018</b> , 16, 445-452	3.3	44
181	Expanding utilization of robotic partial nephrectomy for clinical T1b and complex T1a renal masses. <i>World Journal of Urology</i> , <b>2013</b> , 31, 499-504	4	44
180	Open versus laparoscopic partial nephrectomy for clinical T1a renal masses: a matched-pair comparison of 280 patients with TRIFECTA outcomes (RECORD Project). <i>World Journal of Urology</i> , <b>2014</b> , 32, 257-63	4	43
179	(11)C-Choline PET/CT in patients with hormone-resistant prostate cancer showing biochemical relapse after radical prostatectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2013</b> , 40, 149-55	8.8	42
178	Systemic Inflammatory Markers and Oncologic Outcomes in Patients with High-risk Non-muscle-invasive Urothelial Bladder Cancer. <i>European Urology Oncology</i> , <b>2018</b> , 1, 403-410	6.7	41
177	Current Strategies and Novel Therapeutic Approaches for Metastatic Urothelial Carcinoma. <i>Cancers</i> , <b>2020</b> , 12,	6.6	38
176	The Role of Prostate-specific Antigen Persistence After Radical Prostatectomy for the Prediction of Clinical Progression and Cancer-specific Mortality in Node-positive Prostate Cancer Patients. <i>European Urology</i> , <b>2016</b> , 69, 1142-8	10.2	38

175	Prediction nomogram for Ga-PSMA-11 PET/CT in different clinical settings of PSA failure after radical treatment for prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 136-146	8.8	38
174	Accuracy of MRI/MRSI-based transrectal ultrasound biopsy in peripheral and transition zones of the prostate gland in patients with prior negative biopsy. <i>NMR in Biomedicine</i> , <b>2010</b> , 23, 1017-26	4.4	36
173	<sup>11</sup> C-choline PET/CT identifies osteoblastic and osteolytic lesions in patients with metastatic prostate cancer. <i>Clinical Nuclear Medicine</i> , <b>2015</b> , 40, e265-70	1.7	35
172	Diagnostic accuracy of (11)C-choline PET/CT in preoperative lymph node staging of bladder cancer: a systematic comparison with contrast-enhanced CT and histologic findings. <i>Clinical Nuclear Medicine</i> , <b>2014</b> , 39, e308-12	1.7	33
171	Ex vivo HR-MAS magnetic resonance spectroscopy of normal and malignant human renal tissues. <i>Anticancer Research</i> , <b>2007</b> , 27, 3195-204	2.3	33
170	The impact of the extent of lymph-node dissection on biochemical relapse after radical prostatectomy in node-negative patients. <i>Anticancer Research</i> , <b>2010</b> , 30, 2297-302	2.3	32
169	Evaluating the effect of time from prostate cancer diagnosis to radical prostatectomy on cancer control: Can surgery be postponed safely?. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2017</b> , 35, 150.e9-150.e15	2.8	29
168	Differing risk of cancer death among patients with pathologic T3a renal cell carcinoma: identification of risk categories according to fat infiltration and renal vein thrombosis. <i>Clinical Genitourinary Cancer</i> , <b>2013</b> , 11, 451-7	3.3	29
167	Role of Clinical and Surgical Factors for the Prediction of Immediate, Early and Late Functional Results, and its Relationship with Cardiovascular Outcome after Partial Nephrectomy: Results from the Prospective Multicenter RECORd 1 Project. <i>Journal of Urology</i> , <b>2018</b> , 199, 927-932	2.5	28
166	<sup>11</sup> C-choline PET/CT and bladder cancer: lymph node metastasis assessment with pathological specimens as reference standard. <i>Clinical Nuclear Medicine</i> , <b>2015</b> , 40, e124-8	1.7	27
165	External validation of the updated nomogram predicting lymph node invasion in patients with prostate cancer undergoing extended pelvic lymph node dissection. <i>Urologia Internationalis</i> , <b>2013</b> , 90, 277-82	1.9	27
164	Perioperative Outcomes of Open, Laparoscopic, and Robotic Partial Nephrectomy: A Prospective Multicenter Observational Study (The RECORd 2 Project). <i>European Urology Focus</i> , <b>2021</b> , 7, 390-396	5.1	27
163	A prospective, multicenter evaluation of predictive factors for positive surgical margins after nephron-sparing surgery for renal cell carcinoma: the RECORd1 Italian Project. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, 165-70	3.3	26
162	Small renal masses initially managed using active surveillance: results from a retrospective study with long-term follow-up. <i>Clinical Genitourinary Cancer</i> , <b>2014</b> , 12, 178-81	3.3	26
161	Preservation of the smooth muscular internal (vesical) sphincter and of the proximal urethra during retropubic radical prostatectomy: description of the technique. <i>International Journal of Urology</i> , <b>2012</b> , 19, 783-5	2.3	25
160	Surveillance for small renal masses: retrospective analysis of a cohort of 42 patients with long-term follow-up. <i>International Urology and Nephrology</i> , <b>2013</b> , 45, 307-12	2.3	25
159	Restaging clear cell renal carcinoma with <sup>18</sup> F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , <b>2014</b> , 39, e320-4	1.7	25
158	TriMatch comparison of the efficacy of FloSeal versus TachoSil versus no hemostatic agents for partial nephrectomy: results from a large multicenter dataset. <i>International Journal of Urology</i> , <b>2015</b> , 22, 47-52	2.3	24

157	Active surveillance for clinically localized renal tumors: An updated review of current indications and clinical outcomes. <i>International Journal of Urology</i> , <b>2015</b> , 22, 432-8	2.3	24
156	Prognostic factors in a large multi-institutional series of papillary renal cell carcinoma. <i>BJU International</i> , <b>2012</b> , 109, 1140-6	5.6	24
155	Should CARMENA Really Change our Attitude Towards Cytoreductive Nephrectomy in Metastatic Renal Cell Carcinoma? A Systematic Review and Meta-Analysis Evaluating Cytoreductive Nephrectomy in the Era of Targeted Therapy. <i>Targeted Oncology</i> , <b>2018</b> , 13, 705-714	5	24
154	What is the standard surgical approach to large volume BPE? Systematic review of existing randomized clinical trials. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 22-29	4.4	23
153	Differing risk of cancer death among patients with lymph node metastasis after radical prostatectomy and pelvic lymph node dissection: identification of risk categories according to number of positive nodes and Gleason score. <i>BJU International</i> , <b>2013</b> , 111, 1237-44	5.6	22
152	"In-bore" MRI-guided Prostate Biopsy Using an Endorectal Nonmagnetic Device: A Prospective Study of 70 Consecutive Patients. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, 417-427	3.3	21
151	Urology in the Time of Coronavirus: Reduced Access to Urgent and Emergent Urological Care during the Coronavirus Disease 2019 Outbreak in Italy. <i>Urologia Internationalis</i> , <b>2020</b> , 104, 631-636	1.9	20
150	Pelvic lymph node dissection in prostate cancer: indications, extent and tailored approaches. <i>Urologia</i> , <b>2017</b> , 84, 9-19	1.2	20
149	11C-choline PET/CT for restaging of bladder cancer. <i>Clinical Nuclear Medicine</i> , <b>2015</b> , 40, e1-5	1.7	19
148	The Prognostic Impact of Tumor Size on Cancer-Specific and Overall Survival Among Patients With Pathologic T3a Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, e235-e241	3.3	19
147	Small renal masses managed with active surveillance: predictors of tumor growth rate after long-term follow-up. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, e87-92	3.3	19
146	Acute kidney injury promotes development of papillary renal cell adenoma and carcinoma from renal progenitor cells. <i>Science Translational Medicine</i> , <b>2020</b> , 12,	17.5	19
145	The number of nodes removed as well as the template of the dissection is independently correlated to cancer-specific survival after radical cystectomy for muscle-invasive bladder cancer. <i>International Urology and Nephrology</i> , <b>2013</b> , 45, 711-9	2.3	19
144	The occurrence of intraoperative complications during partial nephrectomy and their impact on postoperative outcome: results from the RECORd1 project. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2019</b> , 71, 47-54	4.4	18
143	New Hormonal Agents in Patients With Nonmetastatic Castration-Resistant Prostate Cancer: Meta-Analysis of Efficacy and Safety Outcomes. <i>Clinical Genitourinary Cancer</i> , <b>2019</b> , 17, e871-e877	3.3	18
142	Which patients with clinical localized renal mass would achieve the trifecta after partial nephrectomy? The impact of surgical technique. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 339-349	4.4	18
141	Predictors of Residual T1 High Grade on Re-Transurethral Resection in a Large Multi-Institutional Cohort of Patients with Primary T1 High-Grade/Grade 3 Bladder Cancer. <i>Journal of Cancer</i> , <b>2018</b> , 9, 4250-4254	4.5	18
140	Laparoscopic and robotic ureteral stenosis repair: a multi-institutional experience with a long-term follow-up. <i>Journal of Robotic Surgery</i> , <b>2016</b> , 10, 323-330	2.9	17

139	Wide spectrum mutational analysis of metastatic renal cell cancer: a retrospective next generation sequencing approach. <i>Oncotarget</i> , <b>2017</b> , 8, 7328-7335	3.3	16
138	Identification of mobile lipids in human cancer tissues by ex vivo diffusion edited HR-MAS MRS. <i>Oncology Reports</i> , <b>2009</b> , 22, 1493-6	3.5	16
137	Computerized tomography virtual endoscopy in evaluation of upper urinary tract tumors: initial experience. <i>Abdominal Imaging</i> , <b>2009</b> , 34, 107-12		16
136	Metabolic Imaging in Prostate Cancer: Where We Are. <i>Frontiers in Oncology</i> , <b>2016</b> , 6, 225	5.3	16
135	Nomogram for predicting the likelihood of postoperative surgical complications in patients treated with partial nephrectomy: a prospective multicentre observational study (the RECORD 2 project). <i>BJU International</i> , <b>2019</b> , 124, 93-102	5.6	16
134	The Impact of 3D Digital Reconstruction on the Surgical Planning of Partial Nephrectomy: A Case-control Study. Still Time for a Novel Surgical Trend?. <i>Clinical Genitourinary Cancer</i> , <b>2020</b> , 18, e669-e678	2.2	16
133	First case of 18F-FACBC PET/CT-guided salvage retroperitoneal lymph node dissection for disease relapse after radical prostatectomy for prostate cancer and negative 11C-choline PET/CT: new imaging techniques may expand pioneering approaches. <i>Urologia Internationalis</i> , <b>2014</b> , 92, 242-5	1.9	15
132	Real-time Augmented Reality Three-dimensional Guided Robotic Radical Prostatectomy: Preliminary Experience and Evaluation of the Impact on Surgical Planning. <i>European Urology Focus</i> , <b>2021</b> , 7, 1260-1267	5.1	14
131	The Predictive Role of Biomarkers for the Detection of Acute Kidney Injury After Partial or Radical Nephrectomy: A Systematic Review of the Literature. <i>European Urology Focus</i> , <b>2020</b> , 6, 344-353	5.1	14
130	Robot assisted radical cystectomy with totally intracorporeal urinary diversion: initial, single-surgeon experience after a modified modular training. <i>Minerva Urology and Nephrology</i> , <b>2018</b> , 70, 193-201	2.3	14
129	F-FDG PET/CT and Urothelial Carcinoma: Impact on Management and Prognosis-A Multicenter Retrospective Study. <i>Cancers</i> , <b>2019</b> , 11,	6.6	13
128	Predictive accuracy and clinical benefit of a nomogram aimed to predict Ga-PSMA PET/CT positivity in patients with prostate cancer recurrence and PSA. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 2100-2105	8.8	13
127	11C-choline PET/CT scan in patients with prostate cancer treated with intermittent ADT: a sequential PET/CT study. <i>Clinical Nuclear Medicine</i> , <b>2013</b> , 38, e279-82	1.7	13
126	Augmented Reality to Guide Selective Clamping and Tumor Dissection During Robot-assisted Partial Nephrectomy: A Preliminary Experience. <i>Clinical Genitourinary Cancer</i> , <b>2021</b> , 19, e149-e155	3.3	13
125	Radioguided surgery with $\beta$ radiation: a novel application with Ga. <i>Scientific Reports</i> , <b>2018</b> , 8, 16171	4.9	13
124	How does Ga-prostate-specific membrane antigen positron emission tomography/computed tomography impact the management of patients with prostate cancer recurrence after surgery?. <i>International Journal of Urology</i> , <b>2019</b> , 26, 804-811	2.3	12
123	(68)Ga-PSMA-PET/CT-Guided Salvage Retroperitoneal Lymph Node Dissection for Disease Relapse After Radical Prostatectomy for Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, e415-7	3.3	12
122	Nodal occult metastases in intermediate- and high-risk prostate cancer patients detected using serial section, immunohistochemistry, and real-time reverse transcriptase polymerase chain reaction: prospective evaluation with matched-pair analysis. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, e55-64	3.3	12



121	Comparison between the diagnostic accuracies of 18F-fluorodeoxyglucose positron emission tomography/computed tomography and conventional imaging in recurrent urothelial carcinomas: a retrospective, multicenter study. <i>Abdominal Radiology</i> , <b>2018</b> , 43, 2391-2399	3	12
120	Three-dimensional digital reconstruction of renal model to guide preoperative planning of robot-assisted partial nephrectomy. <i>International Journal of Urology</i> , <b>2019</b> , 26, 931-932	2.3	12
119	Nephron-Sparing Surgery for Renal Cell Carcinoma: State of the Art and 10 Years of Multicentric Experience. <i>European Urology Supplements</i> , <b>2006</b> , 5, 600-609	0.9	12
118	3D Reconstruction and physical renal model to improve percutaneous puncture during PNL. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2019</b> , 45, 1281-1282	2	12
117	State-of-the-art imaging techniques in the management of preoperative staging and re-staging of prostate cancer. <i>International Journal of Urology</i> , <b>2019</b> , 26, 18-30	2.3	12
116	The impact of a structured intensive modular training in the learning curve of robot assisted radical prostatectomy. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2018</b> , 90, 1-7	1.6	12
115	High-Grade T1 on Re-Transurethral Resection after Initial High-Grade T1 Confers Worse Oncological Outcomes: Results of a Multi-Institutional Study. <i>Urologia Internationalis</i> , <b>2018</b> , 101, 7-15	1.9	12
114	State of the art of PET/CT with 11-choline and 18F-fluorocholine in the diagnosis and follow-up of localized and locally advanced prostate cancer. <i>Archivos Espanoles De Urologia</i> , <b>2015</b> , 68, 354-70	0.4	12
113	Preoperative Staging With C-Choline PET/CT Is Adequately Accurate in Patients With Very High-Risk Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2018</b> , 16, 305-312.e1	3.3	11
112	Adverse Features and Competing Risk Mortality in Patients With High-Risk Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, e239-e248	3.3	11
111	Hypofractionated Postoperative IMRT in Prostate Carcinoma: A Phase I/II Study. <i>Anticancer Research</i> , <b>2017</b> , 37, 5821-5828	2.3	11
110	Preservation of the smooth muscular internal (vesical) sphincter and of the proximal urethra for the early recovery of urinary continence after retropubic radical prostatectomy: a prospective case-control study. <i>International Journal of Urology</i> , <b>2014</b> , 21, 157-62	2.3	10
109	Oncologic outcomes in prostate cancer patients treated with robot-assisted radical prostatectomy: results from a single institution series with more than 10 years follow up. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2019</b> , 71, 38-46	4.4	10
108	Testis Sparing Surgery of Small Testicular Masses: Retrospective Analysis of a Multicenter Cohort. <i>Journal of Urology</i> , <b>2020</b> , 203, 760-766	2.5	10
107	Transperitoneal vs retroperitoneal minimally invasive partial nephrectomy: comparison of perioperative outcomes and functional follow-up in a large multi-institutional cohort (The RECORD 2 Project). <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2021</b> , 35, 4295-4304	5.2	10
106	Improving IMDC Prognostic Prediction Through Evaluation of Initial Site of Metastasis in Patients With Metastatic Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , <b>2020</b> , 18, e83-e90	3.3	10
105	Testicular sclerosing Sertoli cell tumor: an additional case and review of the literature. <i>Anticancer Research</i> , <b>2012</b> , 32, 5127-30	2.3	10
104	Holmium laser prostatectomy in a tertiary Italian center: A prospective cost analysis in comparison with bipolar TURP and open prostatectomy. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 92,	1.6	9

103	Erectile Function Recovery After Nerve-Sparing Radical Prostatectomy for Prostate Cancer: Is Back to Baseline Status Enough for Patient Satisfaction?. <i>Journal of Sexual Medicine</i> , <b>2016</b> , 13, 669-78	1.1	9
102	How Can the COVID-19 Pandemic Lead to Positive Changes in Urology Residency?. <i>Frontiers in Surgery</i> , <b>2020</b> , 7, 563006	2.3	9
101	Retroperitoneal Robot-Assisted Versus Open Partial Nephrectomy for cT1 Renal Tumors: A Matched-Pair Comparison of Perioperative and Early Oncological Outcomes. <i>Clinical Genitourinary Cancer</i> , <b>2018</b> , 16, e391-e396	3.3	8
100	Perioperative and Mid-term Oncological and Functional Outcomes After Partial Nephrectomy for Complex (PADUA Score $\geq 10$ ) Renal Tumors: A Prospective Multicenter Observational Study (the RECORD2 Project). <i>European Urology Focus</i> , <b>2021</b> , 7, 1371-1379	5.1	8
99	"In-Bore" MRI-Guided Prostate Biopsy for Prostate Cancer Diagnosis: Results from 140 Consecutive Patients. <i>Current Urology</i> , <b>2020</b> , 14, 22-31	1.7	7
98	A review discussing fluciclovine (F) PET/CT imaging in the detection of recurrent prostate cancer. <i>Future Oncology</i> , <b>2018</b> , 14, 1101-1115	3.6	7
97	Predicting survival in node-positive prostate cancer after open, laparoscopic or robotic radical prostatectomy: A competing risk analysis of a multi-institutional database. <i>International Journal of Urology</i> , <b>2016</b> , 23, 1000-1008	2.3	7
96	Patterns of positive surgical margins after open radical prostatectomy and their association with clinical recurrence. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 464-473	4.4	7
95	Combination therapy in advanced urothelial cancer: the role of PARP, HER-2 and mTOR inhibitors. <i>Expert Review of Anticancer Therapy</i> , <b>2020</b> , 20, 755-763	3.5	7
94	Renal oncocytosis: a clinicopathological and cytogenetic study of 42 tumours occurring in 11 patients. <i>Pathology</i> , <b>2016</b> , 48, 41-6	1.6	7
93	Body mass index and the clinicopathological characteristics of clinically localized renal masses-An international retrospective review. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2017</b> , 35, 459.e1-459.e5	2.8	6
92	A Meta-Analysis Evaluating Clinical Outcomes of Patients with Renal Cell Carcinoma Harboring Chromosome 9P Loss. <i>Molecular Diagnosis and Therapy</i> , <b>2019</b> , 23, 569-577	4.5	6
91	External validation of nomogram predicting the probability of specimen-confined disease (pT2-3a, RONO) in patients undergoing radical prostatectomy and pelvic lymph node dissection. <i>Urologia Internationalis</i> , <b>2014</b> , 93, 262-8	1.9	6
90	The Impact of SARS-CoV-2 Pandemic on Time to Primary, Secondary Resection and Adjuvant Intravesical Therapy in Patients with High-Risk Non-Muscle Invasive Bladder Cancer: A Retrospective Multi-Institutional Cohort Analysis. <i>Cancers</i> , <b>2021</b> , 13,	6.6	6
89	Predicting positive surgical margins in partial nephrectomy: A prospective multicentre observational study (the RECORD 2 project). <i>European Journal of Surgical Oncology</i> , <b>2020</b> , 46, 1353-1359	3.6	6
88	Peri-Operative Outcomes after Open and Robot-Assisted Radical Cystectomy by Using an Advanced Bipolar Seal and Cut Technology (Caiman <sup>®</sup> ): A Prospective, Comparative, and Multi-Institutional Study. <i>Current Urology</i> , <b>2019</b> , 12, 64-69	1.7	5
87	PET/Computed Tomography in the Individualization of Treatment of Prostate Cancer. <i>PET Clinics</i> , <b>2015</b> , 10, 487-94	2.2	5
86	Is Fast Track protocol a safe tool to reduce hospitalization time after radical cystectomy with ileal urinary diversion? Initial results from a single high-volume centre. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 91, 230-236	1.6	5



85	Efficacy and safety of Finasteride (5 alpha-reductase inhibitor) monotherapy in patients with benign prostatic hyperplasia: A critical review of the literature. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 91, 205-210	1.6	5
84	Role of Inter-Observer Variability and Quantification of Muscularis Propria in the Pathological Staging of Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2016</b> , 14, e307-12	3.3	5
83	Clinical management of a pituitary gland metastasis from clear cell renal cell carcinoma. <i>Anti-Cancer Drugs</i> , <b>2018</b> , 29, 710-715	2.4	5
82	Identification of prostate cancer risk categories according to surgical margins status, pathological stage and Gleason score. <i>International Journal of Urology</i> , <b>2013</b> , 20, 1097-103	2.3	5
81	Multicenter External Validation of a Nomogram for Predicting Positive Prostate-specific Membrane Antigen/Positron Emission Tomography Scan in Patients with Prostate Cancer Recurrence.. <i>European Urology Oncology</i> , <b>2021</b> ,	6.7	5
80	Percutaneous tumor ablation versus partial nephrectomy for small renal mass: the impact of histologic variant and tumor size. <i>Minerva Urology and Nephrology</i> , <b>2021</b> , 73, 581-590	2.3	5
79	Can preoperative multiparametric MRI avoid unnecessary prostate biopsies before holmium laser enucleation of the prostate? Preliminary results of a multicentric cohort of patients. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2019</b> , 71, 524-530	4.4	5
78	Preoperative multiparametric prostate magnetic resonance imaging: a safe clinical practice to reduce incidental prostate cancer in Holmium laser enucleation of the prostate. <i>Central European Journal of Urology</i> , <b>2019</b> , 72, 106-112	0.9	5
77	Posterior muscle-fascial reconstruction and knotless urethro-neo bladder anastomosis during robot-assisted radical cystectomy: Description of the technique and its impact on urinary continence. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2019</b> , 91, 5-10	1.6	4
76	Toward Individualized Approaches to Partial Nephrectomy: Assessing the Correlation Between Ischemia Time and Patient Health Status (RECORD2 Project). <i>European Urology Oncology</i> , <b>2021</b> , 4, 645-650	6.7	4
75	Similarities and Differences between Clear Cell Tubulo-Papillary and Conventional Clear Cell Renal Cell Carcinoma: A Comparative Phenotypical and Mutational Analysis. <i>Diagnostics</i> , <b>2020</b> , 10,	3.8	4
74	MRI/TRUS FUSION guided biopsy as first approach in ambulatory setting: Feasibility and performance of a new fusion device. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 91, 211-217	1.6	4
73	Smooth muscle tumor of uncertain malignant potential of the urinary bladder: a case report and review of the literature. <i>Clinical Genitourinary Cancer</i> , <b>2013</b> , 11, e6-9	3.3	4
72	Revised Gleason grading system is a better predictor of indolent prostate cancer at the time of diagnosis: retrospective clinical-pathological study on matched biopsy and radical prostatectomy specimens. <i>Clinical Genitourinary Cancer</i> , <b>2014</b> , 12, 325-9	3.3	4
71	Molecular diagnostic tools for the detection of nodal micrometastases in prostate cancer patients undergoing radical prostatectomy with extended pelvic lymph node dissection: a prospective study. <i>Urologia</i> , <b>2012</b> , 79 Suppl 19, 141-6	1.2	4
70	Is partial nephrectomy safe and effective in the setting of frail comorbid patients affected by renal cell carcinoma? Insights from the RECORD 2 multicentre prospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 78.e17-78.e26	2.8	4
69	Segmental resection of distal ureter with termino-terminal ureteric anastomosis vs bladder cuff removal and ureteric re-implantation for upper tract urothelial carcinoma: results of a multicentre study. <i>BJU International</i> , <b>2019</b> , 124, 116-123	5.6	3
68	Ejaculation Sparing Bladder Neck Incision with Holmium Laser in Patients with Urinary Symptoms and Small Prostates: Short-Term Functional Results. <i>Urologia Internationalis</i> , <b>2019</b> , 103, 102-107	1.9	3

67	Immunohistochemical over-expression of HER2 does not always match with gene amplification in invasive bladder cancer. <i>Pathology Research and Practice</i> , <b>2020</b> , 216, 153012	3.4	3
66	"In-bore" MRI prostate biopsy is a safe preoperative clinical tool to exclude significant prostate cancer in symptomatic patients with benign prostatic obstruction before transurethral laser enucleation. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 91, 224-229	1.6	3
65	Comparison between "In-bore" MRI guided prostate biopsy and standard ultrasound guided biopsy in the patient with suspicious prostate cancer: Preliminary results. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2019</b> , 91,	1.6	3
64	Can the multiphasic computed tomography be useful in the clinical management of small renal masses?. <i>Acta Radiologica</i> , <b>2017</b> , 58, 625-633	2	3
63	The new promise of FACBC position emission tomography/computed tomography in the localization of disease relapse after radical treatment for prostate cancer: are we turning to the right radiotracer?. <i>European Urology</i> , <b>2014</b> , 65, 255-6	10.2	3
62	Prostate cancer: lymph node metastases: not always the same prognosis. <i>Nature Reviews Urology</i> , <b>2013</b> , 10, 435-6	5.5	3
61	Adding systematic biopsy to magnetic resonance ultrasound fusion targeted biopsy of the prostate in men with previous negative biopsy or enrolled in active surveillance programs: A prospective single center, randomized study. <i>Medicine (United States)</i> , <b>2020</b> , 99, e22059	1.8	3
60	PSMA PET/CT to stage high-risk prostate cancer: is already the time to replace conventional imaging?. <i>Minerva Urology and Nephrology</i> , <b>2021</b> , 73, 135-136	2.3	3
59	Broad spectrum mutational analysis of chromophobe renal cell carcinoma using next-generation sequencing. <i>Pathology Research and Practice</i> , <b>2021</b> , 219, 153350	3.4	3
58	Diagnostic performance of MRI/TRUS fusion-guided biopsies vs. systematic prostate biopsies in biopsy-naïve, previous negative biopsy patients and men undergoing active surveillance. <i>Minerva Urology and Nephrology</i> , <b>2021</b> , 73, 357-366	2.3	3
57	Challenges in the Use of Artificial Intelligence for Prostate Cancer Diagnosis from Multiparametric Imaging Data. <i>Cancers</i> , <b>2021</b> , 13,	6.6	3
56	The Impact of Previous Prostate Surgery on Surgical Outcomes for Patients Treated with Robot-assisted Radical Cystectomy for Bladder Cancer. <i>European Urology</i> , <b>2021</b> , 80, 358-365	10.2	3
55	A Nomogram for the Prediction of Intermediate Significant Renal Function Loss After Robot-assisted Partial Nephrectomy for Localized Renal Tumors: A Prospective Multicenter Observational Study (RECORD2 Project). <i>European Urology Focus</i> , <b>2021</b> ,	5.1	3
54	The Use of Augmented Reality to Guide the Intraoperative Frozen Section During Robot-assisted Radical Prostatectomy. <i>European Urology</i> , <b>2021</b> , 80, 480-488	10.2	3
53	Robot-assisted Cystectomy with Intracorporeal Urinary Diversion After Pelvic Irradiation for Prostate Cancer: Technique and Results from a Single High-volume Center. <i>European Urology</i> , <b>2021</b> , 80, 489-496	10.2	3
52	Not fatal venous air embolism after holmium laser enucleation of the prostate: Case report and review of literature. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 92, 55-57	1.6	2
51	Evaluating the predictive accuracy and the clinical benefit of a nomogram aimed to predict survival in node-positive prostate cancer patients: External validation on a multi-institutional database. <i>International Journal of Urology</i> , <b>2018</b> , 25, 574-581	2.3	2
50	Three Unusual Cases of Nutcracker Syndrome Caused by Increased Blood Flow within the Left Renal Vein. <i>Urologia Internationalis</i> , <b>2016</b> , 96, 484-7	1.9	2

49	Chronic prostatitis/pelvic pain syndrome: MRI findings and clinical correlations. <i>Andrologia</i> , <b>2019</b> , 51, e13361	2.4	2
48	Words of wisdom: re: impact of complete bladder neck preservation on urinary continence, quality of life and surgical margins after radical prostatectomy: a randomized, controlled, single blind trial. <i>European Urology</i> , <b>2013</b> , 64, 338-9	10.2	2
47	PI-RADS version 2.1 for the evaluation of transition zone lesions: a practical guide for radiologists.. <i>British Journal of Radiology</i> , <b>2021</b> , 20210916	3.4	2
46	The role of multiparametric MRI in active surveillance for low-risk prostate cancer: The ROMAS randomized controlled trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 433.e1-433.e7	2.8	2
45	TNM staging towards a personalized approach in metastatic urothelial carcinoma: what will the future be like?-a narrative review. <i>Translational Andrology and Urology</i> , <b>2021</b> , 10, 1541-1552	2.3	2
44	Diagnostic accuracy of the Novel 29 MHz micro-ultrasound "ExactVuTM" for the detection of clinically significant prostate cancer: A prospective single institutional study. A step forward in the diagnosis of prostate cancer. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2021</b> , 93, 132-138	1.6	2
43	Prognostic performance of magnetic resonance imaging-guided biopsy in defining prostate cancer anterior lesions. <i>World Journal of Urology</i> , <b>2021</b> , 39, 1473-1479	4	2
42	A case of complete response to nivolumab after long-term progression-free survival with tyrosine kinase inhibitor. <i>Anti-Cancer Drugs</i> , <b>2018</b> , 29, 911-913	2.4	2
41	Novel Volumetric and Morphological Parameters Derived from Three-dimensional Virtual Modeling to Improve Comprehension of Tumor Anatomy in Patients with Renal Cancer. <i>European Urology Focus</i> , <b>2021</b> ,	5.1	2
40	Interpreting nephrometry scores with three-dimensional virtual modelling for better planning of robotic partial nephrectomy and predicting complications. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 836.e1-836.e9	2.8	2
39	Perioperative Outcomes of Holmium Laser Enucleation of the Prostate: A Systematic Review. <i>Urologia Internationalis</i> , <b>2021</b> , 1-13	1.9	2
38	Robot-Assisted Radical Cystectomy with Intracorporeal Orthotopic Ileal Neobladder: A Safe Strategy in Elderly Patients? Results of Propensity Score Matching in a Single High-Volume Center. <i>Surgical Technology International</i> , <b>2019</b> , 34, 302-309	0.8	2
37	Anterior Nutcracker Syndrome with Left Gonadal Vein Varicosities on Multiphasic Computed Tomography: An Unexpected Cause of Pyeloureteral Junction Obstruction. <i>Urologia Internationalis</i> , <b>2016</b> , 97, 482-484	1.9	1
36	Tailored postoperative treatment of prostate cancer: final results of a phase I/II trial. <i>Prostate Cancer and Prostatic Diseases</i> , <b>2018</b> , 21, 564-572	6.2	1
35	Robot-assisted radical nephroureterectomy for upper urinary tract urothelial carcinoma: a promising alternative to open surgery or a future "gold standard"?. <i>Clinical Genitourinary Cancer</i> , <b>2014</b> , 12, e65-6	3.3	1
34	Clinically localized renal cell carcinoma: which is the best treatment strategy?. <i>Clinical Genitourinary Cancer</i> , <b>2014</b> , 12, e61	3.3	1
33	Preservation of the internal sphincter and of the proximal urethra during retropubic radical prostatectomy: a safe option for well-selected cases. <i>International Journal of Urology</i> , <b>2014</b> , 21, 525	2.3	1
32	Assessing pentafecta achievement after robot-assisted radical cystectomy and its association with surgical experience: Results from a high-volume institution.. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2022</b> ,	2.8	1

31	The impact of multiparametric MRI features to identify the presence of prevalent cribriform pattern in the peripheral zone tumors. <i>Radiologia Medica</i> , <b>2021</b> , 1	6.5	1
30	Is robotic approach useful to palliate advanced bladder cancer? A monocentric single surgeon experience. <i>Central European Journal of Urology</i> , <b>2019</b> , 72, 113-120	0.9	1
29	Impact of HER2 assessment by CISH in urothelial carcinoma: A retrospective single-center experience. <i>Pathology Research and Practice</i> , <b>2021</b> , 220, 153410	3.4	1
28	Short Time Delay Between Previous Prostate Biopsy for Prostate Cancer Assessment and Holmium Laser Enucleation of the Prostate Correlates with Worse Perioperative Outcomes. <i>European Urology Focus</i> , <b>2021</b> ,	5.1	1
27	The robotic approach improves the outcomes of ERAS protocol after radical cystectomy: A prospective case-control analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 833.e1-833.e8	2.8	1
26	[F]-Fluciclovine PET/CT for preoperative nodal staging in high-risk primary prostate cancer: final results of a prospective trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2021</b> , 1	8.8	1
25	Frozen section analysis of unusual small testicular tumor masses: report of 3 cases. <i>Tumori</i> , <b>2016</b> , 102,	1.7	1
24	Segmental ureterectomy vs. radical nephroureterectomy for ureteral carcinoma in patients with a preoperative glomerular filtration rate less than 90 ml/min/1.73 m: A multicenter study. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2020</b> , 38, 601.e11-601.e16	2.8	1
23	Protocol of the Italian Radical Cystectomy Registry (RIC): a non-randomized, 24-month, multicenter study comparing robotic-assisted, laparoscopic, and open surgery for radical cystectomy in bladder cancer. <i>BMC Cancer</i> , <b>2021</b> , 21, 51	4.8	1
22	Perioperative outcomes of patients undergoing urological elective surgery during the COVID-19 pandemic: a national overview across 28 Italian institutions. <i>Central European Journal of Urology</i> , <b>2021</b> , 74, 259-268	0.9	1
21	Prediction of significant renal function decline after open, laparoscopic, and robotic partial nephrectomy: External validation of the Martini nomogram on the RECORD2 project cohort.. <i>International Journal of Urology</i> , <b>2022</b> ,	2.3	1
20	Evaluating the performance of clinical and radiological data in predicting prostate cancer in prostate imaging reporting and data system version 2.1 category 3 lesions of the peripheral and the transition zones. <i>International Urology and Nephrology</i> , <b>2021</b> , 1	2.3	0
19	Are Two Meshes Better than One in Sacrocolpopexy for Pelvic Organ Prolapse? Comparison of Single Anterior versus Anterior and Posterior Vaginal Mesh Procedures. <i>Urologia Internationalis</i> , <b>2021</b> , 1-9	1.9	0
18	Prognostic and predictive factors to nivolumab in patients with metastatic renal cell carcinoma: a single center study. <i>Anti-Cancer Drugs</i> , <b>2021</b> , 32, 74-81	2.4	0
17	Bilateral kidney metastases from adenoid cystic carcinoma of lung: a case report and literature review. <i>CEN Case Reports</i> , <b>2021</b> , 10, 468-472	1	0
16	The role of magnetic resonance imaging-guided biopsy for diagnosis of prostate cancer; comparison between FUSION and "IN-BORE" approaches. <i>Minerva Urology and Nephrology</i> , <b>2021</b> , 73, 90-97	2.3	0
15	T-L technique for HoLEP: perioperative outcomes of a large single-centre series. <i>Central European Journal of Urology</i> , <b>2021</b> , 74, 366-371	0.9	0
14	Response to Johnston re: MRI Displays the Prostatic Cancer Anatomy and Improves the Bundles Management Before Robot-Assisted Radical Prostatectomy by Bianchi et al. (From: Johnston WK, III. <i>J Endourol</i> 2018;32:322-323). <i>Journal of Endourology</i> , <b>2018</b> , 32, 1085-1086	2.7	0

13	Minimally Invasive Pyelolithotomy: Comparison of Robot-assisted and Laparoscopic Techniques. <i>Surgical Technology International</i> , <b>2019</b> , 34, 296-301	0.8	o
12	The role of MRI in the detection of local recurrence: Added value of multiparametric approach and Signal Intensity/Time Curve analysis.. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2022</b> , 94, 25-31	1.6	o
11	Editorial Comment. <i>Journal of Urology</i> , <b>2017</b> , 197, 682-683	2.5	
10	Re: impact of complete bladder neck preservation on urinary continence, quality of life and surgical margins after radical prostatectomy: a randomized, controlled, single blind trial: J. N. Nyarangi-Dix, J. P. Radtke, B. Hadaschik, S. Pahernik and M. Hohenfellner J Urol 2013; 189: 891-898. <i>Journal of Urology</i> , <b>2013</b> , 190, 815-6	2.5	
9	Robot-assisted partial nephrectomy: Excellent results even in more complex renal tumours. <i>Canadian Urological Association Journal</i> , <b>2014</b> , 8, 165	1.2	
8	Re: long-term outcomes of patients with lymph node metastasis treated with radical prostatectomy without adjuvant androgen-deprivation therapy. <i>European Urology</i> , <b>2014</b> , 65, 250-1	10.2	
7	Reply by Authors. <i>Journal of Urology</i> , <b>2020</b> , 203, 766	2.5	
6	Negative 11C-choline PET/computed tomography imaging in restaging of patients with prostate cancer with serum prostate-specific antigen values >20 ng/mL. <i>Nuclear Medicine Communications</i> , <b>2020</b> , 41, 1178-1182	1.6	
5	How can mpMRI help surgical planning in high risk prostate cancer?. <i>Prostate Cancer and Prostatic Diseases</i> , <b>2020</b> , 23, 364-365	6.2	
4	Re: Three-dimensional-printed soft kidney model for surgical simulation of robot-assisted partial nephrectomy: A proof-of-concept study. <i>International Journal of Urology</i> , <b>2021</b> , 28, 875	2.3	
3	Re: Sabine D. Brookman-May, Matthias May, Ingmar Wolff, et al. Evaluation of the Prognostic Significance of Perirenal Fat Invasion and Tumor Size in Patients with pT1-pT3a Localized Renal Cell Carcinoma in a Comprehensive Multicenter Study of the CORONA Project. Can We Improve Prognostic Discrimination for Patients with Stage pT3a tumors? Eur Urol 2015; 67: 943-51. <i>European Urology</i> , <b>2015</b> , 67, 943-51	10.2	
2	How radical prostatectomy procedures have changed over the last 10 years in Italy: a comparative analysis based on more than 1500 patients participating in the MIRROR-SIU/LUNA and the Pros-IT CNR study. <i>World Journal of Urology</i> , <b>2021</b> , 39, 1445-1452	4	
1	The combination of waterjet ablation (Aquabeam) and holmium laser power for treatment of symptomatic benign prostatic hyperplasia: early functional results. <i>Central European Journal of Urology</i> , <b>2021</b> , 74, 222-228	0.9	