

# Riccardo Schiavina

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/10929687/riccardo-schiavina-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

210  
papers

4,732  
citations

36  
h-index

62  
g-index

229  
ext. papers

5,716  
ext. citations

3.9  
avg, IF

5.26  
L-index

#	Paper	IF	Citations
210	Assessing pentafecta achievement after robot-assisted radical cystectomy and its association with surgical experience: Results from a high-volume institution.. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2022</b> ,	2.8	1
209	Prediction of significant renal function decline after open, laparoscopic, and robotic partial nephrectomy: External validation of the MartiniB nomogram on the RECORD2 project cohort.. <i>International Journal of Urology</i> , <b>2022</b> ,	2.3	1
208	The role of MRI in the detection of local recurrence: Added value of multiparametric approach and Signal Intensity/Time Curve analysis.. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2022</b> , 94, 25-31	1.6	0
207	Toward Individualized Approaches to Partial Nephrectomy: Assessing the Correlation Between Ischemia Time and Patient Health Status (RECORD2 Project). <i>European Urology Oncology</i> , <b>2021</b> , 4, 645-650	6.7	4
206	PI-RADS version 2.1 for the evaluation of transition zone lesions: a practical guide for radiologists.. <i>British Journal of Radiology</i> , <b>2021</b> , 20210916	3.4	2
205	Multicenter External Validation of a Nomogram for Predicting Positive Prostate-specific Membrane Antigen/Positron Emission Tomography Scan in Patients with Prostate Cancer Recurrence.. <i>European Urology Oncology</i> , <b>2021</b> ,	6.7	5
204	Percutaneous tumor ablation versus partial nephrectomy for small renal mass: the impact of histologic variant and tumor size. <i>Minerva Urology and Nephrology</i> , <b>2021</b> , 73, 581-590	2.3	5
203	Evaluating the performance of clinical and radiological data in predicting prostate cancer in prostate imaging reporting and data system version 2.1 category 3 lesions of the peripheral and the transition zones. <i>International Urology and Nephrology</i> , <b>2021</b> , 1	2.3	0
202	The impact of multiparametric MRI features to identify the presence of prevalent cribriform pattern in the peripheral zone tumors. <i>Radiologia Medica</i> , <b>2021</b> , 1	6.5	1
201	Are Two Meshes Better than One in Sacrocolpopexy for Pelvic Organ Prolapse? Comparison of Single Anterior versus Anterior and Posterior Vaginal Mesh Procedures. <i>Urologia Internationalis</i> , <b>2021</b> , 1-9	1.9	0
200	The Impact of SARS-CoV-2 Pandemic on Time to Primary, Secondary Resection and Adjuvant Intravesical Therapy in Patients with High-Risk Non-Muscle Invasive Bladder Cancer: A Retrospective Multi-Institutional Cohort Analysis. <i>Cancers</i> , <b>2021</b> , 13,	6.6	6
199	Prognostic and predictive factors to nivolumab in patients with metastatic renal cell carcinoma: a single center study. <i>Anti-Cancer Drugs</i> , <b>2021</b> , 32, 74-81	2.4	0
198	Augmented Reality to Guide Selective Clamping and Tumor Dissection During Robot-assisted Partial Nephrectomy: A Preliminary Experience. <i>Clinical Genitourinary Cancer</i> , <b>2021</b> , 19, e149-e155	3.3	13
197	Perioperative and Mid-term Oncological and Functional Outcomes After Partial Nephrectomy for Complex (PADUA Score 10) Renal Tumors: A Prospective Multicenter Observational Study (the RECORD2 Project). <i>European Urology Focus</i> , <b>2021</b> , 7, 1371-1379	5.1	8
196	Real-time Augmented Reality Three-dimensional Guided Robotic Radical Prostatectomy: Preliminary Experience and Evaluation of the Impact on Surgical Planning. <i>European Urology Focus</i> , <b>2021</b> , 7, 1260-1267	5.1	14
195	The role of multiparametric MRI in active surveillance for low-risk prostate cancer: The ROMAS randomized controlled trial. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 433.e1-433.e7	2.8	2
194	Transperitoneal vs retroperitoneal minimally invasive partial nephrectomy: comparison of perioperative outcomes and functional follow-up in a large multi-institutional cohort (The RECORD 2 Project). <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2021</b> , 35, 4295-4304	5.2	10

193	Bilateral kidney metastases from adenoid cystic carcinoma of lung: a case report and literature review. <i>CEN Case Reports</i> , <b>2021</b> , 10, 468-472	1	0
192	PSMA PET/CT to stage high-risk prostate cancer: is already the time to replace conventional imaging?. <i>Minerva Urology and Nephrology</i> , <b>2021</b> , 73, 135-136	2.3	3
191	The role of magnetic resonance imaging-guided biopsy for diagnosis of prostate cancer; comparison between FUSION and "IN-BORE" approaches. <i>Minerva Urology and Nephrology</i> , <b>2021</b> , 73, 90-97	2.3	0
190	TNM staging towards a personalized approach in metastatic urothelial carcinoma: what will the future be like?-a narrative review. <i>Translational Andrology and Urology</i> , <b>2021</b> , 10, 1541-1552	2.3	2
189	Impact of HER2 assessment by CISH in urothelial carcinoma: A retrospective single-center experience. <i>Pathology Research and Practice</i> , <b>2021</b> , 220, 153410	3.4	1
188	Short Time Delay Between Previous Prostate Biopsy for Prostate Cancer Assessment and Holmium Laser Enucleation of the Prostate Correlates with Worse Perioperative Outcomes. <i>European Urology Focus</i> , <b>2021</b> ,	5.1	1
187	Re: Three-dimensional-printed soft kidney model for surgical simulation of robot-assisted partial nephrectomy: A proof-of-concept study. <i>International Journal of Urology</i> , <b>2021</b> , 28, 875	2.3	
186	Diagnostic accuracy of the Novel 29 MHz micro-ultrasound "ExactVuTM" for the detection of clinically significant prostate cancer: A prospective single institutional study. A step forward in the diagnosis of prostate cancer. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2021</b> , 93, 132-138	1.6	2
185	The robotic approach improves the outcomes of ERAS protocol after radical cystectomy: A prospective case-control analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 833.e1-833.e8	2.8	1
184	[F]-Fluciclovine PET/CT for preoperative nodal staging in high-risk primary prostate cancer: final results of a prospective trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2021</b> , 1	8.8	1
183	Prognostic performance of magnetic resonance imaging-guided biopsy in defining prostate cancer anterior lesions. <i>World Journal of Urology</i> , <b>2021</b> , 39, 1473-1479	4	2
182	How radical prostatectomy procedures have changed over the last 10 years in Italy: a comparative analysis based on more than 1500 patients participating in the MIRROR-SIU/LUNA and the Pros-IT CNR study. <i>World Journal of Urology</i> , <b>2021</b> , 39, 1445-1452	4	
181	Is partial nephrectomy safe and effective in the setting of frail comorbid patients affected by renal cell carcinoma? Insights from the RECORD 2 multicentre prospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 78.e17-78.e26	2.8	4
180	Perioperative Outcomes of Open, Laparoscopic, and Robotic Partial Nephrectomy: A Prospective Multicenter Observational Study (The RECORD 2 Project). <i>European Urology Focus</i> , <b>2021</b> , 7, 390-396	5.1	27
179	The combination of waterjet ablation (Aquabeam) and holmium laser power for treatment of symptomatic benign prostatic hyperplasia: early functional results. <i>Central European Journal of Urology</i> , <b>2021</b> , 74, 222-228	0.9	
178	Protocol of the Italian Radical Cystectomy Registry (RIC): a non-randomized, 24-month, multicenter study comparing robotic-assisted, laparoscopic, and open surgery for radical cystectomy in bladder cancer. <i>BMC Cancer</i> , <b>2021</b> , 21, 51	4.8	1
177	T-L technique for HoLEP: perioperative outcomes of a large single-centre series. <i>Central European Journal of Urology</i> , <b>2021</b> , 74, 366-371	0.9	0
176	Broad spectrum mutational analysis of chromophobe renal cell carcinoma using next-generation sequencing. <i>Pathology Research and Practice</i> , <b>2021</b> , 219, 153350	3.4	3

175	Diagnostic performance of MRI/TRUS fusion-guided biopsies vs. systematic prostate biopsies in biopsy-naïve, previous negative biopsy patients and men undergoing active surveillance. <i>Minerva Urology and Nephrology</i> , <b>2021</b> , 73, 357-366	2.3	3
174	Challenges in the Use of Artificial Intelligence for Prostate Cancer Diagnosis from Multiparametric Imaging Data. <i>Cancers</i> , <b>2021</b> , 13,	6.6	3
173	Novel Volumetric and Morphological Parameters Derived from Three-dimensional Virtual Modeling to Improve Comprehension of Tumor Anatomy in Patients with Renal Cancer. <i>European Urology Focus</i> , <b>2021</b> ,	5.1	2
172	The Impact of Previous Prostate Surgery on Surgical Outcomes for Patients Treated with Robot-assisted Radical Cystectomy for Bladder Cancer. <i>European Urology</i> , <b>2021</b> , 80, 358-365	10.2	3
171	Interpreting nephrometry scores with three-dimensional virtual modelling for better planning of robotic partial nephrectomy and predicting complications. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2021</b> , 39, 836.e1-836.e9	2.8	2
170	Perioperative Outcomes of Holmium Laser Enucleation of the Prostate: A Systematic Review. <i>Urologia Internationalis</i> , <b>2021</b> , 1-13	1.9	2
169	A Nomogram for the Prediction of Intermediate Significant Renal Function Loss After Robot-assisted Partial Nephrectomy for Localized Renal Tumors: A Prospective Multicenter Observational Study (RECORD2 Project). <i>European Urology Focus</i> , <b>2021</b> ,	5.1	3
168	The Use of Augmented Reality to Guide the Intraoperative Frozen Section During Robot-assisted Radical Prostatectomy. <i>European Urology</i> , <b>2021</b> , 80, 480-488	10.2	3
167	Robot-assisted Cystectomy with Intracorporeal Urinary Diversion After Pelvic Irradiation for Prostate Cancer: Technique and Results from a Single High-volume Center. <i>European Urology</i> , <b>2021</b> , 80, 489-496	10.2	3
166	Perioperative outcomes of patients undergoing urological elective surgery during the COVID-19 pandemic: a national overview across 28 Italian institutions. <i>Central European Journal of Urology</i> , <b>2021</b> , 74, 259-268	0.9	1
165	"In-Bore" MRI-Guided Prostate Biopsy for Prostate Cancer Diagnosis: Results from 140 Consecutive Patients. <i>Current Urology</i> , <b>2020</b> , 14, 22-31	1.7	7
164	Urology in the Time of Coronavirus: Reduced Access to Urgent and Emergent Urological Care during the Coronavirus Disease 2019 Outbreak in Italy. <i>Urologia Internationalis</i> , <b>2020</b> , 104, 631-636	1.9	20
163	Current Strategies and Novel Therapeutic Approaches for Metastatic Urothelial Carcinoma. <i>Cancers</i> , <b>2020</b> , 12,	6.6	38
162	Acute kidney injury promotes development of papillary renal cell adenoma and carcinoma from renal progenitor cells. <i>Science Translational Medicine</i> , <b>2020</b> , 12,	17.5	19
161	Holmium laser prostatectomy in a tertiary Italian center: A prospective cost analysis in comparison with bipolar TURP and open prostatectomy. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 92,	1.6	9
160	Immunohistochemical over-expression of HER2 does not always match with gene amplification in invasive bladder cancer. <i>Pathology Research and Practice</i> , <b>2020</b> , 216, 153012	3.4	3
159	Similarities and Differences between Clear Cell Tubulo-Papillary and Conventional Clear Cell Renal Cell Carcinoma: A Comparative Phenotypical and Mutational Analysis. <i>Diagnostics</i> , <b>2020</b> , 10,	3.8	4
158	Is Fast Track protocol a safe tool to reduce hospitalization time after radical cystectomy with ileal urinary diversion? Initial results from a single high-volume centre. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 91, 230-236	1.6	5

157	MRI/TRUS FUSION guided biopsy as first approach in ambulatory setting: Feasibility and performance of a new fusion device. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 91, 211-217	1.6	4
156	"In-bore" MRI prostate biopsy is a safe preoperative clinical tool to exclude significant prostate cancer in symptomatic patients with benign prostatic obstruction before transurethral laser enucleation. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 91, 224-229	1.6	3
155	Efficacy and safety of Finasteride (5 alpha-reductase inhibitor) monotherapy in patients with benign prostatic hyperplasia: A critical review of the literature. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 91, 205-210	1.6	5
154	Predictive accuracy and clinical benefit of a nomogram aimed to predict Ga-PSMA PET/CT positivity in patients with prostate cancer recurrence and PSA. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 2100-2105	8.8	13
153	Not fatal venous air embolism after holmium laser enucleation of the prostate: Case report and review of literature. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 92, 55-57	1.6	2
152	Reply by Authors. <i>Journal of Urology</i> , <b>2020</b> , 203, 766	2.5	
151	Patterns of positive surgical margins after open radical prostatectomy and their association with clinical recurrence. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 464-473	4.4	7
150	Which patients with clinical localized renal mass would achieve the trifecta after partial nephrectomy? The impact of surgical technique. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 339-349	4.4	18
149	What is the standard surgical approach to large volume BPE? Systematic review of existing randomized clinical trials. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 22-29	4.4	23
148	Negative 11C-choline PET/computed tomography imaging in restaging of patients with prostate cancer with serum prostate-specific antigen values >20 ng/mL. <i>Nuclear Medicine Communications</i> , <b>2020</b> , 41, 1178-1182	1.6	
147	Predicting positive surgical margins in partial nephrectomy: A prospective multicentre observational study (the RECORD 2 project). <i>European Journal of Surgical Oncology</i> , <b>2020</b> , 46, 1353-1359 <sup>3.6</sup>	3.6	6
146	Testis Sparing Surgery of Small Testicular Masses: Retrospective Analysis of a Multicenter Cohort. <i>Journal of Urology</i> , <b>2020</b> , 203, 760-766	2.5	10
145	Prediction nomogram for Ga-PSMA-11 PET/CT in different clinical settings of PSA failure after radical treatment for prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 136-146	8.8	38
144	How can mpMRI help surgical planning in high risk prostate cancer?. <i>Prostate Cancer and Prostatic Diseases</i> , <b>2020</b> , 23, 364-365	6.2	
143	Adding systematic biopsy to magnetic resonance ultrasound fusion targeted biopsy of the prostate in men with previous negative biopsy or enrolled in active surveillance programs: A prospective single center, randomized study. <i>Medicine (United States)</i> , <b>2020</b> , 99, e22059	1.8	3
142	Combination therapy in advanced urothelial cancer: the role of PARP, HER-2 and mTOR inhibitors. <i>Expert Review of Anticancer Therapy</i> , <b>2020</b> , 20, 755-763	3.5	7
141	How Can the COVID-19 Pandemic Lead to Positive Changes in Urology Residency?. <i>Frontiers in Surgery</i> , <b>2020</b> , 7, 563006	2.3	9
140	The Predictive Role of Biomarkers for the Detection of Acute Kidney Injury After Partial or Radical Nephrectomy: A Systematic Review of the Literature. <i>European Urology Focus</i> , <b>2020</b> , 6, 344-353	5.1	14

139	Improving IMDC Prognostic Prediction Through Evaluation of Initial Site of Metastasis in Patients With Metastatic Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , <b>2020</b> , 18, e83-e90	3.3	10
138	The Impact of 3D Digital Reconstruction on the Surgical Planning of Partial Nephrectomy: A Case-control Study. Still Time for a Novel Surgical Trend?. <i>Clinical Genitourinary Cancer</i> , <b>2020</b> , 18, e669-e678	3.7	16
137	Segmental ureterectomy vs. radical nephroureterectomy for ureteral carcinoma in patients with a preoperative glomerular filtration rate less than 90 ml/min/1.73 m: A multicenter study. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2020</b> , 38, 601.e11-601.e16	2.8	1
136	Segmental resection of distal ureter with termino-terminal ureteric anastomosis vs bladder cuff removal and ureteric re-implantation for upper tract urothelial carcinoma: results of a multicentre study. <i>BJU International</i> , <b>2019</b> , 124, 116-123	5.6	3
135	F-FDG PET/CT and Urothelial Carcinoma: Impact on Management and Prognosis-A Multicenter Retrospective Study. <i>Cancers</i> , <b>2019</b> , 11,	6.6	13
134	Peri-Operative Outcomes after Open and Robot-Assisted Radical Cystectomy by Using an Advanced Bipolar Seal and Cut Technology (Caiman <sup>®</sup> ): A Prospective, Comparative, and Multi-Institutional Study. <i>Current Urology</i> , <b>2019</b> , 12, 64-69	1.7	5
133	How does Ga-prostate-specific membrane antigen positron emission tomography/computed tomography impact the management of patients with prostate cancer recurrence after surgery?. <i>International Journal of Urology</i> , <b>2019</b> , 26, 804-811	2.3	12
132	Ejaculation Sparing Bladder Neck Incision with Holmium Laser in Patients with Urinary Symptoms and Small Prostates: Short-Term Functional Results. <i>Urologia Internationalis</i> , <b>2019</b> , 103, 102-107	1.9	3
131	Posterior muscle-fascial reconstruction and knotless urethro-neo bladder anastomosis during robot-assisted radical cystectomy: Description of the technique and its impact on urinary continence. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2019</b> , 91, 5-10	1.6	4
130	The occurrence of intraoperative complications during partial nephrectomy and their impact on postoperative outcome: results from the RECORd1 project. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2019</b> , 71, 47-54	4.4	18
129	Ga-PSMA-11 PET/CT in prostate cancer patients with biochemical recurrence after radical prostatectomy and PSA . <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2019</b> , 46, 11-19	8.8	67
128	An increased body mass index is associated with a worse prognosis in patients administered BCG immunotherapy for T1 bladder cancer. <i>World Journal of Urology</i> , <b>2019</b> , 37, 507-514	4	57
127	New Hormonal Agents in Patients With Nonmetastatic Castration-Resistant Prostate Cancer: Meta-Analysis of Efficacy and Safety Outcomes. <i>Clinical Genitourinary Cancer</i> , <b>2019</b> , 17, e871-e877	3.3	18
126	A Meta-Analysis Evaluating Clinical Outcomes of Patients with Renal Cell Carcinoma Harboring Chromosome 9P Loss. <i>Molecular Diagnosis and Therapy</i> , <b>2019</b> , 23, 569-577	4.5	6
125	Three-dimensional digital reconstruction of renal model to guide preoperative planning of robot-assisted partial nephrectomy. <i>International Journal of Urology</i> , <b>2019</b> , 26, 931-932	2.3	12
124	Chronic prostatitis/pelvic pain syndrome: MRI findings and clinical correlations. <i>Andrologia</i> , <b>2019</b> , 51, e13361	2.4	2
123	Comparison between "In-bore" MRI guided prostate biopsy and standard ultrasound guided biopsy in the patient with suspicious prostate cancer: Preliminary results. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2019</b> , 91,	1.6	3
122	3D Reconstruction and physical renal model to improve percutaneous puncture during PNL. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2019</b> , 45, 1281-1282	2	12

121	Oncologic outcomes in prostate cancer patients treated with robot-assisted radical prostatectomy: results from a single institution series with more than 10 years follow up. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2019</b> , 71, 38-46	4.4	10
120	Can preoperative multiparametric MRI avoid unnecessary prostate biopsies before holmium laser enucleation of the prostate? Preliminary results of a multicentric cohort of patients. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2019</b> , 71, 524-530	4.4	5
119	Preoperative multiparametric prostate magnetic resonance imaging: a safe clinical practice to reduce incidental prostate cancer in Holmium laser enucleation of the prostate. <i>Central European Journal of Urology</i> , <b>2019</b> , 72, 106-112	0.9	5
118	Is robotic approach useful to palliate advanced bladder cancer? A monocentric single surgeon experience. <i>Central European Journal of Urology</i> , <b>2019</b> , 72, 113-120	0.9	1
117	Nomogram for predicting the likelihood of postoperative surgical complications in patients treated with partial nephrectomy: a prospective multicentre observational study (the RECORD 2 project). <i>BJU International</i> , <b>2019</b> , 124, 93-102	5.6	16
116	State-of-the-art imaging techniques in the management of preoperative staging and re-staging of prostate cancer. <i>International Journal of Urology</i> , <b>2019</b> , 26, 18-30	2.3	12
115	Minimally Invasive Pyelolithotomy: Comparison of Robot-assisted and Laparoscopic Techniques. <i>Surgical Technology International</i> , <b>2019</b> , 34, 296-301	0.8	0
114	Robot-Assisted Radical Cystectomy with Intracorporeal Orthotopic Ileal Neobladder: A Safe Strategy in Elderly Patients? Results of Propensity Score Matching in a Single High-Volume Center. <i>Surgical Technology International</i> , <b>2019</b> , 34, 302-309	0.8	2
113	Evaluating the predictive accuracy and the clinical benefit of a nomogram aimed to predict survival in node-positive prostate cancer patients: External validation on a multi-institutional database. <i>International Journal of Urology</i> , <b>2018</b> , 25, 574-581	2.3	2
112	A review discussing fluciclovine (F) PET/CT imaging in the detection of recurrent prostate cancer. <i>Future Oncology</i> , <b>2018</b> , 14, 1101-1115	3.6	7
111	Role of Clinical and Surgical Factors for the Prediction of Immediate, Early and Late Functional Results, and its Relationship with Cardiovascular Outcome after Partial Nephrectomy: Results from the Prospective Multicenter RECORD 1 Project. <i>Journal of Urology</i> , <b>2018</b> , 199, 927-932	2.5	28
110	MRI Displays the Prostatic Cancer Anatomy and Improves the Bundles Management Before Robot-Assisted Radical Prostatectomy. <i>Journal of Endourology</i> , <b>2018</b> , 32, 315-321	2.7	54
109	Comparison between the diagnostic accuracies of 18F-fluorodeoxyglucose positron emission tomography/computed tomography and conventional imaging in recurrent urothelial carcinomas: a retrospective, multicenter study. <i>Abdominal Radiology</i> , <b>2018</b> , 43, 2391-2399	3	12
108	Retroperitoneal Robot-Assisted Versus Open Partial Nephrectomy for cT1 Renal Tumors: A Matched-Pair Comparison of Perioperative and Early Oncological Outcomes. <i>Clinical Genitourinary Cancer</i> , <b>2018</b> , 16, e391-e396	3.3	8
107	Tailored postoperative treatment of prostate cancer: final results of a phase I/II trial. <i>Prostate Cancer and Prostatic Diseases</i> , <b>2018</b> , 21, 564-572	6.2	1
106	Validation of Neutrophil-to-lymphocyte Ratio in a Multi-institutional Cohort of Patients With T1G3 Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2018</b> , 16, 445-452	3.3	44
105	Clinical management of a pituitary gland metastasis from clear cell renal cell carcinoma. <i>Anti-Cancer Drugs</i> , <b>2018</b> , 29, 710-715	2.4	5
104	Preoperative Staging With C-Choline PET/CT Is Adequately Accurate in Patients With Very High-Risk Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2018</b> , 16, 305-312.e1	3.3	11

103	Systemic Inflammatory Markers and Oncologic Outcomes in Patients with High-risk Non-muscle-invasive Urothelial Bladder Cancer. <i>European Urology Oncology</i> , <b>2018</b> , 1, 403-410	6.7	41
102	Predictors of Residual T1 High Grade on Re-Transurethral Resection in a Large Multi-Institutional Cohort of Patients with Primary T1 High-Grade/Grade 3 Bladder Cancer. <i>Journal of Cancer</i> , <b>2018</b> , 9, 4250-4254	4.5	18
101	The impact of a structured intensive modular training in the learning curve of robot assisted radical prostatectomy. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2018</b> , 90, 1-7	1.6	12
100	Response to Johnston re: MRI Displays the Prostatic Cancer Anatomy and Improves the Bundles Management Before Robot-Assisted Radical Prostatectomy by Bianchi et al. (From: Johnston WK, III. <i>J Endourol</i> 2018;32:322-323). <i>Journal of Endourology</i> , <b>2018</b> , 32, 1085-1086	2.7	0
99	Robot assisted radical cystectomy with totally intracorporeal urinary diversion: initial, single-surgeon experience after a modified modular training. <i>Minerva Urology and Nephrology</i> , <b>2018</b> , 70, 193-201	2.3	14
98	Radioguided surgery with $^{67}$ radiation: a novel application with Ga. <i>Scientific Reports</i> , <b>2018</b> , 8, 16171	4.9	13
97	Should CARMENA Really Change our Attitude Towards Cytoreductive Nephrectomy in Metastatic Renal Cell Carcinoma? A Systematic Review and Meta-Analysis Evaluating Cytoreductive Nephrectomy in the Era of Targeted Therapy. <i>Targeted Oncology</i> , <b>2018</b> , 13, 705-714	5	24
96	A case of complete response to nivolumab after long-term progression-free survival with tyrosine kinase inhibitor. <i>Anti-Cancer Drugs</i> , <b>2018</b> , 29, 911-913	2.4	2
95	High-Grade T1 on Re-Transurethral Resection after Initial High-Grade T1 Confers Worse Oncological Outcomes: Results of a Multi-Institutional Study. <i>Urologia Internationalis</i> , <b>2018</b> , 101, 7-15	1.9	12
94	Editorial Comment. <i>Journal of Urology</i> , <b>2017</b> , 197, 682-683	2.5	
93	"In-bore" MRI-guided Prostate Biopsy Using an Endorectal Nonmagnetic Device: A Prospective Study of 70 Consecutive Patients. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, 417-427	3.3	21
92	Body mass index and the clinicopathological characteristics of clinically localized renal masses-An international retrospective review. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2017</b> , 35, 459.e1-459.e5	2.8	6
91	Evaluating the effect of time from prostate cancer diagnosis to radical prostatectomy on cancer control: Can surgery be postponed safely?. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2017</b> , 35, 150.e9-150.e15	2.8	29
90	Wide spectrum mutational analysis of metastatic renal cell cancer: a retrospective next generation sequencing approach. <i>Oncotarget</i> , <b>2017</b> , 8, 7328-7335	3.3	16
89	Complications After Systematic, Random, and Image-guided Prostate Biopsy. <i>European Urology</i> , <b>2017</b> , 71, 353-365	10.2	225
88	PADUA and R.E.N.A.L. nephrometry scores correlate with perioperative outcomes of robot-assisted partial nephrectomy: analysis of the Vattikuti Global Quality Initiative in Robotic Urologic Surgery (GQI-RUS) database. <i>BJU International</i> , <b>2017</b> , 119, 456-463	5.6	48
87	Adverse Features and Competing Risk Mortality in Patients With High-Risk Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2017</b> , 15, e239-e248	3.3	11
86	Can the multiphasic computed tomography be useful in the clinical management of small renal masses?. <i>Acta Radiologica</i> , <b>2017</b> , 58, 625-633	2	3



85	Pelvic lymph node dissection in prostate cancer: indications, extent and tailored approaches. <i>Urologia</i> , <b>2017</b> , 84, 9-19	1.2	20
84	Hypofractionated Postoperative IMRT in Prostate Carcinoma: A Phase I/II Study. <i>Anticancer Research</i> , <b>2017</b> , 37, 5821-5828	2.3	11
83	Anterior Nutcracker Syndrome with Left Gonadal Vein Varicosities on Multiphasic Computed Tomography: An Unexpected Cause of Pyeloureteral Junction Obstruction. <i>Urologia Internationalis</i> , <b>2016</b> , 97, 482-484	1.9	1
82	Predicting survival in node-positive prostate cancer after open, laparoscopic or robotic radical prostatectomy: A competing risk analysis of a multi-institutional database. <i>International Journal of Urology</i> , <b>2016</b> , 23, 1000-1008	2.3	7
81	Role of Inter-Observer Variability and Quantification of Muscularis Propria in the Pathological Staging of Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2016</b> , 14, e307-12	3.3	5
80	Erectile Function Recovery After Nerve-Sparing Radical Prostatectomy for Prostate Cancer: Is Back to Baseline Status Enough for Patient Satisfaction?. <i>Journal of Sexual Medicine</i> , <b>2016</b> , 13, 669-78	1.1	9
79	(11)C-Choline PET/CT for restaging prostate cancer. Results from 4,426 scans in a single-centre patient series. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2016</b> , 43, 1971-9	8.8	68
78	(11)C-Choline PET/CT in castration-resistant prostate cancer patients treated with docetaxel. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2016</b> , 43, 84-91	8.8	68
77	New Clinical Indications for (18)F/(11)C-choline, New Tracers for Positron Emission Tomography and a Promising Hybrid Device for Prostate Cancer Staging: A Systematic Review of the Literature. <i>European Urology</i> , <b>2016</b> , 70, 161-175	10.2	154
76	(18)F-FACBC (anti-1-amino-3-(18)F-fluorocyclobutane-1-carboxylic acid) versus (11)C-choline PET/CT in prostate cancer relapse: results of a prospective trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2016</b> , 43, 1601-10	8.8	176
75	Three Unusual Cases of Nutcracker Syndrome Caused by Increased Blood Flow within the Left Renal Vein. <i>Urologia Internationalis</i> , <b>2016</b> , 96, 484-7	1.9	2
74	The Role of Prostate-specific Antigen Persistence After Radical Prostatectomy for the Prediction of Clinical Progression and Cancer-specific Mortality in Node-positive Prostate Cancer Patients. <i>European Urology</i> , <b>2016</b> , 69, 1142-8	10.2	38
73	Frozen section analysis of unusual small testicular tumor masses: report of 3 cases. <i>Tumori</i> , <b>2016</b> , 102,	1.7	1
72	Metabolic Imaging in Prostate Cancer: Where We Are. <i>Frontiers in Oncology</i> , <b>2016</b> , 6, 225	5.3	16
71	Re: Sabine D. Brookman-May, Matthias May, Ingmar Wolff, et al. Evaluation of the Prognostic Significance of Perirenal Fat Invasion and Tumor Size in Patients with pT1-pT3a Localized Renal Cell Carcinoma in a Comprehensive Multicenter Study of the CORONA Project. Can We Improve Prognostic Discrimination for Patients with Stage pT3a tumors? <i>Eur Urol</i> 2015;67:943-51. <i>European Laparoscopic and robotic ureteral stenosis repair: a multi-institutional experience with a long-term follow-up. Journal of Robotic Surgery</i> , <b>2016</b> , 10, 323-330	10.2	
70		2.9	17
69	Renal oncocytosis: a clinicopathological and cytogenetic study of 42 tumours occurring in 11 patients. <i>Pathology</i> , <b>2016</b> , 48, 41-6	1.6	7
68	11C-choline PET/CT and bladder cancer: lymph node metastasis assessment with pathological specimens as reference standard. <i>Clinical Nuclear Medicine</i> , <b>2015</b> , 40, e124-8	1.7	27

67	11C-choline PET/CT for restaging of bladder cancer. <i>Clinical Nuclear Medicine</i> , <b>2015</b> , 40, e1-5	1.7	19
66	The Prognostic Impact of Tumor Size on Cancer-Specific and Overall Survival Among Patients With Pathologic T3a Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, e235-e241	3.3	19
65	TriMatch comparison of the efficacy of FloSeal versus TachoSil versus no hemostatic agents for partial nephrectomy: results from a large multicenter dataset. <i>International Journal of Urology</i> , <b>2015</b> , 22, 47-52	2.3	24
64	Active surveillance for clinically localized renal tumors: An updated review of current indications and clinical outcomes. <i>International Journal of Urology</i> , <b>2015</b> , 22, 432-8	2.3	24
63	(68)Ga-PSMA-PET/CT-Guided Salvage Retroperitoneal Lymph Node Dissection for Disease Relapse After Radical Prostatectomy for Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, e415-7	3.3	12
62	PET/Computed Tomography in the Individualization of Treatment of Prostate Cancer. <i>PET Clinics</i> , <b>2015</b> , 10, 487-94	2.2	5
61	Nodal occult metastases in intermediate- and high-risk prostate cancer patients detected using serial section, immunohistochemistry, and real-time reverse transcriptase polymerase chain reaction: prospective evaluation with matched-pair analysis. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, e55-64	3.3	12
60	Small renal masses managed with active surveillance: predictors of tumor growth rate after long-term follow-up. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, e87-92	3.3	19
59	A prospective, multicenter evaluation of predictive factors for positive surgical margins after nephron-sparing surgery for renal cell carcinoma: the RECORD1 Italian Project. <i>Clinical Genitourinary Cancer</i> , <b>2015</b> , 13, 165-70	3.3	26
58	18F-Fluciclovine PET/CT for the Detection of Prostate Cancer Relapse: A Comparison to 11C-Choline PET/CT. <i>Clinical Nuclear Medicine</i> , <b>2015</b> , 40, e386-91	1.7	95
57	11C-choline PET/CT identifies osteoblastic and osteolytic lesions in patients with metastatic prostate cancer. <i>Clinical Nuclear Medicine</i> , <b>2015</b> , 40, e265-70	1.7	35
56	State of the art of PET/CT with 11-choline and 18F-fluorocholine in the diagnosis and follow-up of localized and locally advanced prostate cancer. <i>Archivos Espanoles De Urologia</i> , <b>2015</b> , 68, 354-70	0.4	12
55	Robot-assisted radical nephroureterectomy for upper urinary tract urothelial carcinoma: a promising alternative to open surgery or a future "gold standard"?. <i>Clinical Genitourinary Cancer</i> , <b>2014</b> , 12, e65-6	3.3	1
54	Early biochemical relapse after radical prostatectomy: which prostate cancer patients may benefit from a restaging 11C-Choline PET/CT scan before salvage radiation therapy?. <i>Journal of Nuclear Medicine</i> , <b>2014</b> , 55, 1424-9	8.9	104
53	Clinically localized renal cell carcinoma: which is the best treatment strategy?. <i>Clinical Genitourinary Cancer</i> , <b>2014</b> , 12, e61	3.3	1
52	18F-FACBC compared with 11C-choline PET/CT in patients with biochemical relapse after radical prostatectomy: a prospective study in 28 patients. <i>Clinical Genitourinary Cancer</i> , <b>2014</b> , 12, 106-10	3.3	58
51	Impact of 11C-choline PET/CT on clinical decision making in recurrent prostate cancer: results from a retrospective two-centre trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2014</b> , 41, 2222-31	8.8	76
50	Robot-assisted partial nephrectomy: Excellent results even in more complex renal tumours. <i>Canadian Urological Association Journal</i> , <b>2014</b> , 8, 165	1.2	

49	Preservation of the smooth muscular internal (vesical) sphincter and of the proximal urethra for the early recovery of urinary continence after retropubic radical prostatectomy: a prospective case-control study. <i>International Journal of Urology</i> , <b>2014</b> , 21, 157-62	2.3	10
48	Preservation of the internal sphincter and of the proximal urethra during retropubic radical prostatectomy: a safe option for well-selected cases. <i>International Journal of Urology</i> , <b>2014</b> , 21, 525	2.3	1
47	Diagnostic accuracy of (11)C-choline PET/CT in preoperative lymph node staging of bladder cancer: a systematic comparison with contrast-enhanced CT and histologic findings. <i>Clinical Nuclear Medicine</i> , <b>2014</b> , 39, e308-12	1.7	33
46	Restaging clear cell renal carcinoma with 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , <b>2014</b> , 39, e320-4	1.7	25
45	External validation of nomogram predicting the probability of specimen-confined disease (pT2-3a, R0N0) in patients undergoing radical prostatectomy and pelvic lymph node dissection. <i>Urologia Internationalis</i> , <b>2014</b> , 93, 262-8	1.9	6
44	First case of 18F-FACBC PET/CT-guided salvage retroperitoneal lymph node dissection for disease relapse after radical prostatectomy for prostate cancer and negative 11C-choline PET/CT: new imaging techniques may expand pioneering approaches. <i>Urologia Internationalis</i> , <b>2014</b> , 92, 242-5	1.9	15
43	Re: long-term outcomes of patients with lymph node metastasis treated with radical prostatectomy without adjuvant androgen-deprivation therapy. <i>European Urology</i> , <b>2014</b> , 65, 250-1	10.2	
42	The new promise of FACBC position emission tomography/computed tomography in the localization of disease relapse after radical treatment for prostate cancer: are we turning to the right radiotracer?. <i>European Urology</i> , <b>2014</b> , 65, 255-6	10.2	3
41	Small renal masses initially managed using active surveillance: results from a retrospective study with long-term follow-up. <i>Clinical Genitourinary Cancer</i> , <b>2014</b> , 12, 178-81	3.3	26
40	Revised Gleason grading system is a better predictor of indolent prostate cancer at the time of diagnosis: retrospective clinical-pathological study on matched biopsy and radical prostatectomy specimens. <i>Clinical Genitourinary Cancer</i> , <b>2014</b> , 12, 325-9	3.3	4
39	Open versus laparoscopic partial nephrectomy for clinical T1a renal masses: a matched-pair comparison of 280 patients with TRIFECTA outcomes (RECORD Project). <i>World Journal of Urology</i> , <b>2014</b> , 32, 257-63	4	43
38	11C-choline PET/CT detects the site of relapse in the majority of prostate cancer patients showing biochemical recurrence after EBRT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2014</b> , 41, 878-86	8.8	46
37	Perioperative complications and mortality after radical cystectomy when using a standardized reporting methodology. <i>Clinical Genitourinary Cancer</i> , <b>2013</b> , 11, 189-97	3.3	52
36	(11)C-Choline PET/CT in patients with hormone-resistant prostate cancer showing biochemical relapse after radical prostatectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2013</b> , 40, 149-55	8.8	42
35	Comparison of 18F-FACBC and 11C-choline PET/CT in patients with radically treated prostate cancer and biochemical relapse: preliminary results. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2013</b> , 40 Suppl 1, S11-7	8.8	92
34	Expanding utilization of robotic partial nephrectomy for clinical T1b and complex T1a renal masses. <i>World Journal of Urology</i> , <b>2013</b> , 31, 499-504	4	44
33	The number of nodes removed as well as the template of the dissection is independently correlated to cancer-specific survival after radical cystectomy for muscle-invasive bladder cancer. <i>International Urology and Nephrology</i> , <b>2013</b> , 45, 711-9	2.3	19
32	Surveillance for small renal masses: retrospective analysis of a cohort of 42 patients with long-term follow-up. <i>International Urology and Nephrology</i> , <b>2013</b> , 45, 307-12	2.3	25

31	Words of wisdom: re: impact of complete bladder neck preservation on urinary continence, quality of life and surgical margins after radical prostatectomy: a randomized, controlled, single blind trial. <i>European Urology</i> , <b>2013</b> , 64, 338-9	10.2	2
30	Positive surgical margins after nephron-sparing surgery for renal cell carcinoma: incidence, clinical impact, and management. <i>Clinical Genitourinary Cancer</i> , <b>2013</b> , 11, 5-9	3.3	65
29	Can testis-sparing surgery for small testicular masses be considered a valid alternative to radical orchiectomy? A prospective single-center study. <i>Clinical Genitourinary Cancer</i> , <b>2013</b> , 11, 522-6	3.3	45
28	Smooth muscle tumor of uncertain malignant potential of the urinary bladder: a case report and review of the literature. <i>Clinical Genitourinary Cancer</i> , <b>2013</b> , 11, e6-9	3.3	4
27	Differing risk of cancer death among patients with pathologic T3a renal cell carcinoma: identification of risk categories according to fat infiltration and renal vein thrombosis. <i>Clinical Genitourinary Cancer</i> , <b>2013</b> , 11, 451-7	3.3	29
26	Re: impact of complete bladder neck preservation on urinary continence, quality of life and surgical margins after radical prostatectomy: a randomized, controlled, single blind trial: J. N. Nyarangi-Dix, J. P. Radtke, B. Hadaschik, S. Pahernik and M. Hohenfellner <i>J Urol</i> 2013; 189: 891-898. <i>Journal of Urology</i> , <b>2013</b> , 189, 815-6	2.5	
25	Prostate cancer: lymph node metastases: not always the same prognosis. <i>Nature Reviews Urology</i> , <b>2013</b> , 10, 435-6	5.5	3
24	11C-choline PET/CT scan in patients with prostate cancer treated with intermittent ADT: a sequential PET/CT study. <i>Clinical Nuclear Medicine</i> , <b>2013</b> , 38, e279-82	1.7	13
23	The role of 11C-choline PET imaging in the early detection of recurrence in surgically treated prostate cancer patients with very low PSA level. <i>Clinical Nuclear Medicine</i> , <b>2013</b> , 38, e342-5	1.7	58
22	Differing risk of cancer death among patients with lymph node metastasis after radical prostatectomy and pelvic lymph node dissection: identification of risk categories according to number of positive nodes and Gleason score. <i>BJU International</i> , <b>2013</b> , 111, 1237-44	5.6	22
21	External validation of the updated nomogram predicting lymph node invasion in patients with prostate cancer undergoing extended pelvic lymph node dissection. <i>Urologia Internationalis</i> , <b>2013</b> , 90, 277-82	1.9	27
20	Identification of prostate cancer risk categories according to surgical margins status, pathological stage and Gleason score. <i>International Journal of Urology</i> , <b>2013</b> , 20, 1097-103	2.3	5
19	Preservation of the smooth muscular internal (vesical) sphincter and of the proximal urethra during retropubic radical prostatectomy: description of the technique. <i>International Journal of Urology</i> , <b>2012</b> , 19, 783-5	2.3	25
18	Prognostic factors in a large multi-institutional series of papillary renal cell carcinoma. <i>BJU International</i> , <b>2012</b> , 109, 1140-6	5.6	24
17	Role of 11C-choline PET/CT in the re-staging of prostate cancer patients with biochemical relapse and negative results at bone scintigraphy. <i>European Journal of Radiology</i> , <b>2012</b> , 81, e893-6	4.7	87
16	Molecular diagnostic tools for the detection of nodal micrometastases in prostate cancer patients undergoing radical prostatectomy with extended pelvic lymph node dissection: a prospective study. <i>Urologia</i> , <b>2012</b> , 79 Suppl 19, 141-6	1.2	4
15	Testicular sclerosing Sertoli cell tumor: an additional case and review of the literature. <i>Anticancer Research</i> , <b>2012</b> , 32, 5127-30	2.3	10
14	Simple enucleation is equivalent to traditional partial nephrectomy for renal cell carcinoma: results of a nonrandomized, retrospective, comparative study. <i>Journal of Urology</i> , <b>2011</b> , 185, 1604-10	2.5	117

13	The extent of pelvic lymph node dissection correlates with the biochemical recurrence rate in patients with intermediate- and high-risk prostate cancer. <i>BJU International</i> , <b>2011</b> , 108, 1262-8	5.6	49
12	Is there a role for $^{11}\text{C}$ -choline PET/CT in the early detection of metastatic disease in surgically treated prostate cancer patients with a mild PSA increase. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2011</b> , 38, 55-63	8.8	149
11	Androgen deprivation therapy influences the uptake of $^{11}\text{C}$ -choline in patients with recurrent prostate cancer: the preliminary results of a sequential PET/CT study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2011</b> , 38, 1985-9	8.8	54
10	Validation of the 2009 TNM version in a large multi-institutional cohort of patients treated for renal cell carcinoma: are further improvements needed?. <i>European Urology</i> , <b>2010</b> , 58, 588-95	10.2	164
9	Accuracy of MRI/MRSI-based transrectal ultrasound biopsy in peripheral and transition zones of the prostate gland in patients with prior negative biopsy. <i>NMR in Biomedicine</i> , <b>2010</b> , 23, 1017-26	4.4	36
8	The impact of the extent of lymph-node dissection on biochemical relapse after radical prostatectomy in node-negative patients. <i>Anticancer Research</i> , <b>2010</b> , 30, 2297-302	2.3	32
7	Identification of mobile lipids in human cancer tissues by ex vivo diffusion edited HR-MAS MRS. <i>Oncology Reports</i> , <b>2009</b> , 22, 1493-6	3.5	16
6	Computerized tomography virtual endoscopy in evaluation of upper urinary tract tumors: initial experience. <i>Abdominal Imaging</i> , <b>2009</b> , 34, 107-12		16
5	$^{11}\text{C}$ -choline positron emission tomography/computerized tomography for preoperative lymph-node staging in intermediate-risk and high-risk prostate cancer: comparison with clinical staging nomograms. <i>European Urology</i> , <b>2008</b> , 54, 392-401	10.2	202
4	Prostate cancer: sextant localization with MR imaging, MR spectroscopy, and $^{11}\text{C}$ -choline PET/CT. <i>Radiology</i> , <b>2007</b> , 244, 797-806	20.5	175
3	Ex vivo HR-MAS magnetic resonance spectroscopy of normal and malignant human renal tissues. <i>Anticancer Research</i> , <b>2007</b> , 27, 3195-204	2.3	33
2	Nephron-Sparing Surgery for Renal Cell Carcinoma: State of the Art and 10 Years of Multicentric Experience. <i>European Urology Supplements</i> , <b>2006</b> , 5, 600-609	0.9	12
1	Detection and localization of prostate cancer: correlation of $^{11}\text{C}$ -choline PET/CT with histopathologic step-section analysis. <i>Journal of Nuclear Medicine</i> , <b>2005</b> , 46, 1642-9	8.9	163