

Hassen Amri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10930526/publications.pdf>

Version: 2024-02-01

56
papers

785
citations

516710

16
h-index

552781

26
g-index

82
all docs

82
docs citations

82
times ranked

479
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Hydroxyalkylation de la methylvinylcetone et de l'acrylonitrile en presence de diaza-1,4 bicyclo [2.2.2] octane. Tetrahedron Letters, 1986, 27, 4307-4308. | 1.4 | 72 |
| 2 | A short large scale synthesis of ($\hat{\Delta}$) sarkomycin esters. Tetrahedron Letters, 1989, 30, 7381-7382. | 1.4 | 63 |
| 3 | A one pot synthesis of (E)-4-alkylidene-2-cyclohexen-1-ones. Tetrahedron Letters, 1998, 39, 375-378. | 1.4 | 59 |
| 4 | Synthetic methods for $\hat{1}$ -substituted cyclic $\hat{1}$, $\hat{2}$ -enones. Tetrahedron, 2003, 59, 1369-1380. | 1.9 | 47 |
| 5 | A total stereospecific route to $\hat{1}$ -alkylidene- $\hat{3}$ -lactams. Tetrahedron, 2001, 57, 9959-9962. | 1.9 | 34 |
| 6 | A Simplified Route to (E)-2-Alkylidene-1,4-diketones. Synthesis, 2000, 2000, 295-299. | 2.3 | 33 |
| 7 | Addition of bromine to $\hat{2}$ -(functional alkyl) $\hat{1}$, $\hat{2}$ -unsaturated esters stereoselective synthesis of $\hat{2}$ -haloderivatives. Tetrahedron, 1991, 47, 9621-9628. | 1.9 | 32 |
| 8 | TEAF mediated hydroxylation of allylic bromide: A facile synthesis of 4-methoxycarbonyl-2(5H)-furanone. Tetrahedron Letters, 1997, 38, 813-814. | 1.4 | 24 |
| 9 | Copper(I) mediated highly diastereoselective conjugate addition of Grignard reagents to functionalised cycloalkenols: a general and efficient route for the stereoselective synthesis of 5- and 6-membered ring trisubstituted cycloalkenols. Tetrahedron, 2001, 57, 2155-2170. | 1.9 | 22 |
| 10 | A Stereoselective Synthesis of $\hat{1}$ -(1-Hydroxyalkyl)- $\hat{2}$ -Substituted Acrylic Acid Esters. Tetrahedron, 2000, 56, 805-809. | 1.9 | 21 |
| 11 | An efficient synthesis of alkyl $\hat{1}$ -(hydroxymethyl)acrylates induced by DABCO in an aqueous medium. Tetrahedron Letters, 2005, 46, 3071-3072. | 1.4 | 21 |
| 12 | Enantioselective synthesis of functionalized $\hat{3}$ -butyrolactones. Tetrahedron, 2004, 60, 8949-8956. | 1.9 | 17 |
| 13 | Copper(I) mediated highly diastereoselective conjugate addition of grignard reagents to 2-silyloxycyclopentenecarboxylates. Tetrahedron Letters, 1996, 37, 6323-6326. | 1.4 | 16 |
| 14 | A New and Efficient Method for the Isomerization of Secondary Functional Allylic Alcohols into their Primary Isomers. Synthesis, 1998, 1998, 1765-1768. | 2.3 | 15 |
| 15 | A new synthesis of ($\hat{\Delta}$)-homosarkomycin ethyl ester. Tetrahedron Letters, 2001, 42, 1273-1274. | 1.4 | 14 |
| 16 | First synthesis of 2-[alkylamino(diethoxyphosphoryl)methyl]acrylic ethyl esters. Tetrahedron Letters, 2003, 44, 553-555. | 1.4 | 13 |
| 17 | Copper (I) mediated highly diastereoselective conjugate addition of Grignard reagents to functionalised 6-membered ring cycloalkenols. Synthesis of cyclohexanes derivatives substituted on three contiguous atoms. Tetrahedron Letters, 1999, 40, 871-874. | 1.4 | 12 |
| 18 | Synthesis of $\hat{1}$ -Alkylidene- $\hat{2}$ -Ethoxycarbonyl Cyclopentanones and $\hat{3}$ -Butyrolactones. Synthetic Communications, 2000, 30, 3947-3954. | 2.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A general route to $\hat{\pm}$ -alkyl (E)- $\hat{\pm}$, $\hat{\pm}^2$ -unsaturated aldehydes. <i>Journal of Organometallic Chemistry</i> , 2006, 691, 3018-3026. | 1.8 | 12 |
| 20 | An effective new access to ethyl 2-[(alkylamino)(cyano)methyl] acrylates: first synthesis of ethyl 3-cyano-2-(hydroxymethyl) acrylate. <i>Tetrahedron</i> , 2009, 65, 4904-4907. | 1.9 | 11 |
| 21 | A Short and Efficient Approach to Pyrrolo[2,1-a]isoquinoline and Pyrrolo[2,1-a]benzazepine Derivatives. <i>Synthesis</i> , 2016, 48, 1502-1517. | 2.3 | 11 |
| 22 | A direct synthesis of $\hat{\pm}$ -(hydroxymethyl) and $\hat{\pm}$ -alkyl-vinyl alkyl ketones. <i>Tetrahedron Letters</i> , 2006, 47, 7077-7079. | 1.4 | 9 |
| 23 | DABCO-mediated substitution of vinylic iodides: synthesis of $\hat{\pm}$ -cyano Baylis-Hillman acetates. <i>Tetrahedron</i> , 2009, 65, 4890-4893. | 1.9 | 9 |
| 24 | A convenient synthesis of 3,4-cis-disubstituted pyrrolidin-2-ones. <i>Tetrahedron Letters</i> , 2015, 56, 98-100. | 1.4 | 9 |
| 25 | A convenient synthesis of $\hat{\pm}^3$ -functionalized cyclopentenones. <i>Beilstein Journal of Organic Chemistry</i> , 2005, 1, 11. | 2.2 | 8 |
| 26 | An efficient synthetic route to functionalized $\hat{\pm}$ -lactams. <i>Tetrahedron</i> , 2008, 64, 9540-9543. | 1.9 | 8 |
| 27 | First synthesis of ($\hat{\pm}$)-bis-homosarkomycin ethyl ester. <i>Tetrahedron Letters</i> , 2004, 45, 2049-2050. | 1.4 | 7 |
| 28 | New Selective Synthesis of Dimethyl 3-Alkylamino Itaconates. <i>Synthetic Communications</i> , 2008, 38, 3717-3725. | 2.1 | 7 |
| 29 | Copper (I) Mediated Conjugate Addition of Grignard Reagents to 2-Oxoethylcyclohexenols. A Versatile, Efficient and Diastereoselective Route to anti, Z 6-Alkyl-2-trialkylsilyloxy-1-(2-trimethylsilyloxypropylid-1-ene)-cyclohexanes. <i>Synlett</i> , 1999, 1999, 1057-1058. | 1.8 | 5 |
| 30 | HIGHLY STEREOSELECTIVE SYNTHESIS OF DIALKYL 2-ALKYLIDENE GLUTARATES. <i>Synthetic Communications</i> , 2001, 31, 1675-1682. | 2.1 | 5 |
| 31 | Synthesis of 5- and 6-Acyl-1-cyano and -1-ethoxycarbonyl Cycloalkenes. <i>Synthetic Communications</i> , 2003, 33, 3261-3269. | 2.1 | 5 |
| 32 | Synthesis of Functionalized Homoallylsilanes. <i>Synthetic Communications</i> , 2004, 34, 3719-3725. | 2.1 | 5 |
| 33 | Stereoselective Synthesis of Functionalized 1,4-Dienes. <i>Synthetic Communications</i> , 2008, 38, 3277-3284. | 2.1 | 5 |
| 34 | Effective Synthesis of Polysubstituted Pyrroles from (E)-Dimethyl 2-(Bromomethyl)-3-(diethoxyphosphoryl) Fumarate. <i>Synthetic Communications</i> , 2010, 40, 766-771. | 2.1 | 4 |
| 35 | Elegant Synthesis of Highly Functionalized 1,2,3-Trisubstituted Cyclopentanes. <i>Synthetic Communications</i> , 2013, 43, 1594-1601. | 2.1 | 4 |
| 36 | Concise Synthesis of $\hat{\pm}$ -(Hydroxymethyl) Alkyl and Aryl Vinyl Ketones. <i>Synthetic Communications</i> , 2013, 43, 110-117. | 2.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Efficient Synthesis of Substituted Indene Derivatives. <i>Synthetic Communications</i> , 2014, 44, 2004-2011. | 2.1 | 4 |
| 38 | Easy Conversion of Dimethyl (Bromomethyl)fumarate into Functionalized Allyl Ethers Mediated by DABCO. <i>Synthetic Communications</i> , 2015, 45, 2627-2635. | 2.1 | 4 |
| 39 | A practical synthesis of diethyl 1-[(alkylamino)(cyano)methyl]vinylphosphonates. <i>Arkivoc</i> , 2013, 2012, 119-127. | 0.5 | 4 |
| 40 | Diastereoselective Synthesis of Functionalized β -Lactones. <i>Synthetic Communications</i> , 2004, 34, 3707-3717. | 2.1 | 3 |
| 41 | One-Pot Synthesis of [1,2]Isoxazolidin-5-ones and [1,2]Oxazin-6-ones. <i>Synthetic Communications</i> , 2011, 41, 1536-1543. | 2.1 | 3 |
| 42 | Short Synthesis of Functionalized Cyclic Homoallylsilanes. <i>Synthetic Communications</i> , 2005, 35, 2921-2925. | 2.1 | 2 |
| 43 | An Expedient Synthesis of [1,2]Isoxazolidin-5-ones and [1,2]Oxazin-6-ones from Functional Allyl Bromide Derivatives. <i>Molecules</i> , 2010, 15, 4094-4101. | 3.8 | 2 |
| 44 | Selected Reactions of Diethyl (E)-1-(bromomethyl)-2-cyanovinylphosphonate with Secondary and Tertiary Amines. <i>Heteroatom Chemistry</i> , 2013, 24, 460-465. | 0.7 | 2 |
| 45 | An Expedient Approach for the Synthesis of 1-Alkyl-4-propionylpyrrolidin-2-ones. <i>Synthetic Communications</i> , 2014, 44, 42-48. | 2.1 | 2 |
| 46 | Stereoselective synthesis of functionalized vinyl ethers from allyl bromides activated by triethylamine. <i>Synthetic Communications</i> , 2018, 48, 705-713. | 2.1 | 2 |
| 47 | Direct Synthesis of 4-Acetyl-1-alkyl-1H-pyrrol-2(5H)-ones from Difunctionalized Allyl Bromide. <i>Synthetic Communications</i> , 2014, 44, 3400-3407. | 2.1 | 1 |
| 48 | Two-Step Synthesis of Multifunctional β -Lactams from β -Lactone. <i>Journal of Heterocyclic Chemistry</i> , 2015, 52, 1576-1579. | 2.6 | 1 |
| 49 | First Synthesis of 2-[Alkylamino(diethoxyphosphoryl)methyl]acrylic Ethyl Esters.. <i>ChemInform</i> , 2003, 34, no. | 0.0 | 0 |
| 50 | Synthetic Methods for α -Substituted Cyclic α,β -Enones. <i>ChemInform</i> , 2003, 34, no. | 0.0 | 0 |
| 51 | Synthesis of 5- and 6-Acyl-1-cyano- and -1-ethoxycarbonylcycloalkenes.. <i>ChemInform</i> , 2003, 34, no. | 0.0 | 0 |
| 52 | Enantioselective Synthesis of Functionalized γ -Butyrolactones.. <i>ChemInform</i> , 2005, 36, no. | 0.0 | 0 |
| 53 | Diastereoselective Synthesis of Functionalized γ -Lactones.. <i>ChemInform</i> , 2005, 36, no. | 0.0 | 0 |
| 54 | Synthesis of Functionalized Homoallylsilanes.. <i>ChemInform</i> , 2005, 36, no. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | An Efficient Synthesis of Alkyl $\hat{\pm}$ -(Hydroxymethyl)acrylates Induced by DABCO in an Aqueous Medium.. ChemInform, 2005, 36, no. | 0.0 | 0 |
| 56 | A Mild Synthesis of New Aryl Vinyl Ethers and Diethyl 1-[(Alkyl)(cyano)methyl]vinylphosphonates via the Substitution of a 2,3-Difunctional Allyl Bromide. Scientific World Journal, The, 2014, 2014, 1-7. | 2.1 | 0 |