

Hassan Abol-Enein

List of Publications by Citations

Source: <https://exaly.com/author-pdf/10935139/hassan-abol-enein-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

2,027
citations

20
h-index

44
g-index

61
ext. papers

2,353
ext. citations

2.6
avg, IF

4.51
L-index

#	Paper	IF	Citations
58	Urinary diversion. <i>Urology</i> , 2007 , 69, 17-49	1.6	284
57	Radical cystectomy for carcinoma of the bladder: 2,720 consecutive cases 5 years later. <i>Journal of Urology</i> , 2008 , 180, 121-7	2.5	205
56	FUNCTIONAL RESULTS OF ORTHOTOPIC ILEAL NEOBLADDER WITH SEROUS-LINED EXTRAMURAL URETERAL REIMPLANTATION: EXPERIENCE WITH 450 PATIENTS. <i>Journal of Urology</i> , 2001 , 165, 1427-1432	2.5	190
55	ICUD-EAU International Consultation on Bladder Cancer 2012: Urinary diversion. <i>European Urology</i> , 2013 , 63, 67-80	10.2	180
54	A novel uretero-ileal reimplantation technique: the serous lined extramural tunnel. A preliminary report. <i>Journal of Urology</i> , 1994 , 151, 1193-7	2.5	160
53	Lymph node involvement in patients with bladder cancer treated with radical cystectomy: a patho-anatomical study--a single center experience. <i>Journal of Urology</i> , 2004 , 172, 1818-21	2.5	157
52	Nodal involvement in bladder cancer cases treated with radical cystectomy: incidence and prognosis. <i>Journal of Urology</i> , 2004 , 172, 85-9	2.5	122
51	Does the extent of lymphadenectomy in radical cystectomy for bladder cancer influence disease-free survival? A prospective single-center study. <i>European Urology</i> , 2011 , 60, 572-7	10.2	84
50	Nonurothelial cancer of the bladder. <i>Urology</i> , 2007 , 69, 93-104	1.6	56
49	Percutaneous treatment of large upper tract stones after urinary diversion. <i>Urology</i> , 2006 , 68, 500-4	1.6	51
48	Urinary diversion: how experts divert. <i>Urology</i> , 2015 , 85, 233-8	1.6	49
47	Continent cutaneous ileal pouch using the serous lined extramural valves. The Mansoura experience in more than 100 patients. <i>Journal of Urology</i> , 2004 , 172, 588-91	2.5	45
46	SEROUS LINED EXTRAMURAL ILEAL VALVE: A NEW CONTINENT URINARY OUTLET. <i>Journal of Urology</i> , 1999 , 161, 786-791	2.5	42
45	Infection: is it a cause of bladder cancer?. <i>Scandinavian Journal of Urology and Nephrology</i> , 2008 , 79-84		39
44	Robot-assisted approach to SWSconfiguration urinary diversion: a step-by-step technique. <i>BJU International</i> , 2017 , 120, 152-157	5.6	34
43	Lymphadenectomy with cystectomy: is it necessary and what is its extent?. <i>European Urology</i> , 2004 , 46, 457-61	10.2	33
42	Double Folded Rectosigmoid Bladder With a New Ureterocolic Antireflux Technique. <i>Journal of Urology</i> , 1997 , 157, 2085-2089	2.5	26

41	Optimization of uretero-intestinal anastomosis in urinary diversion: an experimental study in dogs. III. A new antireflux technique for uretero-ileal anastomosis: a serous-lined extramural tunnel. <i>Urological Research</i> , 1993 , 21, 135-9		25
40	Optimization of uretero-intestinal anastomosis in urinary diversion: an experimental study in dogs. I. Evaluation of the Le Duc technique. <i>Urological Research</i> , 1993 , 21, 125-9		23
39	Optimization of uretero-intestinal anastomosis in urinary diversion: an experimental study in dogs. II. Influence of exposure to urine on the healing of the ureter and ileum. <i>Urological Research</i> , 1993 , 21, 131-4		21
38	Primary adenocarcinoma of the urinary bladder: value of cell cycle biomarkers. <i>American Journal of Clinical Pathology</i> , 2011 , 135, 822-30	1.9	17
37	Development and external validation of nomograms predicting disease-free and cancer-specific survival after radical cystectomy. <i>World Journal of Urology</i> , 2015 , 33, 1419-28	4	16
36	LONG-TERM OUTCOME ANALYSIS OF LOW PRESSURE RECTAL RESERVOIRS IN 33 CHILDREN WITH BLADDER EXSTROPHY. <i>Journal of Urology</i> , 2001 , 165, 2414-2417	2.5	14
35	A case of ileal ureter with proximal antireflux system. <i>International Journal of Urology</i> , 1999 , 6, 320-3	2.3	14
34	Utility of biomarkers in the prediction of oncologic outcome after radical cystectomy for squamous cell carcinoma. <i>Journal of Urology</i> , 2015 , 193, 451-6	2.5	11
33	Development, validation and clinical application of Pelvic Lymphadenectomy Assessment and Completion Evaluation: intraoperative assessment of lymph node dissection after robot-assisted radical cystectomy for bladder cancer. <i>BJU International</i> , 2017 , 119, 879-884	5.6	10
32	Correlation between blood levels of cadmium and lead and the expression of microRNA-21 in Egyptian bladder cancer patients. <i>Heliyon</i> , 2020 , 6, e05642	3.6	10
31	Lymphovascular invasion is associated with oncologic outcomes following radical cystectomy for squamous cell carcinoma of the urinary bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 417.e1-8	2.8	9
30	Kidney preservation protocol for management of emphysematous pyelonephritis: Treatment modalities and follow-up. <i>Arab Journal of Urology Arab Association of Urology</i> , 2011 , 9, 185-9	1.7	9
29	Prospective Validation of Clinical Usefulness of a Novel mRNA-based Urine Test (Xpert [®] Bladder Cancer Monitor) for surveillance in Non Muscle Invasive Bladder Cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 77.e9-77.e16	2.8	9
28	Recoverability of renal function after relief of chronic partial unilateral ureteric obstruction: The effect of an angiotensin-converting enzyme inhibitor (enalapril). <i>Arab Journal of Urology Arab Association of Urology</i> , 2011 , 9, 67-71	1.7	7
27	Ionized alkaline water: new strategy for management of metabolic acidosis in experimental animals. <i>Therapeutic Apheresis and Dialysis</i> , 2009 , 13, 220-4	1.9	7
26	Role of fibroblast growth factor in squamous cell carcinoma of the bladder: prognostic biomarker and potential therapeutic target. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 111.e1-7	2.8	6
25	Parastomal hernia after ileal conduit urinary diversion: re-visiting the predictors radiologically and according to patient-reported outcome measures. <i>Scandinavian Journal of Urology</i> , 2020 , 54, 501-507	1.6	6
24	Venous thromboembolism after radical cystectomy and urinary diversion: a single-center experience with 1737 consecutive patients. <i>Scandinavian Journal of Urology</i> , 2019 , 53, 392-397	1.6	6

23	FUNCTIONAL RESULTS OF ORTHOTOPIC ILEAL NEOBLADDER WITH SEROUS-LINED EXTRAMURAL URETERAL REIMPLANTATION: EXPERIENCE WITH 450 PATIENTS. <i>Journal of Urology</i> , 2001 , 1427-1432	2.5	5
22	Epidermal growth factor expression as a predictor of chemotherapeutic resistance in muscle-invasive bladder cancer. <i>BMC Urology</i> , 2018 , 18, 100	2.2	5
21	Idiopathic retroperitoneal fibrosis: clinical features and long-term renal function outcome. <i>International Urology and Nephrology</i> , 2017 , 49, 1327-1334	2.3	4
20	Evaluation of serum fatty acid binding protein-4 (FABP-4) as a novel biomarker to predict biopsy outcomes in prostate biopsy naïve patients. <i>International Urology and Nephrology</i> , 2020 , 52, 1483-1490	2.3	4
19	Can repeat biopsy be skipped after initial complete resection of T1 bladder cancer? The role of a novel urinary mRNA biomarker. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 437.e11-437.e19	2.8	4
18	External stent versus double J drainage in patients with radical cystectomy and orthotopic urinary diversion: A randomized controlled trial. <i>International Journal of Urology</i> , 2016 , 23, 861-865	2.3	3
17	Does the afferent tubular segment in an orthotopic bladder substitution compromise ureteric antireflux properties? An experimental study in dogs. <i>Arab Journal of Urology Arab Association of Urology</i> , 2012 , 10, 125-30	1.7	3
16	Diagnostic Performance of Novel Urine-Based mRNA Tests (Xpert and Urinary Metabolomics Markers Assay) for Bladder Cancer Detection in Patients with Hematuria. <i>Bladder Cancer</i> , 2020 , 6, 319-328	1.8	3
15	Late intestinal obstruction after radical cystectomy and urinary diversion: urological and oncological perspectives. <i>Scandinavian Journal of Urology</i> , 2016 , 50, 433-438	1.6	3
14	Rs-1884444 G/T variant in IL-23 receptor is likely to modify risk of bladder urothelial carcinoma by regulating IL-23/IL-17 inflammatory pathway. <i>Cytokine</i> , 2021 , 138, 155355	4	3
13	Predictors and survival benefit of achieving pentaffecta in a contemporary series of open radical cystectomy. <i>Minerva Urology and Nephrology</i> , 2021 ,	2.3	2
12	Rs-10889677 variant in interleukin-23 receptor may contribute to creating an inflammatory milieu more susceptible to bladder tumourigenesis: report and meta-analysis. <i>Immunogenetics</i> , 2021 , 73, 207-226	2.2	2
11	Acute kidney injury following radical cystectomy and urinary diversion: predictors and associated morbidity. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018 , 44, 726-733	2	2
10	Validation of the COBRA nomogram for the prediction of cancer specific survival in patients treated with radical cystectomy for bladder cancer: An international wide cohort study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2646-2650	3.6	2
9	Gene expression and oxidative stress markers profile associated with toxic metals in patients with renal cell carcinoma. <i>Molecular Biology Reports</i> , 2021 , 1	2.8	1
8	Characterization of Standard Urine Properties in Noncomplicated Orthotopic Ileal Neobladders: A Prospective Controlled Study. <i>Urology</i> , 2016 , 96, 80-84	1.6	1
7	Efficacy of pethidine, ketorolac, and lidocaine gel as analgesics for pain control in shockwave lithotripsy: A single-blinded randomized controlled trial. <i>Investigative and Clinical Urology</i> , 2019 , 60, 251-257	1.9	1
6	Serum lipids might improve prostate-specific antigen sensitivity in patients undergoing transrectal ultrasonography-guided biopsy for suspected prostate cancer: A pilot study. <i>Arab Journal of Urology Arab Association of Urology</i> , 2019 , 17, 195-199	1.7	0

5	Is chronic alkali therapy in orthotopic ileal neobladders necessary? A prospective controlled study. <i>International Urology and Nephrology</i> , 2017 , 49, 49-53	2.3	0
4	Prognostic value of lymphovascular invasion in squamous cell carcinoma of the urinary bladder.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 454-454	2.2	0
3	Reply by authors to comment on "Evaluation of serum fatty acid binding protein-4 (FABP-4) as a novel biomarker to predict biopsy outcomes in prostate biopsy naive patients". <i>International Urology and Nephrology</i> , 2020 , 52, 1909-1910	2.3	
2	Prognostic influence of microsatellite alterations of muscle-invasive bladder cancer treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 40, 64.e9-64.e9	2.8	
1	Detection of Chromosomal Aberrations in Transitional Cell Carcinoma of the Bladder by Representational Difference Analysis. <i>Cancer Genomics and Proteomics</i> , 2004 , 1, 9-16	3.3	