Andrea  Mannetje

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1093722/publications.pdf

Version: 2024-02-01

88 papers

3,034 citations

147801 31 h-index 51 g-index

88 all docs 88 docs citations

88 times ranked 4120 citing authors

#	Article	IF	CITATIONS
1	Occurrence of alternative flame retardants in indoor dust from New Zealand: Indoor sources and human exposure assessment. Chemosphere, 2012, 88, 1276-1282.	8.2	293
2	Occupation and bladder cancer among men in Western Europe. Cancer Causes and Control, 2003, 14, 907-914.	1.8	204
3	Gender differences in occupational exposure patterns. Occupational and Environmental Medicine, 2011, 68, 888-894.	2.8	132
4	Prevalence of musculoskeletal symptoms in relation to gender, age, and occupational/industrial group. International Journal of Industrial Ergonomics, 2011, 41, 561-572.	2.6	121
5	Sinonasal cancer, occupation, and tobacco smoking in European women and men., 1999, 36, 101-107.		105
6	Occupational Exposure to Crystalline Silica and Risk of Lung Cancer. Epidemiology, 2007, 18, 36-43.	2.7	94
7	Occupational exposure to polycyclic aromatic hydrocarbons and lung cancer risk: a multicenter study in Europe. Occupational and Environmental Medicine, 2010, 67, 98-103.	2.8	86
8	IARC Monographs: 40 Years of Evaluating Carcinogenic Hazards to Humans. Environmental Health Perspectives, 2015, 123, 507-514.	6.0	86
9	Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. Occupational and Environmental Medicine, 2011, 68, 148-153.	2.8	82
10	Partitioning of persistent organic pollutants (POPs) between human serum and breast milk: A literature review. Chemosphere, 2012, 89, 911-918.	8.2	77
11	Occupational Exposure to Vinyl Chloride, Acrylonitrile and Styrene and Lung Cancer Risk (Europe). Cancer Causes and Control, 2004, 15, 445-452.	1.8	71
12	Mortality in New Zealand workers exposed to phenoxy herbicides and dioxins. Occupational and Environmental Medicine, 2005, 62, 34-40.	2.8	66
13	Assessing Exposure Misclassification by Expert Assessment in Multicenter Occupational Studies. Epidemiology, 2003, 14, 585-592.	2.7	65
14	Association between exposure to the natural environment, rurality, and attention-deficit hyperactivity disorder in children in New Zealand: a linkage study. Lancet Planetary Health, The, 2019, 3, e226-e234.	11.4	60
15	Current concentrations, temporal trends and determinants of persistent organic pollutants in breast milk of New Zealand women. Science of the Total Environment, 2013, 458-460, 399-407.	8.0	59
16	Welding and Lung Cancer in a Pooled Analysis of Case-Control Studies. American Journal of Epidemiology, 2013, 178, 1513-1525.	3.4	55
17	Concentrations of polybrominated diphenyl ethers in matched samples of indoor dust and breast milk in New Zealand. Environment International, 2013, 59, 255-261.	10.0	54
18	Occupation and bladder cancer in European women. Cancer Causes and Control, 1999, 10, 209-217.	1.8	53

#	Article	IF	Citations
19	Welding and Lung Cancer in Central and Eastern Europe and the United Kingdom. American Journal of Epidemiology, 2012, 175, 706-714.	3.4	53
20	The MOBI-Kids Study Protocol: Challenges in Assessing Childhood and Adolescent Exposure to Electromagnetic Fields from Wireless Telecommunication Technologies and Possible Association with Brain Tumor Risk. Frontiers in Public Health, 2014, 2, 124.	2.7	53
21	Exposure to ultraviolet radiation and risk of malignant lymphoma and multiple myelomaa multicentre European case-control study. International Journal of Epidemiology, 2008, 37, 1080-1094.	1.9	52
22	Determinants of nonâ€response in an occupational exposure and health survey in New Zealand. Australian and New Zealand Journal of Public Health, 2011, 35, 256-263.	1.8	48
23	Welding fumes and lung cancer: a meta-analysis of case-control and cohort studies. Occupational and Environmental Medicine, 2019, 76, 422-431.	2.8	47
24	Prevalence and work-related risk factors for reduced activities and absenteeism due to low back symptoms. Applied Ergonomics, 2012, 43, 727-737.	3.1	46
25	Lung cancer and occupation: A new zealand cancer registryâ€based case–control study. American Journal of Industrial Medicine, 2011, 54, 89-101.	2.1	45
26	Occupation and Risk of Non-Hodgkin Lymphoma and Its Subtypes: A Pooled Analysis from the InterLymph Consortium. Environmental Health Perspectives, 2016, 124, 396-405.	6.0	41
27	Effect Modification of the Association of Cumulative Exposure and Cancer Risk by Intensity of Exposure and Time Since Exposure Cessation: A Flexible Method Applied to Cigarette Smoking and Lung Cancer in the SYNERGY Study. American Journal of Epidemiology, 2014, 179, 290-298.	3.4	38
28	Caseâ€control study of high risk occupations for bladder cancer in New Zealand. International Journal of Cancer, 2008, 122, 1340-1346.	5.1	37
29	High risk occupations for non-Hodgkin's lymphoma in New Zealand: case-control study. Occupational and Environmental Medicine, 2008, 65, 354-363.	2.8	37
30	Gender differences in work-related risk factors associated with low back symptoms. Ergonomics, 2012, 55, 327-342.	2.1	34
31	Lung cancer risk among bricklayers in a pooled analysis of case–control studies. International Journal of Cancer, 2015, 136, 360-371.	5.1	34
32	Occupational exposure to asbestos and man-made vitreous fibres and risk of lung cancer: a multicentre case-control study in Europe. Occupational and Environmental Medicine, 2007, 64, 502-508.	2.8	32
33	Occupation and risk of lung cancer in Central and Eastern Europe: the IARC multi-center case–control study. Cancer Causes and Control, 2007, 18, 645-654.	1.8	32
34	Lung cancer among coal miners, ore miners and quarrymen: smoking-adjusted risk estimates from the synergy pooled analysis of case–control studies. Scandinavian Journal of Work, Environment and Health, 2015, 41, 467-477.	3.4	32
35	Development of quantitative exposure data for a pooled exposure-response analysis of 10 silica cohorts. American Journal of Industrial Medicine, 2002, 42, 73-86.	2.1	30
36	Patterns of cellular phone use among young people in 12 countries: Implications for RF exposure. Environment International, 2017, 107, 65-74.	10.0	27

#	Article	IF	Citations
37	Leukaemia and occupation: a New Zealand Cancer Registry-based case–control Study. International Journal of Epidemiology, 2009, 38, 594-606.	1.9	23
38	Exposure to Wood Dust, Microbial Components, and Terpenes in the Norwegian Sawmill Industry. Annals of Work Exposures and Health, 2018, 62, 674-688.	1.4	23
39	Occupational exposure to meat and risk of lymphoma: A multicenter caseâ€control study from Europe. International Journal of Cancer, 2007, 121, 2761-2766.	5.1	22
40	The New Zealand Workforce Survey I: Self-Reported Occupational Exposures. Annals of Occupational Hygiene, 2010, 54, 144-53.	1.9	22
41	Occupational exposure to metal compounds and lung cancer. Results from a multi-center case–control study in Central/Eastern Europe and UK. Cancer Causes and Control, 2011, 22, 1669-1680.	1.8	22
42	Lung cancer risk and occupational exposure to meat and live animals. International Journal of Cancer, 2006, 118, 2543-2547.	5.1	21
43	The New Zealand Workforce Survey II: Occupational Risk Factors for Asthma. Annals of Occupational Hygiene, 2010, 54, 154-64.	1.9	21
44	Recall of mobile phone usage and laterality in young people: The multinational Mobi-Expo study. Environmental Research, 2018, 165, 150-157.	7.5	21
45	Quantitative estimates of work-related death, disease and injury in New Zealand. Scandinavian Journal of Work, Environment and Health, 2005, 31, 266-276.	3.4	21
46	Clinical presentation of young people (10–24Âyears old) with brain tumors: results from the international MOBI-Kids study. Journal of Neuro-Oncology, 2020, 147, 427-440.	2.9	20
47	Prognostic factors in women with breast cancer: inequalities by ethnicity and socioeconomic position in New Zealand. Cancer Causes and Control, 2008, 19, 403-411.	1.8	18
48	Work-Related Stress and Asthma: Results from a Workforce Survey in New Zealand. Journal of Asthma, 2011, 48, 783-789.	1.7	18
49	Lung Cancer Risk Attributable to Occupational Exposures in a Multicenter Case-Control Study in Central and Eastern Europe. Journal of Occupational and Environmental Medicine, 2011, 53, 1262-1267.	1.7	16
50	Lung Cancer Among Firefighters. Journal of Occupational and Environmental Medicine, 2016, 58, 1137-1143.	1.7	15
51	Wood Dust in Joineries and Furniture Manufacturing: An Exposure Determinant and Intervention Study. Annals of Work Exposures and Health, 2017, 61, 416-428.	1.4	13
52	Occupational insecticide exposure and risk of n <scp>onâ∈Hodgkin</scp> lymphoma: A pooled c <scp>aseâ€control</scp> study from the <scp>InterLymph</scp> Consortium. International Journal of Cancer, 2021, 149, 1768-1786.	5.1	13
53	Lung cancer risk among bakers, pastry cooks and confectionary makers: the SYNERGY study. Occupational and Environmental Medicine, 2013, 70, 810-814.	2.8	12
54	Lymphoma risk in livestock farmers: Results of the Epilymph study. International Journal of Cancer, 2013, 132, 2613-2618.	5.1	12

#	Article	IF	CITATIONS
55	Exposure to drinking water trihalomethanes and nitrate and the risk of brain tumours in young people. Environmental Research, 2021, 200, 111392.	7.5	12
56	Pesticide exposure in New Zealand school-aged children: Urinary concentrations of biomarkers and assessment of determinants. Environment International, 2022, 163, 107206.	10.0	12
57	Smoking as a confounder in case-control studies of occupational bladder cancer in women. , 1999, 36, 75-82.		11
58	Bladder cancer risk in sales workers: Artefact or cause for concern?. American Journal of Industrial Medicine, 2006, 49, 175-186.	2.1	11
59	Sex ratio of the offspring of New Zealand phenoxy herbicide producers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. Occupational and Environmental Medicine, 2017, 74, 24-29.	2.8	11
60	Lung cancer risk in painters: results from the SYNERGY pooled case–control study consortium. Occupational and Environmental Medicine, 2021, 78, 269-278.	2.8	11
61	An empirical test of the biodiversity hypothesis: Exposure to plant diversity is associated with a reduced risk of childhood acute lymphoblastic leukemia. Science of the Total Environment, 2021, 768, 144627.	8.0	11
62	Developing a General Population Job-Exposure Matrix in the Absence of Sufficient Exposure Monitoring Data. Annals of Occupational Hygiene, 2011, 55, 879-85.	1.9	10
63	Serum concentrations of chlorinated dibenzo-p-dioxins, furans and PCBs, among former phenoxy herbicide production workers and firefighters in New Zealand. International Archives of Occupational and Environmental Health, 2016, 89, 307-318.	2.3	10
64	Morbidity in New Zealand pesticide producers exposed to 2,3,7,8-tetrachlorodibenzo- p -dioxin (TCDD). Environment International, 2018, 110, 22-31.	10.0	10
65	Exposure Determinants of Wood Dust, Microbial Components, Resin Acids and Terpenes in the Sawand Planer Mill Industry. Annals of Work Exposures and Health, 2020, 64, 282-296.	1.4	10
66	Lung Cancer Risk Among Cooks When Accounting for Tobacco Smoking. Journal of Occupational and Environmental Medicine, 2015, 57, 202-209.	1.7	9
67	Serum dioxin levels in former New Zealand sawmill workers twenty years after exposure to pentachlorophenol (PCP) ceased. Chemosphere, 2009, 74, 962-967.	8.2	8
68	Lung Cancer Risk Among Hairdressers: A Pooled Analysis of Case-Control Studies Conducted Between 1985 and 2010. American Journal of Epidemiology, 2013, 178, 1355-1365.	3.4	8
69	Inequities in exposure to occupational risk factors between MÄori and non-MÄori workers in Aotearoa New Zealand. Journal of Epidemiology and Community Health, 2018, 72, 809-816.	3.7	8
70	Ethnic differences in cause specific mortality among hospitalised patients with diabetes: a linkage study in New Zealand. Journal of Epidemiology and Community Health, 2005, 59, 961-966.	3.7	7
71	Ethnic differences in patterns of occupational exposure in New Zealand. American Journal of Industrial Medicine, 2011, 54, 410-418.	2.1	7
72	Exposures to Fumigants and Residual Chemicals in Workers Handling Cargo from Shipping Containers and Export Logs in New Zealand. Annals of Work Exposures and Health, 2020, 64, 826-837.	1.4	7

#	Article	IF	Citations
7 3	Total blood mercury and its determinants in New Zealand children and adults. Journal of Exposure Science and Environmental Epidemiology, 2021, 31, 289-298.	3.9	7
74	Exposure to Medical Radiation during Fetal Life, Childhood and Adolescence and Risk of Brain Tumor in Young Age: Results from The MOBI-Kids Case-Control Study. Neuroepidemiology, 2020, 54, 343-355.	2.3	6
75	Occupational mortality studies: still relevant in the 21st century. Occupational and Environmental Medicine, 2010, 67, 802-803.	2.8	5
76	Farming, growing up on a farm, and haematological cancer mortality. Occupational and Environmental Medicine, 2012, 69, 126-132.	2.8	5
77	Where are we at with lead? Current levels, time trend, and determinants of blood lead in New Zealand children and adults. International Journal of Hygiene and Environmental Health, 2020, 225, 113468.	4.3	5
78	The Prevalence of Cardiovascular Risk Factors in Different Occupational Groups in New Zealand. Annals of Work Exposures and Health, 2020, 64, 645-658.	1.4	5
79	Airborne Fumigants and Residual Chemicals in Shipping Containers Arriving in New Zealand. Annals of Work Exposures and Health, 2022, 66, 481-494.	1.4	4
80	Exposure to respirable crystalline silica in the construction industry-do we have a problem?. New Zealand Medical Journal, 2017, 130, 78-82.	0.5	4
81	OUP accepted manuscript. Annals of Work Exposures and Health, 2021, , .	1.4	3
82	Associations of Occupational Exposures to Electric Shocks and Extremely Low-Frequency Magnetic Fields With Motor Neurone Disease. American Journal of Epidemiology, 2021, 190, 393-402.	3.4	3
83	Should Dental Amalgam Fillings Fill Us with Fear?. Oncology Research and Treatment, 2006, 29, 196-197.	1.2	O
84	O6E.1â€Self-report occupational exposures and mnd in new zealand. Occupational and Environmental Medicine, 2019, 76, A59.1-A59.	2.8	0
85	Levels and determinants of urinary phthalate metabolites in New Zealand children and adults. International Journal of Hygiene and Environmental Health, 2021, 238, 113853.	4.3	0
86	Estimated infant intake of persistent organic pollutants through breast milk in New Zealand. New Zealand Medical Journal, 2014, 127, 56-68.	0.5	0
87	Carcinogenicity ofÂglyphosate: why isÂNewÂZealand'sÂEPAÂlostÂin the weeds?. New Zealand Medical Journal, 2018, 131, 82-89.	0.5	O
88	Neuropsychological symptoms in workers handling cargo from shipping containers and export logs. International Archives of Occupational and Environmental Health, 2022, , .	2.3	0