Sergio Romagnani

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/10942937/publications.pdf

Version: 2024-02-01

190 papers	28,276 citations	6592 79 h-index	5227 165 g-index
192 all docs	192 docs citations	192 times ranked	26828 citing authors

#	Article	IF	Citations
1	Cellâ€mediated and humoral adaptive immune responses to SARSâ€CoVâ€2 are lower in asymptomatic than symptomatic COVIDâ€19 patients. European Journal of Immunology, 2020, 50, 2013-2024.	1.6	53
2	Impaired immune cell cytotoxicity in severe COVID-19 is IL-6 dependent. Journal of Clinical Investigation, 2020, 130, 4694-4703.	3.9	424
3	Eomes controls the development of Th17â€derived (nonâ€classic) Th1 cells during chronic inflammation. European Journal of Immunology, 2019, 49, 79-95.	1.6	64
4	The Kinetics of Antidrug Antibodies, Drug Levels, and Clinical Outcomes in Infliximab-Exposed Patients with Immune-Mediated Disorders. Journal of Allergy and Clinical Immunology: in Practice, 2018, 6, 2065-2072.e2.	2.0	18
5	Therapeutic Efficacy of Autologous Non-Mobilized Enriched Circulating Endothelial Progenitors in Patients With Critical Limb Ischemiaã€€â€• The SCELTA Trial â€•. Circulation Journal, 2018, 82, 1688-1698.	0.7	23
6	Musculin inhibits human Tâ€helper 17 cell response to interleukin 2 by controlling STAT5B activity. European Journal of Immunology, 2017, 47, 1427-1442.	1.6	18
7	IL-10â€"Producing Infliximab-Specific T Cells Regulate the Antidrug T Cell Response in Exposed Patients. Journal of Immunology, 2017, 199, 1283-1289.	0.4	13
8	Human circulating group 2 innate lymphoid cells can express CD154 and promote IgE production. Journal of Allergy and Clinical Immunology, 2017, 139, 964-976.e4.	1.5	77
9	Chitinase 3-like-1 is produced by human Th17 cells and correlates with the level of inflammation in juvenile idiopathic arthritis patients. Clinical and Molecular Allergy, 2016, 14, 16.	0.8	10
10	Dermatophagoides pteronyssinus group 2 allergen bound to 8-OH modified adenine reduces the Th2-mediated airway inflammation without inducing a Th17 response and autoimmunity. Molecular Immunology, 2016, 77, 60-70.	1.0	4
11	How pregnancy can affect autoimmune diseases progression?. Clinical and Molecular Allergy, 2016, 14, 11.	0.8	88
12	Th1 Cells. , 2016, , 287-293.		1
13	IL4I1: Key immunoregulator at a crossroads of divergent Tâ€cell functions. European Journal of Immunology, 2016, 46, 2302-2305.	1.6	17
14	Interleukin-17-producing decidual CD4+ T cells are not deleterious for human pregnancy when they also produce interleukin-4. Clinical and Molecular Allergy, 2016, 14, 1.	0.8	30
15	T helper cell mediated-tolerance towards fetal allograft in successful pregnancy. Clinical and Molecular Allergy, 2015, 13, 9.	0.8	53
16	Demethylation of the RORC2 and IL17A in Human CD4+ T Lymphocytes Defines Th17 Origin of Nonclassic Th1 Cells. Journal of Immunology, 2015, 194, 3116-3126.	0.4	79
17	Human T helper type 1 dichotomy: origin, phenotype and biological activities. Immunology, 2015, 144, 343-351.	2.0	47
18	Treatment with 8â€•OH â€modified adenine (TLR 7 ligand)â€allergen conjugates decreases T helper type 2â€oriented murine airway inflammation. Immunology, 2015, 145, 570-582.	2.0	7

#	Article	IF	Citations
19	The 3 major types of innate and adaptive cell-mediated effector immunity. Journal of Allergy and Clinical Immunology, 2015, 135, 626-635.	1.5	562
20	T Cell Subpopulations. Chemical Immunology and Allergy, 2014, 100, 155-164.	1.7	25
21	<scp>IL</scp>â€4â€induced gene 1 maintains high <scp>T</scp>ob1 expression that contributes to <scp>TCR</scp> unresponsiveness in human <scp>T</scp> helper 17 cells. European Journal of Immunology, 2014, 44, 654-661.	1.6	36
22	Th17 and Non-Classic Th1 Cells in Chronic Inflammatory Disorders: Two Sides of the Same Coin. International Archives of Allergy and Immunology, 2014, 164, 171-177.	0.9	81
23	Brief Report: Etanercept Inhibits the Tumor Necrosis Factor Î±â€"Driven Shift of Th17 Lymphocytes Toward a Nonclassic Th1 Phenotype in Juvenile Idiopathic Arthritis. Arthritis and Rheumatology, 2014, 66, 1372-1377.	2.9	59
24	Reasons for rarity of Th17 cells in inflammatory sites of human disorders. Seminars in Immunology, 2013, 25, 299-304.	2.7	23
25	A novel allergen-adjuvant conjugate suitable for specific immunotherapy of respiratory allergy. Journal of Allergy and Clinical Immunology, 2013, 132, 84-92.e6.	1.5	13
26	Main features of human T helper 17 cells. Annals of the New York Academy of Sciences, 2013, 1284, 66-70.	1.8	49
27	HLA-G5 Induces IL-4 Secretion Critical for Successful Pregnancy through Differential Expression of ILT2 Receptor on Decidual CD4+ T Cells and Macrophages. Journal of Immunology, 2013, 191, 3651-3662.	0.4	52
28	Drug-Specific Th2 Cells and IgE Antibodies in a Patient with Anaphylaxis to Rituximab. International Archives of Allergy and Immunology, 2012, 159, 321-326.	0.9	59
29	Distinctive features of classic and nonclassic (<scp>T</scp>h17 derived) human <scp>T</scp>h1 cells. European Journal of Immunology, 2012, 42, 3180-3188.	1.6	118
30	Rarity of Human T Helper 17 Cells Is due to Retinoic Acid Orphan Receptor-Dependent Mechanisms that Limit Their Expansion. Immunity, 2012, 36, 201-214.	6.6	103
31	Defining the human T helper 17 cell phenotype. Trends in Immunology, 2012, 33, 505-512.	2.9	162
32	Human TH17 Cells. , 2011, , 231-242.		0
33	Mouse T helper 17 phenotype: Not so different than in man after all. Cytokine, 2011, 56, 112-115.	1.4	14
34	Frequency of regulatory T cells in peripheral blood and in tumourâ€infiltrating lymphocytes correlates with poor prognosis in renal cell carcinoma. BJU International, 2011, 107, 1500-1506.	1.3	115
35	Evidence of the transient nature of the Th17 phenotype of CD4+CD161+ T cells in the synovial fluid of patients with juvenile idiopathic arthritis. Arthritis and Rheumatism, 2011, 63, 2504-2515.	6.7	213
36	The TLR7 Ligand 9-Benzyl-2-Butoxy-8-Hydroxy Adenine Inhibits IL-17 Response by Eliciting IL-10 and IL-10â€"Inducing Cytokines. Journal of Immunology, 2011, 186, 4707-4715.	0.4	34

#	Article	IF	Citations
37	Human and murine Th17. Current Opinion in HIV and AIDS, 2010, 5, 114-119.	1.5	34
38	Evidence for a cross-talk between human neutrophils and Th17 cells. Blood, 2010, 115, 335-343.	0.6	655
39	CD161 is a marker of all human ILâ€17â€producing Tâ€cell subsets and is induced by RORC. European Journal of Immunology, 2010, 40, 2174-2181.	1.6	333
40	The transient nature of the Th17 phenotype. European Journal of Immunology, 2010, 40, 3312-3316.	1.6	58
41	Identification of a novel subset of human circulating memory CD4+ T cells that produce both IL-17A and IL-4. Journal of Allergy and Clinical Immunology, 2010, 125, 222-230.e4.	1.5	275
42	Modified Adenine (9-Benzyl-2-Butoxy-8-Hydroxyadenine) Redirects Th2-Mediated Murine Lung Inflammation by Triggering TLR7. Journal of Immunology, 2009, 182, 880-889.	0.4	24
43	Regeneration of Glomerular Podocytes by Human Renal Progenitors. Journal of the American Society of Nephrology: JASN, 2009, 20, 322-332.	3.0	483
44	TGFâ€Î² indirectly favors the development of human Th17 cells by inhibiting Th1 cells. European Journal of Immunology, 2009, 39, 207-215.	1.6	147
45	Human Th17 cells: Are they different from murine Th17 cells?. European Journal of Immunology, 2009, 39, 637-640.	1.6	56
46	Type 17 T helper cellsâ€"origins, features and possible roles in rheumatic disease. Nature Reviews Rheumatology, 2009, 5, 325-331.	3.5	192
47	Properties and origin of human Th17 cells. Molecular Immunology, 2009, 47, 3-7.	1.0	150
48	Heterogeneity of human effector CD4+ T cells. Arthritis Research and Therapy, 2009, 11, 257.	1.6	153
49	Do studies in humans better depict Th17 cells?. Blood, 2009, 114, 2213-2219.	0.6	82
50	T cells specific for Candida albicans antigens and producing type 2 cytokines in lesional mucosa of untreated HIV-infected patients with pseudomembranous oropharyngeal candidiasis. Microbes and Infection, 2008, 10, 166-174.	1.0	10
51	Toll-Like Receptors 3 and 4 Are Expressed by Human Bone Marrow-Derived Mesenchymal Stem Cells and Can Inhibit Their T-Cell Modulatory Activity by Impairing Notch Signaling. Stem Cells, 2008, 26, 279-289.	1.4	429
52	Human immature myeloid dendritic cells trigger a TH2-polarizing program via Jagged-1/Notch interaction. Journal of Allergy and Clinical Immunology, 2008, 121, 1000-1005.e8.	1.5	66
53	Human Th17 cells. Arthritis Research and Therapy, 2008, 10, 206.	1.6	143
54	Activation of p38MAPK mediates the angiostatic effect of the chemokine receptor CXCR3-B. International Journal of Biochemistry and Cell Biology, 2008, 40, 1764-1774.	1.2	60

#	Article	IF	Citations
55	The phenotype of human Th17 cells and their precursors, the cytokines that mediate their differentiation and the role of Th17 cells in inflammation. International Immunology, 2008, 20, 1361-1368.	1.8	173
56	Functional deficit of T regulatory cells in Fulani, an ethnic group with low susceptibility to Plasmodium falciparum malaria. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 646-651.	3.3	120
57	Human interleukin 17â€"producing cells originate from a CD161+CD4+ T cell precursor. Journal of Experimental Medicine, 2008, 205, 1903-1916.	4.2	668
58	Essential but differential role for CXCR4 and CXCR7 in the therapeutic homingof human renal progenitor cells. Journal of Experimental Medicine, 2008, 205, 479-490.	4.2	245
59	Specific recruitment of CD4+CD25++ regulatory T cells into the allograft in heart transplant recipients. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 292, H2425-H2431.	1.5	13
60	Regenerative Potential of Embryonic Renal Multipotent Progenitors in Acute Renal Failure. Journal of the American Society of Nephrology: JASN, 2007, 18, 3128-3138.	3.0	194
61	PF-4/CXCL4 and CXCL4L1 exhibit distinct subcellular localization and a differentially regulated mechanism of secretion. Blood, 2007, 109, 4127-4134.	0.6	62
62	Phenotypic and functional features of human Th17 cells. Journal of Experimental Medicine, 2007, 204, 1849-1861.	4.2	1,689
63	Immune Regulation by Mesenchymal Stem Cells Derived from Adult Spleen and Thymus. Stem Cells and Development, 2007, 16, 797-810.	1.1	108
64	Role of Chemokines in Endocrine Autoimmune Diseases. Endocrine Reviews, 2007, 28, 492-520.	8.9	224
65	Coming back to a missing immune deviation asÂthe main explanatory mechanism for the hygieneÂhypothesis. Journal of Allergy and Clinical Immunology, 2007, 119, 1511-1513.	1.5	83
66	Demonstration of circulating allergen-specific CD4+CD25highFoxp3+ T-regulatory cells in both nonatopic and atopic individuals. Journal of Allergy and Clinical Immunology, 2007, 120, 429-436.	1.5	70
67	Eosinophilia in cholesterol atheroembolic disease. Journal of Allergy and Clinical Immunology, 2007, 120, 1470-1471.	1.5	10
68	Redirection of allergen-specific TH2 responses by a modified adenine through Toll-like receptor 7 interaction and IL-12/IFN release. Journal of Allergy and Clinical Immunology, 2006, 118, 511-517.	1.5	50
69	Role for Interferon-Î³ in the Immunomodulatory Activity of Human Bone Marrow Mesenchymal Stem Cells. Stem Cells, 2006, 24, 386-398.	1.4	1,226
70	Immunological tolerance and autoimmunity. Internal and Emergency Medicine, 2006, 1, 187-196.	1.0	56
71	Peripheral blood as a source of stem cells for regenerative medicine. Expert Opinion on Biological Therapy, 2006, 6, 193-202.	1.4	15
72	Isolation and Characterization of Multipotent Progenitor Cells from the Bowmanâ€™s Capsule of Adult Human Kidneys. Journal of the American Society of Nephrology: JASN, 2006, 17, 2443-2456.	3.0	648

#	Article	IF	Citations
73	Thymic regulatory T cells. Autoimmunity Reviews, 2005, 4, 579-586.	2.5	151
74	Functional features of human CD25+ regulatory thymocytes. Microbes and Infection, 2005, 7, 1017-1022.	1.0	11
75	Human 60-kDa Heat Shock Protein Is a Target Autoantigen of T Cells Derived from Atherosclerotic Plaques. Journal of Immunology, 2005, 174, 6509-6517.	0.4	112
76	CXCR3-mediated opposite effects of CXCL10 and CXCL4 on T1 or T2 cytokine production. Journal of Allergy and Clinical Immunology, 2005, 116, 1372-1379.	1.5	106
77	CD14+CD34lowCells With Stem Cell Phenotypic and Functional Features Are the Major Source of Circulating Endothelial Progenitors. Circulation Research, 2005, 97, 314-322.	2.0	245
78	A Case of Chronic Urticaria Due to Dirofharia Infestation. Allergology International, 2004, 53, 383-385.	1.4	0
79	The increased prevalence of allergy and the hygiene hypothesis: missing immune deviation, reduced immune suppression, or both?. Immunology, 2004, 112, 352-363.	2.0	365
80	Immunologic influences on allergy and the TH1/TH2 balance. Journal of Allergy and Clinical Immunology, 2004, 113, 395-400.	1.5	385
81	CXC chemokines: the regulatory link between inflammation and angiogenesis. Trends in Immunology, 2004, 25, 201-209.	2.9	369
82	Th2 cells are less susceptible than Th1 cells to the suppressive activity of CD25+ regulatory thymocytes because of their responsiveness to different cytokines. Blood, 2004, 103, 3117-3121.	0.6	158
83	The novel synthetic immune response modifier R-848 (Resiquimod) shifts human allergen-specific CD4+ TH2 lymphocytes into IFN-Î³â€“producing cells. Journal of Allergy and Clinical Immunology, 2003, 111, 380-388.	1.5	90
84	T helper type 1 lymphocytes drive inflammation in human atherosclerotic lesions. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 6658-6663.	3.3	143
85	An Alternatively Spliced Variant of CXCR3 Mediates the Inhibition of Endothelial Cell Growth Induced by IP-10, Mig, and I-TAC, and Acts as Functional Receptor for Platelet Factor 4. Journal of Experimental Medicine, 2003, 197, 1537-1549.	4.2	655
86	Human CD8+CD25+ thymocytes share phenotypic and functional features with CD4+CD25+ regulatory thymocytes. Blood, 2003, 102, 4107-4114.	0.6	331
87	New therapeutic strategies in allergic diseases. Drugs of Today, 2003, 39, 849.	2.4	7
88	Phenotype, Localization, and Mechanism of Suppression of CD4+CD25+ Human Thymocytes. Journal of Experimental Medicine, 2002, 196, 379-387.	4.2	367
89	Type 1 T Helper Cells Specific forCandida albicansAntigens in Peripheral Blood and Vaginal Mucosa of Women with Recurrent Vaginal Candidiasis. Journal of Infectious Diseases, 2002, 186, 87-93.	1.9	22
90	Th2-oriented profile of male offspring T cells present in women with systemic sclerosis and reactive with maternal major histocompatibility complex antigens. Arthritis and Rheumatism, 2002, 46, 445-450.	6.7	120

#	Article	IF	Citations
91	Role of low nuclear grading of renal carcinoma cells in the functional profile of tumor-infiltrating T cells. International Journal of Cancer, 2002, 98, 674-681.	2.3	10
92	Reversal of human allergen-specific CRTH2+ TH2 cells by IL-12 or the PS-DSP30 oligodeoxynucleotide. Journal of Allergy and Clinical Immunology, 2001, 108, 815-821.	1.5	42
93	H+,K+-ATPase (proton pump) is the target autoantigen of Th1-type cytotoxic T cells in autoimmune gastritis. Gastroenterology, 2001, 120, 377-386.	0.6	147
94	Chemokines and lymphopoiesis in human thymus. Trends in Immunology, 2001, 22, 277-281.	2.9	63
95	Interferon-inducible protein 10, monokine induced by interferon gamma, and interferon-inducible T-cell alpha chemoattractant are produced by thymic epithelial cells and attract T-cell receptor (TCR) Î±Î²+CD8+ single-positive T cells, TCRÎ³Î´+ T cells, and natural killerâ€"type cells in human thymus. Blood, 2001, 97, 601-607.	0.6	111
96	Production of IL-4 and leukemia inhibitory factor by T cells of thecumulus oophorus: a favorable microenvironment for pre-implantation embryo development. European Journal of Immunology, 2001, 31, 2431-2437.	1.6	60
97	Defective production of LIF, M-CSF and Th2-type cytokines by T cells at fetomaternal interface is associated with pregnancy loss. Journal of Reproductive Immunology, 2001, 52, 35-43.	0.8	110
98	Chemoattractant Receptors Expressed on Type 2 T Cells and Their Role in Disease. International Archives of Allergy and Immunology, 2001, 125, 273-279.	0.9	33
99	Expression of the Chemokine Receptor CCR3 on Human Mast Cells. International Archives of Allergy and Immunology, 2001, 124, 146-150.	0.9	66
100	Polarization of PPD-Specific T-Cell Response of Patients with Tuberculosis from Th0 to Th1 Profile after Successful Antimycobacterial Therapy orIn VitroConditioning with Interferon- Î± or Interleukin-12. American Journal of Respiratory Cell and Molecular Biology, 2001, 24, 187-194.	1.4	58
101	CRTH2: marker for the detection of human Th2 and Tc2 cells. Advances in Experimental Medicine and Biology, 2001, 495, 25-29.	0.8	12
102	T-cell responses in allergy and asthma. Current Opinion in Allergy and Clinical Immunology, 2001, 1, 73-78.	1.1	55
103	Cell cycleâ€"dependent expression of CXC chemokine receptor 3 by endothelial cells mediates angiostatic activity. Journal of Clinical Investigation, 2001, 107, 53-63.	3.9	340
104	Macrophage-derived chemokine production by activated human T cellsin vitro andin vivo: preferential association with the production of type 2 cytokines. European Journal of Immunology, 2000, 30, 204-210.	1.6	104
105	CRTH2 is the most reliable marker for the detection of circulating human type 2 Th and type 2 T cytotoxic cells in health and disease. European Journal of Immunology, 2000, 30, 2972-2979.	1.6	268
106	Cytokines and chemokines in T lymphopoiesis and T-cell effector function. Trends in Immunology, 2000, 21, 416-418.	7.5	17
107	Limited expression of R5-tropic HIV-1 in CCR5-positive type 1â€"polarized T cells explained by their ability to produce RANTES, MIP-1Î±, and MIP-1Î². Blood, 2000, 95, 1167-1174.	0.6	47
108	Enhanced expression of the CXCR4 co-receptor in HIV-1-infected individuals correlates with the emergence of syncytia-inducing strains. Cytokines, Cellular & Molecular Therapy, 2000, 6, 19-24.	0.3	9

#	Article	IF	Citations
109	Macrophage-Derived Chemokine and EBI1-Ligand Chemokine Attract Human Thymocytes in Different Stage of Development and Are Produced by Distinct Subsets of Medullary Epithelial Cells: Possible Implications for Negative Selection. Journal of Immunology, 2000, 165, 238-246.	0.4	65
110	The role of lymphocytes in allergic disease. Journal of Allergy and Clinical Immunology, 2000, 105, 399-408.	1.5	407
111	T-cell subsets (Th1 versus Th2). Annals of Allergy, Asthma and Immunology, 2000, 85, 9-21.	0.5	671
112	Environmental Factors Favoring the Allergenâ€specific Th2 Response in Allergic Subjects. Annals of the New York Academy of Sciences, 2000, 917, 844-852.	1.8	15
113	Macrophage-derived chemokine production by activated human T cells in vitro and in vivo: preferential association with the production of type 2 cytokines. , 2000, 30, 204.		9
114	Macrophage-derived chemokine production by activated human T cells in vitro and in vivo: preferential association with the production of type 2 cytokines. European Journal of Immunology, 2000, 30, 204-210.	1.6	1
115	Chemokine Receptors on Human Mast Cells. , 2000, , 579-596.		3
116	Macrophage-Derived Chemokine Is Localized to Thymic Medullary Epithelial Cells and Is a Chemoattractant for CD3+, CD4+, CD8low Thymocytes. Blood, 1999, 94, 1890-1898.	0.6	100
117	Chemokine receptors and other surface molecules preferentially associated with human Th1 or Th2 cells. Microbes and Infection, 1999, 1, 103-106.	1.0	21
118	Relaxin favors the development of activated human T cells into Th1-like effectors. European Journal of Immunology, 1999, 29, 2241-2247.	1.6	63
119	Impaired T-cell regulation of B-cell growth in Helicobacter pyloriâ€"related gastric low-grade MALT lymphoma. Gastroenterology, 1999, 117, 1105-1112.	0.6	100
120	Tryptase-Chymase Double-Positive Human Mast Cells Express the Eotaxin Receptor CCR3 and Are Attracted by CCR3-Binding Chemokines. American Journal of Pathology, 1999, 155, 1195-1204.	1.9	220
121	Assessment of chemokine receptor expression by human Th1 and Th2 cells in vitro and in vivo. Journal of Leukocyte Biology, 1999, 65, 691-699.	1.5	163
122	Th1/Th2 Cells. Inflammatory Bowel Diseases, 1999, 5, 285-294.	0.9	373
123	Defective production of both leukemia inhibitory factor and type 2 T-helper cytokines by decidual T cells in unexplained recurrent abortions. Nature Medicine, 1998, 4, 1020-1024.	15.2	618
124	Influence of both TCR repertoire and severity of the atopic status on the cytokine secretion profile ofParietaria officinalisâ€‰-specific T cells. European Journal of Immunology, 1998, 28, 37-46.	1.6	14
125	Enhanced HIV expression during Th2-oriented responses explained by the opposite regulatory effect of IL-4 and IFN-Î³ on fusin/CXCR4. European Journal of Immunology, 1998, 28, 3280-3290.	1.6	74
126	High CD30 Ligand Expression by Epithelial Cells and Hassal's Corpuscles in the Medulla of Human Thymus. Blood, 1998, 91, 3323-3332.	0.6	72

#	Article	IF	Citations
127	High CD30 Ligand Expression by Epithelial Cells and Hassal's Corpuscles in the Medulla of Human Thymus. Blood, 1998, 91, 3323-3332.	0.6	8
128	Functional Characterization and Modulation of Cytokine Production by CD8+ T Cells from Human Immunodeficiency Virus-Infected Individuals. Blood, 1997, 89, 3672-3681.	0.6	42
129	Atopic allergy and other hypersensitivities interactions between genetic susceptibility, innocuous and/or microbial antigens and the immune system. Current Opinion in Immunology, 1997, 9, 773-775.	2.4	37
130	The Th1/Th2 paradigm. Trends in Immunology, 1997, 18, 263-266.	7.5	935
131	Different cytokine profile and antigen-specificity repertoire inHelicobacter pylori-specific T cell clones from the antrum of chronic gastritis patients with or without peptic ulcer. European Journal of Immunology, 1997, 27, 1751-1755.	1.6	207
132	Opposite role for interleukin-4 and interferon-Î³ on CD30 and lymphocyte activation gene-3 (LAG-3) expression by activated naive T cells. European Journal of Immunology, 1997, 27, 2239-2244.	1.6	67
133	Functional Characterization and Modulation of Cytokine Production by CD8+ T Cells from Human Immunodeficiency Virus-Infected Individuals. Blood, 1997, 89, 3672-3681.	0.6	10
134	Pathophysiology of Th1 and Th2 Responses in Humans. , 1997, , 149-166.		0
135	Expression and release of LAGâ€3â€encoded protein by human CD4 ⁺ T cells are associated with IFNâ€Î³ production. FASEB Journal, 1996, 10, 769-776.	0.2	97
136	Editorial The role of T-cell derived cytokines in allergic diseases. Expert Opinion on Therapeutic Patents, 1996, 6, 223-228.	2.4	0
137	TH1 and TH2 in Human Diseases. Clinical Immunology and Immunopathology, 1996, 80, 225-235.	2.1	344
138	Regulation of fetal allograft survival by hormone-controlled Th1- and Th2-type cytokines. Immunologic Research, 1996, 15, 141-150.	1.3	137
139	Genetic variability of the human CD4 V2 domain. Immunogenetics, 1996, 44, 70-72.	1.2	7
140	CD30 cell expression and abnormal soluble CD30 serum accumulation in Omenn's syndrome: Evidence for a T helper 2-mediated condition. European Journal of Immunology, 1996, 26, 329-334.	1.6	108
141	Effects of interferon-Î± on cytokine profile, T cell receptor repertoire and peptide reactivity of human allergen-specific T cells. European Journal of Immunology, 1996, 26, 697-703.	1.6	113
142	Developmentin vitro of human CD4+ thymocytes into functionally mature Th2 cells. Exogenous interleukin-12 is required for priming thymocytes to produce both Th1 cytokines and interleukin-10. European Journal of Immunology, 1996, 26, 1083-1087.	1.6	29
143	Abnormal production of T helper 2 cytokines interleukin-4 and interleukin-5 by T cells from newborns with atopic parents. European Journal of Immunology, 1996, 26, 2293-2298.	1.6	76
144	Role for CD30 in HIV expression. Immunology Letters, 1996, 51, 83-88.	1.1	16

#	Article	IF	Citations
145	Human T-Cell Responses to Grass Pollen Allergens. , 1996, , 164-175.		1
146	The Pathology of Omenn's Syndrome. American Journal of Surgical Pathology, 1996, 20, 773.	2.1	9
147	Genetic variability of the human CD4 V2 domain. Immunogenetics, 1996, 44, 70-72.	1.2	0
148	CD30 and type 2 T helper (Th2) responses. Journal of Leukocyte Biology, 1995, 57, 726-730.	1.5	129
149	Polyinosinic acid: polycytidylic acid promotes T helper type 1-specific immune responses by stimulating macrophage production of interferon-Î± and interleukin-12. European Journal of Immunology, 1995, 25, 2656-2660.	1.6	135
150	CD30 ligation induces nuclear factor-Ï°B activation in human T cell lines. European Journal of Immunology, 1995, 25, 2870-2876.	1.6	63
151	Biology of human TH1 and TH2 cells. Journal of Clinical Immunology, 1995, 15, 121-129.	2.0	366
152	CD30, Th2 cytokines and HIV infections: a complex and fascinating link. Trends in Immunology, 1995, 16, 76-80.	7.5	147
153	Atopic allergy and other hypersensitivities. Current Opinion in Immunology, 1995, 7, 745-750.	2.4	40
154	Activation of HIV expression by CD30 triggering in CD4+ T cells from HIV-infected individuals. Immunity, 1995, 3, 251-255.	6.6	54
155	T Helper Cell Subsets. BioDrugs, 1995, 4, 83-88.	0.7	3
156	Role for CD30 Antigen in Human T Helper 2â€“Type Responses. Novartis Foundation Symposium, 1995, 195, 55-67.	1.2	1
157	Review Human Th1 and Th2 Cells: Functional Properties, Regulation of Development and Role in Autoimmunity. Autoimmunity, 1994, 18, 301-308.	1.2	80
158	An Alternative View of the Th1/Th2 Switch Hypothesis in HIV Infection. AIDS Research and Human Retroviruses, 1994, 10, iii-ix.	0.5	51
159	Regulation of the development of type 2 T-helper cells in allergy. Current Opinion in Immunology, 1994, 6, 838-846.	2.4	253
160	Th1 versus Th2 responses in AIDS. Current Opinion in Immunology, 1994, 6, 616-622.	2.4	59
161	A Toxic Shock Syndrome Toxin - 1 Peptide That Shows Homology to Amino Acids 180â€“193 of Mycobacterial Heat Shock Protein 65 IS Presented as Conventional Antigen. Immunological Investigations, 1994, 23, 381-391.	1.0	9
162	The role of TH1 and TH2 subsets in human infectious diseases. Trends in Microbiology, 1994, 2, 4-6.	3.5	62

#	Article	IF	Citations
163	Lymphokine Production by Human T Cells in Disease States. Annual Review of Immunology, 1994, 12, 227-257.	9.5	1,295
164	Allergen exposure induces the activation of allergen-specific Th2 cells in the airway mucosa of patients with allergic respiratory disorders. European Journal of Immunology, 1993, 23, 1445-1449.	1.6	340
165	Membrane tumour necrosis factor-Î± is involved in the polyclonal B-cell activation induced by HIV-infected human T cells. Nature, 1993, 363, 464-466.	13.7	149
166	Human T_H1 and T_H2 Subsets. International Archives of Allergy and Immunology, 1992, 99, 242-245.	0.9	17
167	Induction of TH1 and TH2 responses: a key role for the â€˜naturalâ€™ immune response?. Trends in Immunology, 1992, 13, 379-381.	7.5	763
168	Both CD8+ and CD16+ human T cell clones can provide B cell help for immunoglobulin production. International Journal of Clinical and Laboratory Research, 1992, 22, 36-39.	1.0	2
169	Cytokine production by allergen (Der pI)-specific CD4+ T cell clones derived from a patient with severe atopic disease. International Journal of Clinical and Laboratory Research, 1992, 21, 186-189.	1.0	21
170	Aberrant interleukin (IL)-4 and IL-5 productionin vitro by CD4+ helper T cells from atopic subjects. European Journal of Immunology, 1992, 22, 1615-1620.	1.6	83
171	Human TH1 and TH2 subsets: doubt no more. Trends in Immunology, 1991, 12, 256-257.	7.5	1,097
172	The IgE response in atopy and infections. Clinical and Experimental Allergy, 1991, 21, 72-78.	1.4	7
173	In vitro Infection with hiv of antigen-specific t cell clones derived from hiv-seronegative individuals. effects on cytokine production and helper function. Research in Clinic and Laboratory, 1991, 21, 85-90.	0.3	3
174	T Lymphocytes from Tonsil arid Peripheral Blood Show Different Cytolytic and Helper Activities. Acta Oto-Laryngologica, 1991, 111, 974-980.	0.3	1
175	A novel pathway of human B cell activation initiated by CK226 surface antigen. European Journal of Immunology, 1990, 20, 1161-1165.	1.6	2
176	Regulation and deregulation of human IgE synthesis. Trends in Immunology, 1990, 11, 316-321.	7.5	255
177	Cytokine action on B cells in disease. , 1990, , 215-251.		2
178	Regulatory mechanisms of in vitro human IgE synthesis. Allergy: European Journal of Allergy and Clinical Immunology, 1989, 44, 9-15.	2.7	7
179	Role of interleukins in induction and regulation of human IgE synthesis. Clinical Immunology and Immunopathology, 1989, 50, S13-S23.	2.1	91
180	The immune derangement and strategies for immunotherapy. Cancer Treatment and Research, 1989, 41, 53-88.	0.2	1

#	Article	IF	Citations
181	Profiles of lymphokine activities and helper function for IgE in human T cell clones. European Journal of Immunology, 1988, 18, 1045-1050.	1.6	216
182	Diminished Production of Interleukin 2 and Gamma-Interferon by Cloned Â«TÂ» Cells from Patients with the Acquired Immunodeficiency Syndrome (AIDS). Tumori, 1987, 73, 273-278.	0.6	1
183	Reduced production of interleukin 2 and interferongamma and enhanced helper activity for IgG synthesis by cloned CD4+ T cells from patients with AIDS. European Journal of Immunology, 1987, 17, 1685-1690.	1.6	96
184	Analysis of the role of interferon-gamma, interleukin 2 and a third factor distinct from interferon-gamma and interleukin 2 on human B cell proliferation. Evidence that they act at different times after B cell activation. European Journal of Immunology, 1986, 16, 623-629.	1.6	44
185	Human T cell clones can inducein vitro IgE synthesis in normal B cells regardless of alloantigen recognition or specificity for peculiar antigens. European Journal of Immunology, 1986, 16, 1509-1514.	1.6	32
186	Heterogeneity of B cell growth factor (BCGF)-producing T cells in humans. Clonal analysis of BCGF-producing cells within T4+ and T8+ subsets and evidence for the involvement of different growth factors in different BCGF assays. Research in Clinic and Laboratory, 1986, 16, 23-28.	0.3	0
187	Synergy of B cell growth factor and interleukin 2 in the proliferation of activated human B cells. European Journal of Immunology, 1985, 15, 1158-1164.	1.6	20
188	Frequent coexpression of cytolytic activity and lymphokine production among human T lymphocytes. Production of B cell growth factor and interleukin 2 by T8+ and T4+ cytolytic clones. European Journal of Immunology, 1984, 14, 1066-1069.	1.6	40
189	Short- and long-term effects of radiation on T-cell subsets in peripheral blood of patients with Hodgkin's disease. Cancer, 1980, 46, 2590-2595.	2.0	14
190	Th1/Th2 cells. Inflammatory Bowel Diseases, 0, 5, 285-294.	0.9	54