Yu-Long Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10943748/publications.pdf Version: 2024-02-01



YULONG WANG

#	Article	IF	CITATIONS
1	Immune Co-inhibitory Receptors PD-1, CTLA-4, TIM-3, LAG-3, and TIGIT in Medullary Thyroid Cancers: A Large Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 120-132.	3.6	42
2	The Efficacy and Safety of Anlotinib in Neoadjuvant Treatment of Locally Advanced Thyroid Cancer: A Single-Arm Phase II Clinical Trial. Thyroid, 2021, 31, 1808-1813.	4.5	27
3	IL-2 enhanced MHC class I expression in papillary thyroid cancer with Hashimoto's thyroiditis overcomes immune escape <i> in vitro</i> . Journal of Cancer, 2020, 11, 4250-4260.	2.5	9
4	Silencing of PPM1D inhibits cell proliferation and invasion through the p38�MAPK and p53 signaling pathway in papillary thyroid carcinoma. Oncology Reports, 2020, 43, 783-794.	2.6	6
5	Association Between Programmed Death-Ligand 1 Expression and Clinicopathological Characteristics, Structural Recurrence, and Biochemical Recurrence/Persistent Disease in Medullary Thyroid Carcinoma. Thyroid, 2019, 29, 1269-1278.	4.5	27
6	Lymph node ratio (LNR) as a complementary staging system to TNM staging in salivary gland cancer. European Archives of Oto-Rhino-Laryngology, 2019, 276, 3425-3434.	1.6	9
7	Downregulation of <scp>CSN</scp> 6 attenuates papillary thyroid carcinoma progression by reducing Wnt/ <i>l²</i> â€catenin signaling and sensitizes cancer cells to <scp>FH</scp> 535 therapy. Cancer Medicine, 2018, 7, 285-296.	2.8	23
8	Programmed Death-Ligand 1 Expression in Papillary Thyroid Cancer and Its Correlation with Clinicopathologic Factors and Recurrence. Thyroid, 2017, 27, 537-545.	4.5	56
9	Clinical significance of papillary thyroid cancer risk loci identified by genome-wide association studies. Cancer Genetics, 2015, 208, 68-75.	0.4	14
10	Association of the miR-149 Rs2292832 Polymorphism with Papillary Thyroid Cancer Risk and Clinicopathologic Characteristics in a Chinese Population. International Journal of Molecular Sciences, 2014, 15, 20968-20981.	4.1	34
11	Significant SNPs have limited prediction ability for thyroid cancer. Cancer Medicine, 2014, 3, 731-735.	2.8	15
12	Confirmation of papillary thyroid cancer susceptibility loci identified by genome-wide association studies of chromosomes 14q13, 9q22, 2q35 and 8p12 in a Chinese population. Journal of Medical Genetics, 2013, 50, 689-695.	3.2	66
13	Association between the rs2910164 Polymorphism in Pre-Mir-146a Sequence and Thyroid Carcinogenesis. PLoS ONE, 2013, 8, e56638.	2.5	37
14	Clinicopathologic study of 1176 salivary gland tumors in a Chinese population: Experience of one cancer center 1997–2007. Acta Oto-Laryngologica, 2012, 132, 1-8.	0.9	32
15	Predictive index for lymph node management of major salivary gland cancer. Laryngoscope, 2012, 122, 1497-1506.	2.0	26
16	Incidentally simultaneous occurrence of RET/PTC, H4–PTEN and BRAF mutation in papillary thyroid carcinoma. Cancer Letters, 2008, 263, 44-52.	7.2	21