

# Noemie Travier

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/109481/publications.pdf>

Version: 2024-02-01

64  
papers

4,182  
citations

101384

36  
h-index

118652

62  
g-index

65  
all docs

65  
docs citations

65  
times ranked

7713  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Epidemiology of Morningness/Eveningness: Influence of Age, Gender, Ethnicity, and Socioeconomic Factors in Adults (30-49 Years). <i>Journal of Biological Rhythms</i> , 2006, 21, 68-76.	1.4	268
2	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 912-921.	2.2	194
3	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 398-407.	2.2	189
4	Does early indoor microbial exposure reduce the risk of asthma? The Prevention and Incidence of Asthma and Mite Allergy birth cohort study. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 117, 1067-1073.	1.5	168
5	Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 453-466.	2.3	161
6	Effects of an 18-week exercise programme started early during breast cancer treatment: a randomised controlled trial. <i>BMC Medicine</i> , 2015, 13, 121.	2.3	159
7	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013, 132, 645-657.	2.3	158
8	Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. <i>Journal of Nutrition</i> , 2009, 139, 1728-1737.	1.3	144
9	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010, 17, 1007-1019.	1.6	143
10	Olive oil intake and mortality within the Spanish population (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 142-149.	2.2	137
11	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>British Journal of Nutrition</i> , 2011, 106, 1581-1591.	1.2	130
12	Impact of Cigarette Smoking on Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2012, 30, 4550-4557.	0.8	129
13	Hormonal, Metabolic, and Inflammatory Profiles and Endometrial Cancer Risk Within the EPIC Cohort: A Factor Analysis. <i>American Journal of Epidemiology</i> , 2013, 177, 787-799.	1.6	119
14	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 826-835.	2.2	112
15	Sleep duration and quality in healthy nulliparous and multiparous women across pregnancy and post-partum. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007, 47, 16-22.	0.4	111
16	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 755-767.	1.6	104
17	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. <i>International Journal of Cancer</i> , 2012, 131, E1004-14.	2.3	104
18	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , 2016, 11, e0147029.	1.1	102

#	ARTICLE	IF	CITATIONS
19	Effects of an Exercise Program in Colon Cancer Patients undergoing Chemotherapy. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 767-775.	0.2	93
20	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1266-1275.	2.2	90
21	Olive oil intake and CHD in the European Prospective Investigation into Cancer and Nutrition Spanish cohort. <i>British Journal of Nutrition</i> , 2012, 108, 2075-2082.	1.2	83
22	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 454-464.	2.2	83
23	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011, 11, 169.	1.2	72
24	Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1667-1678.	2.3	72
25	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015, 137, 940-948.	2.3	70
26	Prostate stem cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: Results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012, 130, 2417-2427.	2.3	60
27	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014, 135, 2887-2899.	2.3	60
28	A New Zealand Linkage Study Examining the Associations Between A1C Concentration and Mortality. <i>Diabetes Care</i> , 2008, 31, 1144-1149.	4.3	58
29	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Carcinogenesis</i> , 2012, 33, 361-367.	1.3	55
30	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 163-176.	1.1	52
31	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011, 129, 449-459.	2.3	51
32	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 255-266.	2.5	49
33	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 168-177.	2.2	48
34	Lung Cancer and Occupation in Nonsmokers. <i>Epidemiology</i> , 2006, 17, 615-623.	1.2	45
35	Sedentary and Physical Activity Patterns in Adults with Intellectual Disability. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1027.	1.2	45
36	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012, 131, 2465-2469.	2.3	41

#	ARTICLE	IF	CITATIONS
37	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1384-1393.	1.6	38
38	Risk of type 2 diabetes according to traditional and emerging anthropometric indices in Spain, a Mediterranean country with high prevalence of obesity: results from a large-scale prospective cohort study. <i>BMC Endocrine Disorders</i> , 2013, 13, 7.	0.9	34
39	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. <i>Preventive Medicine</i> , 2016, 85, 106-112.	1.6	32
40	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015, 154, 389-401.	1.1	31
41	Cancer incidence of dry cleaning, laundry and ironing workers in Sweden. <i>Scandinavian Journal of Work, Environment and Health</i> , 2002, 28, 341-348.	1.7	30
42	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2012, 7, e50712.	1.1	27
43	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012, 54, 183-192.	1.6	26
44	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009, 49, 365-373.	1.6	22
45	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017, 12, e0173117.	1.1	21
46	Menstrual and reproductive factors in women, genetic variation in <i>CYP17A1</i> , and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2013, 132, 2164-2175.	2.3	20
47	Changes in metabolic risk, insulin resistance, leptin and adiponectin following a lifestyle intervention in overweight and obese breast cancer survivors. <i>European Journal of Cancer Care</i> , 2018, 27, e12861.	0.7	20
48	Development and Validation of a Risk Score Predicting Substantial Weight Gain over 5 Years in Middle-Aged European Men and Women. <i>PLoS ONE</i> , 2013, 8, e67429.	1.1	17
49	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016, 55, 2093-2104.	1.8	15
50	Cancer incidence among male Swedish veterinarians and other workers of the veterinary industry: a record-linkage study. <i>Cancer Causes and Control</i> , 2003, 14, 587-593.	0.8	14
51	Prospective Study on Physical Activity and Risk of In Situ Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2209-2219.	1.1	14
52	Asthma and allergy medication use and costs among pediatric primary care patients on asthma controller therapy. <i>Pediatric Allergy and Immunology</i> , 2006, 17, 620-628.	1.1	10
53	Longitudinal Adherence to Immunochemical Fecal Occult Blood Testing vs Guaiac-based FOBT in an Organized Colorectal Cancer Screening Program. <i>Cancer Prevention Research</i> , 2019, 12, 327-334.	0.7	9
54	Identifying high-risk individuals for lung cancer screening: Going beyond NLST criteria. <i>PLoS ONE</i> , 2018, 13, e0195441.	1.1	7

#	ARTICLE	IF	CITATIONS
55	An exploratory study in breast cancer of factors involved in the use and communication with health professionals of Internet information. <i>Supportive Care in Cancer</i> , 2020, 28, 4989-4996.	1.0	7
56	Is Quality of Life Related to Cardiorespiratory Fitness in Overweight and Obese Breast Cancer Survivors?. <i>Women and Health</i> , 2015, 55, 505-524.	0.4	6
57	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. <i>Obesity Facts</i> , 2011, 4, 312-318.	1.6	5
58	Role of community pharmacies in a population-based colorectal cancer screening program. <i>Preventive Medicine</i> , 2021, 145, 106420.	1.6	4
59	Text messaging as a tool to improve cancer screening programs (M-TICS Study): A randomized controlled trial protocol. <i>PLoS ONE</i> , 2021, 16, e0245806.	1.1	2
60	6-Year Risk of Developing Lung Cancer in Spain: Analysis by Autonomous Communities. <i>Archivos De Bronconeumologia</i> , 2021, 57, 521-527.	0.4	2
61	Determination of oleanolic acid in human plasma and its association with olive oil intake in healthy Spanish adults within the EPIC Spain cohort study. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600927.	1.5	1
62	Physical activity during cancer treatment (PACT) study: Short- and long-term effects on fatigue of an 18-week exercise intervention during adjuvant chemotherapy in patients with breast or colon cancer. <i>Journal of Clinical Oncology</i> , 2014, 32, 9535-9535.	0.8	1
63	Communication Channels Used by Women to Contact a Population-Based Breast Cancer Screening Program in Catalonia, Spain. <i>Journal of Medical Systems</i> , 2019, 43, 244.	2.2	0
64	6-Year Risk of Developing Lung Cancer in Spain: Analysis by Autonomous Communities. <i>Archivos De Bronconeumologia</i> , 2021, 57, 521-527.	0.4	0