Noemie Travier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/109481/publications.pdf

Version: 2024-02-01

64 4,182 36 62
papers citations h-index g-index

65 65 7713
all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Text messaging as a tool to improve cancer screening programs (M-TICS Study): A randomized controlled trial protocol. PLoS ONE, 2021, 16, e0245806.	1.1	2
2	Role of community pharmacies in a population-based colorectal cancer screening program. Preventive Medicine, 2021, 145, 106420.	1.6	4
3	6-Year Risk of Developing Lung Cancer in Spain: Analysis by Autonomous Communities. Archivos De Bronconeumologia, 2021, 57, 521-527.	0.4	2
4	6-Year Risk of Developing Lung Cancer in Spain: Analysis by Autonomous Communities. Archivos De Bronconeumologia, 2021, 57, 521-527.	0.4	0
5	An exploratory study in breast cancer of factors involved in the use and communication with health professionals of Internet information. Supportive Care in Cancer, 2020, 28, 4989-4996.	1.0	7
6	Communication Channels Used by Women to Contact a Population-Based Breast Cancer Screening Program in Catalonia, Spain. Journal of Medical Systems, 2019, 43, 244.	2.2	0
7	Longitudinal Adherence to Immunochemical Fecal Occult Blood Testing vs Guaiac-based FOBT in an Organized Colorectal Cancer Screening Program. Cancer Prevention Research, 2019, 12, 327-334.	0.7	9
8	Identifying high-risk individuals for lung cancer screening: Going beyond NLST criteria. PLoS ONE, 2018, 13, e0195441.	1.1	7
9	Changes in metabolic risk, insulin resistance, leptin and adiponectin following a lifestyle intervention in overweight and obese breast cancer survivors. European Journal of Cancer Care, 2018, 27, e12861.	0.7	20
10	Determination of oleanolic acid in human plasma and its association with olive oil intake in healthy Spanish adults within the EPIC Spain cohort study. Molecular Nutrition and Food Research, 2017, 61, 1600927.	1.5	1
11	Sedentary and Physical Activity Patterns in Adults with Intellectual Disability. International Journal of Environmental Research and Public Health, 2017, 14, 1027.	1.2	45
12	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2017, 12, e0173117.	1.1	21
13	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. PLoS ONE, 2016, 11, e0147029.	1.1	102
14	Effects of an Exercise Program in Colon Cancer Patients undergoing Chemotherapy. Medicine and Science in Sports and Exercise, 2016, 48, 767-775.	0.2	93
15	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. Preventive Medicine, 2016, 85, 106-112.	1.6	32
16	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 103, 454-464.	2.2	83
17	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. European Journal of Epidemiology, 2016, 31, 255-266.	2.5	49
18	Vegetable and fruit consumption and the risk of hormone receptor–defined breast cancer in the EPIC cohort. American Journal of Clinical Nutrition, 2016, 103, 168-177.	2.2	48

#	Article	IF	CITATIONS
19	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. European Journal of Nutrition, 2016, 55, 2093-2104.	1.8	15
20	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Breast Cancer Research and Treatment, 2015, 154, 389-401.	1.1	31
21	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 940-948.	2.3	70
22	Is Quality of Life Related to Cardiorespiratory Fitness in Overweight and Obese Breast Cancer Survivors?. Women and Health, 2015, 55, 505-524.	0.4	6
23	Effects of an 18-week exercise programme started early during breast cancer treatment: a randomised controlled trial. BMC Medicine, 2015, 13, 121.	2.3	159
24	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. International Journal of Cancer, 2014, 135, 2887-2899.	2.3	60
25	Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the EPIC cohort. International Journal of Cancer, 2014, 135, 453-466.	2.3	161
26	Physical activity during cancer treatment (PACT) study: Short- and long-term effects on fatigue of an 18-week exercise intervention during adjuvant chemotherapy in patients with breast or colon cancer Journal of Clinical Oncology, 2014, 32, 9535-9535.	0.8	1
27	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. International Journal of Cancer, 2013, 132, 645-657.	2.3	158
28	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Breast Cancer Research and Treatment, 2013, 139, 163-176.	1.1	52
29	Menstrual and reproductive factors in women, genetic variation in $\langle i \rangle$ CYP17A1 $\langle i \rangle$, and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2013, 132, 2164-2175.	2.3	20
30	Risk of type 2 diabetes according to traditional and emerging anthropometric indices in Spain, a Mediterranean country with high prevalence of obesity: results from a large-scale prospective cohort study. BMC Endocrine Disorders, 2013, 13, 7.	0.9	34
31	Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 1667-1678.	2.3	72
32	Hormonal, Metabolic, and Inflammatory Profiles and Endometrial Cancer Risk Within the EPIC Cohort—A Factor Analysis. American Journal of Epidemiology, 2013, 177, 787-799.	1.6	119
33	Development and Validation of a Risk Score Predicting Substantial Weight Gain over 5 Years in Middle-Aged European Men and Women. PLoS ONE, 2013, 8, e67429.	1.1	17
34	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Carcinogenesis, 2012, 33, 361-367.	1.3	55
35	Prospective Study on Physical Activity and Risk of In Situ Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 2209-2219.	1.1	14
36	Impact of Cigarette Smoking on Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. Journal of Clinical Oncology, 2012, 30, 4550-4557.	0.8	129

#	Article	IF	CITATIONS
37	Olive oil intake and CHD in the European Prospective Investigation into Cancer and Nutrition Spanish cohort. British Journal of Nutrition, 2012, 108, 2075-2082.	1.2	83
38	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. PLoS ONE, 2012, 7, e50712.	1.1	27
39	Prostate stemâ€eell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: Results from the EPICâ€EURGAST study. International Journal of Cancer, 2012, 130, 2417-2427.	2.3	60
40	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2012, 131, 2465-2469.	2.3	41
41	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. International Journal of Cancer, 2012, 131, E1004-14.	2.3	104
42	Olive oil intake and mortality within the Spanish population (EPIC-Spain). American Journal of Clinical Nutrition, 2012, 96, 142-149.	2.2	137
43	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. Preventive Medicine, 2012, 54, 183-192.	1.6	26
44	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. BMC Public Health, 2011, 11, 169.	1.2	72
45	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2011, 129, 449-459.	2.3	51
46	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). British Journal of Nutrition, 2011, 106, 1581-1591.	1.2	130
47	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. American Journal of Clinical Nutrition, 2011, 93, 826-835.	2.2	112
48	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. American Journal of Clinical Nutrition, 2011, 94, 1266-1275.	2.2	90
49	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. Obesity Facts, 2011, 4, 312-318.	1.6	5
50	Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 1384-1393.	1.6	38
51	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. American Journal of Clinical Nutrition, 2010, 92, 398-407.	2.2	189
52	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case–control study. Endocrine-Related Cancer, 2010, 17, 1007-1019.	1.6	143
53	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. American Journal of Clinical Nutrition, 2010, 92, 912-921.	2.2	194
54	Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. Journal of Nutrition, 2009, 139, 1728-1737.	1.3	144

#	Article	lF	CITATION
55	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC–PANACEA study. Preventive Medicine, 2009, 49, 365-373.	1.6	22
56	A New Zealand Linkage Study Examining the Associations Between A1C Concentration and Mortality. Diabetes Care, 2008, 31, 1144-1149.	4.3	58
57	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2007, 14, 755-767.	1.6	104
58	Sleep duration and quality in healthy nulliparous and multiparous women across pregnancy and post-partum. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2007, 47, 16-22.	0.4	111
59	The Epidemiology of Morningness/Eveningness: Influence of Age, Gender, Ethnicity, and Socioeconomic Factors in Adults (30-49 Years). Journal of Biological Rhythms, 2006, 21, 68-76.	1.4	268
60	Does early indoor microbial exposure reduce the risk of asthma? The Prevention and Incidence of Asthma and Mite Allergy birth cohort study. Journal of Allergy and Clinical Immunology, 2006, 117, 1067-1073.	1.5	168
61	Asthma and allergy medication use and costs among pediatric primary care patients on asthma controller therapy. Pediatric Allergy and Immunology, 2006, 17, 620-628.	1.1	10
62	Lung Cancer and Occupation in Nonsmokers. Epidemiology, 2006, 17, 615-623.	1.2	45
63	Cancer incidence among male Swedish veterinarians and other workers of the veterinary industry: a record-linkage study. Cancer Causes and Control, 2003, 14, 587-593.	0.8	14
64	Cancer incidence of dry cleaning, laundry and ironing workers in Sweden. Scandinavian Journal of Work, Environment and Health, 2002, 28, 341-348.	1.7	30