

Min Chul Cho

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1095099/min-chul-cho-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64

papers

521

citations

13

h-index

18

g-index

70

ext. papers

673

ext. citations

3.6

avg, IF

3.78

L-index

#	Paper	IF	Citations
64	Factors influencing the outcome of mid urethral sling procedures for female urinary incontinence. <i>Journal of Urology</i> , 2007 , 178, 985-9; discussion 989	2.5	35
63	Restoration of erectile function by suppression of corporal apoptosis, fibrosis and corporal veno-occlusive dysfunction with rho-kinase inhibitors in a rat model of cavernous nerve injury. <i>Journal of Urology</i> , 2015 , 193, 1716-23	2.5	32
62	Predictor of de novo urinary incontinence following holmium laser enucleation of the prostate. <i>Neurourology and Urodynamics</i> , 2011 , 30, 1343-9	2.3	32
61	Involvement of sphingosine-1-phosphate/RhoA/Rho-kinase signaling pathway in corporal fibrosis following cavernous nerve injury in male rats. <i>Journal of Sexual Medicine</i> , 2011 , 8, 712-21	1.1	28
60	Impact of Detrusor Underactivity on Surgical Outcomes of Laser Prostatectomy: Comparison in Serial 12-Month Follow-Up Outcomes Between Potassium-Titanyl-Phosphate Photoselective Vaporization of the Prostate (PVP) and Holmium Laser Enucleation of the Prostate (HoLEP). <i>Urology</i> , 2013 , 81, 158-66	1.6	25
59	Involvement of Rho-Kinase/LIM Kinase/Cofilin Signaling Pathway in Corporal Fibrosis after Cavernous Nerve Injury in Male Rats. <i>Journal of Sexual Medicine</i> , 2015 , 12, 1522-32	1.1	19
58	Serial Changes in Sexual Function Following Holmium Laser Enucleation of the Prostate: A Short-term Follow-up Study. <i>Korean Journal of Urology</i> , 2012 , 53, 104-8		18
57	Udenafil for the treatment of erectile dysfunction. <i>Therapeutics and Clinical Risk Management</i> , 2014 , 10, 341-54	2.9	16
56	Long-term outcome of the tension-free vaginal tape procedure in female urinary incontinence: a 6-year follow-up. <i>Korean Journal of Urology</i> , 2010 , 51, 409-15		16
55	The impacts of metabolic syndrome and lifestyle on the prevalence of benign prostatic hyperplasia requiring treatment: historical cohort study of 130 454 men. <i>BJU International</i> , 2019 , 123, 140-148	5.6	15
54	The Efficacy and Safety of Photoselective Vaporization of the Prostate with a Potassium-titanyl-phosphate Laser for Symptomatic Benign Prostatic Hyperplasia according to Prostate Size: 2-Year Surgical Outcomes. <i>Korean Journal of Urology</i> , 2010 , 51, 330-6		14
53	Changes in the Prevalence and Risk Factors of Erectile Dysfunction during a Decade: The Korean Internet Sexuality Survey (KISS), a 10-Year-Interval Web-Based Survey. <i>World Journal of Men's Health</i> , 2019 , 37, 199-209	6.8	13
52	Change in storage symptoms following laser prostatectomy: comparison between photoselective vaporization of the prostate (PVP) and holmium laser enucleation of the prostate (HoLEP). <i>World Journal of Urology</i> , 2015 , 33, 1173-80	4	13
51	Prognostic factor for Korean patients with renal cell carcinoma and venous tumor thrombus extension: application of the new 2009 TNM staging system. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013 , 39, 353-63	2	13
50	Effect of dutasteride on the expression of hypoxia-inducible factor-1alpha, vascular endothelial growth factor and microvessel density in rat and human prostate tissue. <i>Scandinavian Journal of Urology and Nephrology</i> , 2009 , 43, 445-53		13
49	Can stone density on plain radiography predict the outcome of extracorporeal shockwave lithotripsy for ureteral stones?. <i>Korean Journal of Urology</i> , 2015 , 56, 56-62		11
48	Inhibition of Jun N-terminal Kinase Improves Erectile Function by Alleviation of Cavernosal Apoptosis in a Rat Model of Cavernous Nerve Injury. <i>Urology</i> , 2018 , 113, 253.e9-253.e16	1.6	10

47	Alpha-blocker plus diuretic combination therapy as second-line treatment for nocturia in men with LUTS: a pilot study. <i>Urology</i> , 2009 , 73, 549-53; discussion 554-5	1.6	10
46	Role of inhibiting LIM-kinase2 in improving erectile function through suppression of corporal fibrosis in a rat model of cavernous nerve injury. <i>Asian Journal of Andrology</i> , 2018 , 20, 372-378	2.8	10
45	Clearance rates of residual stone fragments and dusts after endoscopic lithotripsy procedures using a holmium laser: 2-year follow-up results. <i>World Journal of Urology</i> , 2016 , 34, 1591-1597	4	10
44	Can preoperative detrusor underactivity influence surgical outcomes of 120 W HPS vaporization of the prostate (PVP) or holmium laser enucleation of the prostate (HoLEP)? A serial 3-year follow-up study. <i>Neurourology and Urodynamics</i> , 2018 , 37, 407-416	2.3	9
43	Effect of preoperative detrusor underactivity on long-term surgical outcomes of photovaporization and holmium laser enucleation in men with benign prostatic hyperplasia: a lesson from 5-year serial follow-up data. <i>BJU International</i> , 2019 , 123, E34-E42	5.6	9
42	Quality of life after photo-selective vaporization and holmium-laser enucleation of the prostate: 5-year outcomes. <i>Scientific Reports</i> , 2019 , 9, 8261	4.9	8
41	Development and validation of an explainable artificial intelligence-based decision-supporting tool for prostate biopsy. <i>BJU International</i> , 2020 , 126, 694-703	5.6	8
40	Patient-reported ejaculatory function and satisfaction in men with lower urinary tract symptoms/benign prostatic hyperplasia. <i>Asian Journal of Andrology</i> , 2018 , 20, 69-74	2.8	8
39	Predictors of de novo urge urinary incontinence after photoselective vaporization of the prostate. <i>World Journal of Urology</i> , 2016 , 34, 413-8	4	7
38	Changes in nocturia after photoselective vaporization of the prostate for patients with benign prostatic hyperplasia. <i>Korean Journal of Urology</i> , 2010 , 51, 531-6		7
37	Ten-Year Interval Changes in the Prevalence of Self-Identified Premature Ejaculation and Premature Ejaculation Based on an Estimated Intravaginal Ejaculation Latency Time of . <i>Journal of Sexual Medicine</i> , 2019 , 16, 512-521	1.1	6
36	Impact of serum 25-OH vitamin D level on lower urinary tract symptoms in men: a step towards reducing overactive bladder. <i>BJU International</i> , 2018 , 122, 667-672	5.6	6
35	Usefulness of early extracorporeal shock wave lithotripsy in colic patients with ureteral stones. <i>Korean Journal of Urology</i> , 2012 , 53, 853-9		6
34	Nerve-sparing procedure in radical prostatectomy: a risk factor for hernia repair following open retropubic, pure laparoscopic and robot-assisted laparoscopic procedures. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011 , 45, 164-70		6
33	Role of Jun amino-terminal kinase (JNK) in apoptosis of cavernosal tissue during acute phase after cavernosal nerve injury. <i>Asian Journal of Andrology</i> , 2018 , 20, 50-55	2.8	6
32	Effects of metabolic syndrome on the prevalence of prostate cancer: historical cohort study using the national health insurance service database. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 775-780	4.9	6
31	Novel Emerging Therapies for Erectile Dysfunction. <i>World Journal of Men's Health</i> , 2021 , 39, 48-64	6.8	6
30	Effects of Progressive Resistance Training on Post-Surgery Incontinence in Men with Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	6

29	A novel vaporization-enucleation technique for benign prostate hyperplasia using 120-W HPS GreenLight Laser: Seoul technique II in comparison with vaporization and previously reported modified vaporization-resection technique. <i>World Journal of Urology</i> , 2017 , 35, 1923-1931	4	5
28	Chronic administration of LIMK2 inhibitors alleviates cavernosal veno-occlusive dysfunction through suppression of cavernosal fibrosis in a rat model of erectile dysfunction after cavernosal nerve injury. <i>PLoS ONE</i> , 2019 , 14, e0213586	3.7	5
27	The Effects of Combination Perianal-Intrarectal Lidocaine-Prilocaine Cream and Periprostatic Nerve Block for Pain Control during Transrectal Ultrasound Guided Biopsy of the Prostate: A Randomized, Controlled Trial. <i>Korean Journal of Urology</i> , 2010 , 51, 463-6		5
26	The Impact of Pathologic Upgrading of Gleason Score 7 Prostate Cancer on the Risk of the Biochemical Recurrence after Radical Prostatectomy. <i>BioMed Research International</i> , 2018 , 2018, 4510149		5
25	Clinical and Microbiological Features and Factors Associated with Fluoroquinolone Resistance in Men with Community-Acquired Acute Bacterial Prostatitis. <i>Urologia Internationalis</i> , 2016 , 96, 443-8	1.9	4
24	Influence of anesthesia methods on surgical outcomes and renal function in retrograde intrarenal stone surgery: a prospective, randomized controlled study. <i>BMC Anesthesiology</i> , 2019 , 19, 239	2.4	4
23	Comparison of Improving Effects for Diabetic Erectile Dysfunction according to the Anti-Glycemic Agents: Phlorizin and Insulin. <i>World Journal of Men's Health</i> , 2019 , 37, 210-218	6.8	3
22	Is It Possible to Recover Erectile Function Spontaneously after Cavernous Nerve Injury? Time-Dependent Structural and Functional Changes in Corpus Cavernosum Following Cavernous Nerve Injury in Rats. <i>Korean Journal of Andrology</i> , 2012 , 30, 31		3
21	Patients with Biopsy Gleason Score 3 + 4 Are Not Appropriate Candidates for Active Surveillance. <i>Urologia Internationalis</i> , 2020 , 104, 199-204	1.9	3
20	Predictors of Improvement in Storage Symptoms at Three Years After 120W GreenLight High Performance System Laser Treatment for Benign Prostate Hyperplasia. <i>Journal of Endourology</i> , 2017 , 31, 666-673	2.7	2
19	Combination of LIM-kinase 2 and Jun Amino-terminal Kinase Inhibitors Improves Erectile Function in a Rat Model of Cavernous Nerve Injury. <i>Urology</i> , 2019 , 131, 136-143	1.6	2
18	Changes in separate renal function in patients who underwent minimally invasive renal stone surgery according to the preoperative functional deterioration. <i>Scientific Reports</i> , 2019 , 9, 3610	4.9	2
17	Postoperative renal functional changes assessed by Tc-DTPA scintigraphy and predictive factors after miniaturized percutaneous nephrolithotomy and retrograde intrarenal surgery: An observational 1-year follow-up study. <i>Investigative and Clinical Urology</i> , 2020 , 61, 59-66	1.9	2
16	Optimal high-density lipoprotein cholesterol level for decreasing benign prostatic hyperplasia in men not taking statin medication: A historical cohort study. <i>Prostate</i> , 2020 , 80, 570-576	4.2	2
15	Changes in Erectile Function after Photoselective Vaporization of the Prostate with a 120-W GreenLight High-Performance System Laser: 2-Year Follow-Up. <i>World Journal of Men's Health</i> , 2017 , 35, 156-162	6.8	2
14	Does Postoperative Leukocyturia Influence Treatment Outcomes After Photoselective Vaporization of the Prostate (PVP)? A Prospective Short-Term Serial Follow-Up Study. <i>Urology</i> , 2015 , 86, 581-6	1.6	2
13	The effects of single versus combined therapy using LIM-kinase 2 inhibitor and type 5 phosphodiesterase inhibitor on erectile function in a rat model of cavernous nerve injury-induced erectile dysfunction. <i>Asian Journal of Andrology</i> , 2019 , 21, 493-500	2.8	2
12	Low Serum 25-Hydroxyvitamin D Level as a Potential Risk Factor of Erectile Dysfunction in Elderly Men with Moderate to Severe Lower Urinary Tract Symptoms. <i>World Journal of Men's Health</i> , 2021 ,	6.8	2

11	Self-assessed goal achievement (SAGA) after Holmium laser enucleation of the prostate (HoLEP): Association with patients' postoperative satisfaction. <i>PLoS ONE</i> , 2018 , 13, e0203825	3.7	2
10	Changing Trends in Sexual Debut Age in the Korean Internet Sexuality Survey. <i>World Journal of Men's Health</i> , 2021 ,	6.8	2
9	A Prospective, Multicenter, Open-Label Study of Dose Escalation Therapy in Male Patients With Nocturia Refractory to 0.2-mg Tamsulosin Monotherapy. <i>International Neurourology Journal</i> , 2019 , 23, 294-301	2.6	1
8	Current status of minimally invasive surgery for treatment of renal stones and tumors using a flexible ureteroscopy. <i>Journal of the Korean Medical Association</i> , 2016 , 59, 459	0.5	1
7	Lymphocyte-to-monocyte ratio is a predictor of clinically significant prostate cancer at prostate biopsy. <i>Prostate</i> , 2021 , 81, 1278-1286	4.2	1
6	Bladder wall thickness and detrusor wall thickness can help to predict the bladder outlet obstruction in men over the age of 70 years with symptomatic benign prostatic hyperplasia. <i>Investigative and Clinical Urology</i> , 2020 , 61, 491-497	1.9	0
5	Rectification of cavernosal fibrosis and veno-occlusive dysfunction by administration of suberoylanilide hydroxamic acid in a rat model of cavernosal nerve injury: Comparison with a PDE5 inhibitor. <i>Andrology</i> , 2021 , 9, 720-727	4.2	0
4	Restoration of Cavernous Veno-Occlusive Function through Chronic Administration of a Jun-Amino Terminal Kinase Inhibitor and a LIM-Kinase 2 Inhibitor by Suppressing Cavernous Apoptosis and Fibrosis in a Rat Model of Cavernous Nerve Injury: A Comparison with a Phosphodiesterase Type 5 Inhibitor. <i>World Journal of Men's Health</i> , 2021 , 33, 541-549	6.8	0
3	Association between life-style, metabolic syndrome and lower urinary tract symptoms and its impact on quality of life in men ≥ 40 years.. <i>Scientific Reports</i> , 2022 , 12, 6859	4.9	0
2	5 α Reductase. <i>Korean Journal of Andrology</i> , 2012 , 30, 1		
1	Restoration of erectile function by a combination of antiapoptosis by JNK inhibitor and preservation of smooth muscle or endothelium by hepatocyte growth factor in a rat model of cavernous nerve injury. <i>Prostate</i> , 2022 , 82, 49-58	4.2	