## C Norman Scholfield

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1095299/c-norman-scholfield-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28 98 46 2,492 g-index h-index citations papers 2,692 4.83 103 5.1 L-index avg, IF ext. citations ext. papers

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 98 | Pharmacokinetics of mitragynine, a major analgesic alkaloid in kratom (Mitragyna speciosa): A systematic review. <i>Asian Journal of Psychiatry</i> , <b>2019</b> , 43, 73-82   | 6.7  | 16        |
| 97 | Discovery of Natural Steroid 5 Alpha-Reductase Inhibitors. <i>Assay and Drug Development Technologies</i> , <b>2019</b> , 17, 44-57   | 2.1  | 4         |
| 96 | Hospital admissions associated with medication non-adherence: a systematic review of prospective observational studies. <i>BMJ Quality and Safety</i> , <b>2018</b> , 27, 902-914   | 5.4  | 28        |
| 95 | Sesquiterpene-Enriched Extract of Curcuma aeruginosa Roxb. Retards Axillary Hair Growth: A Randomised, Placebo-Controlled, Double-Blind Study. <i>Skin Pharmacology and Physiology</i> , <b>2018</b> , 31, 99-            | 106  | 4         |
| 94 | Association Between HLA genotypes and Oxcarbazepine-induced Cutaneous Adverse Drug<br>Reactions: A Systematic Review and Meta-Analysis. <i>Journal of Pharmacy and Pharmaceutical</i><br>Sciences, <b>2018</b> , 21, 1-18 | 3.4  | 8         |
| 93 | Isolation of Retinal Arterioles for Ex Vivo Cell Physiology Studies. <i>Journal of Visualized Experiments</i> , <b>2018</b> ,   | 1.6  | 2         |
| 92 | Cellulite Reduction by Modified Thai Herbal Compresses; A Randomized Double-Blind Trial. <i>Journal of Evidence-based Integrative Medicine</i> , <b>2018</b> , 23, 2515690X18794158                                       | 2.8  | 3         |
| 91 | Bacopa monnieri extract increases rat coronary flow and protects against myocardial ischemia/reperfusion injury. <i>BMC Complementary and Alternative Medicine</i> , <b>2017</b> , 17, 117                                | 4.7  | 11        |
| 90 | Curcuma aeruginosa Roxb. essential oil slows hair-growth and lightens skin in axillae; a randomised, double blinded trial. <i>Phytomedicine</i> , <b>2017</b> , 25, 29-38   | 6.5  | 13        |
| 89 | Efficacy and safety of "Yahom" as a traditional Thai herbal therapy: A systematic review. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 196, 110-123  | 5    | 7         |
| 88 | Curcumin analogues inhibit phosphodiesterase-5 and dilate rat pulmonary arteries. <i>Journal of Pharmacy and Pharmacology</i> , <b>2015</b> , 67, 87-95   | 4.8  | 14        |
| 87 | Additive Synergism between Asbestos and Smoking in Lung Cancer Risk: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0135798  | 3.7  | 51        |
| 86 | Depression and adherence to treatment in diabetic children and adolescents: a systematic review and meta-analysis of observational studies. <i>European Journal of Pediatrics</i> , <b>2014</b> , 173, 203-12             | 4.1  | 49        |
| 85 | Meta-analysis of randomized controlled trials on cognitive effects of Bacopa monnieri extract.<br>Journal of Ethnopharmacology, <b>2014</b> , 151, 528-35   | 5    | 73        |
| 84 | Role of ion channels and subcellular Ca2+ signaling in arachidonic acid-induced dilation of pressurized retinal arterioles <b>2014</b> , 55, 2893-902   |      | 9         |
| 83 | The role of K+ and Cl- channels in the regulation of retinal arteriolar tone and blood flow <b>2014</b> , 55, 215   | 7-65 | 8         |
| 82 | Bacopa monnieri increases cerebral blood flow in rat independent of blood pressure. <i>Phytotherapy Research</i> , <b>2013</b> , 27, 135-8  | 6.7  | 32        |

## (2007-2013)

| 81        | Ca(2+) sparks promote myogenic tone in retinal arterioles. <i>British Journal of Pharmacology</i> , <b>2013</b> , 168, 1675-86  | 8.6              | 14  |
|-----------|---|------------------|-----|
| 80        | Short isoforms of the cold receptor TRPM8 inhibit channel gating by mimicking heat action rather than chemical inhibitors. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 2963-70                | 5.4              | 14  |
| 79        | Pharmacological profiling of store-operated Ca2+ entry in retinal arteriolar smooth muscle. <i>Microcirculation</i> , <b>2012</b> , 19, 586-97  | 2.9              | 4   |
| 78        | Fast retinal vessel detection and measurement using wavelets and edge location refinement. <i>PLoS ONE</i> , <b>2012</b> , 7, e32435  | 3.7              | 201 |
| 77        | Feedback via Call+-activated ion channels modulates endothelin 1 signaling in retinal arteriolar smooth muscle <b>2012</b> , 53, 3059-66  |                  | 13  |
| 76        | Bacopa monnieri and its constituents is hypotensive in anaesthetized rats and vasodilator in various artery types. <i>Journal of Ethnopharmacology</i> , <b>2011</b> , 137, 790-5                             | 5                | 36  |
| <i>75</i> | Endothelin 1 stimulates Ca2+-sparks and oscillations in retinal arteriolar myocytes via IP3R and RyR-dependent Ca2+ release <b>2011</b> , 52, 3874-9  |                  | 17  |
| 74        | Voltage- and cold-dependent gating of single TRPM8 ion channels. <i>Journal of General Physiology</i> , <b>2011</b> , 137, 173-95   | 3.4              | 47  |
| 73        | Detecting Ca2+ sparks on stationary and varying baselines. <i>American Journal of Physiology - Cell Physiology</i> , <b>2011</b> , 301, C717-28   | 5.4              | 7   |
| 72        | cAMP/PKA-dependent increases in Ca Sparks, oscillations and SR Ca stores in retinal arteriolar myocytes after exposure to vasopressin <b>2010</b> , 51, 1591-8  |                  | 9   |
| 71        | Ca2+-activated Cl- current in retinal arteriolar smooth muscle <b>2009</b> , 50, 364-71   |                  | 15  |
| 70        | Modification of smooth muscle Ca2+-sparks by tetracaine: evidence for sequential RyR activation. <i>Cell Calcium</i> , <b>2008</b> , 43, 142-54   | 4                | 12  |
| 69        | Kv1.5 is a major component underlying the A-type potassium current in retinal arteriolar smooth muscle. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2007</b> , 292, H1001-8 | 5.2              | 25  |
| 68        | Calcium signaling in ocular arterioles. Critical Reviews in Eukaryotic Gene Expression, 2007, 17, 1-12  | 1.3              | 10  |
| 67        | Cellular physiology of retinal and choroidal arteriolar smooth muscle cells. <i>Microcirculation</i> , <b>2007</b> , 14, 11-24  | 2.9              | 28  |
| 66        | New developments in diabetic retinopathy. Expert Review of Ophthalmology, 2007, 2, 947-956  | 1.5              |     |
| 65        | Selective downregulation of the BKbeta1 subunit in diabetic arteriolar myocytes. <i>Channels</i> , <b>2007</b> , 1, 141   | - <del>3</del> 3 | 19  |
| 64        | Diabetes downregulates large-conductance Ca2+-activated potassium beta 1 channel subunit in retinal arteriolar smooth muscle. <i>Circulation Research</i> , <b>2007</b> , 100, 703-11                         | 15.7             | 115 |

| 63 | ATP and norepinephrine contributions to sympathetic vasoconstriction of tail artery are altered in streptozotocin-diabetic rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2006</b> , 291, H2327-33 | 5.2           | 15 |
|----|---|---------------|----|
| 62 | A-type potassium current in retinal arteriolar smooth muscle cells. <i>Investigative Ophthalmology and Visual Science</i> , <b>2005</b> , 46, 3281-7  |               | 27 |
| 61 | Identification and spatiotemporal characterization of spontaneous Ca2+ sparks and global Ca2+ oscillations in retinal arteriolar smooth muscle cells. <i>Investigative Ophthalmology and Visual Science</i> , <b>2004</b> , 45, 4409-14 |               | 23 |
| 60 | The role of lipids and protein kinase Cs in the pathogenesis of diabetic retinopathy. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2004</b> , 20, 28-43   | 7.5           | 54 |
| 59 | Diabetes-induced activation of protein kinase C inhibits store-operated Ca2+ uptake in rat retinal microvascular smooth muscle. <i>Diabetologia</i> , <b>2003</b> , 46, 1252-9  | 10.3          | 35 |
| 58 | Evidence for two endothelin Et(A) receptor subtypes in rabbit arteriolar smooth muscle. <i>British Journal of Pharmacology</i> , <b>2001</b> , 134, 1787-95   | 8.6           | 4  |
| 57 | Nifedipine blocks Ca2+ store refilling through a pathway not involving L-type Ca2+ channels in rabbit arteriolar smooth muscle. <i>Journal of Physiology</i> , <b>2001</b> , 532, 609-23  | 3.9           | 76 |
| 56 | Heterogeneity in cytosolic calcium regulation among different microvascular smooth muscle cells of the rat retina. <i>Microvascular Research</i> , <b>2000</b> , 59, 233-42   | 3.7           | 39 |
| 55 | Transient Ca2+-activated Cl-currents with endothelin in isolated arteriolar smooth muscle cells of the choroid. <i>Investigative Ophthalmology and Visual Science</i> , <b>2000</b> , 41, 2279-85                                       |               | 8  |
| 54 | Effect of glucose on endothelin-1-induced calcium transients in cultured bovine retinal pericytes.<br>Journal of Biological Chemistry, <b>1999</b> , 274, 25250-3   | 5.4           | 20 |
| 53 | Stimulation of L-type Ca2+ current by the endothelin receptor A-selective antagonist, BQ-123 in ventricular cardiomyocytes isolated from the rabbit myocardium. <i>Biochemical Pharmacology</i> , <b>1998</b> , 55, 897-902             | 6             | 6  |
| 52 | Endothelin-1 mediated inhibition of the acetylcholine-activated potassium current from rabbit isolated atrial cardiomyocytes. <i>British Journal of Pharmacology</i> , <b>1996</b> , 119, 1427-37                                       | 8.6           | 5  |
| 51 | Concentration dependence of adenosine and the protection of rat cortical neurones during anoxia. <i>Brain Research</i> , <b>1994</b> , 656, 174-6   | 3.7           | 8  |
| 50 | NMDA antagonists increase recovery of evoked potentials from slices of rat olfactory cortex after anoxia. <i>British Journal of Pharmacology</i> , <b>1994</b> , 111, 1221-7  | 8.6           | 10 |
| 49 | Action of alpha-dendrotoxin on K+ currents in nerve terminal regions of axons in rat olfactory cortex. <i>British Journal of Pharmacology</i> , <b>1993</b> , 109, 535-8  | 8.6           | 4  |
| 48 | Phorbol ester and lignocaine or pentobarbitone interactions at presynaptic axons. <i>NeuroReport</i> , <b>1992</b> , 3, 139-42  | 1.7           |    |
| 47 | Phorbol dibutyrate enhances local anaesthetic action. British Journal of Pharmacology, 1991, 102, 146-  | <b>50</b> 8.6 | 2  |
| 46 | Action of general anaesthetics on unclamped Ca(2+)-mediated currents in unmyelinated axons of rat olfactory cortex. <i>European Journal of Pharmacology</i> , <b>1991</b> , 203, 59-65  | 5.3           | 4  |

| 45 | Interaction between phorbol dibutyrate and anaesthetics on synaptic responses from olfactory cortex of rat. <i>Neuropharmacology</i> , <b>1991</b> , 30, 1113-8  | 5.5  | 1  |
|----|--|------|----|
| 44 | Adenosine-induced enhanced recovery of evoked responses after anoxia. <i>NeuroReport</i> , <b>1990</b> , 1, 123-5  | 1.7  | 4  |
| 43 | Studies on unmyelinated axons and varicosities in the olfactory cortex. <i>Experimental Brain Research</i> , <b>1990</b> , 80, 436-40  | 2.3  | 8  |
| 42 | Properties of K-currents in unmyelinated presynaptic axons of brain revealed revealed by extracellular polarisation. <i>Brain Research</i> , <b>1990</b> , 507, 121-8  | 3.7  | 22 |
| 41 | General anaesthetics and field currents in unclamped, unmyelinated axons of rat olfactory cortex.<br>British Journal of Pharmacology, <b>1990</b> , 101, 217-23  | 8.6  | 10 |
| 40 | A phorbol diester-induced enhancement of synaptic transmission in olfactory cortex. <i>British Journal of Pharmacology</i> , <b>1989</b> , 98, 1344-50   | 8.6  | 10 |
| 39 | Presynaptic Na/Ca action potentials in unmyelinated axons of olfactory cortex. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1988</b> , 411, 180-7  | 4.6  | 13 |
| 38 | Molecular mechanism of general anaesthetic action?. <i>Trends in Pharmacological Sciences</i> , <b>1988</b> , 9, 11-2  | 13.2 | 5  |
| 37 | Presynaptic K-channel blockade counteracts the depressant effect of adenosine in olfactory cortex.<br>Neuroscience, <b>1988</b> , 24, 81-91  | 3.9  | 28 |
| 36 | Pulse-modulated light source for psychometric and vision experiments. <i>Journal of Neuroscience Methods</i> , <b>1987</b> , 19, 203-7   | 3    | 2  |
| 35 | Effects of adenosine uptake blockers and adenosine on evoked potentials of guinea-pig olfactory cortex. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1986</b> , 406, 25-30   | 4.6  | 27 |
| 34 | Ca-channel blockers and the electrophysiology of synaptic transmission of the guinea-pig olfactory cortex. <i>European Journal of Pharmacology</i> , <b>1986</b> , 130, 273-8  | 5.3  | 15 |
| 33 | Adenosine-induced depression of synaptic transmission in the isolated olfactory cortex: receptor identification. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1985</b> , 403, 141-5  | 4.6  | 18 |
| 32 | High-current and high-voltage stimulators. <i>Journal of Neuroscience Methods</i> , <b>1985</b> , 12, 227-33   | 3    |    |
| 31 | gamma-Aminobutyric acid partly mediates the pentobarbitone depression of synaptic excitation in the guinea-pig olfactory cortex in vitro. <i>Neuroscience Letters</i> , <b>1985</b> , 56, 33-8   | 3.3  | 6  |
| 30 | A regulated high-voltage supply running from a battery using the voltage multiplier principle. <i>Journal of Physics E: Scientific Instruments</i> , <b>1984</b> , 17, 954-956   |      | 1  |
| 29 | Inhibition of GABA uptake potentiates the conductance increase produced by GABA-mimetic compounds on single neurones in isolated olfactory cortex slices of the guinea-pig. <i>British Journal of Pharmacology</i> , <b>1984</b> , 83, 195-202 | 8.6  | 17 |
| 28 | Somatically recorded Ca-currents in guinea-pig hippocampal and olfactory cortex neurones are resistant to adenosine action. <i>Neuroscience Letters</i> , <b>1984</b> , 50, 13-8   | 3.3  | 49 |

| 27 | Ro 15-1788 is a potent antagonist of benzodiazepines in the olfactory cortex slice. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1983</b> , 396, 292-6  | 4.6 | 9   |
|----|---|-----|-----|
| 26 | Diazepam increases GABA mediated inhibition in the olfactory cortex slice. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1983</b> , 397, 312-8   | 4.6 | 9   |
| 25 | Baclofen blocks postsynaptic inhibition but not the effect of muscimol in the olfactory cortex. <i>British Journal of Pharmacology</i> , <b>1983</b> , 78, 79-84  | 8.6 | 20  |
| 24 | Levels and synthesis of glutamate and aspartate in the olfactory cortex following bulbectomy.<br>Journal of Neurochemistry, <b>1983</b> , 41, 135-8   | 6   | 25  |
| 23 | Antagonism of gamma-aminobutyric acid and muscimol by picrotoxin, bicuculline, strychnine, bemegride, leptazol, D-tubocurarine and theophylline in the isolated olfactory cortex. <i>Naunyn-Schmiedeberg Archives of Pharmacology</i> , <b>1982</b> , 318, 274-80 | 3.4 | 28  |
| 22 | Potentiation of inhibition by general anaesthetics in neurones of the olfactory cortex in vitro. <i>Pflugers Archiv European Journal of Physiology</i> , <b>1980</b> , 383, 249-55  | 4.6 | 126 |
| 21 | Convulsants antagonise inhibition in the olfactory cortex slice. <i>Naunyn-Schmiedeberg Archives of Pharmacology</i> , <b>1980</b> , 314, 29-36   | 3.4 | 16  |
| 20 | Depolarization of neurones in slices of the olfactory cortex of the guinea-pig by GABA. <i>Brain Research Bulletin</i> , <b>1980</b> , 5, 291-293   | 3.9 | 1   |
| 19 | Time-course of declining electrical activity in guinea-pig olfactory cortex after olfactory bulb removal. <i>Neuroscience Letters</i> , <b>1980</b> , 19, 297-301   | 3.3 | 4   |
| 18 | Depolarization of neurones in the isolated olfactory cortex of the guinea-pig by gamma-aminobutyric acid. <i>British Journal of Pharmacology</i> , <b>1979</b> , 65, 339-45   | 8.6 | 56  |
| 17 | Leptazol antagonises the post-synaptic actions of gamma-aminobutyric acid [proceedings]. <i>British Journal of Pharmacology</i> , <b>1979</b> , 67, 443P-444P   | 8.6 | 5   |
| 16 | Depression of evoked potentials in brain slices by adenosine compounds. <i>British Journal of Pharmacology</i> , <b>1978</b> , 63, 239-44   | 8.6 | 103 |
| 15 | A barbiturate induced intensification of the inhibitory potential in slices of guinea-pig olfactory cortex. <i>Journal of Physiology</i> , <b>1978</b> , 275, 559-66  | 3.9 | 63  |
| 14 | Electrical properties of neurones in the olfactory cortex slice in vitro. <i>Journal of Physiology</i> , <b>1978</b> , 275, 535-46  | 3.9 | 82  |
| 13 | A depolarizing inhibitory potential in neurones of the olfactory cortex in vitro. <i>Journal of Physiology</i> , <b>1978</b> , 275, 547-57  | 3.9 | 75  |
| 12 | Cellular uptake of gamma-aminobutyric acid influences its potency on neurones of olfactory cortex in vitro [proceedings]. <i>Journal of Physiology</i> , <b>1978</b> , 284, 129P-130P   | 3.9 | 6   |
| 11 | Movements of radioactive potassium in isolated rat ganglia. <i>Journal of Physiology</i> , <b>1977</b> , 268, 123-37  | 3.9 | 5   |
| 10 | Putative transmitters in denervated olfactory complex. <i>Journal of Neurochemistry</i> , <b>1975</b> , 24, 445-9   | 6   | 95  |

## LIST OF PUBLICATIONS

| 9 | Local anesthetics and barbiturates: effects on evoked potentials in isolated mammalian cortex.<br>Journal of Pharmacology and Experimental Therapeutics, 1975, 195, 522-31                                   | 4.7 | 19 |
|---|--|-----|----|
| 8 | Evoked surface-positive potentials in isolated mammalian olfactory cortex. <i>Brain Research</i> , <b>1974</b> , 76, 235-45  | 3.7 | 64 |
| 7 | Movements of labelled sodium ions in isolated rat superior cervical ganglia. <i>Journal of Physiology</i> , <b>1974</b> , 242, 321-51  | 3.9 | 29 |
| 6 | Changes of intracellular sodium and potassium ion concentrations in isolated rat superior cervical ganglia induced by depolarizing agents. <i>Journal of Physiology</i> , <b>1974</b> , 242, 307-19          | 3.9 | 49 |
| 5 | Origin of the after-hyperpolarization that follows removal of depolarizing agents from the isolated superior cervical ganglion of the rat. <i>British Journal of Pharmacology</i> , <b>1972</b> , 44, 651-71 | 8.6 | 53 |
| 4 | Nicotine washout rates from isolated rat ganglia in relation to recovery from nicotine depolarization. <i>British Journal of Pharmacology</i> , <b>1972</b> , 45, 29-36                                      | 8.6 | 16 |
| 3 | Uptake of nicotine and extracellular space markers by isolated rat ganglia in relation to receptor activation. <i>British Journal of Pharmacology</i> , <b>1971</b> , 42, 100-13                             | 8.6 | 32 |
| 2 | Potentials in isolated rat superior cervical ganglia produced by nicotine. <i>British Journal of Pharmacology</i> , <b>1970</b> , 40, 559P-561P  | 8.6 | 3  |
| 1 | On the nature of the drug-induced after-hyperpolarization in isolated rat ganglia. <i>British Journal of Pharmacology</i> , <b>1969</b> , 37, 511P-513P  | 8.6 | 5  |