

# Mauro Cozzani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1095509/publications.pdf>

Version: 2024-02-01

23  
papers

339  
citations

932766

10  
h-index

839053

18  
g-index

23  
all docs

23  
docs citations

23  
times ranked

349  
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors influencing the stability of miniscrews. A retrospective study on 300 miniscrews. <i>European Journal of Orthodontics</i> , 2011, 33, 388-395.	1.1	71
2	Oral hygiene compliance in orthodontic patients: a randomized controlled study on the effects of a post-treatment communication. <i>Progress in Orthodontics</i> , 2016, 17, 41.	1.3	47
3	Finite element analysis of miniscrew placement in mandibular alveolar bone with varied angulations. <i>European Journal of Orthodontics</i> , 2015, 37, 56-59.	1.1	35
4	Herbst appliance anchored to miniscrews with 2 types of ligation: Effectiveness in skeletal Class II treatment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016, 149, 871-880.	0.8	30
5	Comparison of Maxillary Molar Distalization with an Implant-Supported Distal Jet and a Traditional Tooth-Supported Distal Jet Appliance. <i>International Journal of Dentistry</i> , 2014, 2014, 1-7.	0.5	24
6	Self-reported pain after orthodontic treatments: a randomized controlled study on the effects of two follow-up procedures. <i>European Journal of Orthodontics</i> , 2016, 38, 266-271.	1.1	23
7	Comparative evaluation of molar distalization therapy using pendulum and distal screw appliances. <i>Korean Journal of Orthodontics</i> , 2015, 45, 171.	0.8	21
8	Comparison between an Acrylic Splint Herbst and an Acrylic Splint Miniscrew-Herbst for Mandibular Incisors Proclination Control. <i>International Journal of Dentistry</i> , 2014, 2014, 1-7.	0.5	17
9	Comparison between direct vs indirect anchorage in two miniscrew-supported distalizing devices. <i>Angle Orthodontist</i> , 2016, 86, 399-406.	1.1	17
10	Comparative evaluation of molar distalization therapy with erupted second molar: Segmented versus Quad Pendulum appliance. <i>Progress in Orthodontics</i> , 2014, 15, 49.	1.3	16
11	Efficiency of the distal screw in the distal movement of maxillary molars. <i>World Journal of Orthodontics</i> , 2010, 11, 341-5.	0.2	9
12	Perception of facial attractiveness following modification of the nose and teeth. <i>International Orthodontics</i> , 2015, 13, 195-209.	0.6	7
13	Influence of incisor position control on the mandibular response in growing patients with skeletal Class II malocclusion. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2021, 159, 594-603.	0.8	5
14	Effectiveness and efficiency in clinical orthodontic practice. <i>International Orthodontics</i> , 2015, 13, 507-524.	0.6	4
15	Extraction treatment, part 1: the extraction vs. nonextraction debate. <i>Journal of Clinical Orthodontics: JCO</i> , 2014, 48, 753-60.	0.1	4
16	A retrospective cephalometric study on pharyngeal airway space changes after rapid palatal expansion and Herbst appliance with or without skeletal anchorage. <i>Progress in Orthodontics</i> , 2016, 17, 29.	1.3	3
17	Four TADs supported Herbst mechanics: A case report. <i>International Orthodontics</i> , 2019, 17, 354-364.	0.6	3
18	Extraction treatment, part 2: guidelines for making the extraction decision. <i>Journal of Clinical Orthodontics: JCO</i> , 2015, 49, 29-34.	0.1	2

#	ARTICLE	IF	CITATIONS
19	Efficacité et efficacité cliniques au cabinet orthodontique. <i>International Orthodontics</i> , 2015, 13, 507-524.	0.6	1
20	Authors' response. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2016, 150, 557-558.	0.8	0
21	Asymmetrical mandibular molar protraction with conventional mechanics. <i>Journal of Clinical Orthodontics: JCO</i> , 2015, 49, 304-11.	0.1	0
22	Uses of the vertical slot in orthodontic brackets. <i>Journal of Clinical Orthodontics: JCO</i> , 2015, 49, 574-81.	0.1	0
23	Modified Cast-Metal Haas-Type Expander for Correction of Impacted Upper First Molars in the Mixed Dentition. <i>Journal of Clinical Orthodontics: JCO</i> , 2015, 49, 770-5.	0.1	0