

# Sadhika Khullar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1096017/publications.pdf>

Version: 2024-02-01

44  
papers

903  
citations

430874

18  
h-index

477307

29  
g-index

44  
all docs

44  
docs citations

44  
times ranked

1010  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nitrogen-rich covalent organic frameworks: a promising class of sensory materials. <i>Materials Advances</i> , 2022, 3, 19-124.	5.4	39
2	Fluorescent hydrogel of chitosan and gelatin cross-linked with maleic acid for optical detection of heavy metals. <i>Journal of Applied Polymer Science</i> , 2022, 139, 51941.	2.6	32
3	Room temperature synthesis of new isorecticular 2D metal-organic frameworks of Co(II) and Ni(II) comprised of dual semiflexible neutral and anionic linkers, and their conversion to metal oxide nanomaterials. <i>Inorganica Chimica Acta</i> , 2022, , 120966.	2.4	0
4	Design and Synthesis of Lead(II)-Based Electrocatalysts for Oxygen Evolution Reaction. <i>Inorganic Chemistry</i> , 2022, 61, 7579-7589.	4.0	2
5	Malic acid cross-linked chitosan based hydrogel for highly effective removal of chromium (VI) ions from aqueous environment. <i>Reactive and Functional Polymers</i> , 2022, 177, 105318.	4.1	25
6	Deciphering supramolecular isomerization in coordination polymers: connected molecular squares vs. fused hexagons. <i>Dalton Transactions</i> , 2021, 50, 2221-2232.	3.3	4
7	A hydrogel based on dialdehyde carboxymethyl cellulose-gelatin and its utilization as a bio adsorbent. <i>Journal of Chemical Sciences</i> , 2020, 132, 1.	1.5	44
8	Increased Photocatalytic Activity of Post Synthetically Modified Coordination Polymer Derived from Bis-pyridyldiamide. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 3174-3186.	2.0	2
9	A Primary Amide-Functionalized Heterogeneous Catalyst for the Synthesis of Coumarin-3-carboxylic Acids via a Tandem Reaction. <i>Inorganic Chemistry</i> , 2020, 59, 11407-11416.	4.0	9
10	Steric Effect of a Capping Ligand on the Formation of Supramolecular Coordination Networks of Ni(II): Solid-State Entrapment of Cyclic Water Dimer. <i>ACS Omega</i> , 2020, 5, 21873-21882.	3.5	5
11	Effecting structural diversity in a series of Co-organic frameworks by the interplay between rigidity of a dicarboxylate and flexibility of bis(tridentate) spanning ligands. <i>Dalton Transactions</i> , 2020, 49, 12298-12310.	3.3	20
12	Modulation of hydrophilicity inside the cavity of molecular rectangles self-assembled under ambient conditions. <i>Chemical Communications</i> , 2020, 56, 7913-7916.	4.1	8
13	Study of a cross-linked hydrogel of Karaya Gum and Starch as a controlled drug delivery system. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2019, 30, 1687-1708.	3.5	43
14	Design and Development of a Heterogeneous Catalyst for the Michael Addition of Malononitrile to 2-Enoylpyridines: Influence of the Primary Amide Decorated Framework on Catalytic Activity and Selectivity. <i>Inorganic Chemistry</i> , 2019, 58, 12547-12554.	4.0	11
15	Luminescent Lanthanide-Based Probes for the Detection of Nitroaromatic Compounds in Water. <i>ACS Omega</i> , 2019, 4, 5283-5292.	3.5	32
16	Can Remote N-Heterocyclic Carbenes Coordinate with Main Group Elements? Synthesis, Structure, and Quantum Chemical Analysis of N-Centered Complexes. <i>Chemistry - A European Journal</i> , 2018, 24, 6418-6425.	3.3	21
17	Selective mercury ion recognition using a methyl red (MR) based silatrane sensor. <i>New Journal of Chemistry</i> , 2018, 42, 6315-6321.	2.8	11
18	Encapsulation of a Water Octamer Chain in a Chiral 2D Sheetlike Supramolecular Coordination Network Composed of Dinickel-Dicarboxylate Subunits. <i>ACS Omega</i> , 2018, 3, 11062-11070.	3.5	3

#	ARTICLE	IF	CITATIONS
19	Engineering a Nanoscale Primary Amide-Functionalized 2D Coordination Polymer as an Efficient and Recyclable Heterogeneous Catalyst for the Knoevenagel Condensation Reaction. <i>ACS Applied Nano Materials</i> , 2018, 1, 5226-5236.	5.0	37
20	Cocrystals of Hesperetin: Structural, Pharmacokinetic, and Pharmacodynamic Evaluation. <i>Crystal Growth and Design</i> , 2017, 17, 2386-2405.	3.0	75
21	Solvent-Driven Iodine-Mediated Oxidative Strategies for the Synthesis of Bis(imidazo[1,2-a]pyridin-3-yl)sulfanes and Disulfanes. <i>Chemistry - an Asian Journal</i> , 2017, 12, 3061-3068.	3.3	15
22	Role of Anions in Assembling the Coordination Polymers of Bis-pyridyl-alkanediamides. <i>ChemistrySelect</i> , 2016, 1, 6641-6648.	1.5	0
23	Azine-Hydrazone Tautomerism of Guanylhyazones: Evidence for the Preference Toward the Azine Tautomer. <i>Journal of Organic Chemistry</i> , 2016, 81, 7574-7583.	3.2	35
24	Ciprofloxacin Hippurate Salt: Crystallization Tactics, Structural Aspects, and Biopharmaceutical Performance. <i>Crystal Growth and Design</i> , 2016, 16, 4960-4967.	3.0	27
25	Norneolignans from the roots of <i>Clitoria ternatea</i> L.. <i>Tetrahedron Letters</i> , 2016, 57, 1758-1762.	1.4	14
26	New conformational polymorph of hydrochlorothiazide with improved solubility. <i>Pharmaceutical Development and Technology</i> , 2016, 21, 611-618.	2.4	17
27	Schiff bases of N-(2-aminoethyl)-3-aminopropyltrimethoxysilane and its silatranes: Synthesis and characterization. <i>Journal of Chemical Sciences</i> , 2015, 127, 679-685.	1.5	6
28	Imidazolyl-substituted silatranes derived from triethanolamine and tris(isopropanol)amine: syntheses and structural characterization. <i>Journal of Coordination Chemistry</i> , 2015, 68, 875-894.	2.2	4
29	Construction of a robust pillared-layer framework based on the rare paddlewheel subunit $[\text{MnII}_2(\text{O})_2(\text{CR})_4\text{L}_2]$ : synthesis, crystal structure and magnetic properties. <i>Dalton Transactions</i> , 2015, 44, 16778-16784.	3.3	11
30	Ancillary ligand assisted self-assembly of coordination architectures of Mn(II): the effect of the N-alkyl group on a tridentate ligand. <i>Dalton Transactions</i> , 2015, 44, 1203-1210.	3.3	12
31	A green synthesis of thieno[2,3-c]xanthen-6-ones through the tandem photochemical sigmatropic shift and cyclization. <i>Green Chemistry Letters and Reviews</i> , 2014, 7, 126-130.	4.7	1
32	Effect of Spacer Atoms in the Dicarboxylate Linkers on the Formation of Coordination Architectures: Molecular Rectangles vs 1D Coordination Polymers: Synthesis, Crystal Structures, Vapor/Gas Adsorption Studies, and Magnetic Properties. <i>Crystal Growth and Design</i> , 2014, 14, 6433-6444.	3.0	31
33	Construction of diverse supramolecular assemblies of dimetal subunits differing in coordinated water molecules via strong hydrogen bonding interactions: Synthesis, crystal structures and spectroscopic properties. <i>Journal of Chemical Sciences</i> , 2014, 126, 1515-1523.	1.5	6
34	A homochiral luminescent compound with four-fold symmetry as a potential chemosensor for nitroanilines. <i>RSC Advances</i> , 2014, 4, 47249-47253.	3.6	9
35	Tuning the formation of dicarboxylate linker-assisted supramolecular 1D chains and squares of Ni(II) using coordination and hydrogen bonds. <i>CrystEngComm</i> , 2014, 16, 5705-5715.	2.6	14
36	Non-hydrothermal synthesis, structural characterization and thermochemistry of water soluble and neutral coordination polymers of Zn(II) and Cd(II): precursors for the submicron-sized crystalline ZnO/CdO. <i>RSC Advances</i> , 2014, 4, 39204-39213.	3.6	26

#	ARTICLE	IF	CITATIONS
37	Hierarchical importance of coordination and hydrogen bonds in the formation of homochiral 2D coordination polymers and 2D supramolecular assemblies. <i>CrystEngComm</i> , 2014, 16, 6730-6744.	2.6	17
38	Cocrystals of telmisartan: characterization, structure elucidation, in vivo and toxicity studies. <i>CrystEngComm</i> , 2014, 16, 8375-8389.	2.6	43
39	1,3-Diazolyl functionalized organopropylsilatranes: Synthesis and structural characterization. <i>Inorganica Chimica Acta</i> , 2014, 413, 203-207.	2.4	16
40	Crystal Structures and Physicochemical Properties of Four New Lamotrigine Multicomponent Forms. <i>Crystal Growth and Design</i> , 2013, 13, 858-870.	3.0	42
41	Structural diversity of the encapsulated water clusters in the 3D supramolecular assemblies: a cyclic quasi-planar hexamer of water constructed through strong hydrogen bonding interactions. <i>CrystEngComm</i> , 2013, 15, 6652.	2.6	15
42	Structural Diversity of Mn(II) Complexes with Acetylene Dicarboxylate and Hexadentate Ancillary Ligands under Ambient Conditions: Effect of Methylene Chain Length on Coordination Architectures. <i>Crystal Growth and Design</i> , 2013, 13, 3116-3125.	3.0	24
43	(2S)-2-[(Phenylsulfinyl)methyl]pyrrolidine-Catalyzed Efficient Stereoselective Michael Addition of Cyclohexanone and Cyclopentanone to Nitroolefins. <i>Synthesis</i> , 2013, 45, 1406-1413.	2.3	62
44	Supramolecular Assemblies of Dimanganese Subunits and Water Clusters Organized by Strong Hydrogen Bonding Interactions: Single Crystal to Single Crystal Transformation by Thermal De-/Rehydration Processes. <i>Crystal Growth and Design</i> , 2012, 12, 5329-5337.	3.0	33