

John D Walley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1096025/publications.pdf>

Version: 2024-02-01

137
papers

3,676
citations

159585

30
h-index

161849

54
g-index

140
all docs

140
docs citations

140
times ranked

4708
citing authors

#	ARTICLE	IF	CITATIONS
1	Establishing a hepatitis care centre to promote integrated care and population-level liver cancer prevention in Nigeria: experiences and opportunities. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2022, 116, 604-608.	1.8	1
2	Training health workers at scale in Nigeria to fight COVID-19 using the InStrat COVID-19 tutorial app: an e-health interventional study. <i>Therapeutic Advances in Infectious Disease</i> , 2021, 8, 204993612110407.	1.8	12
3	Clinical Diagnosis and Reporting of COVID-19 in the Absence of Effective Access to Laboratory Testing in Africa. <i>Frontiers in Public Health</i> , 2021, 9, 645200.	2.7	3
4	Antibiotic overuse in China: call for consolidated efforts to develop antibiotic stewardship programmes. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 597.	9.1	6
5	Governance of community health worker programs in a decentralized health system: a qualitative study in the Philippines. <i>BMC Health Services Research</i> , 2021, 21, 451.	2.2	13
6	Evaluation of a package of risk-based pharmaceutical and lifestyle interventions in patients with hypertension and/or diabetes in rural China: A pragmatic cluster randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003694.	8.4	3
7	Codevelopment of COVID-19 infection prevention and control guidelines in lower-middle-income countries: the "SPRINT" principles. <i>BMJ Global Health</i> , 2021, 6, e006406.	4.7	7
8	Prevalence of Zika and malaria in patients with fever in secondary healthcare facilities in south-eastern Nigeria. <i>Tropical Doctor</i> , 2020, 50, 22-30.	0.5	9
9	Adapting and implementing training, guidelines and treatment cards to improve primary care-based hypertension and diabetes management in a fragile context: results of a feasibility study in Sierra Leone. <i>BMC Public Health</i> , 2020, 20, 1185.	2.9	9
10	An antibiotic stewardship programme to reduce inappropriate antibiotic prescribing for acute respiratory infections in rural Chinese primary care facilities: study protocol for a clustered randomised controlled trial. <i>Trials</i> , 2020, 21, 394.	1.6	6
11	Process Evaluation of a Clustered Randomized Control Trial of a Comprehensive Intervention to Reduce the Risk of Cardiovascular Events in Primary Health Care in Rural China. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4156.	2.6	4
12	Understanding factors influencing antibiotic prescribing behaviour in rural China: a qualitative process evaluation of a cluster randomized controlled trial. <i>Journal of Health Services Research and Policy</i> , 2020, 25, 94-103.	1.7	10
13	Decentralising NCD management in rural southern Africa: evaluation of a pilot implementation study. <i>BMC Public Health</i> , 2020, 20, 44.	2.9	12
14	Opportunities and challenges for delivering non-communicable disease management and services in fragile and post-conflict settings: perceptions of policy-makers and health providers in Sierra Leone. <i>Conflict and Health</i> , 2020, 14, 3.	2.7	31
15	National primary care responses to COVID-19: a rapid review of the literature. <i>BMJ Open</i> , 2020, 10, e041622.	1.9	73
16	Protocol for a randomised controlled trial to evaluate the effectiveness of improving tuberculosis patients' treatment adherence via electronic monitors and an app versus usual care in Tibet. <i>Trials</i> , 2019, 20, 273.	1.6	14
17	A cross-sectional survey on the seroprevalence of dengue fever in febrile patients attending health facilities in Cross River State, Nigeria. <i>PLoS ONE</i> , 2019, 14, e0215143.	2.5	8
18	Long-term outcomes of an educational intervention to reduce antibiotic prescribing for childhood upper respiratory tract infections in rural China: Follow-up of a cluster-randomised controlled trial. <i>PLoS Medicine</i> , 2019, 16, e1002733.	8.4	53

#	ARTICLE	IF	CITATIONS
19	Enhanced hypertension care through private clinics in Pakistan: a cluster randomised trial. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101617.	1.8	8
20	Feasibility of delivering integrated COPD-asthma care at primary and secondary level public healthcare facilities in Pakistan: a process evaluation. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101632.	1.8	11
21	Effectiveness of delivering integrated COPD care at public healthcare facilities: a cluster randomised trial in Pakistan. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101634.	1.8	7
22	Partnering with Private Providers to Promote Long-Acting Contraceptives in Urban Bangladesh: A Mixed-Methods Feasibility Study. <i>International Perspectives on Sexual and Reproductive Health</i> , 2019, 45, 87.	3.7	2
23	Sexually Transmitted Disease Syndromic Case Management Through Public Sector Facilities: Development and Assessment Study in Punjab Pakistan. <i>Annals of Global Health</i> , 2018, 80, 486.	2.0	1
24	Evaluating the impact of Marie Stopes International's digital family planning counselling application on the uptake of long-acting and permanent methods of contraception in Vietnam and Ethiopia: a study protocol for a multi-country cluster randomised controlled trial. <i>Trials</i> , 2018, 19, 420.	1.6	9
25	Integrating a diabetes and hypertension case management package within primary health care: a mixed methods feasibility study in Bangladesh. <i>BMC Health Services Research</i> , 2018, 18, 811.	2.2	10
26	Embedded health service development and research: why and how to do it (a ten-stage guide). <i>Health Research Policy and Systems</i> , 2018, 16, 67.	2.8	10
27	Depression among multidrug-resistant tuberculosis patients in Punjab, Pakistan: a large cross-sectional study. <i>International Journal of Tuberculosis and Lung Disease</i> , 2018, 22, 773-778.	1.2	22
28	Cost-effectiveness analysis of a multi-dimensional intervention to reduce inappropriate antibiotic prescribing for children with upper respiratory tract infections in China. <i>Tropical Medicine and International Health</i> , 2018, 23, 1092-1100.	2.3	17
29	Is integrated private-clinic based early child development care effective? A clustered randomised trial in Pakistan. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101593.	1.8	15
30	Process evaluation of integrated diabetes management at primary healthcare facilities in Pakistan: a mixed-methods study. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101612.	1.8	6
31	Effectiveness of an integrated diabetes care package at primary healthcare facilities: a cluster randomised trial in Pakistan. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101618.	1.8	7
32	Delivering integrated hypertension care at private health facilities in urban Pakistan: a process evaluation. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101613.	1.8	6
33	Antibiotic prescribing for upper respiratory infections among children in rural China: a cross-sectional study of outpatient prescriptions. <i>Global Health Action</i> , 2017, 10, 1287334.	1.9	47
34	Effect of a training and educational intervention for physicians and caregivers on antibiotic prescribing for upper respiratory tract infections in children at primary care facilities in rural China: a cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2017, 5, e1258-e1267.	6.3	90
35	Impact of China's essential medicines scheme and zero-markup policy on antibiotic prescriptions in county hospitals: a mixed methods study. <i>Tropical Medicine and International Health</i> , 2017, 22, 1166-1174.	2.3	32
36	Multidrug-resistant tuberculosis treatment programmes insufficiently consider comorbid mental disorders. <i>International Journal of Tuberculosis and Lung Disease</i> , 2017, 21, 603-609.	1.2	26

#	ARTICLE	IF	CITATIONS
37	Implementation of a comprehensive intervention for patients at high risk of cardiovascular disease in rural China: A pragmatic cluster randomized controlled trial. PLoS ONE, 2017, 12, e0183169.	2.5	17
38	Intensive Patient Education Improves Glycaemic Control in Diabetes Compared to Conventional Education: A Randomised Controlled Trial in a Nigerian Tertiary Care Hospital. PLoS ONE, 2017, 12, e0168835.	2.5	37
39	Delivering integrated child development care in Pakistan: protocol for a clustered randomised trial. BJGP Open, 2017, 1, bjgpopen17X100677.	1.8	6
40	Process evaluation of integrated early child development care at private clinics in poor urban Pakistan: a mixed methods study. BJGP Open, 2017, 1, bjgpopen17X101073.	1.8	5
41	Protocol for a pragmatic cluster randomised controlled trial for reducing irrational antibiotic prescribing among children with upper respiratory infections in rural China. BMJ Open, 2016, 6, e010544.	1.9	10
42	Interventions to reduce childhood antibiotic prescribing for upper respiratory infections: systematic review and meta-analysis. Journal of Epidemiology and Community Health, 2016, 70, 1162-1170.	3.7	34
43	Experience of implementing the integrated TB model in Zhejiang, China: a retrospective observational study. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2016, 110, 246-251.	1.8	2
44	Structured performance monitoring of TB-care at facility, district and province levels - Pakistan experience. JPMA the Journal of the Pakistan Medical Association, 2016, 66, 418-24.	0.2	2
45	Strengthening the delivery of asthma and chronic obstructive pulmonary disease care at primary health-care facilities: study design of a cluster randomized controlled trial in Pakistan. Global Health Action, 2015, 8, 28225.	1.9	13
46	Barriers to hospital and tuberculosis programme collaboration in China: context matters. Global Health Action, 2015, 8, 27067.	1.9	15
47	Treatment interruption and directly observed treatment for patients with multidrug-resistant tuberculosis in China: a cross-sectional survey. Lancet, The, 2015, 386, S22.	13.7	0
48	Effects of financial incentives for treatment supporters on tuberculosis treatment outcomes in Swaziland: a pragmatic interventional study. Infectious Diseases of Poverty, 2015, 4, 29.	3.7	12
49	Diagnostic and treatment delays of multidrug-resistant tuberculosis before initiating treatment: a cross-sectional study. Tropical Medicine and International Health, 2015, 20, 1431-1437.	2.3	20
50	Evaluation of a systematic cardiovascular disease risk reduction strategy in primary healthcare: an exploratory study from Zhejiang, China. Journal of Public Health, 2015, 37, 241-250.	1.8	10
51	Effective reimbursement rates of the rural health insurance among uncomplicated tuberculosis patients in China. Tropical Medicine and International Health, 2015, 20, 304-311.	2.3	20
52	Treatment interruption and directly observed treatment of multidrug-resistant tuberculosis patients in China. International Journal of Tuberculosis and Lung Disease, 2015, 19, 413-419.	1.2	19
53	Use of Medications and Lifestyles of Hypertensive Patients with High Risk of Cardiovascular Disease in Rural China. PLoS ONE, 2015, 10, e0124484.	2.5	14
54	China Tuberculosis Policy at Crucial Crossroads: Comparing the Practice of Different Hospital and Tuberculosis Control Collaboration Models Using Survey Data. PLoS ONE, 2014, 9, e90596.	2.5	35

#	ARTICLE	IF	CITATIONS
55	Early infant male circumcision for human immunodeficiency virus prevention: knowledge and attitudes of women attending a rural hospital in Swaziland, Southern Africa. <i>Sahara J</i> , 2014, 11, 61-66.	0.7	12
56	Developing learning outcomes for medical students and foundation doctors in palliative care: A national consensus-seeking initiative in Scotland. <i>Medical Teacher</i> , 2014, 36, 441-446.	1.8	13
57	Delivering TB/HIV services in Ghana: a comparative study of service delivery models. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2014, 108, 560-567.	1.8	20
58	Changes in pulmonary tuberculosis prevalence: evidence from the 2010 population survey in a populous province of China. <i>BMC Infectious Diseases</i> , 2014, 14, 21.	2.9	11
59	Liver enzymes and risk of all-cause mortality in general populations: a systematic review and meta-analysis. <i>International Journal of Epidemiology</i> , 2014, 43, 187-201.	1.9	134
60	Electronic health records in the UK and USA. <i>Lancet, The</i> , 2014, 384, 954.	13.7	16
61	Comparing patient care seeking pathways in three models of hospital and TB programme collaboration in China. <i>BMC Infectious Diseases</i> , 2013, 13, 93.	2.9	31
62	Using no-cost mobile phone reminders to improve attendance for HIV test results: a pilot study in rural Swaziland. <i>Infectious Diseases of Poverty</i> , 2013, 2, 12.	3.7	63
63	Cardiovascular disease risk reduction in rural China: a clustered randomized controlled trial in Zhejiang. <i>Trials</i> , 2013, 14, 354.	1.6	16
64	Delivering enhanced cardiovascular (Hypertension) disease care through private health facilities in Pakistan. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 76.	1.7	5
65	Patient care pathways under the model of integrating tuberculosis service with general hospitals in China. <i>Tropical Medicine and International Health</i> , 2013, 18, 1392-1399.	2.3	9
66	Ferritin levels and risk of type 2 diabetes mellitus: an updated systematic review and meta-analysis of prospective evidence. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 308-318.	4.0	111
67	Liver Aminotransferases and Risk of Incident Type 2 Diabetes: A Systematic Review and Meta-Analysis. <i>American Journal of Epidemiology</i> , 2013, 178, 159-171.	3.4	109
68	Does the integration of TB medical services in the general hospital improve the quality of TB care? Evidence from a case study in China. <i>Journal of Public Health</i> , 2013, 35, 322-328.	1.8	9
69	Incremental cost-effectiveness of improving treatment results among migrant tuberculosis patients in Shanghai. <i>International Journal of Tuberculosis and Lung Disease</i> , 2013, 17, 1056-1064.	1.2	13
70	Randomized Controlled Trial Designs for Operations Research in Low-Income Countries: Reality or Delusion?. <i>Frontiers in Public Health</i> , 2013, 1, 14.	2.7	1
71	Characteristics of High Risk People with Cardiovascular Disease in Chinese Rural Areas: Clinical Indicators, Disease Patterns and Drug Treatment. <i>PLoS ONE</i> , 2013, 8, e54169.	2.5	15
72	Getting research into practice: primary care management of noncommunicable diseases in low- and middle-income countries. <i>Bulletin of the World Health Organization</i> , 2012, 90, 402-402.	3.3	14

#	ARTICLE	IF	CITATIONS
73	Introduction and evaluation of a "pre-ART care"™ service in Swaziland: an operational research study. <i>BMJ Open</i> , 2012, 2, e000195.	1.9	20
74	Improving adherence to antiretroviral therapy in sub-Saharan African HIV-positive populations: An enhanced adherence package. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012, 24, 1308-1315.	1.2	31
75	Making birthing safe for Pakistan women: a cluster randomized trial. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 67.	2.4	7
76	Factors influencing integration of TB services in general hospitals in two regions of China: a qualitative study. <i>BMC Health Services Research</i> , 2012, 12, 21.	2.2	28
77	Providing financial incentives to rural-to-urban tuberculosis migrants in Shanghai: an intervention study. <i>Infectious Diseases of Poverty</i> , 2012, 1, 9.	3.7	38
78	Assessing the impact of TB/HIV services integration on TB treatment outcomes and their relevance in TB/HIV monitoring in Ghana. <i>Infectious Diseases of Poverty</i> , 2012, 1, 13.	3.7	29
79	Performance of the new WHO diagnostic algorithm for smear-negative pulmonary tuberculosis in HIV prevalent settings: a multisite study in Uganda. <i>Tropical Medicine and International Health</i> , 2012, 17, 884-895.	2.3	18
80	Validation in Uganda of the New WHO Diagnostic Algorithm for Smear-Negative Pulmonary Tuberculosis in HIV Prevalent Settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, e93-e100.	2.1	14
81	Implementation of the Chinese national microscopy centre policy: health facility survey in Shandong Province. <i>Tropical Medicine and International Health</i> , 2011, 16, 847-853.	2.3	16
82	Evaluation of active tuberculosis case finding through symptom screening and sputum microscopy of close contacts in Shandong, China. <i>Tropical Medicine and International Health</i> , 2011, 16, 1511-1517.	2.3	11
83	Evaluating the impact of decentralising tuberculosis microscopy services to rural township hospitals in gansu province, china. <i>BMC Public Health</i> , 2011, 11, 103.	2.9	9
84	Characterization of cancer-induced bone pain: an exploratory study. <i>Supportive Care in Cancer</i> , 2011, 19, 1393-1401.	2.2	50
85	Improving Clinic Attendance and Adherence to Antiretroviral Therapy Through a Treatment Supporter Intervention in Uganda: A Randomized Controlled Trial. <i>AIDS and Behavior</i> , 2011, 15, 1795-1802.	2.7	74
86	Integrating intensified case finding of tuberculosis into HIV care: an evaluation from rural Swaziland. <i>BMC Health Services Research</i> , 2011, 11, 118.	2.2	10
87	District level external quality assurance (EQA) of malaria microscopy in Pakistan: pilot implementation and feasibility. <i>Malaria Journal</i> , 2011, 10, 45.	2.3	14
88	Ascertaining Baseline Levels of Antiretroviral Therapy Adherence in Uganda: A Multimethod Approach. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 55, 221-224.	2.1	21
89	Using Mobile Phones to Improve Clinic Attendance Amongst an Antiretroviral Treatment Cohort in Rural Uganda: A Cross-sectional and Prospective Study. <i>AIDS and Behavior</i> , 2010, 14, 1347-1352.	2.7	95
90	Cost implications of delays to tuberculosis diagnosis among pulmonary tuberculosis patients in Ethiopia. <i>BMC Public Health</i> , 2010, 10, 173.	2.9	38

#	ARTICLE	IF	CITATIONS
91	Nurse led, primary care based antiretroviral treatment versus hospital care: a controlled prospective study in Swaziland. BMC Health Services Research, 2010, 10, 229.	2.2	27
92	Clinic Attendance for Medication Refills and Medication Adherence amongst an Antiretroviral Treatment Cohort in Uganda: A Prospective Study. AIDS Research and Treatment, 2010, 2010, 1-8.	0.7	33
93	COMPARING KNOWLEDGE AND USE OF HEALTH SERVICES OF MIGRANTS FROM RURAL AND URBAN AREAS IN KUNMING CITY, CHINA. Journal of Biosocial Science, 2010, 42, 743-756.	1.2	28
94	Research into practice: 10 years of international public health partnership between the UK and Swaziland. Journal of Public Health, 2010, 32, 277-282.	1.8	16
95	Evaluating the policy of setting up microscopy centres at township hospitals in Shandong China: Experience from patients and providers. Health Policy, 2010, 95, 113-121.	3.0	4
96	Public health and the burden of disease. , 2010, , 1-10.		1
97	Planning, implementing, and managing interventions. , 2010, , 65-86.		0
98	Developing a district health care service. , 2010, , 155-180.		0
99	Future trends in global public health. , 2010, , 319-332.		0
100	Public health interventions. , 2010, , 11-20.		0
101	Controlling major communicable diseases. , 2010, , 259-286.		0
102	Choosing the best public health interventions. , 2010, , 49-64.		0
103	Maternal, neonatal, and child health. , 2010, , 181-212.		0
104	Quality of tuberculosis care and its association with patient adherence to treatment in eight Ethiopian districts. Health Policy and Planning, 2009, 24, 457-466.	2.7	46
105	Delayed consultation among pulmonary tuberculosis patients: a cross sectional study of 10 DOTS districts of Ethiopia. BMC Public Health, 2009, 9, 53.	2.9	96
106	Palliative care for HIV in the era of antiretroviral therapy availability: perspectives of nurses in Lesotho. BMC Palliative Care, 2009, 8, 11.	1.8	10
107	Barriers to TB care for rural to urban migrant TB patients in Shanghai: a qualitative study. Tropical Medicine and International Health, 2009, 14, 754-760.	2.3	63
108	Why financial incentives did not reach the poor tuberculosis patients? A qualitative study of a Fidelis funded project in Shanxi, China. Health Policy, 2009, 90, 206-213.	3.0	8

#	ARTICLE	IF	CITATIONS
109	Could clinical audit improve the diagnosis of pulmonary tuberculosis in Cuba, Peru and Bolivia?. <i>Tropical Medicine and International Health</i> , 2008, 13, 566-578.	2.3	14
110	Adapting a generic tuberculosis control operational guideline and scaling it up in China: a qualitative case study. <i>BMC Public Health</i> , 2008, 8, 260.	2.9	23
111	Primary health care: making Alma-Ata a reality. <i>Lancet, The</i> , 2008, 372, 1001-1007.	13.7	203
112	Training needs, practices and barriers in the work of community reproductive health workers in Masindi district, Uganda. <i>Tropical Doctor</i> , 2008, 38, 93-95.	0.5	15
113	Decentralising tuberculosis services from county tuberculosis dispensaries to township hospitals in China: an intervention study. <i>International Journal of Tuberculosis and Lung Disease</i> , 2008, 12, 538-47.	1.2	14
114	Evaluating the effects of providing financial incentives to tuberculosis patients and health providers in China. <i>International Journal of Tuberculosis and Lung Disease</i> , 2008, 12, 1166-72.	1.2	19
115	How to get research into practice: first get practice into research. <i>Bulletin of the World Health Organization</i> , 2007, 85, 424-424.	3.3	56
116	Clinical guidelines to diagnose smear-negative pulmonary tuberculosis in Pakistan, a country with low-HIV prevalence. <i>Tropical Medicine and International Health</i> , 2006, 11, 323-331.	2.3	29
117	Leishmaniasis, Chagas disease and Human African Trypanosomiasis revisited: Disease Control Priorities in Developing Countries. <i>Tropical Medicine and International Health</i> , 2006, 11, 1339-1340.	2.3	4
118	Listening to those on the frontline: Lessons for community-based tuberculosis programmes from a qualitative study in Swaziland. <i>Social Science and Medicine</i> , 2005, 61, 1701-1710.	3.8	38
119	Tuberculosis patient adherence to direct observation: results of a social study in Pakistan. <i>Health Policy and Planning</i> , 2005, 20, 354-365.	2.7	68
120	Direct observation of treatment for tuberculosis: a randomized controlled trial of community health workers versus family members. <i>Tropical Medicine and International Health</i> , 2004, 9, 559-565.	2.3	129
121	Clinical diagnosis of smear-negative pulmonary tuberculosis in low-income countries: the current evidence. <i>Lancet Infectious Diseases, The</i> , 2003, 3, 288-296.	9.1	261
122	Effectiveness of the direct observation component of DOTS for tuberculosis: a randomised controlled trial in Pakistan. <i>Lancet, The</i> , 2001, 357, 664-669.	13.7	185
123	Direct observation for tuberculosis treatment. <i>Lancet, The</i> , 2001, 358, 420.	13.7	1
124	Lower Limb Amputations in a West African Community: A New Trend?. <i>Tropical Doctor</i> , 2001, 31, 250-250.	0.5	0
125	Management of Suspected Cases of HIV Disease in Developing Countries: The Need for Clinical Guidelines for Primary Healthcare Workers. <i>Tropical Doctor</i> , 2001, 31, 250-250.	0.5	0
126	Tuberculosis in Swaziland: A Health Needs Assessment in Preparation for a Community-Based Programme. <i>Tropical Doctor</i> , 2000, 30, 216-220.	0.5	6

#	ARTICLE	IF	CITATIONS
127	Tuberculosis in Pakistan: socio-cultural constraints and opportunities in treatment. <i>Social Science and Medicine</i> , 2000, 50, 247-254.	3.8	208
128	Directly observed therapy and treatment adherence. <i>Lancet, The</i> , 2000, 356, 1030.	13.7	0
129	Directly observed therapy and treatment adherence. <i>Lancet, The</i> , 2000, 356, 1031.	13.7	2
130	Directly observed treatment for tuberculosis. <i>Lancet, The</i> , 1999, 353, 145.	13.7	14
131	The Implementation of Integrated Mother and Child Health and Family Planning Services. <i>Tropical Doctor</i> , 1997, 27, 69-72.	0.5	2
132	Chemoprophylaxis in tuberculosis and HIV infection. <i>BMJ: British Medical Journal</i> , 1995, 310, 1621-1622.	2.3	7
133	Health Planning and Resource Allocation in a Changing Vietnam. <i>Journal of Health, Organization and Management</i> , 1994, 8, 18-27.	0.6	1
134	Legitimate double think. <i>Lancet, The</i> , 1993, 341, 1026-1028.	13.7	0
135	Care for AIDS patients in developing countries: a review. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 1992, 4, 89-102.	1.2	15
136	Integration of Mother and Child Health Services in Ethiopia. <i>Tropical Doctor</i> , 1991, 21, 32-35.	0.5	17
137	Integrating health services: the experience of NGOs in Ethiopia. <i>Health Policy and Planning</i> , 1991, 6, 327-335.	2.7	4