

# RÃ©jean HÃ©bert

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10963007/publications.pdf>

Version: 2024-02-01

77  
papers

6,352  
citations

76294

40  
h-index

66879

78  
g-index

83  
all docs

83  
docs citations

83  
times ranked

6808  
citing authors

#	ARTICLE	IF	CITATIONS
1	A brief clinical instrument to classify frailty in elderly people. <i>Lancet, The</i> , 1999, 353, 205-206.	6.3	763
2	Prevalence, Attributes, and Outcomes of Fitness and Frailty in Community-Dwelling Older Adults: Report From the Canadian Study of Health and Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004, 59, 1310-1317.	1.7	463
3	Validation of the Box and Block Test as a measure of dexterity of elderly people: Reliability, validity, and norms studies. <i>Archives of Physical Medicine and Rehabilitation</i> , 1994, 75, 751-755.	0.5	411
4	Reliability, Validity and Reference Values of the Zarit Burden Interview for Assessing Informal Caregivers of Community-Dwelling Older Persons with Dementia. <i>Canadian Journal on Aging</i> , 2000, 19, 494-507.	0.6	378
5	Intrasession reliability of center of pressure measures of postural steadiness in healthy elderly people11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the authors(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 896-901.	0.5	309
6	Age- and education-specific reference values for the Mini-Mental and Modified Mini-Mental State Examinations derived from a non-demented elderly population. <i>International Journal of Geriatric Psychiatry</i> , 1997, 12, 1008-1018.	1.3	284
7	Normative Data for Grip Strength of Elderly Men and Women. <i>American Journal of Occupational Therapy</i> , 1995, 49, 637-644.	0.1	219
8	Epidemiology of Vascular Dementia. <i>Neuroepidemiology</i> , 1995, 14, 240-257.	1.1	204
9	PRISMA-7: A case-finding tool to identify older adults with moderate to severe disabilities. <i>Archives of Gerontology and Geriatrics</i> , 2008, 47, 9-18.	1.4	188
10	Reliability of the Revised Functional Autonomy Measurement System (SMAF) for Epidemiological Research. <i>Age and Ageing</i> , 1995, 24, 402-406.	0.7	174
11	Impact of PRISMA, a Coordination-Type Integrated Service Delivery System for Frail Older People in Quebec (Canada): A Quasi-experimental Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2010, 65B, 107-118.	2.4	158
12	Evaluation of postural stability in the elderly with stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004, 85, 1095-1101.	0.5	133
13	PRISMA: a new model of integrated service delivery for the frail older people in Canada. <i>International Journal of Integrated Care</i> , 2003, 3, e08.	0.1	112
14	Age-related changes in upper extremity performance of elderly people: a longitudinal study. <i>Experimental Gerontology</i> , 1999, 34, 393-405.	1.2	110
15	Efficacy of a Psychoeducative Group Program for Caregivers of Demented Persons Living at Home: A Randomized Controlled Trial. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2003, 58, S58-S67.	2.4	108
16	Factors Associated with Functional Decline and Improvement in a Very Elderly Community-dwelling Population. <i>American Journal of Epidemiology</i> , 1999, 150, 501-510.	1.6	107
17	Postural control in the elderly: An analysis of test-retest and interrater reliability of the COP-COM variable. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 80-85.	0.5	103
18	Development and Reliability of an Upper Extremity Function Test for the Elderly: The TEMPA. <i>Canadian Journal of Occupational Therapy</i> , 1993, 60, 9-16.	0.8	101

#	ARTICLE	IF	CITATIONS
19	Refusal and information bias associated with postal questionnaires and face-to-face interviews in very elderly subjects. <i>Journal of Clinical Epidemiology</i> , 1996, 49, 373-381.	2.4	101
20	Upper extremity performance test for the elderly (TEMPA): Normative data and correlates with sensorimotor parameters. <i>Archives of Physical Medicine and Rehabilitation</i> , 1995, 76, 1125-1129.	0.5	97
21	Setting the minimal metrically detectable change on disability rating scales. <i>Archives of Physical Medicine and Rehabilitation</i> , 1997, 78, 1305-1308.	0.5	96
22	The Incidence of Vascular Dementia in Canada: A Comparison with Europe and East Asia. <i>Neuroepidemiology</i> , 2001, 20, 179-187.	1.1	78
23	A Prospective Evaluation of the Charlson Comorbidity Index for Use in Long-Term Care Patients. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 740-745.	1.3	78
24	FidÃ©litÃ© de la traduction franÃ§aise de trois instruments d'Ã©valuation des aidants naturels de malades dÃ©ments. <i>Canadian Journal on Aging</i> , 1993, 12, 324-337.	0.6	73
25	Upper-extremity Motor Co-ordination of Healthy Elderly People. <i>Age and Ageing</i> , 1995, 24, 108-112.	0.7	66
26	Comparison of two functional independence scales with a participation measure in post-stroke rehabilitation. <i>Archives of Gerontology and Geriatrics</i> , 2003, 37, 157-172.	1.4	66
27	Disability-based classification system for older people in integrated long-term care services: The Iso-SMAF profiles. <i>Archives of Gerontology and Geriatrics</i> , 2006, 42, 191-206.	1.4	66
28	Physical health and mental disorder in elderly suicide: A case-control study. <i>Aging and Mental Health</i> , 2005, 9, 576-584.	1.5	65
29	The Minnesota Manual Dexterity Test: Reliability, Validity and Reference Values Studies with Healthy Elderly People. <i>Canadian Journal of Occupational Therapy</i> , 1997, 64, 270-276.	0.8	63
30	Efficacy of a support group programme for care-givers of demented patients in the community: a randomized controlled trial. <i>Archives of Gerontology and Geriatrics</i> , 1994, 18, 1-14.	1.4	61
31	Development and Validation of an Instrument Measuring Individual Empowerment in Relation to Personal Health Care: The Health Care Empowerment Questionnaire (HCEQ). <i>American Journal of Health Promotion</i> , 2006, 20, 429-435.	0.9	60
32	Hand Sensibility of Healthy Older People. <i>Journal of the American Geriatrics Society</i> , 1996, 44, 974-978.	1.3	58
33	Efficacy of supervised Tai Chi exercises versus conventional physical therapy exercises in fall prevention for frail older adults: a randomized controlled trial. <i>Disability and Rehabilitation</i> , 2013, 35, 1429-1435.	0.9	58
34	Meeting the home-care needs of disabled older persons living in the community: does integrated services delivery make a difference?. <i>BMC Geriatrics</i> , 2011, 11, 67.	1.1	52
35	Quasi-experimental Study of the Effectiveness of an Integrated Service Delivery Network for the Frail Elderly. <i>Canadian Journal on Aging</i> , 2004, 23, 229-243.	0.6	51
36	Postural stability in the elderly: empirical confirmation of a theoretical model. <i>Archives of Gerontology and Geriatrics</i> , 2004, 39, 163-177.	1.4	49

#	ARTICLE	IF	CITATIONS
37	Monitoring the degree of implementation of an integrated delivery system. <i>International Journal of Integrated Care</i> , 2004, 4, e05.	0.1	45
38	Resources and Costs Associated with Disabilities of Elderly People Living at Home and in Institutions. <i>Canadian Journal on Aging</i> , 2001, 20, 1-22.	0.6	42
39	Frail elderly patients. New model for integrated service delivery. <i>Canadian Family Physician</i> , 2003, 49, 992-7.	0.1	42
40	Validity of the TEMPA: A Measurement Instrument for Upper Extremity Performance. <i>Occupation Participation and Health</i> , 1994, 14, 267-281.	0.9	41
41	Development and Validation of the Health Care Satisfaction Questionnaire (HCSQ) in Elders. <i>Journal of Nursing Measurement</i> , 2006, 14, 190-204.	0.2	41
42	Intrasession reliability of the "center of pressure minus center of mass" variable of postural control in the healthy elderly. <i>Archives of Physical Medicine and Rehabilitation</i> , 2000, 81, 45-48.	0.5	35
43	The effect of supervised Tai Chi intervention compared to a physiotherapy program on fall-related clinical outcomes: a randomized clinical trial. <i>Disability and Rehabilitation</i> , 2012, 34, 196-201.	0.9	35
44	Assisted self-report of health-services use showed excellent reliability in a longitudinal study of older adults. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 1040-1045.	2.4	30
45	Comparison of Cross-Sectional and Longitudinal Designs in the Study of Aging of Upper Extremity Performance. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1998, 53A, B362-B368.	1.7	29
46	Yearly transitions of disability profiles in older people living at home. <i>Archives of Gerontology and Geriatrics</i> , 2012, 55, 399-405.	1.4	29
47	Isometric grip endurance of healthy elderly men and women. <i>Archives of Gerontology and Geriatrics</i> , 1997, 24, 75-85.	1.4	26
48	Correlates of Suicide in the Older Adult Population in Quebec. <i>Suicide and Life-Threatening Behavior</i> , 2005, 35, 91-105.	0.9	26
49	Outcomes during and after inpatient rehabilitation: Comparison between adults and older adults. <i>Acta Dermato-Venereologica</i> , 2008, 40, 55-60.	0.6	25
50	Economic evaluation of a geriatric day hospital: cost-benefit analysis based on functional autonomy changes. <i>Age and Ageing</i> , 2003, 32, 53-59.	0.7	21
51	Application of a case-mix classification based on the functional autonomy of the residents for funding long-term care facilities. <i>Age and Ageing</i> , 2003, 32, 60-66.	0.7	21
52	The effectiveness of the PRISMA integrated service delivery network: preliminary report on methods and baseline data. <i>International Journal of Integrated Care</i> , 2008, 8, .	0.1	21
53	Evaluation of the Implementation of PRISMA, a Coordination-type Integrated Service Delivery System for Frail Older People in QuÃ©bec. <i>Journal of Integrated Care</i> , 2008, 16, 4-14.	0.2	20
54	Normative Data for the Motor-Free Visual Perception Test-Vertical. <i>Physical and Occupational Therapy in Geriatrics</i> , 2001, 19, 39-50.	0.2	19

#	ARTICLE	IF	CITATIONS
55	Predisposing and Facilitating Factors of Severe Psychological Distress among Frail Elderly Adults. <i>Canadian Journal on Aging</i> , 2002, 21, 195-204.	0.6	19
56	Relationship between Regulatory Status, Quality of Care, and Three-Year Mortality in Canadian Residential Care Facilities: A Longitudinal Study. <i>Health Services Research</i> , 2002, 37, 1181-1196.	1.0	19
57	Criterion Validity of a New Measure of Self-Actualization. <i>Psychological Reports</i> , 1999, 85, 1167-1176.	0.9	18
58	Motor Free Visual Perceptual Test: Impact of Vertical Answer Cards Position on Performance of Adults with Hemispatial Visual Neglect. <i>Occupation Participation and Health</i> , 1995, 15, 223-236.	0.9	17
59	The individualized service plan as a clinical integration tool: qualitative analysis in the Quebec PRISMA experiment. <i>International Journal of Integrated Care</i> , 2007, 7, e52.	0.1	16
60	Validation study of a social functioning scale: The social-SMAF (social-Functional Autonomy) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 T	1.4	15
61	A preventive program for community-dwelling elderly at risk of functional decline: a pilot study. <i>Archives of Gerontology and Geriatrics</i> , 2000, 30, 73-84.	1.4	13
62	A Geriatric Day Hospital: Who Improves the Most?. <i>Canadian Journal on Aging</i> , 2004, 23, 217-228.	0.6	12
63	The impact of a support group programme for care-givers on the institutionalisation of demented patients. <i>Archives of Gerontology and Geriatrics</i> , 1995, 20, 129-134.	1.4	11
64	Patterns and predictive factors of loss of the independence trajectory among community-dwelling older adults. <i>BMC Geriatrics</i> , 2021, 21, 142.	1.1	10
65	The effectiveness of the PRISMA integrated service delivery network: preliminary report on methods and baseline data. <i>International Journal of Integrated Care</i> , 2008, 8, e03.	0.1	10
66	Assessing comorbidity in older adults using prescription claims data. <i>Journal of Pharmaceutical Health Services Research</i> , 2010, 1, 157-165.	0.3	8
67	Correlates of the Perceived Need for Institutionalisation among Older Adults without Cognitive Impairment. <i>Gerontology</i> , 2008, 54, 244-251.	1.4	7
68	Home Care: From Adequate Funding to Integration of Services. <i>HealthcarePapers</i> , 2009, 10, 58-64.	0.2	7
69	Public Long-Term Care Insurance: A Way to Ensure Sustainable Continuity of Care for Frail Older People. <i>HealthcarePapers</i> , 2011, 11, 69-75.	0.2	7
70	Survey disability questionnaire does not generate valid accurate data compared to clinical assessment on an older population. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, e57-e62.	1.4	6
71	Revue et analyse d'instruments de mesure de la performance de la main et du membre supÃ©rieur. <i>Canadian Journal of Occupational Therapy</i> , 1991, 58, 67-76.	0.8	5
72	Canada: Application of a Coordinated-Type Integration Model for Vulnerable Older People in QuÃ©bec: The PRISMA Project. , 2017, , 499-510.		5

#	ARTICLE	IF	CITATIONS
73	Is there agreement between Canadian older adults and their primary informal caregivers on behaviour towards institutionalisation?. Health and Social Care in the Community, 2009, 17, 610-618.	0.7	4
74	Integrated service delivery networks for seniors: early perceptions of family physicians. Canadian Family Physician, 2005, 51, 1104-5.	0.1	3
75	Identifying Psychosocial Variables for Home Care Services and How to Measure Them. Home Health Care Services Quarterly, 2013, 32, 197-217.	0.3	2
76	Assessing the Impact of Integrated Delivery Systems: Practical Advice from Three Experiments Conducted in Quebec. Journal of Integrated Care, 2008, 16, 9-18.	0.2	1
77	Canada: Application of a Coordinated-Type Integration Model for Vulnerable Older People in QuÃ©bec: The PRISMA Project. , 2021, , 1075-1087.		0