
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10963007/publications.pdf Version: 2024-02-01



<u>ΡÃΩιελΝ ΗÃΩβερτ</u>

#	Article	IF	CITATIONS
1	A brief clinical instrument to classify frailty in elderly people. Lancet, The, 1999, 353, 205-206.	13.7	763
2	Prevalence, Attributes, and Outcomes of Fitness and Frailty in Community-Dwelling Older Adults: Report From the Canadian Study of Health and Aging. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2004, 59, 1310-1317.	3.6	463
3	Validation of the Box and Block Test as a measure of dexterity of elderly people: Reliability, validity, and norms studies. Archives of Physical Medicine and Rehabilitation, 1994, 75, 751-755.	0.9	411
4	Reliability, Validity and Reference Values of the Zarit Burden Interview for Assessing Informal Caregivers of Community-Dwelling Older Persons with Dementia. Canadian Journal on Aging, 2000, 19, 494-507.	1.1	378
5	Intrasession reliability of center of pressure measures of postural steadiness in healthy elderly people11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the authors(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and Rehabilitation, 2004, 85,	0.9	309
6	Age- and education-specific reference values for the Mini-Mental and Modified Mini-Mental State Examinations derived from a non-demented elderly population. International Journal of Geriatric Psychiatry, 1997, 12, 1008-1018.	2.7	284
7	Normative Data for Grip Strength of Elderly Men and Women. American Journal of Occupational Therapy, 1995, 49, 637-644.	0.3	219
8	Epidemiology of Vascular Dementia. Neuroepidemiology, 1995, 14, 240-257.	2.3	204
9	PRISMA-7: A case-finding tool to identify older adults with moderate to severe disabilities. Archives of Gerontology and Geriatrics, 2008, 47, 9-18.	3.0	188
10	Reliability of the Revised Functional Autonomy Measurement System (SMAF) for Epidemiological Research. Age and Ageing, 1995, 24, 402-406.	1.6	174
11	Impact of PRISMA, a Coordination-Type Integrated Service Delivery System for Frail Older People in Quebec (Canada): A Quasi-experimental Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2010, 65B, 107-118.	3.9	158
12	Evaluation of postural stability in the elderly with stroke. Archives of Physical Medicine and Rehabilitation, 2004, 85, 1095-1101.	0.9	133
13	PRISMA: a new model of integrated service delivery for the frail older people in Canada. International Journal of Integrated Care, 2003, 3, e08.	0.2	112
14	Age-related changes in upper extremity performance of elderly people: a longitudinal study. Experimental Gerontology, 1999, 34, 393-405.	2.8	110
15	Efficacy of a Psychoeducative Group Program for Caregivers of Demented Persons Living at Home: A Randomized Controlled Trial. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2003, 58, S58-S67.	3.9	108
16	Factors Associated with Functional Decline and Improvement in a Very Elderly Community-dwelling Population. American Journal of Epidemiology, 1999, 150, 501-510.	3.4	107
17	Postural control in the elderly: An analysis of test-retest and interrater reliability of the COP-COM variable. Archives of Physical Medicine and Rehabilitation, 2001, 82, 80-85.	0.9	103
18	Development and Reliability of an Upper Extremity Function Test for the Elderly: The TEMPA. Canadian Journal of Occupational Therapy, 1993, 60, 9-16.	1.3	101

#	Article	IF	CITATIONS
19	Refusal and information bias associated with postal questionnaires and face-to-face interviews in very elderly subjects. Journal of Clinical Epidemiology, 1996, 49, 373-381.	5.0	101
20	Upper extremity performance test for the elderly (TEMPA): Normative data and correlates with sensorimotor parameters. Archives of Physical Medicine and Rehabilitation, 1995, 76, 1125-1129.	0.9	97
21	Setting the minimal metrically detectable change on disability rating scales. Archives of Physical Medicine and Rehabilitation, 1997, 78, 1305-1308.	0.9	96
22	The Incidence of Vascular Dementia in Canada: A Comparison with Europe and East Asia. Neuroepidemiology, 2001, 20, 179-187.	2.3	78
23	A Prospective Evaluation of the Charlson Comorbidity Index for Use in Longâ€∓erm Care Patients. Journal of the American Geriatrics Society, 2002, 50, 740-745.	2.6	78
24	Fidélité de la traduction française de trois instruments d'évaluation des aidants naturels de malades déments. Canadian Journal on Aging, 1993, 12, 324-337.	1.1	73
25	Upper-extremity Motor Co-ordination of Healthy Elderly People. Age and Ageing, 1995, 24, 108-112.	1.6	66
26	Comparison of two functional independence scales with a participation measure in post-stroke rehabilitation. Archives of Gerontology and Geriatrics, 2003, 37, 157-172.	3.0	66
27	Disability-based classification system for older people in integrated long-term care services: The Iso-SMAF profiles. Archives of Gerontology and Geriatrics, 2006, 42, 191-206.	3.0	66
28	Physical health and mental disorder in elderly suicide: A case-control study. Aging and Mental Health, 2005, 9, 576-584.	2.8	65
29	The Minnesota Manual Dexterity Test: Reliability, Validity and Reference Values Studies with Healthy Elderly People. Canadian Journal of Occupational Therapy, 1997, 64, 270-276.	1.3	63
30	Efficacy of a support group programme for care-givers of demented patients in the community: a randomized controlled trial. Archives of Gerontology and Geriatrics, 1994, 18, 1-14.	3.0	61
31	Development and Validation of an Instrument Measuring Individual Empowerment in Relation to Personal Health Care: The Health Care Empowerment Questionnaire (HCEQ). American Journal of Health Promotion, 2006, 20, 429-435.	1.7	60
32	Hand Sensibility of Healthy Older People. Journal of the American Geriatrics Society, 1996, 44, 974-978.	2.6	58
33	Efficacy of supervised Tai Chi exercises versus conventional physical therapy exercises in fall prevention for frail older adults: a randomized controlled trial. Disability and Rehabilitation, 2013, 35, 1429-1435.	1.8	58
34	Meeting the home-care needs of disabled older persons living in the community: does integrated services delivery make a difference?. BMC Geriatrics, 2011, 11, 67.	2.7	52
35	Quasi-experimental Study of the Effectiveness of an Integrated Service Delivery Network for the Frail Elderly. Canadian Journal on Aging, 2004, 23, 229-243.	1.1	51
36	Postural stability in the elderly: empirical confirmation of a theoretical model. Archives of Gerontology and Geriatrics, 2004, 39, 163-177.	3.0	49

#	Article	IF	CITATIONS
37	Monitoring the degree of implementation of an integrated delivery system. International Journal of Integrated Care, 2004, 4, e05.	0.2	45
38	Resources and Costs Associated with Disabilities of Elderly People Living at Home and in Institutions. Canadian Journal on Aging, 2001, 20, 1-22.	1.1	42
39	Frail elderly patients. New model for integrated service delivery. Canadian Family Physician, 2003, 49, 992-7.	0.4	42
40	Validity of the TEMPA: A Measurement Instrument for Upper Extremity Performance. Occupation Participation and Health, 1994, 14, 267-281.	0.9	41
41	Development and Validation of the Health Care Satisfaction Questionnaire (HCSQ) in Elders. Journal of Nursing Measurement, 2006, 14, 190-204.	0.3	41
42	Intrasession reliability of the "center of pressure minus center of mass―variable of postural control in the healthy elderly. Archives of Physical Medicine and Rehabilitation, 2000, 81, 45-48.	0.9	35
43	The effect of supervised Tai Chi intervention compared to a physiotherapy program on fall-related clinical outcomes: a randomized clinical trial. Disability and Rehabilitation, 2012, 34, 196-201.	1.8	35
44	Assisted self-report of health-services use showed excellent reliability in a longitudinal study of older adults. Journal of Clinical Epidemiology, 2007, 60, 1040-1045.	5.0	30
45	Comparison of Cross-Sectional and Longitudinal Designs in the Study of Aging of Upper Extremity Performance. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 1998, 53A, B362-B368.	3.6	29
46	Yearly transitions of disability profiles in older people living at home. Archives of Gerontology and Geriatrics, 2012, 55, 399-405.	3.0	29
47	Isometric grip endurance of healthy elderly men and women. Archives of Gerontology and Geriatrics, 1997, 24, 75-85.	3.0	26
48	Correlates of Suicide in the Older Adult Population in Quebec. Suicide and Life-Threatening Behavior, 2005, 35, 91-105.	1.9	26
49	Outcomes during and after inpatient rehabilitation: Comparison between adults and older adults. Acta Dermato-Venereologica, 2008, 40, 55-60.	1.3	25
50	Economic evaluation of a geriatric day hospital: cost-benefit analysis based on functional autonomy changes. Age and Ageing, 2003, 32, 53-59.	1.6	21
51	Application of a case-mix classification based on the functional autonomy of the residents for funding long-term care facilities. Age and Ageing, 2003, 32, 60-66.	1.6	21
52	The effectiveness of the PRISMA integrated service delivery network: preliminary report on methods and baseline data. International Journal of Integrated Care, 2008, 8, .	0.2	21
53	Evaluation of the Implementation of PRISMA, a Coordinationâ€Type Integrated Service Delivery System for Frail Older People in Québec. Journal of Integrated Care, 2008, 16, 4-14.	0.5	20
54	Normative Data for the Motor-Free Visual Perception Test-Vertical. Physical and Occupational Therapy in Geriatrics, 2001, 19, 39-50.	0.4	19

#	Article	IF	CITATIONS
55	Predisposing and Facilitating Factors of Severe Psychological Distress among Frail Elderly Adults. Canadian Journal on Aging, 2002, 21, 195-204.	1.1	19
56	Relationship between Regulatory Status, Quality of Care, and Three-Year Mortality in Canadian Residential Care Facilities: A Longitudinal Study. Health Services Research, 2002, 37, 1181-1196.	2.0	19
57	Criterion Validity of a New Measure of Self-Actualization. Psychological Reports, 1999, 85, 1167-1176.	1.7	18
58	Motor Free Visual Perceptual Test: Impact of Vertical Answer Cards Position on Performance of Adults with Hemispatial Visual Neglect. Occupation Participation and Health, 1995, 15, 223-236.	0.9	17
59	The individualized service plan as a clinical integration tool: qualitative analysis in the Quebec PRISMA experiment. International Journal of Integrated Care, 2007, 7, e52.	0.2	16
60	Validation study of a social functioning scale: The social-SMAF (social-Functional Autonomy) Tj ETQq0 0 0 rgBT /	Ovgrlock I	.0 T£ 50 542 1
61	A preventive program for community-dwelling elderly at risk of functional decline: a pilot study. Archives of Gerontology and Geriatrics, 2000, 30, 73-84.	3.0	13
62	A Geriatric Day Hospital: Who Improves the Most?. Canadian Journal on Aging, 2004, 23, 217-228.	1.1	12
63	The impact of a support group programme for care-givers on the institutionalisation of demented patients. Archives of Gerontology and Geriatrics, 1995, 20, 129-134.	3.0	11
64	Patterns and predictive factors of loss of the independence trajectory among community-dwelling older adults. BMC Geriatrics, 2021, 21, 142.	2.7	10
65	The effectiveness of the PRISMA integrated service delivery network: preliminary report on methods and baseline data. International Journal of Integrated Care, 2008, 8, e03.	0.2	10
66	Assessing comorbidity in older adults using prescription claims data. Journal of Pharmaceutical Health Services Research, 2010, 1, 157-165.	0.6	8
67	Correlates of the Perceived Need for Institutionalisation among Older Adults without Cognitive Impairment. Gerontology, 2008, 54, 244-251.	2.8	7
68	Home Care: From Adequate Funding to Integration of Services. HealthcarePapers, 2009, 10, 58-64.	0.3	7
69	Public Long-Term Care Insurance: A Way to Ensure Sustainable Continuity of Care for Frail Older People. HealthcarePapers, 2011, 11, 69-75.	0.3	7
70	Survey disability questionnaire does not generate valid accurate data compared to clinical assessment on an older population. Archives of Gerontology and Geriatrics, 2012, 54, e57-e62.	3.0	6
71	Revue et analyse d'instruments de mesure de la performance de la main et du membre supérieur. Canadian Journal of Occupational Therapy, 1991, 58, 67-76.	1.3	5
72	Canada: Application of a Coordinated-Type Integration Model for Vulnerable Older People in Québec: The PRISMA Project. , 2017, , 499-510.		5

5

#	Article	IF	CITATIONS
73	Is there agreement between Canadian older adults and their primary informal caregivers on behaviour towards institutionalisation?. Health and Social Care in the Community, 2009, 17, 610-618.	1.6	4
74	Integrated service delivery networks for seniors: early perceptions of family physicians. Canadian Family Physician, 2005, 51, 1104-5.	0.4	3
75	Identifying Psychosocial Variables for Home Care Services and How to Measure Them. Home Health Care Services Quarterly, 2013, 32, 197-217.	0.7	2
76	Assessing the Impact of Integrated Delivery Systems: Practical Advice from Three Experiments Conducted in Quebec. Journal of Integrated Care, 2008, 16, 9-18.	0.5	1
77	Canada: Application of a Coordinated-Type Integration Model for Vulnerable Older People in Québec: The PRISMA Project. , 2021, , 1075-1087.		0