
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10963007/publications.pdf Version: 2024-02-01



<u> ΡÃΩιελΝ ΗÃΩβερτ</u>

#	Article	IF	CITATIONS
1	Canada: Application of a Coordinated-Type Integration Model for Vulnerable Older People in Québec: The PRISMA Project. , 2021, , 1075-1087.		Ο
2	Patterns and predictive factors of loss of the independence trajectory among community-dwelling older adults. BMC Geriatrics, 2021, 21, 142.	2.7	10
3	Canada: Application of a Coordinated-Type Integration Model for Vulnerable Older People in Québec: The PRISMA Project. , 2017, , 499-510.		5
4	Identifying Psychosocial Variables for Home Care Services and How to Measure Them. Home Health Care Services Quarterly, 2013, 32, 197-217.	0.7	2
5	Efficacy of supervised Tai Chi exercises versus conventional physical therapy exercises in fall prevention for frail older adults: a randomized controlled trial. Disability and Rehabilitation, 2013, 35, 1429-1435.	1.8	58
6	The effect of supervised Tai Chi intervention compared to a physiotherapy program on fall-related clinical outcomes: a randomized clinical trial. Disability and Rehabilitation, 2012, 34, 196-201.	1.8	35
7	Yearly transitions of disability profiles in older people living at home. Archives of Gerontology and Geriatrics, 2012, 55, 399-405.	3.0	29
8	Survey disability questionnaire does not generate valid accurate data compared to clinical assessment on an older population. Archives of Gerontology and Geriatrics, 2012, 54, e57-e62.	3.0	6
9	Meeting the home-care needs of disabled older persons living in the community: does integrated services delivery make a difference?. BMC Geriatrics, 2011, 11, 67.	2.7	52
10	Public Long-Term Care Insurance: A Way to Ensure Sustainable Continuity of Care for Frail Older People. HealthcarePapers, 2011, 11, 69-75.	0.3	7
11	Impact of PRISMA, a Coordination-Type Integrated Service Delivery System for Frail Older People in Quebec (Canada): A Quasi-experimental Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2010, 65B, 107-118.	3.9	158
12	Assessing comorbidity in older adults using prescription claims data. Journal of Pharmaceutical Health Services Research, 2010, 1, 157-165.	0.6	8
13	Is there agreement between Canadian older adults and their primary informal caregivers on behaviour towards institutionalisation?. Health and Social Care in the Community, 2009, 17, 610-618.	1.6	4
14	Validation study of a social functioning scale: The social-SMAF (social-Functional Autonomy) Tj ETQq0 0 0 rgBT	Ovgrlock	10 <u>Tf</u> 50 222 1
15	Home Care: From Adequate Funding to Integration of Services. HealthcarePapers, 2009, 10, 58-64.	0.3	7
16	PRISMA-7: A case-finding tool to identify older adults with moderate to severe disabilities. Archives of Gerontology and Geriatrics, 2008, 47, 9-18.	3.0	188
17	Evaluation of the Implementation of PRISMA, a Coordinationâ€Type Integrated Service Delivery System for Frail Older People in Québec. Journal of Integrated Care, 2008, 16, 4-14.	0.5	20
18	Correlates of the Perceived Need for Institutionalisation among Older Adults without Cognitive Impairment. Gerontology, 2008, 54, 244-251.	2.8	7

#	Article	IF	CITATIONS
19	Assessing the Impact of Integrated Delivery Systems: Practical Advice from Three Experiments Conducted in Quebec. Journal of Integrated Care, 2008, 16, 9-18.	0.5	1
20	Outcomes during and after inpatient rehabilitation: Comparison between adults and older adults. Acta Dermato-Venereologica, 2008, 40, 55-60.	1.3	25
21	The effectiveness of the PRISMA integrated service delivery network: preliminary report on methods and baseline data. International Journal of Integrated Care, 2008, 8, .	0.2	21
22	The effectiveness of the PRISMA integrated service delivery network: preliminary report on methods and baseline data. International Journal of Integrated Care, 2008, 8, e03.	0.2	10
23	Assisted self-report of health-services use showed excellent reliability in a longitudinal study of older adults. Journal of Clinical Epidemiology, 2007, 60, 1040-1045.	5.0	30
24	The individualized service plan as a clinical integration tool: qualitative analysis in the Quebec PRISMA experiment. International Journal of Integrated Care, 2007, 7, e52.	0.2	16
25	Development and Validation of the Health Care Satisfaction Questionnaire (HCSQ) in Elders. Journal of Nursing Measurement, 2006, 14, 190-204.	0.3	41
26	Disability-based classification system for older people in integrated long-term care services: The Iso-SMAF profiles. Archives of Gerontology and Geriatrics, 2006, 42, 191-206.	3.0	66
27	Development and Validation of an Instrument Measuring Individual Empowerment in Relation to Personal Health Care: The Health Care Empowerment Questionnaire (HCEQ). American Journal of Health Promotion, 2006, 20, 429-435.	1.7	60
28	Correlates of Suicide in the Older Adult Population in Quebec. Suicide and Life-Threatening Behavior, 2005, 35, 91-105.	1.9	26
29	Physical health and mental disorder in elderly suicide: A case-control study. Aging and Mental Health, 2005, 9, 576-584.	2.8	65
30	Integrated service delivery networks for seniors: early perceptions of family physicians. Canadian Family Physician, 2005, 51, 1104-5.	0.4	3
31	Postural stability in the elderly: empirical confirmation of a theoretical model. Archives of Gerontology and Geriatrics, 2004, 39, 163-177.	3.0	49
32	Prevalence, Attributes, and Outcomes of Fitness and Frailty in Community-Dwelling Older Adults: Report From the Canadian Study of Health and Aging. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2004, 59, 1310-1317.	3.6	463
33	Intrasession reliability of center of pressure measures of postural steadiness in healthy elderly people11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the authors(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and Rehabilitation, 2004, 85,	0.9	309
34	896-901. Evaluation of postural stability in the elderly with stroke. Archives of Physical Medicine and Rehabilitation, 2004, 85, 1095-1101.	0.9	133
35	Quasi-experimental Study of the Effectiveness of an Integrated Service Delivery Network for the Frail Elderly. Canadian Journal on Aging, 2004, 23, 229-243.	1.1	51
36	A Geriatric Day Hospital: Who Improves the Most?. Canadian Journal on Aging, 2004, 23, 217-228.	1.1	12

#	Article	IF	CITATIONS
37	Monitoring the degree of implementation of an integrated delivery system. International Journal of Integrated Care, 2004, 4, e05.	0.2	45
38	Comparison of two functional independence scales with a participation measure in post-stroke rehabilitation. Archives of Gerontology and Geriatrics, 2003, 37, 157-172.	3.0	66
39	Economic evaluation of a geriatric day hospital: cost-benefit analysis based on functional autonomy changes. Age and Ageing, 2003, 32, 53-59.	1.6	21
40	Application of a case-mix classification based on the functional autonomy of the residents for funding long-term care facilities. Age and Ageing, 2003, 32, 60-66.	1.6	21
41	Efficacy of a Psychoeducative Group Program for Caregivers of Demented Persons Living at Home: A Randomized Controlled Trial. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2003, 58, S58-S67.	3.9	108
42	PRISMA: a new model of integrated service delivery for the frail older people in Canada. International Journal of Integrated Care, 2003, 3, e08.	0.2	112
43	Frail elderly patients. New model for integrated service delivery. Canadian Family Physician, 2003, 49, 992-7.	0.4	42
44	Predisposing and Facilitating Factors of Severe Psychological Distress among Frail Elderly Adults. Canadian Journal on Aging, 2002, 21, 195-204.	1.1	19
45	A Prospective Evaluation of the Charlson Comorbidity Index for Use in Longâ€Term Care Patients. Journal of the American Geriatrics Society, 2002, 50, 740-745.	2.6	78
46	Relationship between Regulatory Status, Quality of Care, and Three-Year Mortality in Canadian Residential Care Facilities: A Longitudinal Study. Health Services Research, 2002, 37, 1181-1196.	2.0	19
47	Postural control in the elderly: An analysis of test-retest and interrater reliability of the COP-COM variable. Archives of Physical Medicine and Rehabilitation, 2001, 82, 80-85.	0.9	103
48	Normative Data for the Motor-Free Visual Perception Test-Vertical. Physical and Occupational Therapy in Geriatrics, 2001, 19, 39-50.	0.4	19
49	Resources and Costs Associated with Disabilities of Elderly People Living at Home and in Institutions. Canadian Journal on Aging, 2001, 20, 1-22.	1.1	42
50	The Incidence of Vascular Dementia in Canada: A Comparison with Europe and East Asia. Neuroepidemiology, 2001, 20, 179-187.	2.3	78
51	Reliability, Validity and Reference Values of the Zarit Burden Interview for Assessing Informal Caregivers of Community-Dwelling Older Persons with Dementia. Canadian Journal on Aging, 2000, 19, 494-507.	1.1	378
52	A preventive program for community-dwelling elderly at risk of functional decline: a pilot study. Archives of Gerontology and Geriatrics, 2000, 30, 73-84.	3.0	13
53	Intrasession reliability of the "center of pressure minus center of mass―variable of postural control in the healthy elderly. Archives of Physical Medicine and Rehabilitation, 2000, 81, 45-48.	0.9	35
54	Factors Associated with Functional Decline and Improvement in a Very Elderly Community-dwelling Population. American Journal of Epidemiology, 1999, 150, 501-510.	3.4	107

#	Article	IF	CITATIONS
55	Criterion Validity of a New Measure of Self-Actualization. Psychological Reports, 1999, 85, 1167-1176.	1.7	18
56	Age-related changes in upper extremity performance of elderly people: a longitudinal study. Experimental Gerontology, 1999, 34, 393-405.	2.8	110
57	A brief clinical instrument to classify frailty in elderly people. Lancet, The, 1999, 353, 205-206.	13.7	763
58	Comparison of Cross-Sectional and Longitudinal Designs in the Study of Aging of Upper Extremity Performance. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 1998, 53A, B362-B368.	3.6	29
59	The Minnesota Manual Dexterity Test: Reliability, Validity and Reference Values Studies with Healthy Elderly People. Canadian Journal of Occupational Therapy, 1997, 64, 270-276.	1.3	63
60	Setting the minimal metrically detectable change on disability rating scales. Archives of Physical Medicine and Rehabilitation, 1997, 78, 1305-1308.	0.9	96
61	Isometric grip endurance of healthy elderly men and women. Archives of Gerontology and Geriatrics, 1997, 24, 75-85.	3.0	26
62	Age- and education-specific reference values for the Mini-Mental and Modified Mini-Mental State Examinations derived from a non-demented elderly population. International Journal of Geriatric Psychiatry, 1997, 12, 1008-1018.	2.7	284
63	Refusal and information bias associated with postal questionnaires and face-to-face interviews in very elderly subjects. Journal of Clinical Epidemiology, 1996, 49, 373-381.	5.0	101
64	Hand Sensibility of Healthy Older People. Journal of the American Geriatrics Society, 1996, 44, 974-978.	2.6	58
65	Epidemiology of Vascular Dementia. Neuroepidemiology, 1995, 14, 240-257.	2.3	204
66	Upper-extremity Motor Co-ordination of Healthy Elderly People. Age and Ageing, 1995, 24, 108-112.	1.6	66
67	Reliability of the Revised Functional Autonomy Measurement System (SMAF) for Epidemiological Research. Age and Ageing, 1995, 24, 402-406.	1.6	174
68	Motor Free Visual Perceptual Test: Impact of Vertical Answer Cards Position on Performance of Adults with Hemispatial Visual Neglect. Occupation Participation and Health, 1995, 15, 223-236.	0.9	17
69	The impact of a support group programme for care-givers on the institutionalisation of demented patients. Archives of Gerontology and Geriatrics, 1995, 20, 129-134.	3.0	11
70	Upper extremity performance test for the elderly (TEMPA): Normative data and correlates with sensorimotor parameters. Archives of Physical Medicine and Rehabilitation, 1995, 76, 1125-1129.	0.9	97
71	Normative Data for Grip Strength of Elderly Men and Women. American Journal of Occupational Therapy, 1995, 49, 637-644.	0.3	219
72	Validation of the Box and Block Test as a measure of dexterity of elderly people: Reliability, validity, and norms studies. Archives of Physical Medicine and Rehabilitation, 1994, 75, 751-755.	0.9	411

#	Article	IF	CITATIONS
73	Validity of the TEMPA: A Measurement Instrument for Upper Extremity Performance. Occupation Participation and Health, 1994, 14, 267-281.	0.9	41
74	Efficacy of a support group programme for care-givers of demented patients in the community: a randomized controlled trial. Archives of Gerontology and Geriatrics, 1994, 18, 1-14.	3.0	61
75	Development and Reliability of an Upper Extremity Function Test for the Elderly: The TEMPA. Canadian Journal of Occupational Therapy, 1993, 60, 9-16.	1.3	101
76	Fidélité de la traduction française de trois instruments d'évaluation des aidants naturels de malades déments. Canadian Journal on Aging, 1993, 12, 324-337.	1.1	73
77	Revue et analyse d'instruments de mesure de la performance de la main et du membre supérieur. Canadian Journal of Occupational Therapy, 1991, 58, 67-76.	1.3	5