

A S Wronski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10963802/publications.pdf>

Version: 2024-02-01

35
papers

430
citations

840776

11
h-index

752698

20
g-index

35
all docs

35
docs citations

35
times ranked

153
citing authors

#	ARTICLE	IF	CITATIONS
1	Compressive failure and kinking in uniaxially aligned glass-resin composite under superposed hydrostatic pressure. <i>Journal of Materials Science</i> , 1982, 17, 3656-3662.	3.7	68
2	Kinking and tensile, compressive and interlaminar shear failure in carbon-fibre-reinforced plastic beams tested in flexure. <i>Journal of Materials Science</i> , 1981, 16, 439-450.	3.7	49
3	Comparison of Strength and Toughness of Wrought and Directly Sintered T6 High-Speed Steel. <i>Powder Metallurgy</i> , 1979, 22, 109-118.	1.7	29
4	Microcrack nucleation, growth, coalescence and propagation in the fatigue failure of a powder metallurgy steel. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2009, 32, 214-222.	3.4	27
5	Tensile properties of Fe-3Mn-0.6/0.7C steels sintered in semiclosed containers in dry hydrogen, nitrogen and mixtures thereof. <i>Powder Metallurgy</i> , 2003, 46, 165-170.	1.7	26
6	Cracking in M2 high speed steel. <i>Metal Science</i> , 1983, 17, 533-540.	0.7	23
7	Strength and toughness of T42 high-speed steel. <i>Metals Technology</i> , 1984, 11, 181-188.	0.3	22
8	Effect of Carbon Additions on Sintering to Full Density of BT1 Grade High Speed Steel. <i>Powder Metallurgy</i> , 1985, 28, 1-6.	1.7	22
9	The Effects of Precompression and Pressurization on the Ductile-Brittle Transition of Polycrystalline Cast Chromium, Molybdenum, and Tungsten. <i>Metal Science J</i> , 1970, 4, 108-113.	0.9	13
10	FRACTURE BEHAVIOUR OF A HIGHLY ALLOYED HIGH SPEED STEEL. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 1995, 18, 1-18.	3.4	13
11	The effect of hydrostatic pressure on transverse strength of glass and carbon fibre-epoxy composites. <i>Journal of Materials Science</i> , 1990, 25, 3162-3166.	3.7	12
12	Microcracking of high-speed-steel tools during cutting. <i>Metals Technology</i> , 1983, 10, 308-314.	0.3	11
13	Optimisation of Processing Parameters for Direct Vacuum Sintering of a T15 High Speed Steel. <i>Powder Metallurgy</i> , 1991, 34, 93-100.	1.7	10
14	Tempered carbides in high-speed steels. <i>Journal of Materials Science Letters</i> , 1982, 1, 318-320.	0.5	9
15	Generation of dislocations by hydrostatic pressure in NaCl monocrystals containing Na ₂ SO ₄ particles. <i>Journal of Materials Science</i> , 1970, 5, 784-789.	3.7	8
16	Fracture of a plasticized epoxide under superposed hydrostatic pressure. <i>Journal of Materials Science</i> , 1982, 17, 2047-2055.	3.7	8
17	Fracture mechanisms and mechanics of an 18-4-1 high speed steel. <i>Journal of Materials Science</i> , 1988, 23, 2213-2219.	3.7	8
18	Mechanical properties distributions of PM manganese steels analysed by Gaussian and Weibull statistics. <i>Powder Metallurgy</i> , 2010, 53, 328-335.	1.7	8

#	ARTICLE	IF	CITATIONS
19	Potential of sintered high speed steels in antifretting applications. Powder Metallurgy, 1999, 42, 63-69.	1.7	7
20	Fracture micromechanics of static subcritical growth and coalescence of microcracks in sintered Fe-1.5Cr-0.2Mo-0.7C steel. Powder Metallurgy, 2006, 49, 363-368.	1.7	7
21	Microstructure evolution in Fe-Mn-C during step sintering. Powder Metallurgy, 2010, 53, 244-250.	1.7	7
22	Liquid phase sintering, heat treatment and properties of ultrahigh carbon steels. Powder Metallurgy, 2011, 54, 592-598.	1.7	7
23	Generation of slip by pressurization of LiF single crystals containing cavities. Philosophical Magazine and Journal, 1974, 29, 1381-1398.	1.7	6
24	Influence of hydrostatic pressure of the flow stress in polycrystalline NaCl. Philosophical Magazine and Journal, 1971, 23, 731-736.	1.7	4
25	Influence of hydrostatic pressure on the microstructure of LiF single crystals containing cavities. Journal of Materials Science, 1972, 7, 1216-1217.	3.7	4
26	Relative Importance of Crack Propagation and Crack Nucleation in the Ductile Fracture of FeCo-2% V. Nature: Physical Science, 1972, 235, 113-114.	0.8	3
27	The influence of pressurization-induced dislocations on the plastic deformation of LiF and NaCl monocrystals. Journal of Materials Science, 1975, 10, 427-435.	3.7	3
28	Comparison of Heat Treatment Response of Wrought and Sintered BT1 Grade High Speed Steel. Powder Metallurgy, 1985, 28, 79-84.	1.7	3
29	Strength, toughness, and stiffness of wrought and directly sintered T6 high-speed steel at 20-600°C. Materials Science and Technology, 1987, 3, 260-267.	1.6	3
30	A Technique for the Measurement of Adhesive Fracture Energy by the Blister Method. Journal of Adhesion, 1992, 37, 251-260.	3.0	3
31	The Propagation of Slip- and Spark-Induced Cracks in Polycrystalline Molybdenum. Metal Science J, 1970, 4, 228-233.	0.9	2
32	The failure of polycrystalline chromium between 657 and 706 K. Journal of Materials Science, 1972, 7, 1217-1221.	3.7	2
33	Strength and toughness of sintered plus forged T1 high speed steel. Journal of Materials Science, 1997, 32, 1799-1807.	3.7	2
34	Joining steels with electrodeposited nickel or copper barrier layers using Cu-P brazes. Science and Technology of Welding and Joining, 1998, 3, 312-316.	3.1	1
35	Design of new selfjigging temperature-time-gap width test specimen. Science and Technology of Welding and Joining, 1997, 2, 59-64.	3.1	0