W Larry Kenney

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/10965762/w-larry-kenney-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65 103 4,427 37 h-index g-index citations papers 5,016 5.85 105 3.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
103	Heat exposure limits for young unacclimatized males and females at low and high humidity Journal of Occupational and Environmental Hygiene, 2022, 1-15	2.9	1
102	Validity and Reliability of a Protocol to Establish Human Critical Environmental Limits (PSU HEAT) <i>Journal of Applied Physiology</i> , 2021 ,	3.7	2
101	Evaluating the 35°C wet-bulb temperature adaptability threshold for young, healthy adults (PSU HEAT) <i>Journal of Applied Physiology</i> , 2021 ,	3.7	4
100	Critical environmental limits for young, healthy adults (PSU HEAT) <i>Journal of Applied Physiology</i> , 2021 ,	3.7	3
99	Hydration Is More Important Than Exogenous Carbohydrate Intake During Push-to-the-Finish Cycle Exercise in the Heat. <i>Frontiers in Sports and Active Living</i> , 2021 , 3, 742710	2.3	1
98	Drinking water salinity is associated with hypertension and hyperdilute urine among Daasanach pastoralists in Northern Kenya. <i>Science of the Total Environment</i> , 2021 , 770, 144667	10.2	7
97	Hydration in relation to water insecurity, heat index, and lactation status in two small-scale populations in hot-humid and hot-arid environments. <i>American Journal of Human Biology</i> , 2021 , 33, e23	447	12
96	Thermoregulatory reflex control of cutaneous vasodilation in healthy aging. <i>Temperature</i> , 2021 , 8, 176-	187	1
95	Temperature regulation during exercise in the heat: Insights for the aging athlete. <i>Journal of Science and Medicine in Sport</i> , 2021 , 24, 739-746	4.4	2
94	Metabolism- and sex-dependent critical WBGT limits at rest and during exercise in the heat. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2021, 321, R295-R30	0 3 .2	3
93	Cross-cultural variation in thirst perception in hot-humid and hot-arid environments: Evidence from two small-scale populations <i>American Journal of Human Biology</i> , 2021 , e23715	2.7	O
92	Examining "race" in physiology. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020 , 319, H1409-H1413	5.2	7
91	Healthy active older adults have enhanced K channel-dependent endothelial vasodilatory mechanisms. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020 , 319, R19-R25	3.2	3
90	Hydration Efficacy of a Milk Permeate-Based Oral Hydration Solution. Nutrients, 2020, 12,	6.7	4
89	Psychrometric limits and critical evaporative coefficients for exercising older women. <i>Journal of Applied Physiology</i> , 2020 , 129, 263-271	3.7	5
88	Historical reviews of the assessment of human cardiovascular function: interrogation and understanding of the control of skin blood flow. <i>European Journal of Applied Physiology</i> , 2020 , 120, 1-16	₅ 3.4	20
87	Cognitive performance in relation to hydration status and water intake among older adults, NHANES 2011-2014. <i>European Journal of Nutrition</i> , 2020 , 59, 3133-3148	5.2	7

(2017-2020)

86	Four weeks of vitamin D supplementation improves nitric oxide-mediated microvascular function in college-aged African Americans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020 , 319, H906-H914	5.2	14	
85	Controlled Feeding of an 8-d, High-Dairy Cheese Diet Prevents Sodium-Induced Endothelial Dysfunction in the Cutaneous Microcirculation of Healthy, Older Adults through Reductions in Superoxide. <i>Journal of Nutrition</i> , 2020 , 150, 55-63	4.1	5	
84	A randomized trial to assess beverage hydration index in healthy older adults. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1640-1647	7	6	
83	Sunscreen or simulated sweat minimizes the impact of acute ultraviolet radiation on cutaneous microvascular function in healthy humans. <i>Experimental Physiology</i> , 2019 , 104, 1136-1146	2.4	7	
82	Age-related differences in water and sodium handling after commercial hydration beverage ingestion. <i>Journal of Applied Physiology</i> , 2019 , 126, 1042-1048	3.7	4	
81	Chronic statin therapy is associated with enhanced cutaneous vascular responsiveness to sympathetic outflow during passive heat stress. <i>Journal of Physiology</i> , 2019 , 597, 4743-4755	3.9	2	
80	The vitamin D-folate hypothesis in human vascular health. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2019 , 317, R491-R501	3.2	7	
79	Age-Related Differences in Water and Sodium Handling Following Commercial Hydration Beverage Ingestion. <i>FASEB Journal</i> , 2019 , 33, 851.1	0.9		
78	Skin Erythema and Blood Flow Responses to Acute Ultraviolet Radiation Exposure. <i>FASEB Journal</i> , 2019 , 33, 541.1	0.9	O	
77	Interdisciplinary Perspectives on Sun Safety. <i>JAMA Dermatology</i> , 2018 , 154, 88-92	5.1	23	
76	Acute ultraviolet radiation exposure attenuates nitric oxide-mediated vasodilation in the cutaneous microvasculature of healthy humans. <i>Journal of Applied Physiology</i> , 2018 ,	3.7	7	
75	Ingestion of transient receptor potential channel agonists attenuates exercise-induced muscle cramps. <i>Muscle and Nerve</i> , 2017 , 56, 379-385	3.4	11	
74	Folic acid supplementation increases cutaneous vasodilator sensitivity to sympathetic nerve activity in older adults. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017 , 312, R681-R688	3.2	7	
73	Neurovascular mechanisms underlying augmented cold-induced reflex cutaneous vasoconstriction in human hypertension. <i>Journal of Physiology</i> , 2017 , 595, 1687-1698	3.9	25	
72	Role of folic acid in nitric oxide bioavailability and vascular endothelial function. <i>Nutrition Reviews</i> , 2017 , 75, 61-70	6.4	73	
71	National Athletic TrainersUAssociation Position Statement: Fluid Replacement for the Physically Active. <i>Journal of Athletic Training</i> , 2017 , 52, 877-895	4	158	
7º	Sympathetic function during whole body cooling is altered in hypertensive adults. <i>Journal of Applied Physiology</i> , 2017 , 123, 1617-1624	3.7	13	
69	Measuring and quantifying skin sympathetic nervous system activity in humans. <i>Journal of Neurophysiology</i> , 2017 , 118, 2181-2193	3.2	14	

68	Edward F. Adolph Distinguished Lecture: Skin-deep insights into vascular aging. <i>Journal of Applied Physiology</i> , 2017 , 123, 1024-1038	3.7	23
67	Blunted increases in skin sympathetic nerve activity are related to attenuated reflex vasodilation in aged human skin. <i>Journal of Applied Physiology</i> , 2016 , 121, 1354-1362	3.7	14
66	Sympathetic regulation during thermal stress in human aging and disease. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2016 , 196, 81-90	2.4	42
65	Acute dairy milk ingestion does not improve nitric oxide-dependent vasodilation in the cutaneous microcirculation. <i>British Journal of Nutrition</i> , 2016 , 116, 204-10	3.6	8
64	Dairy cheese consumption ameliorates single-meal sodium-induced cutaneous microvascular dysfunction by reducing ascorbate-sensitive oxidants in healthy older adults. <i>British Journal of Nutrition</i> , 2016 , 116, 658-65	3.6	7
63	Sympathetic control of reflex cutaneous vasoconstriction in human aging. <i>Journal of Applied Physiology</i> , 2015 , 119, 771-82	3.7	19
62	Determinants of water and sodium intake and output. <i>Nutrition Reviews</i> , 2015 , 73 Suppl 2, 73-82	6.4	42
61	Folic acid supplementation improves microvascular function in older adults through nitric oxide-dependent mechanisms. <i>Clinical Science</i> , 2015 , 129, 159-67	6.5	42
60	Impairments in central cardiovascular function contribute to attenuated reflex vasodilation in aged skin. <i>Journal of Applied Physiology</i> , 2015 , 119, 1411-20	3.7	16
59	Lack of limb or sex differences in the cutaneous vascular responses to exogenous norepinephrine. <i>Journal of Applied Physiology</i> , 2014 , 117, 1417-23	3.7	21
58	Sex- and limb-specific differences in the nitric oxide-dependent cutaneous vasodilation in response to local heating. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014 , 307, R914-9	3.2	28
57	Muscle sympathetic nerve activity during cold stress and isometric exercise in healthy older adults. <i>Journal of Applied Physiology</i> , 2014 , 117, 648-57	3.7	23
56	Heat waves, aging, and human cardiovascular health. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 1891-9	1.2	136
55	Blood pressure regulation III: what happens when one system must serve two masters: temperature and pressure regulation?. <i>European Journal of Applied Physiology</i> , 2014 , 114, 467-79	3.4	37
54	Cutaneous microvascular dysfunction correlates with serum LDL and sLOX-1 receptor concentrations. <i>Microvascular Research</i> , 2013 , 85, 112-7	3.7	15
53	Oral sapropterin acutely augments reflex vasodilation in aged human skin through nitric oxide-dependent mechanisms. <i>Journal of Applied Physiology</i> , 2013 , 115, 972-8	3.7	27
52	Nonuniform, age-related decrements in regional sweating and skin blood flow. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013 , 305, R877-85	3.2	51
51	Regional relation between skin blood flow and sweating to passive heating and local administration of acetylcholine in young, healthy humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013 , 304, R566-73	3.2	32

(2009-2013)

50	Acute oral sapropterin (Kuvan) augments NO-dependent reflex vasodilation in aged human skin. <i>FASEB Journal</i> , 2013 , 27, 1133.12	0.9	
49	Characterization of the cutaneous blood flow-local temperature response through its entire range. <i>FASEB Journal</i> , 2013 , 27, 1133.14	0.9	
48	Non-Uniform Age-Related Decrements in Regional Sweating and Skin Blood Flow. <i>FASEB Journal</i> , 2013 , 27, 1133.11	0.9	
47	Local tetrahydrobiopterin administration augments reflex cutaneous vasodilation through nitric oxide-dependent mechanisms in aged human skin. <i>Journal of Applied Physiology</i> , 2012 , 112, 791-7	3.7	59
46	Endothelial nitric oxide synthase mediates cutaneous vasodilation during local heating and is attenuated in middle-aged human skin. <i>Journal of Applied Physiology</i> , 2012 , 112, 2019-26	3.7	90
45	Oral atorvastatin therapy increases nitric oxide-dependent cutaneous vasodilation in humans by decreasing ascorbate-sensitive oxidants. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011 , 301, R763-8	3.2	20
44	Oral atorvastatin therapy restores cutaneous microvascular function by decreasing arginase activity in hypercholesterolaemic humans. <i>Journal of Physiology</i> , 2011 , 589, 2093-103	3.9	54
43	Acute localized administration of tetrahydrobiopterin and chronic systemic atorvastatin treatment restore cutaneous microvascular function in hypercholesterolaemic humans. <i>Journal of Physiology</i> , 2011 , 589, 4787-97	3.9	32
42	Changes in the control of skin blood flow with exercise training: where do cutaneous vascular adaptations fit in?. <i>Experimental Physiology</i> , 2011 , 96, 822-8	2.4	75
41	Local tetrahydrobiopterin supplementation augments reflex cutaneous vasodilaton in aged human skin. <i>FASEB Journal</i> , 2011 , 25, 1053.21	0.9	
40	Aging and the control of human skin blood flow. Frontiers in Bioscience - Landmark, 2010 , 15, 718-39	2.8	74
39	Systemic low-dose aspirin and clopidogrel independently attenuate reflex cutaneous vasodilation in middle-aged humans. <i>Journal of Applied Physiology</i> , 2010 , 108, 1575-81	3.7	19
38	Peripheral mechanisms of thermoregulatory control of skin blood flow in aged humans. <i>Journal of Applied Physiology</i> , 2010 , 109, 1538-44	3.7	91
37	Localized tyrosine or tetrahydrobiopterin supplementation augments vasoconstriction in aged human skin. <i>FASEB Journal</i> , 2010 , 24, 991.26	0.9	
36	Tetrahydrobiopterin does not affect end-organ responsiveness to norepinephrine-mediated vasoconstriction in aged skin. <i>FASEB Journal</i> , 2010 , 24, lb634	0.9	
35	Chronic low-dose aspirin therapy attenuates reflex cutaneous vasodilation in middle-aged humans. <i>Journal of Applied Physiology</i> , 2009 , 106, 500-5	3.7	27
34	Ketorolac alters blood flow during normothermia but not during hyperthermia in middle-aged human skin. <i>Journal of Applied Physiology</i> , 2009 , 107, 1121-7	3.7	28
33	Change in body mass accurately and reliably predicts change in body water after endurance exercise. European Journal of Applied Physiology, 2009, 105, 959-67	3.4	73

32	Rho-kinase mediated vasoconstriction is upregulated in aged skin. FASEB Journal, 2009, 23, 777.2	0.9	
31	Human cardiovascular responses to passive heat stress. <i>Journal of Physiology</i> , 2008 , 586, 3	3.9	6
30	The human cutaneous circulation as a model of generalized microvascular function. <i>Journal of Applied Physiology</i> , 2008 , 105, 370-2	3.7	322
29	Commentary on Viewpoint: The human cutaneous circulation as a model of generalized microvascular function. <i>Journal of Applied Physiology</i> , 2008 , 105, 389-389	3.7	2
28	Rho kinase-mediated local cold-induced cutaneous vasoconstriction is augmented in aged human skin. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 293, H30-6	5.2	44
27	Up-regulation of arginase activity contributes to attenuated reflex cutaneous vasodilatation in hypertensive humans. <i>Journal of Physiology</i> , 2007 , 581, 863-72	3.9	92
26	Local ascorbate administration augments NO- and non-NO-dependent reflex cutaneous vasodilation in hypertensive humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 293, H1090-6	5.2	77
25	Altered mechanisms of vasodilation in aged human skin. <i>Exercise and Sport Sciences Reviews</i> , 2007 , 35, 119-25	6.7	42
24	Progressive dehydration causes a progressive decline in basketball skill performance. <i>Medicine and Science in Sports and Exercise</i> , 2007 , 39, 1114-23	1.2	84
23	Rho kinase-mediated cold-induced vasoconstriction is augmented in aged skin. <i>FASEB Journal</i> , 2007 , 21, A1298	0.9	
22	Acute ascorbate supplementation alone or combined with arginase inhibition augments reflex cutaneous vasodilation in aged human skin. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 291, H2965-70	5.2	71
21	Two percent dehydration impairs and six percent carbohydrate drink improves boys basketball skills. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 1650-8	1.2	86
20	L-Arginine supplementation or arginase inhibition augments reflex cutaneous vasodilatation in aged human skin. <i>Journal of Physiology</i> , 2006 , 574, 573-81	3.9	96
19	Sex differences in voluntary fluid intake by older adults during exercise. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, 789-96	1.2	47
18	Attenuated noradrenergic sensitivity during local cooling in aged human skin. <i>Journal of Physiology</i> , 2005 , 564, 313-9	3.9	37
17	Mechanisms of acetylcholine-mediated vasodilatation in young and aged human skin. <i>Journal of Physiology</i> , 2005 , 563, 965-73	3.9	168
16	Cutaneous vasoconstrictor responses to norepinephrine are attenuated in older humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005 , 288, R1108-13	3.2	48
15	Extremes of human heat tolerance: life at the precipice of thermoregulatory failure. <i>Journal of Thermal Biology</i> , 2004 , 29, 479-485	2.9	35

LIST OF PUBLICATIONS

14	Invited review: aging and human temperature regulation. Journal of Applied Physiology, 2003, 95, 2598	-69. 3	304
13	Age-specific modification of local cutaneous vasodilation by capsaicin-sensitive primary afferents. <i>Journal of Applied Physiology</i> , 2003 , 95, 1016-24	3.7	17
12	Nitric oxide and attenuated reflex cutaneous vasodilation in aged skin. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003 , 284, H1662-7	5.2	111
11	Delayed distribution of active vasodilation and altered vascular conductance in aged skin. <i>Journal of Applied Physiology</i> , 2003 , 94, 1045-53	3.7	34
10	Psychrometric limits and critical evaporative coefficients for unacclimated men and women. <i>Journal of Applied Physiology</i> , 2002 , 92, 2256-63	3.7	28
9	Decreased nitric oxide- and axon reflex-mediated cutaneous vasodilation with age during local heating. <i>Journal of Applied Physiology</i> , 2002 , 93, 1644-9	3.7	203
8	Heat balance limits in football uniforms how different uniform ensembles alter the equation. <i>Physician and Sportsmedicine</i> , 2002 , 30, 29-39	2.4	52
7	Influence of age on thirst and fluid intake. <i>Medicine and Science in Sports and Exercise</i> , 2001 , 33, 1524-3	2 1.2	234
6	Effects of hormone replacement therapy on hemodynamic responses of postmenopausal women to passive heating. <i>Journal of Applied Physiology</i> , 2000 , 89, 97-103	3.7	11
5	Aerobic training and cutaneous vasodilation in young and older men. <i>Journal of Applied Physiology</i> , 1999 , 86, 1676-86	3.7	53
4	Age, splanchnic vasoconstriction, and heat stress during tilting. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1999 , 276, R203-12	3.2	63
3	Exercise- and methylcholine-induced sweating responses in older and younger men: effect of heat acclimation and aerobic fitness. <i>International Journal of Biometeorology</i> , 1999 , 42, 210-6	3.7	112
2	Age alters the cardiovascular response to direct passive heating. <i>Journal of Applied Physiology</i> , 1998 , 84, 1323-32	3.7	184
1	Control of heat-induced cutaneous vasodilatation in relation to age. European Journal of Applied Physiology and Occupational Physiology, 1988, 57, 120-5		81