Sarah L Appleton

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1097371/sarah-l-appleton-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,763 41 73 21 h-index g-index citations papers 81 2,217 4.5 4.59 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|----|---|------------------|-----------|
| 73 | The association between sleep microarchitecture and cognitive function in middle-aged and older men: a community-based cohort study <i>Journal of Clinical Sleep Medicine</i> , 2022 , | 3.1 | 1 |
| 72 | The association of co-morbid insomnia and sleep apnea with prevalent cardiovascular disease and incident cardiovascular events <i>Journal of Sleep Research</i> , 2022 , e13563 | 5.8 | 0 |
| 71 | Shift work disorder and the prevalence of help seeking behaviors for sleep concerns in Australia: A descriptive study <i>Chronobiology International</i> , 2022 , 1-11 | 3.6 | O |
| 70 | A novel EEG marker predicts perceived SLEEPINESS AND poor sleep quality Sleep, 2022, | 1.1 | 1 |
| 69 | Insomnia Prevalence Varies with Symptom Criteria Used with Implications for Epidemiological Studies: Role of Anthropometrics, Sleep Habit, and Comorbidities <i>Nature and Science of Sleep</i> , 2022 , 14, 775-790 | 3.6 | O |
| 68 | 0205 Sleep Need: More Influential on Health and Daytime Function than Sleep Duration?. <i>Sleep</i> , 2022 , 45, A94-A94 | 1.1 | |
| 67 | Who is Son-callSin Australia? A new classification approach for on-call employment in future population-level studies. <i>PLoS ONE</i> , 2021 , 16, e0259035 | 3.7 | O |
| 66 | Co-morbid insomnia and obstructive sleep apnoea is associated with all-cause mortality. <i>European Respiratory Journal</i> , 2021 , | 13.6 | 2 |
| 65 | The positive association between serum uric acid, impaired fasting glucose, impaired glucose tolerance, and diabetes mellitus in the ELSA-Brasil study. <i>Cadernos De Saude Publica</i> , 2021 , 37, e00255 | 920 ² | |
| 64 | Multidimensional sleep health is associated with mental well-being in Australian adults. <i>Journal of Sleep Research</i> , 2021 , e13477 | 5.8 | 3 |
| 63 | A Novel EEG Derived Measure of Disrupted Delta Wave Activity during Sleep Predicts All-Cause Mortality Risk. <i>Annals of the American Thoracic Society</i> , 2021 , | 4.7 | 1 |
| 62 | The Association of Obstructive Sleep Apnea and Nocturnal Hypoxemia with Lipid Profiles in a Population-Based Study of Community-Dwelling Australian Men. <i>Nature and Science of Sleep</i> , 2021 , 13, 1771-1782 | 3.6 | 2 |
| 61 | Predicting Australian Adults at High Risk of Cardiovascular Disease Mortality Using Standard Risk Factors and Machine Learning. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 3 |
| 60 | Sleep macroarchitecture but not obstructive sleep apnea is independently associated with cognitive function in only older men of a population-based cohort. <i>Journal of Sleep Research</i> , 2021 , 30, e13370 | 5.8 | 1 |
| 59 | Prevalence of Probable Shift Work Disorder in Non-Standard Work Schedules and Associations with Sleep, Health and Safety Outcomes: A Cross-Sectional Analysis. <i>Nature and Science of Sleep</i> , 2021 , 13, 683-693 | 3.6 | 4 |
| 58 | Prevalence and associations of co-morbid insomnia and sleep apnoea in an Australian population-based sample. <i>Sleep Medicine</i> , 2021 , 82, 9-17 | 4.6 | 14 |
| 57 | Sleep Duration Moderates the Relationship Between Perceived Work-Life Interference and Depressive Symptoms in Australian Men and Women from the North West Adelaide Health Study. <i>International Journal of Behavioral Medicine</i> , 2021 , 28, 29-38 | 2.6 | 2 |

| 56 | Sleep disorders and gout in Australian adults. BMC Rheumatology, 2021, 5, 30 | 2.9 | О |
|----|---|------|----|
| 55 | Waking to use technology at night, and associations with driving and work outcomes: a screenshot of Australian adults. <i>Sleep</i> , 2020 , 43, | 1.1 | 10 |
| 54 | Obstructive sleep apnea is not an independent determinant of testosterone in men. <i>European Journal of Endocrinology</i> , 2020 , 183, 31-39 | 6.5 | 5 |
| 53 | Concussion assessment tools - A possible measure of sleepiness?. Sleep Medicine, 2020 , 66, 259 | 4.6 | |
| 52 | Associations of OSA and Nocturnal Hypoxemia with Strength and Body Composition in Community Dwelling Middle Aged and Older Men. <i>Nature and Science of Sleep</i> , 2020 , 12, 959-968 | 3.6 | 0 |
| 51 | Association of metabolic phenotypes, grip strength and diabetes risk: The 15-year follow-up of The North West Adelaide Health Study, Australia. <i>Obesity Research and Clinical Practice</i> , 2020 , 14, 536-541 | 5.4 | 2 |
| 50 | Association Between Childhood Behavioral Problems and Insomnia Symptoms in Adulthood. <i>JAMA Network Open</i> , 2019 , 2, e1910861 | 10.4 | 1 |
| 49 | Making errors at work due to sleepiness or sleep problems is not confined to non-standard work hours: results of the 2016 Sleep Health Foundation national survey. <i>Chronobiology International</i> , 2019 , 36, 758-769 | 3.6 | 12 |
| 48 | Quantitative electroencephalography measures in rapid eye movement and nonrapid eye movement sleep are associated with apnea-hypopnea index and nocturnal hypoxemia in men. <i>Sleep</i> , 2019 , 42, | 1.1 | 18 |
| 47 | Association between Macronutrient Intake and Excessive Daytime Sleepiness: An Iso-Caloric Substitution Analysis from the North West Adelaide Health Study. <i>Nutrients</i> , 2019 , 11, | 6.7 | 6 |
| 46 | Sociodemographic, lifestyle and metabolic predictors of all-cause mortality in a cohort of community-dwelling population: an 18-year follow-up of the North West Adelaide Health Study. BMJ Open, 2019 , 9, e030079 | 3 | 1 |
| 45 | Trends of mortality attributable to child and maternal undernutrition, overweight/obesity and dietary risk factors of non-communicable diseases in sub-Saharan Africa, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>Public Health Nutrition</i> , 2019 , 22, 827-840 | 3.3 | 7 |
| 44 | Prevalence and comorbidity of sleep conditions in Australian adults: 2016 Sleep Health Foundation national survey. <i>Sleep Health</i> , 2018 , 4, 13-19 | 4 | 46 |
| 43 | Suitability of the Epworth Sleepiness Scale (ESS) for Economic Evaluation: An Assessment of Its Convergent and Discriminant Validity. <i>Behavioral Sleep Medicine</i> , 2018 , 16, 448-470 | 4.2 | 1 |
| 42 | International Prostate Symptom Score Should Be Considered a Complement Rather Than a Substitute to Generic Preference-Based Measures for Measuring Lower Urinary Tract Symptoms Within Economic Evaluation. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2018 , 10, 45-56 | 1.9 | 1 |
| 41 | Early life exposure to Chinese famine modifies the association between hypertension and cardiovascular disease. <i>Journal of Hypertension</i> , 2018 , 36, 54-60 | 1.9 | 41 |
| 40 | Influence of Gender on Associations of Obstructive Sleep Apnea Symptoms with Chronic Conditions and Quality of Life. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15, | 4.6 | 17 |
| 39 | Sociodemographic and behavioural correlates of social jetlag in Australian adults: results from the 2016 National Sleep Health Foundation Study. <i>Sleep Medicine</i> , 2018 , 51, 133-139 | 4.6 | 16 |

| 38 | Incidence, prevalence, mortality, disability-adjusted life years and risk factors of cancer in Australia and comparison with OECD countries, 1990-2015: findings from the Global Burden of Disease Study 2015. <i>Cancer Epidemiology</i> , 2018 , 52, 43-54 | 2.8 | 21 |
|----|---|------|-----|
| 37 | Magnesium Intake and Sleep Disorder Symptoms: Findings from the Jiangsu Nutrition Study of Chinese Adults at Five-Year Follow-Up. <i>Nutrients</i> , 2018 , 10, | 6.7 | 14 |
| 36 | Nutrient patterns and chronic inflammation in a cohort of community dwelling middle-aged men. <i>Clinical Nutrition</i> , 2017 , 36, 1040-1047 | 5.9 | 19 |
| 35 | Sleep health of Australian adults in 2016: results of the 2016 Sleep Health Foundation national survey. <i>Sleep Health</i> , 2017 , 3, 35-42 | 4 | 150 |
| 34 | Co-morbid OSA and insomnia increases depression prevalence and severity in men. <i>Respirology</i> , 2017 , 22, 1407-1415 | 3.6 | 33 |
| 33 | SSRI antidepressant use potentiates weight gain in the context of unhealthy lifestyles: results from a 4-year Australian follow-up study. <i>BMJ Open</i> , 2017 , 7, e016224 | 3 | 11 |
| 32 | Erectile dysfunction is independently associated with apnea-hypopnea index and oxygen desaturation index in elderly, but not younger, community-dwelling men. <i>Sleep Health</i> , 2017 , 3, 250-256 | 54 | 4 |
| 31 | Sickness absenteeism is associated with sleep problems independent of sleep disorders: results of the 2016 Sleep Health Foundation national survey. <i>Sleep Health</i> , 2017 , 3, 357-361 | 4 | 19 |
| 30 | Association of Musculoskeletal Joint Pain With Obstructive Sleep Apnea, Daytime Sleepiness, and Poor Sleep Quality in Men. <i>Arthritis Care and Research</i> , 2017 , 69, 742-747 | 4.7 | 13 |
| 29 | Associations of Undiagnosed Obstructive Sleep Apnea and Excessive Daytime Sleepiness With Depression: An Australian Population Study. <i>Journal of Clinical Sleep Medicine</i> , 2017 , 13, 575-582 | 3.1 | 14 |
| 28 | Prospective Associations of Dietary and Nutrient Patterns with Fracture Risk: A 20-Year Follow-Up Study. <i>Nutrients</i> , 2017 , 9, | 6.7 | 11 |
| 27 | Chronic Kidney Disease and Sleep Apnea Association of Kidney Disease With Obstructive Sleep Apnea in a Population Study of Men. <i>Sleep</i> , 2017 , 40, | 1.1 | 23 |
| 26 | Nocturia, Other Lower Urinary Tract Symptoms and Sleep Dysfunction in a Community-Dwelling Cohort of Men. <i>Urology</i> , 2016 , 97, 219-226 | 1.6 | 15 |
| 25 | Lung function reductions associated with motor vehicle density in chronic obstructive pulmonary disease: a cross-sectional study. <i>Respiratory Research</i> , 2016 , 17, 138 | 7.3 | 3 |
| 24 | The association of obstructive sleep apnea (OSA) and nocturnal hypoxemia with the development of abnormal HbA1c in a population cohort of men without diabetes. <i>Diabetes Research and Clinical Practice</i> , 2016 , 114, 151-9 | 7.4 | 11 |
| 23 | Hypertension Is Associated With Undiagnosed OSA During Rapid Eye Movement Sleep. <i>Chest</i> , 2016 , 150, 495-505 | 5.3 | 72 |
| 22 | Association of daytime sleepiness with obstructive sleep apnoea and comorbidities varies by sleepiness definition in a population cohort of men. <i>Respirology</i> , 2016 , 21, 1314-21 | 3.6 | 27 |
| 21 | Muscle grip strength predicts incident type 2 diabetes: Population-based cohort study. <i>Metabolism:</i> Clinical and Experimental, 2016 , 65, 883-92 | 12.7 | 64 |

(2005-2016)

| 20 | Are the ICSD-3 criteria for sleep apnoea syndrome too inclusive?. <i>Lancet Respiratory Medicine,the</i> , 2016 , 4, e19-20 | 35.1 | 25 |
|---|---|----------------------------------|--|
| 19 | Dinner fat intake and sleep duration and self-reported sleep parameters over five years: Findings from the Jiangsu Nutrition Study of Chinese adults. <i>Nutrition</i> , 2016 , 32, 970-4 | 4.8 | 12 |
| 18 | Undiagnosed obstructive sleep apnea is independently associated with reductions in quality of life in middle-aged, but not elderly men of a population cohort. <i>Sleep and Breathing</i> , 2015 , 19, 1309-16 | 3.1 | 38 |
| 17 | Functional health literacy is significantly associated with risk factors for stroke in a population sample. <i>International Journal of Stroke</i> , 2015 , 10, E23 | 6.3 | 3 |
| 16 | An anthropometric prediction equation for appendicular skeletal muscle mass in combination with a measure of muscle function to screen for sarcopenia in primary and aged care. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 25-30 | 5.9 | 34 |
| 15 | Nocturnal Hypoxemia and Severe Obstructive Sleep Apnea are Associated with Incident Type 2 Diabetes in a Population Cohort of Men. <i>Journal of Clinical Sleep Medicine</i> , 2015 , 11, 609-14 | 3.1 | 38 |
| 14 | The relationship between functional health literacy and obstructive sleep apnea and its related risk factors and comorbidities in a population cohort of men. <i>Sleep</i> , 2014 , 37, 571-8 | 1.1 | 20 |
| 13 | The impact of low muscle mass definition on the prevalence of sarcopenia in older Australians. <i>BioMed Research International</i> , 2014 , 2014, 361790 | 3 | 19 |
| 12 | Weighting of the data and analytical approaches may account for differences in overcoming the inadequate representativeness of the respondents to the third wave of a cohort study. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 461-4 | 5.7 | 9 |
| 11 | Diabetes and cardiovascular disease outcomes in the metabolically healthy obese phenotype: a cohort study. <i>Diabetes Care</i> , 2013 , 36, 2388-94 | 14.6 | 305 |
| | Risks associated with low functional health literacy in an Australian population. <i>Medical Journal of</i> | | 91 |
| 10 | Australia, 2009 , 191, 530-4 | 4 | |
| 9 | | 8 | 34 |
| | Australia, 2009, 191, 530-4 Independent association of HbA(1c) and incident cardiovascular disease in people without diabetes. | | |
| 9 | Australia, 2009, 191, 530-4 Independent association of HbA(1c) and incident cardiovascular disease in people without diabetes. Obesity, 2009, 17, 559-63 Cardiovascular disease risk associated with asthma and respiratory morbidity might be mediated by | 8 | 34 |
| 9 | Australia, 2009, 191, 530-4 Independent association of HbA(1c) and incident cardiovascular disease in people without diabetes. Obesity, 2009, 17, 559-63 Cardiovascular disease risk associated with asthma and respiratory morbidity might be mediated by short-acting beta2-agonists. Journal of Allergy and Clinical Immunology, 2009, 123, 124-130.e1 Inadequate health literacy is associated with increased asthma morbidity in a population sample. | 8 | 34 |
| 9 8 7 | Independent association of HbA(1c) and incident cardiovascular disease in people without diabetes. Obesity, 2009, 17, 559-63 Cardiovascular disease risk associated with asthma and respiratory morbidity might be mediated by short-acting beta2-agonists. Journal of Allergy and Clinical Immunology, 2009, 123, 124-130.e1 Inadequate health literacy is associated with increased asthma morbidity in a population sample. Journal of Allergy and Clinical Immunology, 2009, 124, 601-3 Asthma is associated with cardiovascular disease in a representative population sample. Obesity | 8 11.5 11.5 | 34 28 32 |
| 9 8 7 6 | Independent association of HbA(1c) and incident cardiovascular disease in people without diabetes. Obesity, 2009, 17, 559-63 Cardiovascular disease risk associated with asthma and respiratory morbidity might be mediated by short-acting beta2-agonists. Journal of Allergy and Clinical Immunology, 2009, 123, 124-130.e1 Inadequate health literacy is associated with increased asthma morbidity in a population sample. Journal of Allergy and Clinical Immunology, 2009, 124, 601-3 Asthma is associated with cardiovascular disease in a representative population sample. Obesity Research and Clinical Practice, 2008, 2, 71-142 Central obesity is associated with nonatopic but not atopic asthma in a representative population | 8 11.5 11.5 | 34 28 32 16 |
| 98765 | Independent association of HbA(1c) and incident cardiovascular disease in people without diabetes. Obesity, 2009, 17, 559-63 Cardiovascular disease risk associated with asthma and respiratory morbidity might be mediated by short-acting beta2-agonists. Journal of Allergy and Clinical Immunology, 2009, 123, 124-130.e1 Inadequate health literacy is associated with increased asthma morbidity in a population sample. Journal of Allergy and Clinical Immunology, 2009, 124, 601-3 Asthma is associated with cardiovascular disease in a representative population sample. Obesity Research and Clinical Practice, 2008, 2, 71-142 Central obesity is associated with nonatopic but not atopic asthma in a representative population sample. Journal of Allergy and Clinical Immunology, 2006, 118, 1284-91 How valid are self-reported height and weight? A comparison between CATI self-report and clinic measurements using a large cohort study. Australian and New Zealand Journal of Public Health, | 8 11.5 11.5 5.4 11.5 | 3428321699 |

Difficulties identifying and targeting COPD and population-attributable risk of smoking for COPD: a population study. *Chest*, **2005**, 128, 2035-42

5.3 31

Sustained improvements in dyspnea and pulmonary function 3 to 5 years after lung volume reduction surgery. *Chest*, **2003**, 123, 1838-46

5.3 20