

# Fatiha Tabet

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10975552/publications.pdf>

Version: 2024-02-01

33  
papers

2,909  
citations

304368

22  
h-index

433756

31  
g-index

33  
all docs

33  
docs citations

33  
times ranked

3980  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lipoprotein (a) and the risk of elevated depressive symptoms: The Multi-Ethnic Study of Atherosclerosis. <i>Journal of Psychiatric Research</i> , 2021, 133, 119-124.	1.5	3
2	High density lipoprotein-associated miRNA is increased following Roux-en-Y gastric bypass surgery for severe obesity. <i>Journal of Lipid Research</i> , 2021, 62, 100043.	2.0	12
3	Lipoprotein (a) and coronary artery calcification: prospective study assessing interactions with other risk factors. <i>Metabolism: Clinical and Experimental</i> , 2021, 116, 154706.	1.5	24
4	microRNA-367-3p regulation of GPRC5A is suppressed in ischemic stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2020, 40, 1300-1315.	2.4	12
5	High-density lipoproteins induce miR-223 <sup>3p</sup> biogenesis and export from myeloid cells: Role of scavenger receptor BI-mediated lipid transfer. <i>Atherosclerosis</i> , 2019, 286, 20-29.	0.4	22
6	Biology, pathophysiology and current therapies that affect lipoprotein (a) levels. <i>Journal of Molecular and Cellular Cardiology</i> , 2019, 131, 1-11.	0.9	24
7	Apolipoprotein A <sup>1</sup> improves pancreatic $\beta$ -cell function independent of the ATP-binding cassette transporters ABCA1 and ABCG1. <i>FASEB Journal</i> , 2019, 33, 8479-8489.	0.2	17
8	Apolipoprotein A-I enhances insulin-dependent and insulin-independent glucose uptake by skeletal muscle. <i>Scientific Reports</i> , 2019, 9, 1350.	1.6	40
9	Transcoronary gradients of HDL-associated MicroRNAs in unstable coronary artery disease. <i>International Journal of Cardiology</i> , 2018, 253, 138-144.	0.8	18
10	Effect of atorvastatin, cholesterol ester transfer protein inhibition, and diabetes mellitus on circulating proprotein subtilisin kexin type 9 and lipoprotein(a) levels in patients at high cardiovascular risk. <i>Journal of Clinical Lipidology</i> , 2018, 12, 130-136.	0.6	44
11	Impact of Perturbed Pancreatic $\beta$ -Cell Cholesterol Homeostasis on Adipose Tissue and Skeletal Muscle Metabolism. <i>Diabetes</i> , 2016, 65, 3610-3620.	0.3	28
12	Inhibition of inflammatory signaling pathways in 3T3 <sup>L1</sup> adipocytes by apolipoprotein A <sup>1</sup> . <i>FASEB Journal</i> , 2016, 30, 2324-2335.	0.2	17
13	High-Density Lipoprotein-Associated miR-223 Is Altered after Diet-Induced Weight Loss in Overweight and Obese Males. <i>PLoS ONE</i> , 2016, 11, e0151061.	1.1	41
14	Reduction in PCSK9 levels induced by anacetrapib: an off-target effect?. <i>Journal of Lipid Research</i> , 2015, 56, 2045-2047.	2.0	4
15	Apolipoprotein A-I Limits the Negative Effect of Tumor Necrosis Factor on Lymphangiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2443-2450.	1.1	12
16	microRNAs in the onset and development of cardiovascular disease. <i>Clinical Science</i> , 2014, 126, 183-194.	1.8	94
17	Inhibition of Arthritis in the Lewis Rat by Apolipoprotein A-I and Reconstituted High-Density Lipoproteins. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 543-551.	1.1	34
18	HDL-transferred microRNA-223 regulates ICAM-1 expression in endothelial cells. <i>Nature Communications</i> , 2014, 5, 3292.	5.8	343

#	ARTICLE	IF	CITATIONS
19	Abstract 635: Apolipoprotein A-I Inhibits Lipopolysaccharide-Induced Inflammation and Activation of Major Stress Signaling Kinases in 3T3-L1 Adipocytes in an ABCA1-Dependent Manner. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, .	1.1	0
20	Differential regulation of Nox1, Nox2 and Nox4 in vascular smooth muscle cells from WKY and SHR. <i>Journal of the American Society of Hypertension</i> , 2011, 5, 137-153.	2.3	83
21	Lipid-Free Apolipoprotein A-I and Discoidal Reconstituted High-Density Lipoproteins Differentially Inhibit Glucose-Induced Oxidative Stress in Human Macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1192-1200.	1.1	37
22	Nonenzymatic Glycation Impairs the Antiinflammatory Properties of Apolipoprotein A-I. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 766-772.	1.1	125
23	The 5A Apolipoprotein A-I Mimetic Peptide Displays Antiinflammatory and Antioxidant Properties In Vivo and In Vitro. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 246-252.	1.1	107
24	Effects of High-Density Lipoproteins on Pancreatic $\beta$ -Cell Insulin Secretion. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1642-1648.	1.1	251
25	The metabolism and anti-atherogenic properties of HDL. <i>Journal of Lipid Research</i> , 2009, 50, S195-S200.	2.0	256
26	High-density lipoproteins, inflammation and oxidative stress. <i>Clinical Science</i> , 2009, 116, 87-98.	1.8	134
27	Redox-Sensitive Signaling by Angiotensin II Involves Oxidative Inactivation and Blunted Phosphorylation of Protein Tyrosine Phosphatase SHP-2 in Vascular Smooth Muscle Cells From SHR. <i>Circulation Research</i> , 2008, 103, 149-158.	2.0	96
28	Reactive Oxygen Species, Oxidative Stress, and Vascular Biology in Hypertension. , 2007, , 337-347.		10
29	Mitogen-activated protein kinase activation by hydrogen peroxide is mediated through tyrosine kinase-dependent, protein kinase C-independent pathways in vascular smooth muscle cells: upregulation in spontaneously hypertensive rats. <i>Journal of Hypertension</i> , 2005, 23, 2005-2012.	0.3	40
30	Differential Calcium Regulation by Hydrogen Peroxide and Superoxide in Vascular Smooth Muscle Cells from Spontaneously Hypertensive Rats. <i>Journal of Cardiovascular Pharmacology</i> , 2004, 44, 200-208.	0.8	127
31	Redox-dependent signalling by angiotensin II and vascular remodelling in hypertension. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003, 30, 860-866.	0.9	195
32	Redox-dependent MAP kinase signaling by Ang II in vascular smooth muscle cells: role of receptor tyrosine kinase transactivation. <i>Canadian Journal of Physiology and Pharmacology</i> , 2003, 81, 159-167.	0.7	101
33	Expression of a Functionally Active gp91phox-Containing Neutrophil-Type NAD(P)H Oxidase in Smooth Muscle Cells From Human Resistance Arteries. <i>Circulation Research</i> , 2002, 90, 1205-1213.	2.0	558