

Banshi Saboo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1097827/banshi-saboo-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

3,268

citations

20

h-index

57

g-index

79

ext. papers

4,569

ext. citations

5

avg, IF

4.61

L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 69 | Clinical Targets for Continuous Glucose Monitoring Data Interpretation: Recommendations From the International Consensus on Time in Range. <i>Diabetes Care</i> , 2019 , 42, 1593-1603 | 14.6 | 998 |
| 68 | International Consensus on Use of Continuous Glucose Monitoring. <i>Diabetes Care</i> , 2017 , 40, 1631-1640 | 14.6 | 872 |
| 67 | Prevalence of diabetes and prediabetes in 15 states of India: results from the ICMR-INDIAB population-based cross-sectional study. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 585-596 | 18.1 | 372 |
| 66 | ISPAD Clinical Practice Consensus Guidelines 2018: Insulin treatment in children and adolescents with diabetes. <i>Pediatric Diabetes</i> , 2018 , 19 Suppl 27, 115-135 | 3.6 | 94 |
| 65 | ISPAD Clinical Practice Consensus Guidelines 2014. Insulin treatment in children and adolescents with diabetes. <i>Pediatric Diabetes</i> , 2014 , 15 Suppl 20, 115-34 | 3.6 | 86 |
| 64 | Non-alcoholic Fatty Liver Disease and Metabolic Syndrome-Position Paper of the Indian National Association for the Study of the Liver, Endocrine Society of India, Indian College of Cardiology and Indian Society of Gastroenterology. <i>Journal of Clinical and Experimental Hepatology</i> , 2015 , 5, 51-68 | 4.1 | 78 |
| 63 | Prevalence of diagnosed and undiagnosed diabetes and hypertension in India--results from the Screening India's Twin Epidemic (SITE) study. <i>Diabetes Technology and Therapeutics</i> , 2012 , 14, 8-15 | 8.1 | 77 |
| 62 | Association of educational, occupational and socioeconomic status with cardiovascular risk factors in Asian Indians: a cross-sectional study. <i>PLoS ONE</i> , 2012 , 7, e44098 | 3.7 | 76 |
| 61 | Efficacy and safety of hydroxychloroquine in the treatment of type 2 diabetes mellitus: a double blind, randomized comparison with pioglitazone. <i>Current Medical Research and Opinion</i> , 2014 , 30, 1257-66 | 2.5 | 60 |
| 60 | Normotension, prehypertension, and hypertension in urban middle-class subjects in India: prevalence, awareness, treatment, and control. <i>American Journal of Hypertension</i> , 2013 , 26, 83-94 | 2.3 | 46 |
| 59 | Evolution of Insulin Delivery Devices: From Syringes, Pens, and Pumps to DIY Artificial Pancreas. <i>Diabetes Therapy</i> , 2020 , 11, 1251-1269 | 3.6 | 43 |
| 58 | Prevalence of diabetes and cardiovascular risk factors in middle-class urban participants in India. <i>BMJ Open Diabetes Research and Care</i> , 2014 , 2, e000048 | 4.5 | 43 |
| 57 | RSSDI-ESI Clinical Practice Recommendations for the Management of Type 2 Diabetes Mellitus 2020. <i>Indian Journal of Endocrinology and Metabolism</i> , 2020 , 24, 1-122 | 1.7 | 33 |
| 56 | Diabetes and Anemia: International Diabetes Federation (IDF) - Southeast Asian Region (SEAR) position statement. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017 , 11 Suppl 2, S685-S695 | 8.9 | 26 |
| 55 | Cholesterol lipoproteins and prevalence of dyslipidemias in urban Asian Indians: a cross sectional study. <i>Indian Heart Journal</i> , 2014 , 66, 280-8 | 1.6 | 26 |
| 54 | Saroglitazar for the treatment of hypertriglyceridemia in patients with type 2 diabetes: current evidence. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2015 , 8, 189-96 | 3.4 | 23 |
| 53 | Forum for Injection Technique and Therapy Expert Recommendations, India: The Indian Recommendations for Best Practice in Insulin Injection Technique, 2017. <i>Indian Journal of Endocrinology and Metabolism</i> , 2017 , 21, 600-617 | 1.7 | 21 |

| | | | |
|----|---|-----|----|
| 52 | Indian Injection Technique Study: Population Characteristics and Injection Practices. <i>Diabetes Therapy</i> , 2017 , 8, 637-657 | 3.6 | 20 |
| 51 | Unproven Therapies for Diabetes and Their Implications. <i>Advances in Therapy</i> , 2017 , 34, 60-77 | 4.1 | 20 |
| 50 | Challenges in Type 1 diabetes management in South East Asia: Descriptive situational assessment. <i>Indian Journal of Endocrinology and Metabolism</i> , 2014 , 18, 600 | 1.7 | 20 |
| 49 | Indian Injection Technique Study: Injecting Complications, Education, and the Health Care Professional. <i>Diabetes Therapy</i> , 2017 , 8, 659-672 | 3.6 | 17 |
| 48 | Consensus Recommendations on GLP-1 RA Use in the Management of Type 2 Diabetes Mellitus: South Asian Task Force. <i>Diabetes Therapy</i> , 2019 , 10, 1645-1717 | 3.6 | 17 |
| 47 | Telemedicine for diabetes care: An Indian perspective - feasibility and efficacy. <i>Indian Journal of Endocrinology and Metabolism</i> , 2015 , 19, 764-9 | 1.7 | 16 |
| 46 | Insights on Medical Nutrition Therapy for Type 2 Diabetes Mellitus: An Indian Perspective. <i>Advances in Therapy</i> , 2019 , 36, 520-547 | 4.1 | 12 |
| 45 | Geographic epidemiology of cardiometabolic risk factors in middle class urban residents in India: cross-sectional study. <i>Journal of Global Health</i> , 2015 , 5, 010411 | 4.3 | 12 |
| 44 | Replication of genome-wide association signals in Asian Indians with early-onset type 2 diabetes. <i>Acta Diabetologica</i> , 2016 , 53, 915-923 | 3.9 | 11 |
| 43 | Reducing HbA1c in Type 2 Diabetes Using Digital Twin Technology-Enabled Precision Nutrition: A Retrospective Analysis. <i>Diabetes Therapy</i> , 2020 , 11, 2703-2714 | 3.6 | 11 |
| 42 | Evidence-Based Consensus on Positioning of SGLT2i in Type 2 Diabetes Mellitus in Indians. <i>Diabetes Therapy</i> , 2019 , 10, 393-428 | 3.6 | 10 |
| 41 | Consensus guidelines for glycemic monitoring in type 1/type 2 & GDM. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2014 , 8, 187-95 | 8.9 | 10 |
| 40 | Blood glucose levels should be considered as a new vital sign indicative of prognosis during hospitalization. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021 , 15, 221-227 | 8.9 | 10 |
| 39 | RSSDI consensus on self-monitoring of blood glucose in types 1 and 2 diabetes mellitus in India. <i>International Journal of Diabetes in Developing Countries</i> , 2018 , 38, 260-279 | 0.8 | 10 |
| 38 | RSSDI Clinical Practice Recommendations for Management of Type 2 Diabetes Mellitus, 2015. <i>International Journal of Diabetes in Developing Countries</i> , 2015 , 35, 1-71 | 0.8 | 9 |
| 37 | RSSDI-ESI Clinical Practice Recommendations for the Management of Type 2 Diabetes Mellitus 2020. <i>International Journal of Diabetes in Developing Countries</i> , 2020 , 40, 1-122 | 0.8 | 8 |
| 36 | Steroid use during COVID-19 infection and hyperglycemia - What a physician should know. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021 , 15, 102167 | 8.9 | 8 |
| 35 | Clinical practice points for diabetes management during RAMADAN fast. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017 , 11 Suppl 2, S811-S819 | 8.9 | 7 |

| | | | |
|----|---|------|---|
| 34 | Consensus recommendations on exploring effective solutions for the rising cost of diabetes. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017 , 11, 141-147 | 8.9 | 6 |
| 33 | CSII as an Alternative Therapeutic Strategy for Managing Type 2 Diabetes: Adding the Indian Experience to a Global Perspective. <i>Current Diabetes Reviews</i> , 2016 , 12, 312-314 | 2.7 | 6 |
| 32 | Patient-centered Management of Hypothyroidism. <i>Indian Journal of Endocrinology and Metabolism</i> , 2017 , 21, 475-477 | 1.7 | 6 |
| 31 | Subgroups of patients with young-onset type 2 diabetes in India reveal insulin deficiency as a major driver. <i>Diabetologia</i> , 2022 , 65, 65-78 | 10.3 | 5 |
| 30 | Diagnosis and Management of Hypothyroidism: Addressing the Knowledge-Action Gaps. <i>Advances in Therapy</i> , 2018 , 35, 1519-1534 | 4.1 | 5 |
| 29 | Multiple educational programs improves glycemic control, quality of life with diminishing the impact of diabetes in poorly controlled type 1 diabetics. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017 , 11 Suppl 2, S601-S606 | 8.9 | 4 |
| 28 | BE-SMART (Basal Early Strategies to Maximize HbA1c Reduction with Oral Therapy): Expert Opinion. <i>Diabetes Therapy</i> , 2019 , 10, 1189-1204 | 3.6 | 4 |
| 27 | The SimpleMix study with biphasic insulin aspart 30: a randomized controlled trial investigating patient-driven titration versus investigator-driven titration. <i>Current Medical Research and Opinion</i> , 2014 , 30, 2483-92 | 2.5 | 4 |
| 26 | Evidence-based recommendations for insulin intensification strategies after basal insulin in type 2 diabetes. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017 , 11 Suppl 1, S507-S521 | 8.9 | 3 |
| 25 | Consensus and recommendations on continuous glucose monitoring. <i>Journal of Diabetology</i> , 2019 , 10, 4 | 0.8 | 3 |
| 24 | COVID-19 associated mucormycosis: A Descriptive Multisite Study from India. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021 , 15, 102322 | 8.9 | 3 |
| 23 | Exenatide implant therapy in diabetes. <i>JPMA the Journal of the Pakistan Medical Association</i> , 2018 , 68, 1538-1540 | 0.4 | 3 |
| 22 | Time-in-range and frequency of continuous glucose monitoring: Recommendations for South Asia.. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021 , 16, 102345 | 8.9 | 2 |
| 21 | Functional Food Security for Prevention of Diabetes Mellitus 2019 , 157-166 | | 2 |
| 20 | Time-in-range as a target in type 2 diabetes: An urgent need. <i>Heliyon</i> , 2021 , 7, e05967 | 3.6 | 2 |
| 19 | Diabetes and travel. <i>International Journal of Diabetes in Developing Countries</i> , 2018 , 38, 4-10 | 0.8 | 1 |
| 18 | Diabetes and Employment. <i>International Journal of Diabetes in Developing Countries</i> , 2018 , 38, 133-137 | 0.8 | 1 |
| 17 | Recommendations for in-clinic PoCT for diabetes management in India. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019 , 13, 5-7 | 8.9 | 1 |

| | | | |
|----|---|-----|---|
| 16 | Individualizing Time-in-Range Goals in Management of Diabetes Mellitus and Role of Insulin: Clinical Insights From a Multinational Panel. <i>Diabetes Therapy</i> , 2021 , 12, 465-485 | 3.6 | 1 |
| 15 | Evaluating Glycemic Control in Patients of South Asian Origin With Type 2 Diabetes Using a Digital Therapeutic Platform: Analysis of Real-World Data. <i>Journal of Medical Internet Research</i> , 2021 , 23, e17908 | 7.6 | 1 |
| 14 | Fats and Oils for Health Promotion and Disease Prevention 2019 , 273-285 | | 1 |
| 13 | Role and importance of high fiber in diabetes management in India. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2022 , 102480 | 8.9 | 1 |
| 12 | Diabetes and driving. <i>International Journal of Diabetes in Developing Countries</i> , 2017 , 37, 400-406 | 0.8 | 0 |
| 11 | A prospective multicentre open label study to assess effect of Teneeligliptin on glycemic control through parameters of time in range (TIR) Metric using continuous glucose monitoring (TOP-TIR study).. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2022 , 16, 102394 | 8.9 | 0 |
| 10 | QTc prolongation Safety and Effectiveness of Teneeligliptin in Indian patients with type 2 Diabetes Mellitus: A real world study (QSET 2). <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021 , 15, 102264 | 8.9 | 0 |
| 9 | Variations in glycated haemoglobin with age among individuals with normal glucose tolerance: Implications for diagnosis and treatment-Results from the ICMR-INDIAB population-based study (INDIAB-12). <i>Acta Diabetologica</i> , 2021 , 1 | 3.9 | 0 |
| 8 | Position of Sulfonylureas in the Current ERA: Review of National and International Guidelines.. <i>Clinical Medicine Insights: Endocrinology and Diabetes</i> , 2022 , 15, 11795514221074663 | 4.3 | 0 |
| 7 | Ramadan fasting in diabetes-exercise in problem-solving. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017 , 11 Suppl 2, S713-S714 | 8.9 | |
| 6 | Optimizing the treatment of newly diagnosed type 2 diabetes mellitus with combination of dipeptidyl peptidase-4 inhibitors and metformin: An expert opinion.. <i>Journal of Family Medicine and Primary Care</i> , 2021 , 10, 4398-4409 | 1.5 | |
| 5 | Comparison of Analogue insulin with other insulins in patients with type 1 diabetes in Ahmedabad, Western India: A Rretrospective study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2020 , 14, 1923-1925 | 8.9 | |
| 4 | Evaluation Series on Safety and Efficacy of Nutritional Supplements in Newly Diagnosed Hyperglycemia: A Placebo-Controlled, Randomized Study. <i>North American Journal of Medical Sciences</i> , 2016 , 8, 106-13 | 0 | |
| 3 | The Ahmedabad Declaration, 2018: the family and diabetes. <i>International Journal of Diabetes in Developing Countries</i> , 2019 , 39, 4-7 | 0.8 | |
| 2 | Reply to the letter of Draves et al. In response to the article: "Blood glucose levels should be considered as a new vital sign indicative of prognosis during hospitalization" (Kesavadev et al.). <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021 , 15, 466 | 8.9 | |
| 1 | A15456 Efficacy of Cilnidipin vs. Amlodipin on microalbuminuria in hypertensive patients- clinical experience. <i>Journal of Hypertension</i> , 2018 , 36, e232 | 1.9 | |