

Christos Kittas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/10988252/publications.pdf>

Version: 2024-02-01

43
papers

5,744
citations

257450

24
h-index

315739

38
g-index

44
all docs

44
docs citations

44
times ranked

7404
citing authors

#	ARTICLE	IF	CITATIONS
1	Pulmonary infection by SARS-CoV-2 induces senescence accompanied by an inflammatory phenotype in severe COVID-19: possible implications for viral mutagenesis. <i>European Respiratory Journal</i> , 2022, 60, 2102951.	6.7	56
2	Atypical HCoV-NL63 Infection in an Infant During the SARS-CoV-2 Pandemic. <i>Indian Journal of Pediatrics</i> , 2021, 88, 386-387.	0.8	0
3	SARS-CoV-2 Antigenemia as a Confounding Factor in Immunodiagnostic Assays: A Case Study. <i>Viruses</i> , 2021, 13, 1143.	3.3	13
4	Unique Spatial Immune Profiling in Pancreatic Ductal Adenocarcinoma with Enrichment of Exhausted and Senescent T Cells and Diffused CD47-SIRP1 α Expression. <i>Cancers</i> , 2020, 12, 1825.	3.7	13
5	Senescence and senotherapeutics: a new field in cancer therapy. , 2019, 193, 31-49.		116
6	Oral non-Hodgkin's lymphoma in a patient with rheumatoid arthritis treated with etanercept and methotrexate. <i>Journal of Clinical and Experimental Dentistry</i> , 2015, 7, e180-e182.	1.2	4
7	p21/waf1 and Smooth-Muscle Actin α Expression in Stromal Fibroblasts of Oral Cancers. <i>Analytical Cellular Pathology</i> , 2010, 33, 19-26.	1.4	6
8	NUCKS overexpression in breast cancer. <i>Cancer Cell International</i> , 2009, 9, 19.	4.1	35
9	Modulation of the E2F1-Driven Cancer Cell Fate by the DNA Damage Response Machinery and Potential Novel E2F1 Targets in Osteosarcomas. <i>American Journal of Pathology</i> , 2009, 175, 376-391.	3.8	48
10	Topoisomerase III α Expression as an Independent Prognostic Factor in Hodgkin's Lymphoma. <i>Clinical Cancer Research</i> , 2008, 14, 1759-1766.	7.0	24
11	Is exclusive Skp2 targeting always beneficial in cancer therapy?. <i>Blood</i> , 2008, 112, 4777-4779.	1.4	5
12	Deregulated Overexpression of hCdt1 and hCdc6 Promotes Malignant Behavior. <i>Cancer Research</i> , 2007, 67, 10899-10909.	0.9	191
13	Insulinlike growth factor I receptor and estrogen receptor β expressions are inversely correlated in colorectal neoplasms and affected by the insulin resistance syndrome. <i>Human Pathology</i> , 2007, 38, 1037-1046.	2.0	6
14	Oncogene-induced senescence is part of the tumorigenesis barrier imposed by DNA damage checkpoints. <i>Nature</i> , 2006, 444, 633-637.	27.8	1,777
15	Downregulation of the KIP family members p27 ^{KIP1} and p57 ^{KIP2} by SKP2 and the role of methylation in p57 ^{KIP2} inactivation in nonsmall cell lung cancer. <i>International Journal of Cancer</i> , 2006, 119, 2546-2556.	5.1	70
16	Activation of the DNA damage checkpoint and genomic instability in human precancerous lesions. <i>Nature</i> , 2005, 434, 907-913.	27.8	1,870
17	Spatial Performance and Corticosteroid Receptor Status in the 21-Day Restraint Stress Paradigm. <i>Annals of the New York Academy of Sciences</i> , 2004, 1018, 323-327.	3.8	68
18	Distinct expression patterns of the transcription factor E2F-1 in relation to tumour growth parameters in common human carcinomas. <i>Journal of Pathology</i> , 2004, 203, 744-753.	4.5	79

#	ARTICLE	IF	CITATIONS
19	Ultrastructural Immunostaining of Infiltrating Ductal Breast Carcinomas with the Monoclonal Antibody H: A Comparative Study with Cytokeratin 8. <i>Ultrastructural Pathology</i> , 2003, 27, 393-407.	0.9	12
20	Ultrastructural Immunostaining of Infiltrating Ductal Breast Carcinomas with the Monoclonal Antibody H: A Comparative Study with Cytokeratin 8. <i>Ultrastructural Pathology</i> , 2003, 27, 393-407.	0.9	0
21	BCL-2 expression in Hodgkin and Reed-Sternberg cells of classical Hodgkin disease predicts a poorer prognosis in patients treated with ABVD or equivalent regimens. <i>Blood</i> , 2002, 100, 3935-3941.	1.4	90
22	Proliferation, but Not Apoptosis, Is Associated with Distinct β -Catenin Expression Patterns in Non-Small-Cell Lung Carcinomas. <i>American Journal of Pathology</i> , 2002, 161, 1619-1634.	3.8	46
23	Forced Swimming Differentially Affects Male and Female Brain Corticosteroid Receptors. <i>Neuroendocrinology</i> , 2002, 75, 217-226.	2.5	70
24	Growth index is independent of microvessel density in non-small-cell lung carcinomas. <i>Human Pathology</i> , 2002, 33, 812-818.	2.0	21
25	CD20 Expression in Hodgkin and Reed-Sternberg Cells of Classical Hodgkin's Disease: Associations With Presenting Features and Clinical Outcome. <i>Journal of Clinical Oncology</i> , 2002, 20, 1278-1287.	1.6	79
26	Transcription factor E2F-1 acts as a growth-promoting factor and is associated with adverse prognosis in non-small cell lung carcinomas. <i>Journal of Pathology</i> , 2002, 198, 142-156.	4.5	143
27	Vascular endothelial growth factor (VEGF) is expressed by neoplastic Hodgkin-Reed-Sternberg cells in Hodgkin's disease. <i>Journal of Pathology</i> , 2002, 197, 677-683.	4.5	97
28	Low Levels of p27 in Association With Deregulated p53-pRb Protein Status Enhance Tumor Proliferation and Chromosomal Instability in Non-Small Cell Lung Carcinomas. <i>Molecular Medicine</i> , 2001, 7, 418-429.	4.4	15
29	Association of allelic loss at the FHIT locus and p53 alterations with tumour kinetics and chromosomal instability in non-small cell lung carcinomas (NSCLCs). <i>Journal of Pathology</i> , 2001, 193, 55-65.	4.5	25
30	c-MYC and IGF1 mRNA-binding protein (CRBP/IMP1) in benign and malignant mesenchymal tumors. <i>International Journal of Cancer</i> , 2001, 94, 480-484.	5.1	63
31	Expression of p16INK4A and alterations of the 9p21-23 chromosome region in non-small-cell lung carcinomas: Relationship with tumor growth parameters and ploidy status. , 2000, 89, 133-141.		26
32	Absence of mutations in the functional domains of the human MDM2 oncogene in non-small cell lung carcinomas. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2000, 456, 59-63.	1.0	4
33	Contribution of Sex and Cellular Context in the Regulation of Brain Corticosteroid Receptors following Restraint Stress. <i>Neuroendocrinology</i> , 2000, 71, 343-353.	2.5	60
34	EBVD Combination Chemotherapy Plus Low Dose Involved Field Radiation is a Highly Effective Treatment Modality for Early Stage Hodgkin's Disease. <i>Leukemia and Lymphoma</i> , 2000, 37, 131-143.	1.3	16
35	High Risk HPV Types Are Frequently Detected in Potentially Malignant and Malignant Oral Lesions, But Not in Normal Oral Mucosa. <i>Modern Pathology</i> , 2000, 13, 644-653.	5.5	179
36	Long-Lasting Effects of Stress on Glucocorticoid Receptor Gene Expression in the Rat Brain. <i>Neuroendocrinology</i> , 1999, 69, 331-338.	2.5	109

#	ARTICLE	IF	CITATIONS
37	Alterations of the p16-pRb Pathway and the Chromosome Locus 9p21 in Non-Small-Cell Lung Carcinomas. American Journal of Pathology, 1998, 153, 1749-1765.	3.8	97
38	Hepatic stimulator substance administration enhances regenerative capacity of hepatocytes in cadmium-pretreated partially hepatectomized rats. Digestive Diseases and Sciences, 1996, 41, 1475-1480.	2.3	14
39	A MOLECULAR AND IMMUNOHISTOCHEMICAL STUDY OF THE MDM2 PROTEIN ISOFORMS AND p53 GENE PRODUCT IN BRONCHOGENIC CARCINOMA. , 1996, 180, 129-137.		43
40	Hairy Cell Leukemia: Residual Splenic Disease After Successful Interferon Therapy. Leukemia and Lymphoma, 1992, 6, 145-153.	1.3	3
41	B-chronic lymphocytic leukemia. Prognostic implication of bone marrow histology in 120 patients experience from a single hematology unit. Cancer, 1987, 59, 767-771.	4.1	53
42	Primary gastrointestinal malignant lymphomas. A morphologic and immunohistochemical study. Cancer, 1985, 55, 870-879.	4.1	34
43	Patterns of bone marrow involvement in chronic lymphocytic leukemia and small lymphocytic (well) Tj ETQq1 1 0.784314 rgBT /Overlap diagnosis and prognosis. Cancer, 1984, 54, 702-708.	4.1	64