

Nicola Simola

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1098992/nicola-simola-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

2,577
citations

30
h-index

48
g-index

105
ext. papers

3,069
ext. citations

4.6
avg, IF

5.3
L-index

#	Paper	IF	Citations
89	Protective Agents in Parkinson's Disease: Caffeine and Adenosine A2A Receptor Antagonists 2021 , 1-24		
88	Effects of combination antiretroviral drugs (cART) on hippocampal neuroplasticity in female mice. <i>Journal of NeuroVirology</i> , 2021 , 27, 325-333	3.9	0
87	Lack of drug- and cue-stimulated emissions of ultrasonic vocalizations in C57BL/6J mice repeatedly treated with amphetamine. <i>Neuroscience Letters</i> , 2021 , 749, 135733	3.3	
86	Repeated exposure to JWH-018 induces adaptive changes in the mesolimbic and mesocortical dopaminergic pathways, glial cells alterations, and behavioural correlates. <i>British Journal of Pharmacology</i> , 2021 , 178, 3476-3497	8.6	3
85	Increased emissions of 50-kHz ultrasonic vocalizations in hemiparkinsonian rats repeatedly treated with dopaminomimetic drugs: A potential preclinical model for studying the affective properties of dopamine replacement therapy in Parkinson's disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 106, 119101	5.5	3
84	In utero exposure to dexamethasone causes a persistent and age-dependent exacerbation of the neurotoxic effects and glia activation induced by MDMA in dopaminergic brain regions of C57BL/6J mice. <i>NeuroToxicology</i> , 2021 , 83, 1-13	4.4	2
83	Activation of Antioxidant and Proteolytic Pathways in the Nigrostriatal Dopaminergic System After 3,4-Methylenedioxymethamphetamine Administration: Sex-Related Differences. <i>Frontiers in Pharmacology</i> , 2021 , 12, 713486	5.6	1
82	Anti-HIV drugs promote β -amyloid deposition and impair learning and memory in BALB/c mice. <i>Acta Neuropsychiatrica</i> , 2020 , 32, 257-264	3.9	2
81	Gender Differences in Neurodegeneration, Neuroinflammation and Na-Ca Exchangers in the Female A53T Transgenic Mouse Model of Parkinson's Disease. <i>Frontiers in Aging Neuroscience</i> , 2020 , 12, 118	5.3	6
80	Neurophysiological and Neurochemical Effects of the Putative Cognitive Enhancer (-)-CE-123 on Mesocorticolimbic Dopamine System. <i>Biomolecules</i> , 2020 , 10,	5.9	4
79	Neuronal and peripheral damages induced by synthetic psychoactive substances: an update of recent findings from human and animal studies. <i>Neural Regeneration Research</i> , 2020 , 15, 802-816	4.5	21
78	Experimental Psychopharmacology 2020 , 1-30		
77	Influence of dopamine transmission in the medial prefrontal cortex and dorsal striatum on the emission of 50-kHz ultrasonic vocalizations in rats treated with amphetamine: Effects on drug-stimulated and conditioned calls. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 97, 109797	5.5	6
76	Gut Microbiota and Metabolome Alterations Associated with Parkinson's Disease. <i>MSystems</i> , 2020 , 5,	7.6	46
75	Neurochemical and Behavioral Characterization after Acute and Repeated Exposure to Novel Synthetic Cannabinoid Agonist 5-MDMB-PICA. <i>Brain Sciences</i> , 2020 , 10,	3.4	2
74	Unbinding of Translocator Protein 18 kDa (TSPO) Ligands: From in Vitro Residence Time to in Vivo Efficacy via in Silico Simulations. <i>ACS Chemical Neuroscience</i> , 2019 , 10, 3805-3814	5.7	13
73	Dysfunctional mesocortical dopamine circuit at pre-adolescence is associated to aggressive behavior in MAO-A hypomorphic mice exposed to early life stress. <i>Neuropharmacology</i> , 2019 , 159, 107517	5.5	8

72	Diabetes, a Contemporary Risk for Parkinson's Disease: Epidemiological and Cellular Evidences. <i>Frontiers in Aging Neuroscience</i> , 2019 , 11, 302	5.3	31
71	Ultrasonic vocalizations as a tool in studying emotional states in rodent models of social behavior and brain disease. <i>Neuropharmacology</i> , 2019 , 159, 107420	5.5	42
70	The novel psychoactive substance methoxetamine induces persistent behavioral abnormalities and neurotoxicity in rats. <i>Neuropharmacology</i> , 2019 , 144, 219-232	5.5	13
69	Repeated Administration of 3,4-Methylenedioxymethamphetamine (MDMA) Elevates the Levels of Neuronal Nitric Oxide Synthase in the Nigrostriatal System: Possible Relevance to Neurotoxicity. <i>Neurotoxicity Research</i> , 2018 , 34, 763-768	4.3	9
68	Role of adenosine A receptors in motor control: relevance to Parkinson's disease and dyskinesia. <i>Journal of Neural Transmission</i> , 2018 , 125, 1273-1286	4.3	23
67	Effects of Psychostimulants on Rat Emotional States and Emission of Ultrasonic Vocalizations. <i>Handbook of Behavioral Neuroscience</i> , 2018 , 281-293	0.7	
66	Emission of categorized 50-kHz ultrasonic vocalizations in rats repeatedly treated with amphetamine or apomorphine: Possible relevance to drug-induced modifications in the emotional state. <i>Behavioural Brain Research</i> , 2018 , 347, 88-98	3.4	18
65	Rat 50-kHz ultrasonic vocalizations as a tool in studying neurochemical mechanisms that regulate positive emotional states. <i>Journal of Neuroscience Methods</i> , 2018 , 310, 33-44	3	25
64	Effect of long-term administration of antiretroviral drugs (Tenofovir and Nevirapine) on neuroinflammation and neuroplasticity in mouse hippocampi. <i>Journal of Chemical Neuroanatomy</i> , 2018 , 94, 86-92	3.2	10
63	Modulation of Rat 50-kHz Ultrasonic Vocalizations by Glucocorticoid Signaling: Possible Relevance to Reward and Motivation. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 73-83	5.8	17
62	Repertoire and Biological Function of Ultrasonic Vocalizations in Adolescent and Adult Rats. <i>Handbook of Behavioral Neuroscience</i> , 2018 , 25, 177-186	0.7	9
61	Dopaminergic neurodegeneration in a rat model of long-term hyperglycemia: preferential degeneration of the nigrostriatal motor pathway. <i>Neurobiology of Aging</i> , 2018 , 69, 117-128	5.6	17
60	Amphetamine-related drugs neurotoxicity in humans and in experimental animals: Main mechanisms. <i>Progress in Neurobiology</i> , 2017 , 155, 149-170	10.9	135
59	Widespread reduction of dopamine cell bodies and terminals in adult rats exposed to a low dose regimen of MDMA during adolescence. <i>Neuropharmacology</i> , 2017 , 123, 385-394	5.5	15
58	Progression and Persistence of Neurotoxicity Induced by MDMA in Dopaminergic Regions of the Mouse Brain and Association with Noradrenergic, GABAergic, and Serotonergic Damage. <i>Neurotoxicity Research</i> , 2017 , 32, 563-574	4.3	19
57	Effect of crowding, temperature and age on glia activation and dopaminergic neurotoxicity induced by MDMA in the mouse brain. <i>NeuroToxicology</i> , 2016 , 56, 127-138	4.4	13
56	Antidyskinetic effect of A2A and 5HT1A/1B receptor ligands in two animal models of Parkinson's disease. <i>Movement Disorders</i> , 2016 , 31, 501-11	7	30
55	Activation of adenosine A _{2A} receptors suppresses the emission of pro-social and drug-stimulated 50-kHz ultrasonic vocalizations in rats: possible relevance to reward and motivation. <i>Psychopharmacology</i> , 2016 , 233, 507-19	4.7	22

54	Methylxanthines and Drug Dependence: Interactions and Toxicity 2016 , 912-923		1
53	Amphetamine Usage, Misuse, and Addiction Processes: An Overview 2016 , 14-24		1
52	Role of Adenosine in the Basal Ganglia. <i>Handbook of Behavioral Neuroscience</i> , 2016 , 237-256	0.7	
51	Pathophysiology of L-dopa-induced motor and non-motor complications in Parkinson's disease. <i>Progress in Neurobiology</i> , 2015 , 132, 96-168	10.9	282
50	Repeated amphetamine administration and long-term effects on 50-kHz ultrasonic vocalizations: possible relevance to the motivational and dopamine-stimulating properties of the drug. <i>European Neuropsychopharmacology</i> , 2015 , 25, 343-55	1.2	34
49	Adenosine A2A Receptors: Localization and Function. <i>Current Topics in Neurotoxicity</i> , 2015 , 1-25		1
48	Strain dependence of adolescent Cannabis influence on heroin reward and mesolimbic dopamine transmission in adult Lewis and Fischer 344 rats. <i>Addiction Biology</i> , 2015 , 20, 132-42	4.6	49
47	Dual target strategy: combining distinct non-dopaminergic treatments reduces neuronal cell loss and synergistically modulates L-DOPA-induced rotational behavior in a rodent model of Parkinson's disease. <i>Journal of Neurochemistry</i> , 2015 , 134, 740-7	6	25
46	Involvement of Glutamate NMDA Receptors in the Acute, Long-Term, and Conditioned Effects of Amphetamine on Rat 50 kHz Ultrasonic Vocalizations. <i>International Journal of Neuropsychopharmacology</i> , 2015 , 18, pyv057	5.8	28
45	Rat Ultrasonic Vocalizations and Behavioral Neuropharmacology: From the Screening of Drugs to the Study of Disease. <i>Current Neuropharmacology</i> , 2015 , 13, 164-79	7.6	56
44	MDMA administration during adolescence exacerbates MPTP-induced cognitive impairment and neuroinflammation in the hippocampus and prefrontal cortex. <i>Psychopharmacology</i> , 2014 , 231, 4007-18	4.7	35
43	Dyskinesia in Parkinson's disease: mechanisms and current non-pharmacological interventions. <i>Journal of Neurochemistry</i> , 2014 , 130, 472-89	6	44
42	L-DOPA disrupts adenosine A(2A)-cannabinoid CB(1)-dopamine D(2) receptor heteromer cross-talk in the striatum of hemiparkinsonian rats: biochemical and behavioral studies. <i>Experimental Neurology</i> , 2014 , 253, 180-91	5.7	64
41	Perinatal asphyxia: CNS development and deficits with delayed onset. <i>Frontiers in Neuroscience</i> , 2014 , 8, 47	5.1	30
40	Antagonism of Adenosine A1 or A2A Receptors Amplifies the Effects of MDMA on Glial Activation in the Mouse Brain: Relevance to Caffeine/MDMA Interactions. <i>Journal of Caffeine Research</i> , 2014 , 4, 41-47		2
39	Direct and long-lasting effects elicited by repeated drug administration on 50-kHz ultrasonic vocalizations are regulated differently: implications for the study of the affective properties of drugs of abuse. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 429-41	5.8	49
38	Elevation of striatal urate in experimental models of Parkinson's disease: a compensatory mechanism triggered by dopaminergic nigrostriatal degeneration?. <i>Journal of Neurochemistry</i> , 2014 , 131, 284-9	6	9
37	Protective Agents in Parkinson's Disease: Caffeine and Adenosine A2A Receptor Antagonists 2014 , 2281-2298		0

36	Contribution of Caffeine to the Psychostimulant, Neuroinflammatory and Neurotoxic Effects of Amphetamine-Related Drugs. <i>Journal of Caffeine Research</i> , 2013 , 3, 79-84		6
35	Performance of movement in hemiparkinsonian rats influences the modifications induced by dopamine agonists in striatal efferent dynorphinergic neurons. <i>Experimental Neurology</i> , 2013 , 247, 663-727	5.7	16
34	Microglial and astroglial activation by 3,4-methylenedioxymethamphetamine (MDMA) in mice depends on S(+) enantiomer and is associated with an increase in body temperature and motility. <i>Journal of Neurochemistry</i> , 2013 , 124, 69-78	6	35
33	Role of movement in long-term basal ganglia changes: implications for abnormal motor responses. <i>Frontiers in Computational Neuroscience</i> , 2013 , 7, 142	3.5	4
32	Symptomatic and Neuroprotective Effects of A2A Receptor Antagonists in Parkinson's Disease 2013 , 361-384		3
31	Alteration in the progression of dopamine neuron degeneration: may caffeine offer new perspective?. <i>Experimental Neurology</i> , 2012 , 237, 218-22	5.7	6
30	Pharmacological characterization of 50-kHz ultrasonic vocalizations in rats: comparison of the effects of different psychoactive drugs and relevance in drug-induced reward. <i>Neuropharmacology</i> , 2012 , 63, 224-34	5.5	80
29	A(2A) Receptor Antagonism and Dyskinesia in Parkinson's Disease. <i>Parkinson's Disease</i> , 2012 , 2012, 489858		13
28	Anxiolytic properties of a 2-phenylindolglyoxylamide TSPO ligand: Stimulation of in vitro neurosteroid production affecting GABAA receptor activity. <i>Psychoneuroendocrinology</i> , 2011 , 36, 463-725		34
27	Perinatal asphyxia: current status and approaches towards neuroprotective strategies, with focus on sentinel proteins. <i>Neurotoxicity Research</i> , 2011 , 19, 603-27	4.3	41
26	What Do You See as the Main Priorities, Opportunities, and Challenges in Caffeine Research in the Next Five Years?. <i>Journal of Caffeine Research</i> , 2011 , 1, 5-12		3
25	Methylxanthines and drug dependence: a focus on interactions with substances of abuse. <i>Handbook of Experimental Pharmacology</i> , 2011 , 483-507	3.2	18
24	Role of Adenosine in the Basal Ganglia. <i>Handbook of Behavioral Neuroscience</i> , 2010 , 201-217	0.7	
23	A new ethyladenine antagonist of adenosine A(2A) receptors: behavioral and biochemical characterization as an antiparkinsonian drug. <i>Neuropharmacology</i> , 2010 , 58, 613-23	5.5	38
22	Can dietary substances protect against Parkinson's disease? The case of caffeine. <i>Experimental Neurology</i> , 2010 , 225, 246-9	5.7	2
21	Influence of acute caffeine on 50-kHz ultrasonic vocalizations in male adult rats and relevance to caffeine-mediated psychopharmacological effects. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 123-32	5.8	42
20	Pharmacological therapy of Parkinson's disease: current options and new avenues. <i>Recent Patents on CNS Drug Discovery</i> , 2010 , 5, 221-38		8
19	Nicotinamide prevents the long-term effects of perinatal asphyxia on apoptosis, non-spatial working memory and anxiety in rats. <i>Experimental Brain Research</i> , 2010 , 202, 1-14	2.3	37

18	Assessment of symptomatic and neuroprotective efficacy of <i>Mucuna pruriens</i> seed extract in rodent model of Parkinson's disease. <i>Neurotoxicity Research</i> , 2009 , 15, 111-22	4.3	57
17	Priming of rotational behavior by a dopamine receptor agonist in Hemiparkinsonian rats: movement-dependent induction. <i>Neuroscience</i> , 2009 , 158, 1625-31	3.9	12
16	Striatal neuroprotection with methylene blue. <i>Neuroscience</i> , 2009 , 163, 877-89	3.9	48
15	Anxiolytic-like effects of N,N-dialkyl-2-phenylindol-3-ylglyoxylamides by modulation of translocator protein promoting neurosteroid biosynthesis. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 5798-806	8.3	70
14	Adenosine A2A receptor antagonists and Parkinson's disease: state of the art and future directions. <i>Current Pharmaceutical Design</i> , 2008 , 14, 1475-89	3.3	59
13	Acute perinatal asphyxia impairs non-spatial memory and alters motor coordination in adult male rats. <i>Experimental Brain Research</i> , 2008 , 185, 595-601	2.3	40
12	Blockade of globus pallidus adenosine A(2A) receptors displays antiparkinsonian activity in 6-hydroxydopamine-lesioned rats treated with D(1) or D(2) dopamine receptor agonists. <i>Synapse</i> , 2008 , 62, 345-51	2.4	10
11	Increase of dopamine D2(High) receptors in the striatum of rats sensitized to caffeine motor effects. <i>Synapse</i> , 2008 , 62, 394-7	2.4	22
10	Behavioral and biochemical correlates of the dyskinetic potential of dopaminergic agonists in the 6-OHDA lesioned rat. <i>Synapse</i> , 2008 , 62, 524-33	2.4	38
9	Characterization of the antiparkinsonian effects of the new adenosine A2A receptor antagonist ST1535: acute and subchronic studies in rats. <i>European Journal of Pharmacology</i> , 2007 , 566, 94-102	5.3	68
8	The 6-hydroxydopamine model of Parkinson's disease. <i>Neurotoxicity Research</i> , 2007 , 11, 151-67	4.3	249
7	Dopamine and adenosine receptor interaction as basis for the treatment of Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2006 , 248, 48-52	3.2	24
6	Involvement of globus pallidus in the antiparkinsonian effects of adenosine A(2A) receptor antagonists. <i>Experimental Neurology</i> , 2006 , 202, 255-7	5.7	17
5	Sensitization to caffeine and cross-sensitization to amphetamine: influence of individual response to caffeine. <i>Behavioural Brain Research</i> , 2006 , 172, 72-9	3.4	29
4	Potentialiation of amphetamine-mediated responses in caffeine-sensitized rats involves modifications in A2A receptors and zif-268 mRNAs in striatal neurons. <i>Journal of Neurochemistry</i> , 2006 , 98, 1078-89	6	21
3	Subchronic-intermittent caffeine amplifies the motor effects of amphetamine in rats. <i>Amino Acids</i> , 2006 , 31, 359-63	3.5	10
2	New therapies for the treatment of Parkinson's disease: adenosine A2A receptor antagonists. <i>Life Sciences</i> , 2005 , 77, 3259-67	6.8	72
1	Blockade of adenosine A2A receptors antagonizes parkinsonian tremor in the rat tacrine model by an action on specific striatal regions. <i>Experimental Neurology</i> , 2004 , 189, 182-8	5.7	67

