## Moshe Ben-Ami

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/10997980/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The effectiveness of spectral and color Doppler in predicting ovarian torsion. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2002, 104, 64-66.	0.5	108
2	Increased progesterone/estradiol ratio in the late follicular phase could be related to low ovarian reserve in in vitro fertilization–embryo transfer cycles with a long gonadotropin-releasing hormone agonist. Fertility and Sterility, 2001, 76, 294-299.	0.5	104
3	The Bologna criteria for poor ovarian response: a contemporary critical appraisal. Journal of Ovarian Research, 2015, 8, 76.	1.3	76
4	Premature Luteinization: Could It Be An Early Manifestation of Low Ovarian Reserve?. Fertility and Sterility, 1998, 69, 461-465.	0.5	60
5	A simple multivariate score could predict ovarian reserve, as well as pregnancy rate, in infertile women. Fertility and Sterility, 2010, 94, 655-661.	0.5	32
6	Undetectable basal ovarian stromal blood flow in infertile women is related to low ovarian reserve. Gynecological Endocrinology, 2007, 23, 284-289.	0.7	28
7	Early and short follicular gonadotropin-releasing hormone antagonist supplementation improves the meiotic status and competence of retrieved oocytes in in vitro fertilization–embryo transfer cycles. Fertility and Sterility, 2010, 94, 1350-1355.	0.5	27
8	First polar body and nucleolar precursor body morphology is related to the ovarian reserve of infertile women. Reproductive BioMedicine Online, 2008, 16, 851-858.	1.1	23
9	Prospective evaluation of basal stromal Doppler studies in women with good ovarian reserve and infertility undergoing in vitro fertilization–embryo transfer treatment: patients with polycystic ovary syndrome versus ovulatory patients. Fertility and Sterility, 2011, 95, 1754-1758.	0.5	22
10	Poor oocyte retrieval is a manifestation of low ovarian reserve. Fertility and Sterility, 2005, 83, 504-507.	0.5	21
11	Prospective evaluation of early follicular ovarian stromal blood flow in infertile women undergoing IVF-ET treatment. Gynecological Endocrinology, 2012, 28, 356-359.	0.7	18
12	Does first polar body morphology predict oocyte performance during ICSI treatment?. Journal of Assisted Reproduction and Genetics, 2009, 26, 561-567.	1.2	15
13	The effect of <scp>LH</scp> supplementation to the Gn <scp>RH</scp> antagonist protocol in advanced reproductive ageing women: a prospective randomized controlled study. Clinical Endocrinology, 2016, 84, 99-106.	1.2	15
14	Peripartum maternal transmission of extended-spectrum β-lactamase organism to newborn infants. Diagnostic Microbiology and Infectious Disease, 2017, 87, 168-171.	0.8	15
15	Mycoplasma and Ureaplasma carriage in pregnant women: the prevalence of transmission from mother to newborn. BMC Pregnancy and Childbirth, 2020, 20, 456.	0.9	12
16	Nonconventional Approach to Twin Pregnancies Complicated by Extremely Preterm Premature Rupture of Membranes of One Twin. American Journal of Perinatology, 2008, 25, 161-162.	0.6	10
17	Outcome of Twin Pregnancies Complicated By Early Second Trimester Rupture of Membranes in One Sac. Twin Research and Human Genetics, 2010, 13, 604-608.	0.3	9
18	Evaluation of the Protein C Global Assay During Normal Pregnancy and After Assisted Reproduction. Obstetrics and Gynecology, 2010, 115, 969-974.	1.2	7

Moshe Ben-Ami

#	Article	IF	CITATIONS
19	The association between poor ovarian response and thrombophilia in assisted reproduction. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 166, 65-69.	0.5	7
20	Premature luteinization defined by an increased progesterone/estradiol ratio on day of human chorionic gonadotropin administration is a manifestation of diminished ovarian responsiveness to controlled ovarian hyperstimulation. Fertility and Sterility, 2010, 93, e29.	0.5	6
21	Does the empty follicle syndrome occur in cases of low number of maturing follicles in assisted reproduction?. Gynecological Endocrinology, 2019, 35, 305-308.	0.7	3
22	Reduced protein C Global assay level in infertile women prior to IVF-ET treatment. Journal of Assisted Reproduction and Genetics, 2014, 31, 101-107.	1.2	2
23	Perinatal Outcome of Twin Pregnancies Complicated by Rupture ofÂMembranes at 13–20 Weeks: Is Selective Termination anÂAppropriate Management Option?. Ultraschall in Der Medizin, 2020, 41, e17-e22.	0.8	2
24	The association between multinucleated blastomeres and poor ovarian response under the Bologna criteria. Journal of Assisted Reproduction and Genetics, 2016, 33, 885-892.	1.2	1
25	A comparison of enriched culture and Xpert polymerase chain reaction assay of Group B streptococcus carrier status at 35–37-week gestation to labor onset: a prospective controlled study. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 2170-2174.	0.7	1
26	The "vanishing follicle―in women with low number of developing follicles during assisted reproduction. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 220, 6-11.	0.5	0
27	Protein C global assay evaluation in naturally conceived vs. assisted reproduction-achieved twin pregnancies: a prospective longitudinal study. Archives of Gynecology and Obstetrics, 2021, 303, 1549-1555.	0.8	0
28	DIFFERENT PATTERNS OF LIPOXYGENASE GENE EXPRESSION IN BOTH HUMAN GRANULOSA-LUTEIN CELLS AND CUMULUS CELLS FROM WOMEN UNDERGOING INVITRO FERTILIZATION. Biology of Reproduction, 2007, 77, 94-95.	1.2	0