
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1099984/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Trimethylamine-N-oxide (TMAO) and clinical outcomes in patients with end-stage kidney disease receiving peritoneal dialysis. Peritoneal Dialysis International, 2022, 42, 622-630.	2.3	4
2	Suppressed Halide Segregation and Defects in Wide Bandgap Perovskite Solar Cells Enabled by Doping Organic Bromide Salt with Moderate Chain Length. Journal of Physical Chemistry C, 2022, 126, 1711-1720.	3.1	8
3	Device performance improvements in all-inorganic perovskite light-emitting diodes: the role of binary ammonium cation terminals. Physical Chemistry Chemical Physics, 2022, 24, 6208-6214.	2.8	2
4	<i>AQP1</i> Promoter Variant, Water Transport, and Outcome in Peritoneal Dialysis. New England Journal of Medicine, 2022, 386, 1096-1098.	27.0	0
5	Association of Serum Adipokines and Resting Energy Expenditure in Patients With Chronic Kidney Disease. Frontiers in Nutrition, 2022, 9, 828341.	3.7	2
6	Pouch of Douglas hernia in a patient on peritoneal dialysis. Kidney International, 2022, 101, 1090.	5.2	0
7	Neural representation of phonological information during Chinese character reading. Human Brain Mapping, 2022, 43, 4013-4029.	3.6	5
8	Scalable Reaction-spinning of Rigid-rod Upilex-S® Type Polyimide Fiber with an Ultrahigh Tg. Chinese Journal of Polymer Science (English Edition), 2021, 39, 592-600.	3.8	7
9	Language distance in orthographic transparency affects crossâ€language pattern similarity between native and nonâ€native languages. Human Brain Mapping, 2021, 42, 893-907.	3.6	14
10	Novel equation for estimating resting energy expenditure in patients with chronic kidney disease. American Journal of Clinical Nutrition, 2021, 113, 1647-1656.	4.7	6
11	The contributions of the left hippocampus and bilateral inferior parietal lobule to formâ€meaning associative learning. Psychophysiology, 2021, 58, e13834.	2.4	6
12	Risk factors for sleep disorders in patients undergoing peritoneal dialysis. Sleep and Biological Rhythms, 2021, 19, 255-264.	1.0	2
13	Associations between small and middle molecules clearance and the change of cognitive function in peritoneal dialysis. Journal of Nephrology, 2020, 33, 839-848.	2.0	7
14	The cut-off values of handgrip strength and lean mass index for sarcopenia among patients on peritoneal dialysis. Nutrition and Metabolism, 2020, 17, 84.	3.0	11
15	Operational considerations for peritoneal dialysis management during the COVID-19 pandemic. CKJ: Clinical Kidney Journal, 2020, 13, 322-327.	2.9	9
16	Use of Peritoneal Dialysis in Acute Kidney Injury: How Far Away?. Seminars in Nephrology, 2020, 40, 506-515.	1.6	2
17	Solvent modification to suppress halide segregation in mixed halide perovskite solar cells. Journal of Materials Science, 2020, 55, 9787-9794.	3.7	7
18	International Society for Peritoneal Dialysis practice recommendations: Prescribing high-quality goal-directed peritoneal dialysis. Peritoneal Dialysis International, 2020, 40, 244-253.	2.3	159

#	Article	IF	CITATIONS
19	Volume management as a key dimension of a high-quality PD prescription. Peritoneal Dialysis International, 2020, 40, 282-292.	2.3	23
20	Establishing a Core Outcome Set for Peritoneal Dialysis: Report of the SONG-PD (Standardized) Tj ETQq0 0 0 rgBT Diseases, 2020, 75, 404-412.	/Overlock 1.9	10 Tf 50 70 92
21	The associations of plant-based protein intake with all-cause and cardiovascular mortality in patients on peritoneal dialysis. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 967-976.	2.6	19
22	Interface energy level alignment and improved film quality with a hydrophilic polymer interlayer to improve the device efficiency and stability of all-inorganic halide perovskite light-emitting diodes. Journal of Materials Chemistry C, 2020, 8, 6743-6748.	5.5	12
23	Pramipexole in peritoneal dialysis patients with restless legs syndrome (RLS): a protocol for a multicentre double-blind randomised controlled trial. BMJ Open, 2020, 10, e033815.	1.9	2
24	Eosinophilic peritonitis and nephrotic syndrome in Kimura's disease: a case report and literature review. BMC Nephrology, 2020, 21, 138.	1.8	5
25	Dietary fibre and mortality risk in patients on peritoneal dialysis. British Journal of Nutrition, 2019, 122, 996-1005.	2.3	16
26	Depression at Baseline is an Independent Risk Factor for Cognitive Decline in Patients on Peritoneal Dialysis: A Multicenter Prospective Cohort Study. Peritoneal Dialysis International, 2019, 39, 465-471.	2.3	3
27	Composite Adaptive Control of Teleoperators With Joint Flexibility, Uncertain Parameters, and Time-Delays. IEEE Access, 2019, 7, 115673-115681.	4.2	3
28	Sleep Disorders and Cognitive Impairment in Peritoneal Dialysis: A Multicenter Prospective Cohort Study. Kidney and Blood Pressure Research, 2019, 44, 1115-1127.	2.0	19
29	Hemophagocytic lymphohistiocytosis followed by an episode of peritoneal dialysis associated peritonitis: a case report. BMC Nephrology, 2019, 20, 27.	1.8	1
30	An Output Probabilistic Constrained Optimal Control Algorithm Based on Multivariable MAC and its Application in Looper Control System. IEEE Access, 2019, 7, 72885-72895.	4.2	2
31	The Association of Cognitive Impairment with Peritoneal Dialysis-Related Peritonitis. Peritoneal Dialysis International, 2019, 39, 229-235.	2.3	15
32	Triple-Interpenetrated Lanthanide-Organic Framework as Dual Wave Bands Self-Calibrated pH Luminescent Probe. Analytical Chemistry, 2019, 91, 5455-5460.	6.5	70
33	An international Delphi survey helped develop consensus-based core outcome domains for trialsÂin peritoneal dialysis. Kidney International, 2019, 96, 699-710.	5.2	73
34	The effects of oral vitamin D supplementation on the prevention of peritoneal dialysis-related peritonitis: study protocol for a randomized controlled clinical trial. Trials, 2019, 20, 657.	1.6	4
35	Patient and Caregiver Priorities for Outcomes in Peritoneal Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 74-83.	4.5	101
36	Vitamin D status and mortality risk among patients on dialysis: a systematic review and meta-analysis of observational studies. Nephrology Dialysis Transplantation, 2018, 33, 1742-1751.	0.7	26

#	Article	IF	CITATIONS
37	Genome-Wide Association and Functional Studies Identify <i>SCML4</i> and <i>THSD7A</i> as Novel Susceptibility Genes for Coronary Artery Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2018, 38, 964-975.	2.4	32
38	Associations of Adiponectin, Leptin Levels, and the Change of Body Composition in Patients on Peritoneal Dialysis: A Prospective Cohort Study. Peritoneal Dialysis International, 2018, 38, 278-285.	2.3	4
39	Novel Equations for Estimating Lean Body Mass in Patients With Chronic Kidney Disease. , 2018, 28, 156-164.		9
40	Synthesis of organosoluble copolyimide and preparation of fibers by dry-spinning process on a large scale. High Performance Polymers, 2018, 30, 1193-1202.	1.8	4
41	An output probabilistic constrained control algorithm based on adaptive dynamic matrix control. , 2018, , .		1
42	Multiple-Neural-Networks-Based Adaptive Control for Bilateral Teleoperation Systems with Time-Varying Delays. , 2018, , .		5
43	Center-Specific Risk-Adjusted Standardized Mortality Rates on Continuous Ambulatory Peritoneal Dialysis in China. Peritoneal Dialysis International, 2018, 38, 36-44.	2.3	3
44	The Effect of Automated versus Continuous Ambulatory Peritoneal Dialysis on Mortality Risk in China. Peritoneal Dialysis International, 2018, 38, 25-35.	2.3	15
45	Number of Daily Peritoneal Dialysis Exchanges and Mortality Risk in a Chinese Population. Peritoneal Dialysis International, 2018, 38, 53-63.	2.3	7
46	What pd Research in China Tells Us. Peritoneal Dialysis International, 2018, 38, 19-24.	2.3	4
47	Cognitive Changes in Peritoneal Dialysis Patients: A Multicenter Prospective Cohort Study. American Journal of Kidney Diseases, 2018, 72, 691-700.	1.9	37
48	Urgent-Start Peritoneal Dialysis Complications: Prevalence andÂRisk Factors. American Journal of Kidney Diseases, 2017, 70, 102-110.	1.9	47
49	Association of Social Support and Family Environment with Cognitive Function in Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2017, 37, 14-20.	2.3	9
50	Intraperitoneal Vancomycin Plus Either Oral Moxifloxacin or Intraperitoneal Ceftazidime for the Treatment of Peritoneal Dialysisâ~'Related Peritonitis: A Randomized Controlled PilotÂStudy. American Journal of Kidney Diseases, 2017, 70, 30-37.	1.9	11
51	An association of cognitive impairment with diabetes and retinopathy in end stage renal disease patients under peritoneal dialysis. PLoS ONE, 2017, 12, e0183965.	2.5	15
52	Mutant LRP6 Impairs Endothelial Cell Functions Associated with Familial Normolipidemic Coronary Artery Disease. International Journal of Molecular Sciences, 2016, 17, 1173.	4.1	13
53	Novel loci and pathways significantly associated with longevity. Scientific Reports, 2016, 6, 21243.	3.3	145
54	Older Age, Higher Body Mass Index and Inflammation Increase the Risk for New-Onset Diabetes and Impaired Glucose Tolerance in Patients on Peritoneal Dialysis?. Peritoneal Dialysis International, 2016, 36, 277-283.	2.3	23

#	Article	IF	CITATIONS
55	Pancreatic metastasis of renal cell carcinoma. Hepatobiliary and Pancreatic Diseases International, 2016, 15, 30-38.	1.3	16
56	<i>TBX5</i> mutations contribute to early-onset atrial fibrillation in Chinese and Caucasians. Cardiovascular Research, 2016, 109, 442-450.	3.8	43
57	Depression and Cognitive Impairment in Peritoneal Dialysis: AÂMulticenter Cross-sectional Study. American Journal of Kidney Diseases, 2016, 67, 111-118.	1.9	42
58	The Association of Individual and Regional Socioeconomic Status on Initial Peritonitis and Outcomes in Peritoneal Dialysis Patients: A Propensity Score-Matched Cohort Study. Peritoneal Dialysis International, 2016, 36, 395-401.	2.3	13
59	Performance of the Modified Mini-Mental State Examination (3MS) in Assessing Specific Cognitive Function in Patients Undergoing Peritoneal Dialysis. PLoS ONE, 2016, 11, e0166470.	2.5	13
60	Vitamin D Status Is an Independent Risk Factor for Global Cognitive Impairment in Peritoneal Dialysis Patients. PLoS ONE, 2015, 10, e0143782.	2.5	20
61	Retention and tolerance of autoreactive CD4+ recent thymic emigrants in the liver. Journal of Autoimmunity, 2015, 56, 87-97.	6.5	8
62	Hyponatremia and Cognitive Impairment in Patients Treated with Peritoneal Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 1806-1813.	4.5	40
63	Ketoacid Supplementation Partially Improves Metabolic Parameters in Patients on Peritoneal Dialysis. Peritoneal Dialysis International, 2015, 35, 736-742.	2.3	6
64	Serum 25-Hydroxyvitamin D Level Could Predict the Risk for Peritoneal Dialysis-Associated Peritonitis. Peritoneal Dialysis International, 2015, 35, 729-735.	2.3	12
65	Novel Equations for Estimating Lean Body Mass in Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2015, 35, 743-752.	2.3	8
66	The Associations of Uric Acid, Cardiovascular and All-Cause Mortality in Peritoneal Dialysis Patients. PLoS ONE, 2014, 9, e82342.	2.5	35
67	The Associations between the Family Education and Mortality of Patients on Peritoneal Dialysis. PLoS ONE, 2014, 9, e95894.	2.5	10
68	Clinical Research in a Modern Chinese Peritoneal Dialysis Center. Peritoneal Dialysis International, 2014, 34, 49-54.	2.3	2
69	Associations between Serum-Intact Parathyroid Hormone, Serum 25-Hydroxyvitamin D. Oral Vitamin D Analogs and Metabolic Syndrome in Peritoneal Dialysis Patients: A Multi-Center Cross-Sectional Study. Peritoneal Dialysis International, 2014, 34, 447-455.	2.3	12
70	Prognostic Value of Serum Von Willebrand Factor, but Not Soluble Icam and Vcam, for Mortality and Cardiovascular Events is Independent of Residual Renal Function in Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2014, 34, 706-713.	2.3	15
71	NEXN inhibits GATA4 and leads to atrial septal defects in mice and humans. Cardiovascular Research, 2014, 103, 228-237.	3.8	35
72	Peritoneal Protein Leakage, Systemic Inflammation, and Peritonitis Risk in Patients on Peritoneal Dialysis. Peritoneal Dialysis International, 2013, 33, 273-279.	2.3	21

#	Article	IF	CITATIONS
73	Clinical Characteristics and Outcomes of Peritoneal Dialysis–Related Peritonitis with Different Trends of Change in Effluent white Cell count: A Longitudinal Study. Peritoneal Dialysis International, 2013, 33, 436-444.	2.3	15
74	NEXN Is a Novel Susceptibility Gene for Coronary Artery Disease in Han Chinese. PLoS ONE, 2013, 8, e82135.	2.5	22
75	The Influence of Duration of Peritoneal Dialysis Therapy on the Outcomes of Initial and Subsequent Peritonitis is Different. Peritoneal Dialysis International, 2012, 32, 473-476.	2.3	6
76	Disease severity score could not predict the outcomes in peritoneal dialysis-associated peritonitis. Nephrology Dialysis Transplantation, 2012, 27, 2496-2501.	0.7	12
77	Impact of Individual and Environmental Socioeconomic Status on Peritoneal Dialysis Outcomes: A Retrospective Multicenter Cohort Study. PLoS ONE, 2012, 7, e50766.	2.5	44
78	An Optimal Color Mapping Strategy Based on Energy Minimization for Time-Varying Data. , 2011, , .		0
79	The Effect of Resistance Exercise to Augment Long-term Benefits of Intradialytic Oral Nutritional Supplementation in Chronic Hemodialysis Patients. , 2011, 21, 149-159.		90
80	Systemic mutational analysis of the TGFÂ signalling pathway in thoracic aortic aneurysms and dissections. Heart, 2011, 97, A226-A227.	2.9	0
81	Bcl-2 Upregulation Induced by miR-21 Via a Direct Interaction Is Associated with Apoptosis and Chemoresistance in MIA PaCa-2 Pancreatic Cancer Cells. Archives of Medical Research, 2011, 42, 8-14.	3.3	133
82	Daily protein intake and survival in patients on peritoneal dialysis. Nephrology Dialysis Transplantation, 2011, 26, 3715-3721.	0.7	44
83	Are ACEI/ARBs associated with the decreased peritoneal protein clearance in long-term PD patients?. Nephrology Dialysis Transplantation, 2011, 26, 2684-2690.	0.7	2
84	Low Dietary Sodium Intake Increases the Death Risk in Peritoneal Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 240-247.	4.5	68
85	Does Association with Volume Status and Inflammation Account for the Increased Death Risk from High Peritoneal Protein Clearance in Peritoneal Dialysis?. Blood Purification, 2010, 30, 127-134.	1.8	13
86	New insights into the role of anabolic interventions in dialysis patients with protein energy wasting. Current Opinion in Nephrology and Hypertension, 2009, 18, 469-475.	2.0	29
87	Low Prevalence of Hyperphosphatemia Independent of Residual Renal Function in Peritoneal Dialysis Patients. , 2007, 17, 389-396.		10
88	Effect of low-frequency electromagnetic casting on the castability, microstructure, and tensile properties of direct-chill cast Al-Zn-Mg-Cu alloy. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2004, 35, 2487-2494.	2.2	89