

Giovanni Fadda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11001338/publications.pdf>

Version: 2024-02-01

93
papers

6,847
citations

46918

47
h-index

60497

81
g-index

94
all docs

94
docs citations

94
times ranked

7303
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Accuracy of QuantiFERON-TB Gold Test for Tuberculosis Diagnosis in Children. PLoS ONE, 2015, 10, e0138952. | 1.1 | 37 |
| 2 | Functional dissection of protein domains involved in the immunomodulatory properties of PE_PGRS33 of <i>Mycobacterium tuberculosis</i> . Pathogens and Disease, 2013, 69, 232-239. | 0.8 | 39 |
| 3 | THE BIOLOGY OF MYCOBACTERIUM TUBERCULOSIS INFECTION.. Mediterranean Journal of Hematology and Infectious Diseases, 2013, 5, e2013070. | 0.5 | 114 |
| 4 | Impact of Structural Domains of the Heparin Binding Hemagglutinin of <i>Mycobacterium tuberculosis</i> on Function. Protein and Peptide Letters, 2012, 19, 1035-1039. | 0.4 | 10 |
| 5 | Direct MALDI-TOF Mass Spectrometry Assay of Blood Culture Broths for Rapid Identification of <i>Candida</i> Species Causing Bloodstream Infections: an Observational Study in Two Large Microbiology Laboratories. Journal of Clinical Microbiology, 2012, 50, 176-179. | 1.8 | 190 |
| 6 | Multidrug-Resistant <i>Proteus mirabilis</i> Bloodstream Infections: Risk Factors and Outcomes. Antimicrobial Agents and Chemotherapy, 2012, 56, 3224-3231. | 1.4 | 51 |
| 7 | Risk Factors and Outcomes of Candidemia Caused by Biofilm-Forming Isolates in a Tertiary Care Hospital. PLoS ONE, 2012, 7, e33705. | 1.1 | 170 |
| 8 | PE_PGRS30 is required for the full virulence of <i>Mycobacterium tuberculosis</i> . Cellular Microbiology, 2012, 14, 356-367. | 1.1 | 100 |
| 9 | Early diagnosis of candidemia in intensive care unit patients with sepsis: a prospective comparison of (1 α '3)- 12 -D-glucan assay, <i>Candida</i> score, and colonization index. Critical Care, 2011, 15, R249. | 2.5 | 152 |
| 10 | Analysis of heat-induced changes in protein expression of <i>Stenotrophomonas maltophilia</i> K279a reveals a role for GroEL in the host-temperature adaptation. International Journal of Medical Microbiology, 2011, 301, 273-281. | 1.5 | 21 |
| 11 | Methylated HBHA Produced in <i>M. smegmatis</i> Discriminates between Active and Non-Active Tuberculosis Disease among RD1-Responders. PLoS ONE, 2011, 6, e18315. | 1.1 | 72 |
| 12 | PPE_MPTR genes are differentially expressed by <i>Mycobacterium tuberculosis</i> in vivo. Tuberculosis, 2011, 91, 563-568. | 0.8 | 14 |
| 13 | Genome-wide expression profiling of the response to short-term exposure to fluconazole in <i>Cryptococcus neoformans</i> serotype A. BMC Microbiology, 2011, 11, 97. | 1.3 | 43 |
| 14 | Uncommon <i>Neosartorya udagawae</i> Fungus as a Causative Agent of Severe Corneal Infection. Journal of Clinical Microbiology, 2011, 49, 2357-2360. | 1.8 | 22 |
| 15 | Diagnosis of Invasive Aspergillosis by a Commercial Real-Time PCR Assay for <i>Aspergillus</i> DNA in Bronchoalveolar Lavage Fluid Samples from High-Risk Patients Compared to a Galactomannan Enzyme Immunoassay. Journal of Clinical Microbiology, 2011, 49, 4273-4278. | 1.8 | 114 |
| 16 | In Vitro Activities of Anidulafungin and Other Antifungal Agents against Biofilms Formed by Clinical Isolates of Different <i>Candida</i> and <i>Aspergillus</i> Species. Antimicrobial Agents and Chemotherapy, 2011, 55, 3031-3035. | 1.4 | 67 |
| 17 | Role of the (Mn)superoxide dismutase of <i>Enterococcus faecalis</i> in the in vitro interaction with microglia. Microbiology (United Kingdom), 2011, 157, 1816-1822. | 0.7 | 15 |
| 18 | Early Mannan Detection in Bronchoalveolar Lavage Fluid With Preemptive Treatment Reduces the Incidence of Invasive <i>Candida</i> Infections in Preterm Infants. Pediatric Infectious Disease Journal, 2010, 29, 844-848. | 1.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Surface Expression of MPT64 as a Fusion with the PE Domain of PE_PGERS33 Enhances <i>Mycobacterium bovis</i> BCG Protective Activity against <i>Mycobacterium tuberculosis</i> in Mice. <i>Infection and Immunity</i> , 2010, 78, 5202-5213. | 1.0 | 46 |
| 20 | Costs of Bloodstream Infections Caused by <i>Escherichia coli</i> and Influence of Extended-Spectrum- β -Lactamase Production and Inadequate Initial Antibiotic Therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 4085-4091. | 1.4 | 185 |
| 21 | Circulating Bacterial-Derived DNA Fragments and Markers of Inflammation in Chronic Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 379-385. | 2.2 | 98 |
| 22 | Antibiotic Usage and Risk of Colonization and Infection with Antibiotic-Resistant Bacteria: a Hospital Population-Based Study. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 4264-4269. | 1.4 | 127 |
| 23 | Gain of Function Mutations in CgPDR1 of <i>Candida glabrata</i> Not Only Mediate Antifungal Resistance but Also Enhance Virulence. <i>PLoS Pathogens</i> , 2009, 5, e1000268. | 2.1 | 248 |
| 24 | RNA (E6 and E7) Assays versus DNA (E6 and E7) Assays for Risk Evaluation for Women Infected with Human Papillomavirus. <i>Journal of Clinical Microbiology</i> , 2009, 47, 2136-2141. | 1.8 | 42 |
| 25 | Reliability of the Vitek 2 Yeast Susceptibility Test for Detection of In Vitro Resistance to Fluconazole and Voriconazole in Clinical Isolates of <i>Candida albicans</i> and <i>Candida glabrata</i> . <i>Journal of Clinical Microbiology</i> , 2009, 47, 1927-1930. | 1.8 | 43 |
| 26 | Clinical Performance of Human Papillomavirus E6 and E7 mRNA Testing for High-Grade Lesions of the Cervix. <i>Journal of Clinical Microbiology</i> , 2009, 47, 3895-3901. | 1.8 | 63 |
| 27 | The ABC transporter-encoding gene <i>AFR1</i> affects the resistance of <i>Cryptococcus neoformans</i> to microglia-mediated antifungal activity by delaying phagosomal maturation. <i>FEMS Yeast Research</i> , 2009, 9, 301-310. | 1.1 | 39 |
| 28 | Incidence and clinical impact of extended-spectrum- β -lactamase (ESBL) production and fluoroquinolone resistance in bloodstream infections caused by <i>Escherichia coli</i> in patients with hematological malignancies. <i>Journal of Infection</i> , 2009, 58, 299-307. | 1.7 | 144 |
| 29 | Factors associated with mortality in bacteremic patients with hematologic malignancies. <i>Diagnostic Microbiology and Infectious Disease</i> , 2009, 64, 320-326. | 0.8 | 82 |
| 30 | Specific Immunoassays Confirm Association of <i>Mycobacterium avium</i> Subsp. <i>paratuberculosis</i> with Type-1 but Not Type-2 Diabetes Mellitus. <i>PLoS ONE</i> , 2009, 4, e4386. | 1.1 | 58 |
| 31 | Evaluation of the anti-tuberculosis activity generated by different multigene DNA vaccine constructs. <i>Microbes and Infection</i> , 2008, 10, 605-612. | 1.0 | 16 |
| 32 | The ATP-binding cassette transporter-encoding gene <i>CgSNQ2</i> is contributing to the <i>CgPDR1</i> -dependent azole resistance of <i>Candida glabrata</i> . <i>Molecular Microbiology</i> , 2008, 68, 186-201. | 1.2 | 126 |
| 33 | Bloodstream Infections Caused by Extended-Spectrum- β -Lactamase-Producing <i>Escherichia coli</i> : Risk Factors for Inadequate Initial Antimicrobial Therapy. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 3244-3252. | 1.4 | 104 |
| 34 | Humoral Immune Responses of Type 1 Diabetes Patients to <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> Lend Support to the Infectious Trigger Hypothesis. <i>Vaccine Journal</i> , 2008, 15, 320-326. | 3.2 | 69 |
| 35 | Fungaemia caused by <i>Candida glabrata</i> with reduced susceptibility to fluconazole due to altered gene expression: risk factors, antifungal treatment and outcome. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 62, 1379-1385. | 1.3 | 50 |
| 36 | Predictors of Mortality in Patients with Bloodstream Infections Caused by Extended-Spectrum- β -Lactamase-Producing Enterobacteriaceae: Importance of Inadequate Initial Antimicrobial Treatment. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 1987-1994. | 1.4 | 382 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Evaluation of VITEK 2 and RapID Yeast Plus Systems for Yeast Species Identification: Experience at a Large Clinical Microbiology Laboratory. <i>Journal of Clinical Microbiology</i> , 2007, 45, 1343-1346. | 1.8 | 62 |
| 38 | Biofilm Production by <i>Candida</i> Species and Inadequate Antifungal Therapy as Predictors of Mortality for Patients with Candidemia. <i>Journal of Clinical Microbiology</i> , 2007, 45, 1843-1850. | 1.8 | 300 |
| 39 | PE is a functional domain responsible for protein translocation and localization on mycobacterial cell wall. <i>Molecular Microbiology</i> , 2007, 66, 1536-1547. | 1.2 | 114 |
| 40 | Declining Prevalence of HIV-1 Drug Resistance in Treatment-Failing Patients: A Clinical Cohort Study. <i>Antiviral Therapy</i> , 2007, 12, 835-839. | 0.6 | 29 |
| 41 | Immunogenicity and cytoadherence of recombinant heparin binding haemagglutinin (HBHA) of <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> : Functional promiscuity or a role in virulence?. <i>Vaccine</i> , 2006, 24, 236-243. | 1.7 | 32 |
| 42 | PE_PGRS proteins are differentially expressed by <i>Mycobacterium tuberculosis</i> in host tissues. <i>Microbes and Infection</i> , 2006, 8, 2061-2067. | 1.0 | 65 |
| 43 | Rapid detection of clarithromycin resistance in <i>Helicobacter pylori</i> using a PCR-based denaturing HPLC assay. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 57, 71-78. | 1.3 | 22 |
| 44 | Caspofungin activity against clinical isolates of azole cross-resistant <i>Candida glabrata</i> overexpressing efflux pump genes. <i>Journal of Antimicrobial Chemotherapy</i> , 2006, 58, 458-461. | 1.3 | 26 |
| 45 | Bloodstream Infections Caused by Extended-Spectrum- β -Lactamase-Producing <i>Klebsiella pneumoniae</i> : Risk Factors, Molecular Epidemiology, and Clinical Outcome. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 498-504. | 1.4 | 243 |
| 46 | Variable Expression Patterns of <i>Mycobacterium tuberculosis</i> PE_PGRS Genes: Evidence that PE_PGRS16 and PE_PGRS26 Are Inversely Regulated In Vivo. <i>Journal of Bacteriology</i> , 2006, 188, 3721-3725. | 1.0 | 65 |
| 47 | Differential In Vitro Expression of the <i>brkA</i> Gene in <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i> Clinical Isolates. <i>Journal of Clinical Microbiology</i> , 2006, 44, 3397-3400. | 1.8 | 21 |
| 48 | Evaluation of the New VITEK 2 Extended-Spectrum Beta-Lactamase (ESBL) Test for Rapid Detection of ESBL Production in Enterobacteriaceae Isolates. <i>Journal of Clinical Microbiology</i> , 2006, 44, 3257-3262. | 1.8 | 57 |
| 49 | Azole Resistance of <i>Candida glabrata</i> in a Case of Recurrent Fungemia. <i>Journal of Clinical Microbiology</i> , 2006, 44, 3046-3047. | 1.8 | 27 |
| 50 | Role of AFR1, an ABC Transporter-Encoding Gene, in the In Vivo Response to Fluconazole and Virulence of <i>Cryptococcus neoformans</i> . <i>Infection and Immunity</i> , 2006, 74, 1352-1359. | 1.0 | 104 |
| 51 | The <i>hbhA</i> Gene of <i>Mycobacterium tuberculosis</i> Is Specifically Upregulated in the Lungs but Not in the Spleens of Aerogenically Infected Mice. <i>Infection and Immunity</i> , 2006, 74, 3006-3011. | 1.0 | 33 |
| 52 | Reply to Seligman. <i>Clinical Infectious Diseases</i> , 2006, 42, 156-157. | 2.9 | 0 |
| 53 | Molecular tools for differentiating probiotic and clinical strains of <i>Saccharomyces cerevisiae</i> . <i>International Journal of Food Microbiology</i> , 2005, 103, 295-304. | 2.1 | 35 |
| 54 | Contribution of a PerR-like regulator to the oxidative-stress response and virulence of <i>Enterococcus faecalis</i> . <i>Microbiology (United Kingdom)</i> , 2005, 151, 3997-4004. | 0.7 | 69 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Recurrent Ventriculoperitoneal Shunt Infection Caused by Small-Colony Variants of <i>Staphylococcus aureus</i> . <i>Clinical Infectious Diseases</i> , 2005, 41, e48-e52. | 2.9 | 49 |
| 56 | Patients with Pulmonary Tuberculosis Develop a Strong Humoral Response against Methylated Heparin-Binding Hemagglutinin. <i>Vaccine Journal</i> , 2005, 12, 1135-1138. | 3.2 | 31 |
| 57 | <i>Mycobacterium avium</i> subsp. <i>paratuberculosis</i> , Genetic Susceptibility to Crohn's Disease, and Sardinians: the Way Ahead. <i>Journal of Clinical Microbiology</i> , 2005, 43, 5275-5277. | 1.8 | 47 |
| 58 | Mechanisms of Azole Resistance in Clinical Isolates of <i>Candida glabrata</i> Collected during a Hospital Survey of Antifungal Resistance. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 668-679. | 1.4 | 296 |
| 59 | Detection and Isolation of <i>Mycobacterium avium</i> Subspecies <i>paratuberculosis</i> from Intestinal Mucosal Biopsies of Patients with and without Crohn's Disease in Sardinia. <i>American Journal of Gastroenterology</i> , 2005, 100, 1529-1536. | 0.2 | 193 |
| 60 | ESBL-producing multidrug-resistant <i>Providencia stuartii</i> infections in a university hospital. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 53, 277-282. | 1.3 | 68 |
| 61 | Effects of the <i>Enterococcus faecalis</i> <i>hypR</i> Gene Encoding a New Transcriptional Regulator on Oxidative Stress Response and Intracellular Survival within Macrophages. <i>Infection and Immunity</i> , 2004, 72, 4424-4431. | 1.0 | 78 |
| 62 | Rv1818c-encoded PE_PGRS protein of <i>Mycobacterium tuberculosis</i> is surface exposed and influences bacterial cell structure. <i>Molecular Microbiology</i> , 2004, 52, 725-733. | 1.2 | 188 |
| 63 | Expression and purification of recombinant methylated HBHA in <i>Mycobacterium smegmatis</i> . <i>FEMS Microbiology Letters</i> , 2004, 239, 33-39. | 0.7 | 52 |
| 64 | Antimicrobial resistance among non-fermentative Gram-negative bacilli isolated from the respiratory tracts of Italian inpatients: a 3-year surveillance study by the Italian Epidemiological Survey. <i>International Journal of Antimicrobial Agents</i> , 2004, 23, 254-261. | 1.1 | 26 |
| 65 | High levels of dual resistance to clarithromycin and metronidazole and in vitro activity of levofloxacin against <i>Helicobacter pylori</i> isolates from patients after failure of therapy. <i>International Journal of Antimicrobial Agents</i> , 2004, 24, 433-438. | 1.1 | 38 |
| 66 | Identification of methicillin-resistant isolates of <i>Staphylococcus aureus</i> and coagulase-negative staphylococci responsible for bloodstream infections with the Phoenix [®] system. <i>Diagnostic Microbiology and Infectious Disease</i> , 2004, 48, 221-227. | 0.8 | 25 |
| 67 | Cardiopulmonary bypass in man: role of the intestine in a self-limiting inflammatory response with demonstrable bacterial translocation. <i>Annals of Thoracic Surgery</i> , 2004, 77, 612-618. | 0.7 | 64 |
| 68 | Identification and characterization of a <i>Cryptococcus neoformans</i> ATP binding cassette (ABC) transporter-encoding gene, <i>CnAFR1</i> , involved in the resistance to fluconazole. <i>Molecular Microbiology</i> , 2003, 47, 357-371. | 1.2 | 131 |
| 69 | Comparison of Real-Time PCR, Conventional PCR, and Galactomannan Antigen Detection by Enzyme-Linked Immunosorbent Assay Using Bronchoalveolar Lavage Fluid Samples from Hematology Patients for Diagnosis of Invasive Pulmonary Aspergillosis. <i>Journal of Clinical Microbiology</i> , 2003, 41, 3922-3925. | 1.8 | 134 |
| 70 | Production and Characterization of a Human Recombinant Monoclonal Fab Fragment Specific for Influenza A Viruses. <i>Vaccine Journal</i> , 2003, 10, 680-685. | 3.2 | 12 |
| 71 | Characterization of Clinical Isolates of Enterobacteriaceae from Italy by the BD Phoenix Extended-Spectrum β -Lactamase Detection Method. <i>Journal of Clinical Microbiology</i> , 2003, 41, 1463-1468. | 1.8 | 71 |
| 72 | <i>Candida albicans</i> Endocarditis Diagnosed by PCR-based Molecular Assay in a Critically ill Pediatric Patient. <i>Scandinavian Journal of Infectious Diseases</i> , 2002, 34, 145-147. | 1.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Risk factors and predictors of mortality of methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) bacteraemia in HIV-infected patients. <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 50, 375-382. | 1.3 | 66 |
| 74 | A novel expression vector for production of epitope-tagged recombinant Fab fragments in bacteria. <i>Human Antibodies</i> , 2001, 10, 149-154. | 0.6 | 3 |
| 75 | Nonneutralizing Human Antibody Fragments against Hepatitis C Virus E2 Glycoprotein Modulate Neutralization of Binding Activity of Human Recombinant Fabs. <i>Virology</i> , 2001, 288, 29-35. | 1.1 | 38 |
| 76 | Mapping B-Cell Epitopes of Hepatitis C Virus E2 Glycoprotein Using Human Monoclonal Antibodies from Phage Display Libraries. <i>Journal of Virology</i> , 2001, 75, 9986-9990. | 1.5 | 45 |
| 77 | Glycopeptide Resistance among Coagulase-Negative <i>Staphylococci</i> that Cause Bacteremia: Epidemiological and Clinical Findings from a Case-Control Study. <i>Clinical Infectious Diseases</i> , 2001, 33, 1628-1635. | 2.9 | 48 |
| 78 | Kaposi's Sarcoma Associated with Previous Human Herpesvirus 8 Infection in Kidney Transplant Recipients. <i>Journal of Clinical Microbiology</i> , 2001, 39, 506-508. | 1.8 | 99 |
| 79 | Evaluation of BACTEC Mycobacteria Growth Indicator Tube (MGIT 960) Automated System for Drug Susceptibility Testing of <i>Mycobacterium tuberculosis</i> . <i>Journal of Clinical Microbiology</i> , 2001, 39, 4440-4444. | 1.8 | 104 |
| 80 | Distribution of a Specific 500-Base-Pair Fragment in <i>Mycobacterium bovis</i> Isolates from Sardinian Cattle. <i>Journal of Clinical Microbiology</i> , 2000, 38, 3837-3839. | 1.8 | 10 |
| 81 | Reverse Cross Blot Hybridization Assay for Rapid Detection of PCR-Amplified DNA from <i>Candida</i> Species, <i>Cryptococcus neoformans</i> , and <i>Saccharomyces cerevisiae</i> in Clinical Samples. <i>Journal of Clinical Microbiology</i> , 2000, 38, 1609-1614. | 1.8 | 33 |
| 82 | Application of Molecular Methods for Detection and Transmission Analysis of <i>Mycobacterium tuberculosis</i> Drug Resistance in Patients Attending a Reference Hospital in Italy. <i>Journal of Infectious Diseases</i> , 1999, 179, 1025-1029. | 1.9 | 18 |
| 83 | HHV-8/KSHV is Not Associated with AIDS-Related Primary Central Nervous System Lymphoma. <i>Brain Pathology</i> , 1999, 9, 199-208. | 2.1 | 26 |
| 84 | Different Strategies for Molecular Differentiation of <i>Mycobacterium bovis</i> Strains Isolated in Sardinia, Italy. <i>Applied and Environmental Microbiology</i> , 1999, 65, 1781-1785. | 1.4 | 9 |
| 85 | Human Herpesvirus 8 Seroprevalence and Evaluation of Nonsexual Transmission Routes by Detection of DNA in Clinical Specimens from Human Immunodeficiency Virus-Seronegative Patients from Central and Southern Italy, with and without Kaposi's Sarcoma. <i>Journal of Clinical Microbiology</i> , 1999, 37, 1150-1153. | 1.8 | 67 |
| 86 | PCR-Restriction Enzyme Analysis for Detection of <i>Candida</i> DNA in Blood from Febrile Patients with Hematological Malignancies. <i>Journal of Clinical Microbiology</i> , 1999, 37, 1871-1875. | 1.8 | 88 |
| 87 | Molecular and Epidemiological Characterization of Vaginal <i>Saccharomyces cerevisiae</i> Isolates. <i>Journal of Clinical Microbiology</i> , 1999, 37, 2230-2235. | 1.8 | 32 |
| 88 | Molecular Characterization and Antibiotic Susceptibilities of Ocular Isolates of <i>Staphylococcus epidermidis</i> . <i>Journal of Clinical Microbiology</i> , 1999, 37, 3031-3033. | 1.8 | 13 |
| 89 | Dissection of human humoral immune response against hepatitis C virus E2 glycoprotein by repertoire cloning and generation of recombinant fab fragments. <i>Hepatology</i> , 1998, 28, 810-814. | 3.6 | 51 |
| 90 | Bacteriophages induced from weakly beta-haemolytic human intestinal spirochaetes by mitomycin C. <i>Journal of Basic Microbiology</i> , 1998, 38, 323-335. | 1.8 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | RE: KAPOSII'S SARCOMA ASSOCIATED HERPESVIRUS DEOXYRIBONUCLEIC ACID SEQUENCES. <i>Journal of Urology</i> , 1998, 160, 505-505. | 0.2 | 5 |
| 92 | Human Herpesvirus 8 in Italian HIV-Seronegative Patients With Kaposi Sarcoma. <i>Archives of Dermatology</i> , 1998, 134, 695-9. | 1.7 | 42 |
| 93 | Enterobacterial Repetitive Intergenic Consensus Sequences as Molecular Targets for Typing of <i>Mycobacterium tuberculosis</i> Strains. <i>Journal of Clinical Microbiology</i> , 1998, 36, 128-132. | 1.8 | 44 |