

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11003634/publications.pdf>

Version: 2024-02-01

36
papers

2,432
citations

430442

18
h-index

377514

34
g-index

37
all docs

37
docs citations

37
times ranked

2661
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical and Psychosocial Predictors of Suicide Attempts and Nonsuicidal Self-Injury in the Adolescent Depression Antidepressants and Psychotherapy Trial (ADAPT). <i>American Journal of Psychiatry</i> , 2011, 168, 495-501.	4.0	479
2	Selective serotonin reuptake inhibitors (SSRIs) and routine specialist care with and without cognitive behavioural therapy in adolescents with major depression: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2007, 335, 142.	2.4	301
3	Predictors of future suicide attempt among adolescents with suicidal thoughts or non-suicidal self-harm: a population-based birth cohort study. <i>Lancet Psychiatry</i> , 2019, 6, 327-337.	3.7	268
4	Cognitive behavioural therapy and short-term psychoanalytical psychotherapy versus a brief psychosocial intervention in adolescents with unipolar major depressive disorder (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled superiority trial. <i>Lancet Psychiatry</i> , 2017, 4, 109-119.	3.7	181
5	Non-suicidal self-injury. <i>European Child and Adolescent Psychiatry</i> , 2011, 20, 103-108.	2.8	121
6	What distinguishes adolescents with suicidal thoughts from those who have attempted suicide? A population-based birth cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 91-99.	3.1	111
7	Improving mood with psychoanalytic and cognitive therapies (IMPACT): a pragmatic effectiveness superiority trial to investigate whether specialised psychological treatment reduces the risk for relapse in adolescents with moderate to severe unipolar depression: study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 175.	0.7	106
8	Profiles of family-focused adverse experiences through childhood and early adolescence: The ROOTS project a community investigation of adolescent mental health. <i>BMC Psychiatry</i> , 2011, 11, 109.	1.1	92
9	Non-suicidal self-injury. <i>European Child and Adolescent Psychiatry</i> , 2013, 22, 75-79.	2.8	92
10	Cost-effectiveness of selective serotonin reuptake inhibitors and routine specialist care with and without cognitive behavioural therapy in adolescents with major depression. <i>British Journal of Psychiatry</i> , 2007, 191, 521-527.	1.7	89
11	Combined treatment with cognitive behavioural therapy in adolescent depression: meta-analysis. <i>British Journal of Psychiatry</i> , 2010, 197, 433-440.	1.7	80
12	Cognitive behavioural therapy and short-term psychoanalytic psychotherapy versus brief psychosocial intervention in adolescents with unipolar major depression (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled trial. <i>Health Technology Assessment</i> , 2017, 21, 1-94.	1.3	61
13	Predicting dropout in adolescents receiving therapy for depression. <i>Psychotherapy Research</i> , 2018, 28, 708-721.	1.1	50
14	Poor family functioning mediates the link between childhood adversity and adolescent nonsuicidal self-harm. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018, 59, 881-887.	3.1	49
15	Treated depression in adolescents: predictors of outcome at 28 weeks. <i>British Journal of Psychiatry</i> , 2009, 194, 334-341.	1.7	45
16	5-HTTLPR and Early Childhood Adversities Moderate Cognitive and Emotional Processing in Adolescence. <i>PLoS ONE</i> , 2012, 7, e48482.	1.1	39
17	Prognostic Implications for Adolescents With Depression Who Drop Out of Psychological Treatment During a Randomized Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 983-992.	0.3	25
18	Non-suicidal self-injury in adolescence. <i>Paediatrics and Child Health (United Kingdom)</i> , 2016, 26, 554-558.	0.2	23

#	ARTICLE	IF	CITATIONS
19	A cluster randomised controlled trial to evaluate the effectiveness and cost-effectiveness of the GoActive intervention to increase physical activity among adolescents aged 13–14 years. <i>BMJ Open</i> , 2017, 7, e014419.	0.8	23
20	<i>Imaginator</i>: A Proof-of-Concept Feasibility Trial of a Brief Imagery-Based Psychological Intervention for Young People Who Self-Harm. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 724-740.	0.9	21
21	Trajectories of depression symptom change during and following treatment in adolescents with unipolar major depression. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020, 61, 565-574.	3.1	20
22	Prospective Pathways From Impulsivity to Non-Suicidal Self-Injury Among Youth. <i>Archives of Suicide Research</i> , 2022, 26, 534-547.	1.2	20
23	Attachment and Non-Suicidal Self-Injury among Young Adolescents: The Indirect Role of Behavioral Problems. <i>Archives of Suicide Research</i> , 2019, 23, 688-696.	1.2	18
24	Measurement Issues: Depression measures in children and adolescents. <i>Child and Adolescent Mental Health</i> , 2015, 20, 230-241.	1.8	15
25	GoActive: a protocol for the mixed-methods process evaluation of a school-based physical activity promotion programme for 13–14-year old adolescents. <i>Trials</i> , 2018, 19, 282.	0.7	15
26	â€Interaction structuresâ€™ between depressed adolescents and their therapists in short-term psychoanalytic psychotherapy and cognitive behavioural therapy. <i>Clinical Child Psychology and Psychiatry</i> , 2019, 24, 446-461.	0.8	15
27	Forum: the use of selective serotonin reuptake inhibitors in depressed children and adolescents: commentary on the meta-analysis by Hetrick et al. <i>Current Opinion in Psychiatry</i> , 2010, 23, 58-61.	3.1	13
28	Recent developments in the treatment of major depressive disorder in children and adolescents. <i>Evidence-Based Mental Health</i> , 2018, 21, 101-106.	2.2	13
29	Adolescentsâ€™ perspectives on a school-based physical activity intervention: A mixed method study. <i>Journal of Sport and Health Science</i> , 2020, 9, 28-40.	3.3	13
30	Clinical characteristics associated with the prescribing of SSRI medication in adolescents with major unipolar depression. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1287-1295.	2.8	8
31	The school policy, social, and physical environment and change in adolescent physical activity: An exploratory analysis using the LASSO. <i>PLoS ONE</i> , 2021, 16, e0249328.	1.1	8
32	The impact of the COVID-19 pandemic on UK medical education. A nationwide student survey. <i>Medical Teacher</i> , 2022, 44, 574-575.	1.0	7
33	Cross-sectional and longitudinal associations between psychotic and depressive symptoms in depressed adolescents. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 729-736.	2.8	6
34	Pharmacological treatment of depression and bipolar disorder in children and adolescents. <i>Advances in Psychiatric Treatment</i> , 2010, 16, 402-412.	0.6	2
35	Newer generation antidepressants for young people: Real-life evidence needed. <i>BJ Psych Advances</i> , 2017, 23, 75-80.	0.5	0
36	How do therapists assess suitability? A qualitative study exploring therapists' judgements of treatment suitability for depressed adolescents. <i>Counselling and Psychotherapy Research</i> , 0, , .	1.7	0