List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11003634/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prospective Pathways From Impulsivity to Non-Suicidal Self-Injury Among Youth. Archives of Suicide Research, 2022, 26, 534-547.	1.2	20
2	Cross-sectional and longitudinal associations between psychotic and depressive symptoms in depressed adolescents. European Child and Adolescent Psychiatry, 2022, 31, 729-736.	2.8	6
3	The impact of the COVID-19 pandemic on UK medical education. A nationwide student survey. Medical Teacher, 2022, 44, 574-575.	1.0	7
4	The school policy, social, and physical environment and change in adolescent physical activity: An exploratory analysis using the LASSO. PLoS ONE, 2021, 16, e0249328.	1.1	8
5	Adolescents' perspectives on a school-based physical activity intervention: A mixed method study. Journal of Sport and Health Science, 2020, 9, 28-40.	3.3	13
6	Trajectories of depression symptom change during and following treatment in adolescents with unipolar major depression. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2020, 61, 565-574.	3.1	20
7	<i>Imaginator</i> : A Proofâ€ofâ€Concept Feasibility Trial of a Brief Imageryâ€Based Psychological Intervention for Young People Who Selfâ€Harm. Suicide and Life-Threatening Behavior, 2020, 50, 724-740.	0.9	21
8	Predictors of future suicide attempt among adolescents with suicidal thoughts or non-suicidal self-harm: a population-based birth cohort study. Lancet Psychiatry,the, 2019, 6, 327-337.	3.7	268
9	Prognostic Implications for Adolescents With Depression Who Drop Out of Psychological Treatment During a Randomized Controlled Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 983-992.	0.3	25
10	Attachment and Non-Suicidal Self-Injury among Young Adolescents: The Indirect Role of Behavioral Problems. Archives of Suicide Research, 2019, 23, 688-696.	1.2	18
11	â€Interaction structures' between depressed adolescents and their therapists in short-term psychoanalytic psychotherapy and cognitive behavioural therapy. Clinical Child Psychology and Psychiatry, 2019, 24, 446-461.	0.8	15
12	What distinguishes adolescents with suicidal thoughts from those who have attempted suicide? A populationâ€based birth cohort study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 91-99.	3.1	111
13	Poor family functioning mediates the link between childhood adversity and adolescent nonsuicidal selfâ€injury. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2018, 59, 881-887.	3.1	49
14	Predicting dropout in adolescents receiving therapy for depression. Psychotherapy Research, 2018, 28, 708-721.	1.1	50
15	Recent developments in the treatment of major depressive disorder in children and adolescents. Evidence-Based Mental Health, 2018, 21, 101-106.	2.2	13
16	GoActive: a protocol for the mixedÂmethods process evaluation of a school-based physical activity promotion programme for 13–14year old adolescents. Trials, 2018, 19, 282.	0.7	15
17	Cognitive behavioural therapy and short-term psychoanalytical psychotherapy versus a brief psychosocial intervention in adolescents with unipolar major depressive disorder (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled superiority trial. Lancet Psychiatry.the. 2017. 4. 109-119.	3.7	181
18	Newer generation antidepressants for young people: Real-life evidence needed. BJ Psych Advances, 2017, 23, 75-80.	0.5	0

#	Article	IF	CITATIONS
19	A cluster randomised controlled trial to evaluate the effectiveness and cost-effectiveness of the GoActive intervention to increase physical activity among adolescents aged 13–14 years. BMJ Open, 2017, 7, e014419.	0.8	23
20	Cognitive–behavioural therapy and short-term psychoanalytic psychotherapy versus brief psychosocial intervention in adolescents with unipolar major depression (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled trial. Health Technology Assessment, 2017, 21, 1-94.	1.3	61
21	Non-suicidal self-injury in adolescence. Paediatrics and Child Health (United Kingdom), 2016, 26, 554-558.	0.2	23
22	Clinical characteristics associated with the prescribing of SSRI medication in adolescents with major unipolar depression. European Child and Adolescent Psychiatry, 2016, 25, 1287-1295.	2.8	8
23	Measurement Issues: Depression measures in children and adolescents. Child and Adolescent Mental Health, 2015, 20, 230-241.	1.8	15
24	Non-suicidal self-injury. European Child and Adolescent Psychiatry, 2013, 22, 75-79.	2.8	92
25	5-HTTLPR and Early Childhood Adversities Moderate Cognitive and Emotional Processing in Adolescence. PLoS ONE, 2012, 7, e48482.	1.1	39
26	Non-suicidal self-injury. European Child and Adolescent Psychiatry, 2011, 20, 103-108.	2.8	121
27	Profiles of family-focused adverse experiences through childhood and early adolescence: The ROOTS project a community investigation of adolescent mental health. BMC Psychiatry, 2011, 11, 109.	1.1	92
28	Improving mood with psychoanalytic and cognitive therapies (IMPACT): a pragmatic effectiveness superiority trial to investigate whether specialised psychological treatment reduces the risk for relapse in adolescents with moderate to severe unipolar depression: study protocol for a randomised controlled trial. Trials, 2011, 12, 175.	0.7	106
29	Clinical and Psychosocial Predictors of Suicide Attempts and Nonsuicidal Self-Injury in the Adolescent Depression Antidepressants and Psychotherapy Trial (ADAPT). American Journal of Psychiatry, 2011, 168, 495-501.	4.0	479
30	Forum: the use of selective serotonin reuptake inhibitors in depressed children and adolescents: commentary on the meta-analysis by Hetrick et al. Current Opinion in Psychiatry, 2010, 23, 58-61.	3.1	13
31	Pharmacological treatment of depression and bipolar disorder in children and adolescents. Advances in Psychiatric Treatment, 2010, 16, 402-412.	0.6	2
32	Combined treatment with cognitive–behavioural therapy in adolescent depression: meta-analysis. British Journal of Psychiatry, 2010, 197, 433-440.	1.7	80
33	Treated depression in adolescents: predictors of outcome at 28 weeks. British Journal of Psychiatry, 2009, 194, 334-341.	1.7	45
34	Cost-effectiveness of selective serotonin reuptake inhibitors and routine specialist care with and without cognitive–behavioural therapy in adolescents with major depression. British Journal of Psychiatry, 2007, 191, 521-527.	1.7	89
35	Selective serotonin reuptake inhibitors (SSRIs) and routine specialist care with and without cognitive behaviour therapy in adolescents with major depression: randomised controlled trial. BMJ: British Medical Journal, 2007, 335, 142.	2.4	301
36	How do therapists assess suitability? A qualitative study exploring therapists' judgements of treatment suitability for depressed adolescents. Counselling and Psychotherapy Research, 0, , .	1.7	0