

Alexey Kononikhin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11004646/alexey-kononikhin-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

39
papers

700
citations

17
h-index

25
g-index

39
ext. papers

778
ext. citations

3.4
avg, IF

3.88
L-index

#	Paper	IF	Citations
39	The effect of hypochlorite- and peroxide-induced oxidation of plasminogen on damage to the structure and biological activity.. <i>International Journal of Biological Macromolecules</i> , 2022 , 206, 64-73	7.9	0
38	Lipid Profiles of Human Brain Tumors Obtained by High-Resolution Negative Mode Ambient Mass Spectrometry. <i>Data</i> , 2021 , 6, 132	2.3	0
37	Speciation of organosulfur compounds in carbonaceous chondrites. <i>Scientific Reports</i> , 2021 , 11, 7410	4.9	2
36	The Structure of Blood Coagulation Factor XIII Is Adapted to Oxidation. <i>Biomolecules</i> , 2020 , 10,	5.9	4
35	Optical Properties of Soil Dissolved Organic Matter Are Related to Acidic Functions of Its Components as Revealed by Fractionation, Selective Deuteromethylation, and Ultrahigh Resolution Mass Spectrometry. <i>Environmental Science & Technology</i> , 2020 , 54, 2667-2677	10.3	14
34	Ozone-induced damage of fibrinogen molecules: identification of oxidation sites by high-resolution mass spectrometry. <i>Free Radical Research</i> , 2019 , 53, 430-455	4	12
33	Analytical Description of the H/D Exchange Kinetic of Macromolecule. <i>Analytical Chemistry</i> , 2018 , 90, 5116-5121	7.8	8
32	Investigation of bio-oil produced by hydrothermal liquefaction of food waste using ultrahigh resolution Fourier transform ion cyclotron resonance mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 2018 , 24, 116-123	1.1	16
31	A Comparison of Tissue Spray and Lipid Extract Direct Injection Electrospray Ionization Mass Spectrometry for the Differentiation of Eutopic and Ectopic Endometrial Tissues. <i>Journal of the American Society for Mass Spectrometry</i> , 2018 , 29, 323-330	3.5	13
30	Direct Mass Spectrometry Differentiation of Ectopic and Eutopic Endometrium in Patients with Endometriosis. <i>Journal of Minimally Invasive Gynecology</i> , 2018 , 25, 426-433	2.2	20
29	Oxidation-induced modifications of the catalytic subunits of plasma fibrin-stabilizing factor at the different stages of its activation identified by mass spectrometry. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2018 , 1866, 875-884	4	12
28	Thermal dissociation and H/D exchange of streptavidin tetramers at atmospheric pressure. <i>International Journal of Mass Spectrometry</i> , 2018 , 427, 100-106	1.9	3
27	Separation of Benzoic and Unconjugated Acidic Components of Leonardite Humic Material Using Sequential Solid-Phase Extraction at Different pH Values as Revealed by Fourier Transform Ion Cyclotron Resonance Mass Spectrometry and Correlation Nuclear Magnetic Resonance Spectrometry. <i>Environmental Science and Technology</i> , 2018 , 52, 12170-12177	5.7	10
26	Enumeration of carboxyl groups carried on individual components of humic systems using deuteromethylation and Fourier transform mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 2477-2488	4.4	30
25	The investigation of the bio-oil produced by hydrothermal liquefaction of <i>Spirulina platensis</i> using ultrahigh resolution Fourier transform ion cyclotron resonance mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 2017 , 23, 83-88	1.1	16
24	Synthesis of carboxylated styrene polymer for internal calibration of Fourier transform ion cyclotron resonance mass-spectrometry of humic substances. <i>European Journal of Mass Spectrometry</i> , 2017 , 23, 156-161	1.1	10
23	Investigation of the ozonation products of natural complex mixtures using Fourier transform ion cyclotron resonance mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 2017 , 23, 152-155	1.1	4

22	CID fragmentation, H/D exchange and supermetallization of Barnase-Barstar complex. <i>Scientific Reports</i> , 2017 , 7, 6176	4.9	3
21	Localization of zinc binding sites of Ab1-16 with English mutation during formation of monomers and dimers with zinc. <i>International Journal of Mass Spectrometry</i> , 2016 , 409, 67-72	1.9	1
20	High desolvation temperature facilitates the ESI-source H/D exchange at non-labile sites of hydroxybenzoic acids and aromatic amino acids. <i>Analyst</i> , 2016 , 141, 2426-34	5	33
19	The investigation of the bitumen from ancient Greek amphora using FT ICR MS, H/D exchange and novel spectrum reduction approach. <i>Journal of Mass Spectrometry</i> , 2016 , 51, 430-6	2.2	22
18	Thermal desorption combined with atmospheric pressure photo ionization for the analysis of volatile compounds and its possible applications. <i>European Journal of Mass Spectrometry</i> , 2016 , 22, 313-317	1.1	4
17	The investigation of the birch tar using ultrahigh resolution Fourier transform ion cyclotron resonance mass spectrometry and Hydrogen/Deuterium exchange approach. <i>International Journal of Mass Spectrometry</i> , 2016 , 404, 29-34	1.9	19
16	Letter: Supermetallization of peptides and proteins with tetravalent metal Th(IV). <i>European Journal of Mass Spectrometry</i> , 2016 , 22, 39-42	1.1	9
15	Letter: Electron-capture dissociation and collision-induced dissociation fragmentation of the supermetallized complexes of Substance P with potassium, cesium and silver. <i>European Journal of Mass Spectrometry</i> , 2016 , 22, 91-5	1.1	2
14	A novel direct spray-from-tissue ionization method for mass spectrometric analysis of human brain tumors. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 7797-805	4.4	33
13	Letter: Observation of the 16O/18O exchange during electrospray ionization. <i>European Journal of Mass Spectrometry</i> , 2015 , 21, 109-13	1.1	21
12	Letter: Analytical potential of the in-electrospray ionization source hydrogen/deuterium exchange for the investigation of oligonucleotides. <i>European Journal of Mass Spectrometry</i> , 2015 , 21, 59-63	1.1	20
11	Observation of the multiple halogenation of peptides in the electrospray ionization source. <i>Journal of Mass Spectrometry</i> , 2015 , 50, 899-905	2.2	1
10	Supermetallization of peptides and proteins during electrospray ionization. <i>Journal of Mass Spectrometry</i> , 2015 , 50, 1079-1087	2.2	25
9	Conformations of cationized linear oligosaccharides revealed by FTMS combined with in-ESI H/D exchange. <i>Journal of Mass Spectrometry</i> , 2015 , 50, 1150-6	2.2	26
8	In ESI-source H/D exchange under atmospheric pressure for peptides and proteins of different molecular weights from 1 to 66 kDa: the role of the temperature of the desolvating capillary on H/D exchange. <i>Journal of Mass Spectrometry</i> , 2015 , 50, 49-55	2.2	28
7	Conformational changes of ubiquitin during electrospray ionization as determined by in-ESI source H/D exchange combined with high-resolution MS and ECD fragmentation. <i>Journal of Mass Spectrometry</i> , 2014 , 49, 989-94	2.2	36
6	In-ESI source hydrogen/deuterium exchange of carbohydrate ions. <i>Analytical Chemistry</i> , 2014 , 86, 2595-608	4.4	47
5	Enumeration of non-labile oxygen atoms in dissolved organic matter by use of $^{18}\text{O}/^{16}\text{O}$ exchange and Fourier transform ion-cyclotron resonance mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 6655-64	4.4	40

4	Separation of tautomeric forms of [2-nitrophenol]- by an in-electrospray ionization source hydrogen/deuterium exchange approach. <i>European Journal of Mass Spectrometry</i> , 2014 , 20, 345-9	1.1	25
3	Enumeration of labile hydrogens in natural organic matter by use of hydrogen/deuterium exchange Fourier transform ion cyclotron resonance mass spectrometry. <i>Analytical Chemistry</i> , 2013 , 85, 11007-13	7.8	53
2	Simple atmospheric hydrogen/deuterium exchange method for enumeration of labile hydrogens by electrospray ionization mass spectrometry. <i>Analytical Chemistry</i> , 2013 , 85, 5330-4	7.8	69
1	Signal enhancement in electrospray laser desorption/ionization mass spectrometry by using a black oxide-coated metal target and a relatively low laser fluence. <i>European Journal of Mass Spectrometry</i> , 2013 , 19, 247-52	1.1	9