

Farediah Ahmad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11010857/publications.pdf>

Version: 2024-02-01

50
papers

756
citations

516215

16
h-index

580395

25
g-index

50
all docs

50
docs citations

50
times ranked

811
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Antioxidant and cytotoxic flavonoids from the flowers of <i>Melastoma malabathricum</i> L.. Food Chemistry, 2007, 103, 710-716. | 4.2 | 102 |
| 2 | Comparative study of the essential oils of three <i>Beilschmiedia</i> species and their biological activities. International Journal of Food Science and Technology, 2016, 51, 240-249. | 1.3 | 40 |
| 3 | Chemical compositions and biological activities of the essential oils of <i>Beilschmiedia madang</i> Blume (Lauraceae). Archives of Pharmacal Research, 2015, 38, 485-493. | 2.7 | 38 |
| 4 | Chemical Compositions, Antioxidant and Antimicrobial Activities of Essential Oils of <i>Piper caninum</i> Blume. International Journal of Molecular Sciences, 2011, 12, 7720-7731. | 1.8 | 36 |
| 5 | Apoptosis, antimicrobial and antioxidant activities of phytochemicals from <i>Garcinia malaccensis</i> Hk.f. Asian Pacific Journal of Tropical Medicine, 2012, 5, 136-141. | 0.4 | 36 |
| 6 | Amides, triterpene and flavonoids from the leaves of <i>Melastoma malabathricum</i> L.. Journal of Natural Medicines, 2010, 64, 492-495. | 1.1 | 31 |
| 7 | Cytotoxic, Anti-Inflammatory and Adipogenic Effects of <i>Inophyllum</i> D, Calanone, Isocordato-oblongic acid, and Morelloflavone on Cell Lines. Natural Product Sciences, 2016, 22, 122. | 0.2 | 29 |
| 8 | A polyisoprenylated ketone from <i>Calophyllum nervosum</i> . Phytochemistry, 2005, 66, 723-726. | 1.4 | 27 |
| 9 | Chemical composition and biological activities of essential oil of <i>Beilschmiedia pulverulenta</i> . Pharmaceutical Biology, 2016, 54, 322-330. | 1.3 | 26 |
| 10 | Essential Oil Compositions of Malaysian Lauraceae: A Mini Review. Pharmaceutical Sciences, 2016, 22, 60-67. | 0.8 | 26 |
| 11 | Constituents of the Leaves of <i>Piper caninum</i> . Planta Medica, 1997, 63, 193-194. | 0.7 | 24 |
| 12 | Anticholinesterase and Anti-inflammatory Constituents from <i>Beilschmiedia pulverulenta</i> Kosterm. Natural Product Sciences, 2016, 22, 225. | 0.2 | 24 |
| 13 | Chemical Compositions, Antioxidant and Antimicrobial Activity of the Essential Oils of <i>Piper officinarum</i> (Piperaceae). Natural Product Communications, 2012, 7, 1934578X1200701. | 0.2 | 22 |
| 14 | Isobutylamides from <i>Piper ridleyi</i> . Phytochemistry, 1995, 40, 1163-1165. | 1.4 | 18 |
| 15 | Madangones A and B: Two new neolignans from the stem bark of <i>Beilschmiedia madang</i> and their bioactivities. Phytochemistry Letters, 2016, 15, 168-173. | 0.6 | 18 |
| 16 | Anticholinesterase and antityrosinase activities of ten piper species from malaysia. Advanced Pharmaceutical Bulletin, 2014, 4, 527-31. | 0.6 | 17 |
| 17 | Antioxidant and Anti-inflammatory Activities of Essential Oil and Extracts of <i>Piper miniatum</i> . Natural Product Communications, 2015, 10, 1934578X1501001. | 0.2 | 16 |
| 18 | Fabrication of a composite modified glassy carbon electrode: a highly selective, sensitive and rapid electrochemical sensor for silver ion detection in river water samples. Analytical Methods, 2016, 8, 5712-5721. | 1.3 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Chemical constituents from tiger's betel, <i>Piper porphyrophyllum</i> N.E.Br. (Fam. Piperaceae). <i>Natural Product Research</i> , 2010, 24, 387-390. | 1.0 | 15 |
| 20 | Î±-Glucosidase and 15-Lipoxygenase Inhibitory Activities of Phytochemicals from <i>Calophyllum symingtonianum</i> . <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000. | 0.2 | 14 |
| 21 | Antioxidant and Anticholinesterase Activities of Essential Oils of <i>Cinnamomum Griffithii</i> and <i>C. Macrocarpum</i> . <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000. | 0.2 | 14 |
| 22 | Chemical compositions, antioxidant and antimicrobial activity of the essential oils of <i>Piper officinarum</i> (Piperaceae). <i>Natural Product Communications</i> , 2012, 7, 1659-62. | 0.2 | 14 |
| 23 | Chemical Compositions and Biological Activities of Essential Oils of <i>Beilschmiedia glabra</i> . <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000. | 0.2 | 13 |
| 24 | Beilshglabrinines A and B: Two new bioactive phenanthrene alkaloids from the stem bark of <i>Beilschmiedia glabra</i> . <i>Phytochemistry Letters</i> , 2016, 16, 192-196. | 0.6 | 13 |
| 25 | Chemical Compositions and Antimicrobial Activity of the Essential Oils of <i>Piper abbreviatum</i> , <i>P. erecticaule</i> and <i>P. lanatum</i> (Piperaceae). <i>Natural Product Communications</i> , 2014, 9, 1934578X1400901. | 0.2 | 11 |
| 26 | Incrassamarin A-D: Four new 4-substituted coumarins from <i>Calophyllum incrassatum</i> and their biological activities. <i>Phytochemistry Letters</i> , 2016, 16, 287-293. | 0.6 | 11 |
| 27 | Î±-Glucosidase and 15-Lipoxygenase Inhibitory Activities of Phytochemicals from <i>Calophyllum symingtonianum</i> . <i>Natural Product Communications</i> , 2015, 10, 1585-7. | 0.2 | 10 |
| 28 | Biflavonoids from the leaves and stem bark of <i>Garcinia griffithii</i> and their biological activities. <i>Marmara Pharmaceutical Journal</i> , 2017, 21, 889-897. | 0.5 | 9 |
| 29 | Chemical Composition and Antimicrobial Activity of Essential Oil of <i>Piper muricatum</i> Blume (Piperaceae). <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2014, 17, 1329-1334. | 0.7 | 8 |
| 30 | Synthesis and antimicrobial activity of 4,5,7-trihydroxy-3-prenylflavanone. <i>Journal of Chemical Sciences</i> , 2008, 120, 469-473. | 0.7 | 7 |
| 31 | Antimicrobial and anti-inflammatory activities of <i>Piper porphyrophyllum</i> (Fam. Piperaceae). <i>Arabian Journal of Chemistry</i> , 2014, 7, 1031-1033. | 2.3 | 7 |
| 32 | New sesquiterpene dilactone and Î²-carboline alkaloid and the Î±-glucosidase inhibitory activity of selected phytochemicals from <i>Neolitsea cassia</i> (L.) Kosterm. <i>Natural Product Research</i> , 2022, 36, 4061-4069. | 1.0 | 7 |
| 33 | Chemical profiling and biological properties of <i>Neolitsea kedahense</i> Gamble essential oils. <i>Natural Product Research</i> , 2017, 31, 2793-2796. | 1.0 | 6 |
| 34 | Chemical constituents of the stems of <i>Neolitsea kedahensis</i> Gamble. <i>Phytochemistry Letters</i> , 2018, 26, 12-15. | 0.6 | 6 |
| 35 | A new xanthone dimer and cytotoxicity from the stem bark of <i>Calophyllum canum</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2021, 76, 87-91. | 0.6 | 5 |
| 36 | Chemical Composition of the Essential Oil of <i>Piper maingayi</i> Hk. F.. <i>Journal of Essential Oil Research</i> , 2010, 22, 323-324. | 1.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | <i>In vitro</i> Antioxidant, Antityrosinase, Antibacterial and Cytotoxicity Activities of the Leaf and Stem Essential Oil from <i>Piper magnibaccum</i> C. DC.. Journal of Essential Oil-bearing Plants: JEOP, 2017, 20, 223-232. | 0.7 | 4 |
| 38 | A new xanthone and a new benzophenone from the roots of <i>Garcinia hombroniana</i> . Phytochemistry Letters, 2020, 35, 216-219. | 0.6 | 4 |
| 39 | Phytochemicals and Tyrosinase Inhibitory Activity from <i>Piper caninum</i> and <i>Piper magnibaccum</i> . Pharmaceutical Sciences, 2019, 25, 358-363. | 0.1 | 4 |
| 40 | A lignan with glucose uptake activity in 3T3-L1 adipocytes from the stem bark of <i>Knema patentinervia</i> . Pakistan Journal of Pharmaceutical Sciences, 2017, 30, 1335-1339. | 0.2 | 4 |
| 41 | Anti-inflammatory Activity of <i>Piper Magnibaccum</i> (Piperaceae). Natural Product Communications, 2008, 3, 1934578X0800301. | 0.2 | 3 |
| 42 | Preliminary investigations of antioxidant, antityrosinase, acetylcholinesterase and anti-inflammatory activities of <i>Actinodaphne</i> species. Marmara Pharmaceutical Journal, 2016, 20, 137. | 0.5 | 3 |
| 43 | (E)-3-[3,4-Bis(methoxymethoxy)phenyl]-1-(7-hydroxy-5-methoxy-2,2-dimethylchroman-8-yl)prop-2-en-1-one. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o2300-o2300. | 0.2 | 2 |
| 44 | A New Amide From <i>Piper maingayi</i> Hk.F. (Piperaceae). Natural Product Communications, 2019, 14, 1934578X1985582. | 0.2 | 2 |
| 45 | Cytotoxic and Antibacterial Evaluation of Coumarins and Chromanone Acid from <i>Calophyllum symingtonianum</i> . Journal of Applied Pharmaceutical Science, 0, , 023-027. | 0.7 | 2 |
| 46 | Phytochemicals and biological activities of <i>Macaranga hosei</i> and <i>Macaranga constricta</i> (Euphorbiaceae). Marmara Pharmaceutical Journal, 2017, 21, 881-888. | 0.5 | 2 |
| 47 | Chemical compositions and antibacterial activity of the leaf and stem oils of <i>Piper porphyrophyllum</i> (Lindl.) N.E. Br. EXCLI Journal, 2012, 11, 399-406. | 0.5 | 2 |
| 48 | The phytochemical content and antimicrobial activities of Malaysian <i>Calophyllum canum</i> (stem bark). Pakistan Journal of Pharmaceutical Sciences, 2012, 25, 555-63. | 0.2 | 2 |
| 49 | (E)-3-(2H-1,3-Benzodioxol-5-yl)-1-(7-hydroxy-5-methoxy-2,2-dimethylchroman-8-yl)prop-2-en-1-one. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o2301-o2301. | 0.2 | 1 |
| 50 | Chemical Composition, Antibacterial and α -Glucosidase Inhibitory Activities of the Essential Oils of <i>Neolitsea coccinea</i> (Lauraceae). Natural Product Communications, 2016, 11, 1934578X1601101. | 0.2 | 1 |