

Thomas A Buchanan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11016915/thomas-a-buchanan-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128 papers	21,266 citations	56 h-index	135 g-index
135 ext. papers	23,539 ext. citations	8.6 avg, IF	6.05 L-index

#	Paper	IF	Citations
128	Ancestral diversity improves discovery and fine-mapping of genetic loci for anthropometric traits-The Hispanic/Latino Anthropometry Consortium.. <i>Human Genetics and Genomics Advances</i> , 2022 , 3, 100099	0.8	0
127	Liver Fat Reduction After Gastric Banding and Associations with Changes in Insulin Sensitivity and β Cell Function. <i>Obesity</i> , 2021 , 29, 1155-1163	8	1
126	Genome-wide association study of body fat distribution traits in Hispanics/Latinos from the HCHS/SOL. <i>Human Molecular Genetics</i> , 2021 , 30, 2190-2204	5.6	0
125	Baseline Predictors of Glycemic Worsening in Youth and Adults With Impaired Glucose Tolerance or Recently Diagnosed Type 2 Diabetes in the Restoring Insulin Secretion (RISE) Study. <i>Diabetes Care</i> , 2021 , 44, 1938-1947	14.6	4
124	Classification of Type 2 Diabetes Genetic Variants and a Novel Genetic Risk Score Association With Insulin Clearance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	5
123	Association of Habitual Daily Physical Activity With Glucose Tolerance and β Cell Function in Adults With Impaired Glucose Tolerance or Recently Diagnosed Type 2 Diabetes From the Restoring Insulin Secretion (RISE) Study. <i>Diabetes Care</i> , 2019 , 42, 1521-1529	14.6	5
122	Lack of Durable Improvements in β Cell Function Following Withdrawal of Pharmacological Interventions in Adults With Impaired Glucose Tolerance or Recently Diagnosed Type 2 Diabetes. <i>Diabetes Care</i> , 2019 , 42, 1742-1751	14.6	30
121	Adiposity-Independent Effects of Aging on Insulin Sensitivity and Clearance in Mice and Humans. <i>Obesity</i> , 2019 , 27, 434-443	8	22
120	Longitudinal Increases in Adiposity Contribute to Worsening Adipokine Profile over Time in Mexican Americans. <i>Obesity</i> , 2018 , 26, 703-712	8	7
119	Review of methods for measuring β cell function: Design considerations from the Restoring Insulin Secretion (RISE) Consortium. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 14-24	6.7	50
118	Association of weight gain and fifteen adipokines with declining beta-cell function in Mexican Americans. <i>PLoS ONE</i> , 2018 , 13, e0201568	3.7	7
117	Impact of Gastric Banding Versus Metformin on β Cell Function in Adults With Impaired Glucose Tolerance or Mild Type 2 Diabetes. <i>Diabetes Care</i> , 2018 , 41, 2544-2551	14.6	19
116	A diet high in sugar-sweetened beverage and low in fruits and vegetables is associated with adiposity and a pro-inflammatory adipokine profile. <i>British Journal of Nutrition</i> , 2018 , 120, 1230-1239	3.6	21
115	Metabolic Contrasts Between Youth and Adults With Impaired Glucose Tolerance or Recently Diagnosed Type 2 Diabetes: I. Observations Using the Hyperglycemic Clamp. <i>Diabetes Care</i> , 2018 , 41, 1696-1706	14.6	89
114	A Genome-Wide Association Study of IVGTT-Based Measures of First-Phase Insulin Secretion Refines the Underlying Physiology of Type 2 Diabetes Variants. <i>Diabetes</i> , 2017 , 66, 2296-2309	0.9	69
113	The Association of Estrogen Receptor- α Gene Variation With Salt-Sensitive Blood Pressure. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 4124-4135	5.6	17
112	Diabetes Incidence and Glucose Tolerance after Termination of Pioglitazone Therapy: Results from ACT NOW. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2056-62	5.6	30

111	Ambient Air Pollutants Have Adverse Effects on Insulin and Glucose Homeostasis in Mexican Americans. <i>Diabetes Care</i> , 2016 , 39, 547-54	14.6	94
110	Improved Performance of Dynamic Measures of Insulin Response Over Surrogate Indices to Identify Genetic Contributors of Type 2 Diabetes: The GUARDIAN Consortium. <i>Diabetes</i> , 2016 , 65, 2072-80	0.9	3
109	Pioglitazone is equally effective for diabetes prevention in older versus younger adults with impaired glucose tolerance. <i>Age</i> , 2016 , 38, 485-493		8
108	Genetic Variants Associated With Quantitative Glucose Homeostasis Traits Translate to Type 2 Diabetes in Mexican Americans: The GUARDIAN (Genetics Underlying Diabetes in Hispanics) Consortium. <i>Diabetes</i> , 2015 , 64, 1853-66	0.9	62
107	Variation in PPARG is associated with longitudinal change in insulin resistance in Mexican Americans at risk for type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1187-95	5.6	15
106	A novel insulin resistance index to monitor changes in insulin sensitivity and glucose tolerance: the ACT NOW study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1855-62	5.6	16
105	Defensin RTD-1 improves insulin action and normalizes plasma glucose and FFA levels in diet-induced obese rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 309, E154-60	6	7
104	A prevalent caveolin-1 gene variant is associated with the metabolic syndrome in Caucasians and Hispanics. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 1674-81	12.7	26
103	High calorie intake is associated with worsening insulin resistance and β cell function in Hispanic women after gestational diabetes mellitus. <i>Diabetes Care</i> , 2014 , 37, 3294-300	14.6	14
102	Genetic variation in MTNR1B is associated with gestational diabetes mellitus and contributes only to the absolute level of beta cell compensation in Mexican Americans. <i>Diabetologia</i> , 2014 , 57, 1391-9	10.3	18
101	Baseline adiponectin levels do not influence the response to pioglitazone in ACT NOW. <i>Diabetes Care</i> , 2014 , 37, 1706-11	14.6	11
100	Insulin sensitivity and insulin clearance are heritable and have strong genetic correlation in Mexican Americans. <i>Obesity</i> , 2014 , 22, 1157-64	8	32
99	Gestational diabetes mellitus, maternal obesity, and adiposity in offspring. <i>Journal of Pediatrics</i> , 2014 , 164, 807-10	3.6	53
98	Prevention of diabetes with pioglitazone in ACT NOW: physiologic correlates. <i>Diabetes</i> , 2013 , 62, 3920-6	0.9	68
97	Longitudinal changes in insulin sensitivity and beta cell function between women with and without a history of gestational diabetes mellitus. <i>Diabetologia</i> , 2013 , 56, 2753-60	10.3	45
96	Prediction of diabetes based on baseline metabolic characteristics in individuals at high risk. <i>Diabetes Care</i> , 2013 , 36, 3607-12	14.6	44
95	Pioglitazone slows progression of atherosclerosis in prediabetes independent of changes in cardiovascular risk factors. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 393-9	9.4	78
94	High-fat diet is associated with obesity-mediated insulin resistance and β cell dysfunction in Mexican Americans. <i>Journal of Nutrition</i> , 2013 , 143, 479-85	4.1	23

93	Self-reported physical activity is associated with β -cell function in Mexican American adults. <i>Diabetes Care</i> , 2013 , 36, 638-44	14.6	16
92	Deterioration in cardiometabolic risk markers in obese women during depot medroxyprogesterone acetate use. <i>Contraception</i> , 2012 , 85, 36-41	2.5	21
91	Metabolic syndrome is linked to chromosome 7q21 and associated with genetic variants in CD36 and GNAT3 in Mexican Americans. <i>Obesity</i> , 2012 , 20, 2083-92	8	23
90	Gestational diabetes mellitus: risks and management during and after pregnancy. <i>Nature Reviews Endocrinology</i> , 2012 , 8, 639-49	15.2	322
89	Lysine-specific demethylase 1: an epigenetic regulator of salt-sensitive hypertension. <i>American Journal of Hypertension</i> , 2012 , 25, 812-7	2.3	34
88	Pioglitazone for diabetes prevention in impaired glucose tolerance. <i>New England Journal of Medicine</i> , 2011 , 364, 1104-15	59.2	537
87	Approach to the patient with gestational diabetes after delivery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 3592-8	5.6	14
86	A better index of body adiposity. <i>Obesity</i> , 2011 , 19, 1083-9	8	553
85	Variants of the caveolin-1 gene: a translational investigation linking insulin resistance and hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E1288-92	5.6	46
84	Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. <i>Nature Genetics</i> , 2010 , 42, 142-8	36.3	527
83	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , 2010 , 42, 949-60	36.3	724
82	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010 , 42, 937-48	36.3	2267
81	Detailed physiologic characterization reveals diverse mechanisms for novel genetic Loci regulating glucose and insulin metabolism in humans. <i>Diabetes</i> , 2010 , 59, 1266-75	0.9	211
80	Declining beta-cell compensation for insulin resistance in Hispanic women with recent gestational diabetes mellitus: association with changes in weight, adiponectin, and C-reactive protein. <i>Diabetes Care</i> , 2010 , 33, 396-401	14.6	52
79	Detailed physiological characterization of the development of type 2 diabetes in Hispanic women with prior gestational diabetes mellitus. <i>Diabetes</i> , 2010 , 59, 2625-30	0.9	72
78	Limitations in surrogate measures of insulin resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 4874-6	5.6	30
77	Preventing type 2 diabetes with low-dose combinations. <i>Lancet, The</i> , 2010 , 376, 72-4	40	3
76	International association of diabetes and pregnancy study groups recommendations on the diagnosis and classification of hyperglycemia in pregnancy. <i>Diabetes Care</i> , 2010 , 33, 676-82	14.6	2834

75	What Causes Gestational Diabetes? 2010 , 113-123		1
74	Evidence for sex-specific associations between variation in acid phosphatase locus 1 (ACP1) and insulin sensitivity in Mexican-Americans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4094-102	5.6	12
73	Additive effects of genetic variation in GCK and G6PC2 on insulin secretion and fasting glucose. <i>Diabetes</i> , 2009 , 58, 2946-53	0.9	28
72	Actos Now for the prevention of diabetes (ACT NOW) study. <i>BMC Endocrine Disorders</i> , 2009 , 9, 17	3.3	52
71	Variants in MTNR1B influence fasting glucose levels. <i>Nature Genetics</i> , 2009 , 41, 77-81	36.3	584
70	Variation in IGF2BP2 interacts with adiposity to alter insulin sensitivity in Mexican Americans. <i>Obesity</i> , 2009 , 17, 729-36	8	30
69	Replication of calpain-10 genetic association with carotid intima-media thickness. <i>Atherosclerosis</i> , 2009 , 205, 503-5	3.1	9
68	Association of insulin sensitivity and glucose tolerance with the c.825C>T variant of the G protein beta-3 subunit gene. <i>Journal of Diabetes and Its Complications</i> , 2008 , 22, 205-9	3.2	4
67	Carotid intima-media thickness (cIMT) cosegregates with blood pressure and renal function in hypertensive Hispanic families. <i>Atherosclerosis</i> , 2008 , 198, 160-5	3.1	8
66	Effect of pioglitazone on progression of subclinical atherosclerosis in non-diabetic premenopausal Hispanic women with prior gestational diabetes. <i>Atherosclerosis</i> , 2008 , 199, 207-14	3.1	33
65	Evidence of interaction between PPARG2 and HNF4A contributing to variation in insulin sensitivity in Mexican Americans. <i>Diabetes</i> , 2008 , 57, 1048-56	0.9	40
64	Variations in the G6PC2/ABCB11 genomic region are associated with fasting glucose levels. <i>Journal of Clinical Investigation</i> , 2008 , 118, 2620-8	15.9	127
63	A genome-wide association study of type 2 diabetes in Finns detects multiple susceptibility variants. <i>Science</i> , 2007 , 316, 1341-5	33.3	2269
62	Effect of antihypertensive therapy on progression of carotid intima-media thickness in patients with type 2 diabetes mellitus. <i>American Journal of Cardiology</i> , 2007 , 99, 956-60	3	19
61	A longitudinal study of lipids and blood pressure in relation to method of contraception in Latino women with prior gestational diabetes mellitus. <i>Diabetes Care</i> , 2007 , 30, 1952-8	14.6	15
60	(How) can we prevent type 2 diabetes?. <i>Diabetes</i> , 2007 , 56, 1502-7	0.9	41
59	Subsets of Finns with high HDL to total cholesterol ratio show evidence for linkage to type 2 diabetes on chromosome 6q. <i>Human Heredity</i> , 2007 , 63, 17-25	1.1	9
58	Summary and recommendations of the Fifth International Workshop-Conference on Gestational Diabetes Mellitus. <i>Diabetes Care</i> , 2007 , 30 Suppl 2, S251-60	14.6	898

57	Genetics of gestational diabetes mellitus and type 2 diabetes. <i>Diabetes Care</i> , 2007 , 30 Suppl 2, S134-40	14.6	37
56	What is gestational diabetes?. <i>Diabetes Care</i> , 2007 , 30 Suppl 2, S105-11	14.6	236
55	Transcription factor 7-like 2 (TCF7L2) is associated with gestational diabetes mellitus and interacts with adiposity to alter insulin secretion in Mexican Americans. <i>Diabetes</i> , 2007 , 56, 1481-5	0.9	101
54	Screening of 134 single nucleotide polymorphisms (SNPs) previously associated with type 2 diabetes replicates association with 12 SNPs in nine genes. <i>Diabetes</i> , 2007 , 56, 256-64	0.9	94
53	Long-acting injectable progestin contraception and risk of type 2 diabetes in Latino women with prior gestational diabetes mellitus. <i>Diabetes Care</i> , 2006 , 29, 613-7	14.6	67
52	Common variants in maturity-onset diabetes of the young genes contribute to risk of type 2 diabetes in Finns. <i>Diabetes</i> , 2006 , 55, 2534-40	0.9	65
51	Coordinate changes in plasma glucose and pancreatic beta-cell function in Latino women at high risk for type 2 diabetes. <i>Diabetes</i> , 2006 , 55, 1074-9	0.9	80
50	Effect of pioglitazone on pancreatic beta-cell function and diabetes risk in Hispanic women with prior gestational diabetes. <i>Diabetes</i> , 2006 , 55, 517-22	0.9	320
49	Effect of peroxisome proliferator-activated receptor gamma agonist treatment on subclinical atherosclerosis in patients with insulin-requiring type 2 diabetes. <i>Diabetes Care</i> , 2006 , 29, 1545-53	14.6	49
48	Effects of transdermal testosterone administration on insulin sensitivity, fat mass and distribution, and markers of inflammation and thrombolysis in human immunodeficiency virus-infected women with mild to moderate weight loss. <i>Fertility and Sterility</i> , 2006 , 85, 1794-802	4.8	11
47	Mitochondrial polymorphisms and susceptibility to type 2 diabetes-related traits in Finns. <i>Human Genetics</i> , 2005 , 118, 245-54	6.3	68
46	Sequence variation in PPARG may underlie differential response to troglitazone. <i>Diabetes</i> , 2005 , 54, 3310-35	14.6	57
45	Effect of thiazolidinedione treatment on progression of subclinical atherosclerosis in premenopausal women at high risk for type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 1986-91	5.6	54
44	Gestational diabetes mellitus. <i>Journal of Clinical Investigation</i> , 2005 , 115, 485-491	15.9	546
43	Gestational diabetes mellitus. <i>Journal of Clinical Investigation</i> , 2005 , 115, 485-91	15.9	300
42	Pharmacological treatment of insulin resistance at two different stages in the evolution of type 2 diabetes: impact on glucose tolerance and beta-cell function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2846-51	5.6	50
41	Complex distribution, not absolute amount of adiponectin, correlates with thiazolidinedione-mediated improvement in insulin sensitivity. <i>Journal of Biological Chemistry</i> , 2004 , 279, 12152-62	5.4	868
40	Changes in insulin sensitivity in response to troglitazone do not differ between subjects with and without the common, functional Pro12Ala peroxisome proliferator-activated receptor-gamma2 gene variant: results from the Troglitazone in Prevention of Diabetes (TRIPOD) study. <i>Diabetes Care</i> , 2004 , 27, 1365-8	14.6	81

39	Changes in thrombolytic and inflammatory markers after initiation of indinavir- or amprenavir-based antiretroviral therapy. <i>Cardiovascular Toxicology</i> , 2004 , 4, 179-86	3.4	10
38	Association between monocyte Fcγ subclass expression and acute coronary syndrome. <i>Immunity and Ageing</i> , 2004 , 1, 4	9.7	5
37	A large set of Finnish affected sibling pair families with type 2 diabetes suggests susceptibility loci on chromosomes 6, 11, and 14. <i>Diabetes</i> , 2004 , 53, 821-9	0.9	64
36	Glucose, Impaired Tolerance 2004 , 260-262		
35	Fasting Plasma Glucose Test at the First Prenatal Visit as a Screen for Gestational Diabetes. <i>Obstetrics and Gynecology</i> , 2003 , 101, 1197-1203	4.9	29
34	Increased platelet Fc receptor expression as a potential contributing cause of platelet hypersensitivity to collagen in diabetes mellitus. <i>British Journal of Haematology</i> , 2003 , 121, 139-42	4.5	34
33	Time from diagnosis of type 2 diabetes to initiation of insulin therapy is related to carotid artery intima-media thickness. <i>Atherosclerosis</i> , 2003 , 170, 293-9	3.1	6
32	Fasting plasma glucose test at the first prenatal visit as a screen for gestational diabetes. <i>Obstetrics and Gynecology</i> , 2003 , 101, 1197-203	4.9	33
31	Pancreatic beta-cell loss and preservation in type 2 diabetes. <i>Clinical Therapeutics</i> , 2003 , 25 Suppl B, B32-46	3.9	97
30	Clinical predictors for a high risk for the development of diabetes mellitus in the early puerperium in women with recent gestational diabetes mellitus. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 186, 751-6	6.4	114
29	Preservation of pancreatic beta-cell function and prevention of type 2 diabetes by pharmacological treatment of insulin resistance in high-risk hispanic women. <i>Diabetes</i> , 2002 , 51, 2796-803	0.9	1132
28	Variation in three single nucleotide polymorphisms in the calpain-10 gene not associated with type 2 diabetes in a large Finnish cohort. <i>Diabetes</i> , 2002 , 51, 1644-8	0.9	60
27	The effects of varying doses of T on insulin sensitivity, plasma lipids, apolipoproteins, and C-reactive protein in healthy young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 136-43	5.6	174
26	Heritability of subclinical atherosclerosis in Latino families ascertained through a hypertensive parent. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 843-8	9.4	70
25	Prospective, intensive study of metabolic changes associated with 48 weeks of amprenavir-based antiretroviral therapy. <i>Clinical Infectious Diseases</i> , 2002 , 35, 475-81	11.6	91
24	Prospective evaluation of the effect of initiating indinavir-based therapy on insulin sensitivity and B-cell function in HIV-infected patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001 , 27, 130-4	3.1	53
23	Prospective Evaluation of the Effect of Initiating Indinavir-Based Therapy on Insulin Sensitivity and B-Cell Function in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001 , 27, 130-134	3.1	61
22	Evidence for joint genetic control of insulin sensitivity and systolic blood pressure in hispanic families with a hypertensive proband. <i>Circulation</i> , 2001 , 103, 78-83	16.7	40

21	Pancreatic B-cell defects in gestational diabetes: implications for the pathogenesis and prevention of type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 989-93	5.6	232
20	Patterns of congenital anomalies and relationship to initial maternal fasting glucose levels in pregnancies complicated by type 2 and gestational diabetes. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 182, 313-20	6.4	188
19	The Finland-United States Investigation of Non-Insulin-Dependent Diabetes Mellitus Genetics (FUSION) Study. II. An Autosomal Genome Scan for Diabetes-Related Quantitative-Trait Loci. <i>American Journal of Human Genetics</i> , 2000 , 67, 1186-1200	11	112
18	The Finland-United States Investigation of Non-Insulin-Dependent Diabetes Mellitus Genetics (FUSION) Study. I. An Autosomal Genome Scan for Genes That Predispose to Type 2 Diabetes. <i>American Journal of Human Genetics</i> , 2000 , 67, 1174-1185	11	178
17	Gestational diabetes: risk or myth?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999 , 84, 1854-7	5.6	70
16	When is fasting really fasting? The influence of time of day, interval after a meal, and maternal body mass on maternal glycemia in gestational diabetes. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 181, 904-11	6.4	7
15	Gestational diabetes mellitus. <i>New England Journal of Medicine</i> , 1999 , 341, 1749-56	59.2	388
14	Failure of acute hyperinsulinemia to alter blood pressure is not due to baroreceptor feedback. <i>American Journal of Hypertension</i> , 1999 , 12, 405-13	2.3	5
13	TRIPOD (TROglitazone In the Prevention Of Diabetes): a randomized, placebo-controlled trial of troglitazone in women with prior gestational diabetes mellitus. <i>Contemporary Clinical Trials</i> , 1998 , 19, 217-31		127
12	Congenital malformations in offspring of women with hyperglycemia first detected during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 177, 1165-71	6.4	140
11	Metabolic interactions of diabetes and pregnancy. <i>Annual Review of Medicine</i> , 1994 , 45, 245-60	17.4	55
10	Obesity and Hypertension. <i>Endocrinology and Metabolism Clinics of North America</i> , 1994 , 23, 405-427	5.5	57
9	Insulin-requiring diabetes in pregnancy: a randomized trial of active induction of labor and expectant management. <i>American Journal of Obstetrics and Gynecology</i> , 1993 , 169, 611-5	6.4	161
8	Accelerated starvation in late pregnancy: a comparison between obese women with and without gestational diabetes mellitus. <i>American Journal of Obstetrics and Gynecology</i> , 1990 , 162, 1015-20	6.4	44
7	Insulin sensitivity and B-cell responsiveness to glucose during late pregnancy in lean and moderately obese women with normal glucose tolerance or mild gestational diabetes. <i>American Journal of Obstetrics and Gynecology</i> , 1990 , 162, 1008-14	6.4	353
6	Gestational diabetes mellitus: the prevalence of glucose intolerance and diabetes mellitus in the first two months post partum. <i>American Journal of Obstetrics and Gynecology</i> , 1990 , 163, 93-8	6.4	148
5	In vivo kinetics of a covalent growth hormone-binding protein complex. <i>Metabolism: Clinical and Experimental</i> , 1989 , 38, 330-3	12.7	62
4	The effect of circulating growth hormone-binding protein on metabolic clearance, distribution, and degradation of human growth hormone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1987 , 64, 657-60	5.6	198

3	The metabolic clearance, distribution, and degradation of dimeric and monomeric growth hormone (GH): implications for the pattern of circulating GH forms. <i>Endocrinology</i> , 1986 , 119, 1497-501	4.8	53
2	Slow metabolic clearance rate of the 20,000-dalton variant of human growth hormone: implications for biological activity. <i>Endocrinology</i> , 1985 , 117, 1309-13	4.8	59
1	Gestational Diabetes Mellitus: A Commentary285-288		