

Rita Golfieri

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11025142/rita-golfieri-publications-by-year.pdf>

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63 papers	3,652 citations	30 h-index	60 g-index
64 ext. papers	4,290 ext. citations	5.3 avg, IF	4.8 L-index

#	Paper	IF	Citations
63	Pseudolesions in the Cirrhotic Liver. <i>Medical Radiology</i> , 2021 , 229-266	0.2	
62	Transarterial Chemoembolisation and Combined Therapy. <i>Medical Radiology</i> , 2021 , 283-317	0.2	
61	Transarterial 90Yttrium Radioembolisation. <i>Medical Radiology</i> , 2021 , 319-347	0.2	
60	TRANS-TACE: Prognostic Role of the Transient Hypertransaminasemia after Conventional Chemoembolization for Hepatocellular Carcinoma. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	12
59	Material deprivation affects the management and clinical outcome of hepatocellular carcinoma in a high-resource environment. <i>European Journal of Cancer</i> , 2021 , 158, 133-143	7.5	
58	Validation of a standardized CT protocol for the evaluation of varices and porto-systemic shunts in cirrhotic patients. <i>European Journal of Radiology</i> , 2021 , 110010	4.7	3
57	Pattern of macrovascular invasion in hepatocellular carcinoma. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13542	4.6	5
56	Retrospective European Multicentric Evaluation of Selective Transarterial Chemoembolisation with and without Balloon-Occlusion in Patients with Hepatocellular Carcinoma: A Propensity Score Matched Analysis. <i>CardioVascular and Interventional Radiology</i> , 2021 , 44, 1048-1059	2.7	6
55	Imaging-based diagnosis of benign lesions and pseudolesions in the cirrhotic liver. <i>Magnetic Resonance Imaging</i> , 2021 , 75, 9-20	3.3	5
54	Clinical Application of Trans-Arterial Radioembolization in Hepatic Malignancies in Europe: First Results from the Prospective Multicentre Observational Study CIRSE Registry for SIR-Spheres Therapy (CIRT). <i>CardioVascular and Interventional Radiology</i> , 2021 , 44, 21-35	2.7	14
53	Size and location of spontaneous portosystemic shunts predict the risk of decompensation in cirrhotic patients. <i>Digestive and Liver Disease</i> , 2021 ,	3.3	5
52	Balloon-Occluded Transarterial Chemoembolization: In Which Size Range Does It Perform Best? A Comparison of Its Efficacy versus Conventional Transarterial Chemoembolization, Using Propensity Score Matching. <i>Liver Cancer</i> , 2021 , 10, 522-534	9.1	1
51	Prevalence and Incidence of Atrial Fibrillation in a Large Cohort of Adrenal Incidentalomas: A Long-Term Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	9
50	Non-invasive tests for the prediction of primary hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2020 , 26, 3326-3343	5.6	14
49	Pathobiological and Radiological Approach For Hepatocellular Carcinoma Subclassification. <i>Scientific Reports</i> , 2019 , 9, 14749	4.9	7
48	The Steroid Profile of Adrenal Incidentalomas: Subtyping Subjects With High Cardiovascular Risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5519-5528	5.6	15
47	Transarterial radioembolization in patients with hepatocellular carcinoma of intermediate B2 substage. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 661-668	8.8	4

46	Patients with Barcelona Clinic Liver Cancer Stages B and C Hepatocellular Carcinoma: Time for a Subclassification. <i>Liver Cancer</i> , 2019 , 8, 78-91	9.1	27
45	Radioembolisation in patients with hepatocellular carcinoma that have previously received liver-directed therapies. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 1721-1730	8.8	6
44	Inter-operator variability and source of errors in tumour response assessment for hepatocellular carcinoma treated with sorafenib. <i>European Radiology</i> , 2018 , 28, 3611-3620	8	26
43	New hallmark of hepatocellular carcinoma, early hepatocellular carcinoma and high-grade dysplastic nodules on Gd-EOB-DTPA MRI in patients with cirrhosis: a new diagnostic algorithm. <i>Gut</i> , 2018 , 67, 1674-1682	19.2	81
42	Imaging features of microvascular invasion in hepatocellular carcinoma developed after direct-acting antiviral therapy in HCV-related cirrhosis. <i>European Radiology</i> , 2018 , 28, 506-513	8	50
41	From large to small: the immunohistochemical panel in the diagnosis of early hepatocellular carcinoma. <i>Histopathology</i> , 2018 , 72, 414-422	7.3	4
40	Trans-arterial radioembolization for intermediate-advanced hepatocellular carcinoma: a budget impact analysis. <i>BMC Cancer</i> , 2018 , 18, 715	4.8	10
39	Can Imaging Predict Subclinical Cortisol Secretion in Patients With Adrenal Adenomas? A CT Predictive Score. <i>American Journal of Roentgenology</i> , 2017 , 209, 122-129	5.4	11
38	Yttrium-90 Radioembolization for Hepatocellular Carcinoma Prior to Liver Transplantation. <i>World Journal of Surgery</i> , 2017 , 41, 241-249	3.3	40
37	Cost-effectiveness of doxorubicin-eluting beads versus conventional trans-arterial chemo-embolization for hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2016 , 48, 798-805	3.3	34
36	Can Current Preoperative Imaging Be Used to Detect Microvascular Invasion of Hepatocellular Carcinoma?. <i>Radiology</i> , 2016 , 279, 432-42	20.5	167
35	Relationship between indocyanine green retention test, decompensation and survival in patients with Child-Pugh A cirrhosis and portal hypertension. <i>Liver International</i> , 2016 , 36, 1313-21	7.9	20
34	Refining prognosis after trans-arterial chemo-embolization for hepatocellular carcinoma. <i>Liver International</i> , 2016 , 36, 729-36	7.9	42
33	Selective Internal Radiation Therapy (SIRT) as Conversion Therapy for Unresectable Primary Liver Malignancies. <i>Liver Cancer</i> , 2016 , 5, 303-311	9.1	16
32	Steroid Profiling by LC-MS/MS in Nonsecreting and Subclinical Cortisol-Secreting Adrenocortical Adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3529-38	5.6	50
31	Yttrium-90 radioembolization vs sorafenib for intermediate-locally advanced hepatocellular carcinoma: a cohort study with propensity score analysis. <i>Liver International</i> , 2015 , 35, 1036-47	7.9	81
30	Efficacy of radioembolization according to tumor morphology and portal vein thrombosis in intermediate-advanced hepatocellular carcinoma. <i>Future Oncology</i> , 2015 , 11, 3133-42	3.6	19
29	Cholangiocarcinoma in Cirrhosis: Value of Hepatocyte Specific Magnetic Resonance Imaging. <i>Digestive Diseases</i> , 2015 , 33, 735-44	3.2	15

28	Radioembolization with Yttrium-90 microspheres in hepatocellular carcinoma: Role and perspectives. <i>World Journal of Hepatology</i> , 2015 , 7, 738-52	3.4	43
27	Spleen stiffness measurement can predict clinical complications in compensated HCV-related cirrhosis: a prospective study. <i>Journal of Hepatology</i> , 2014 , 60, 1158-64	13.4	95
26	Focal lesions in the cirrhotic liver: their pivotal role in gadoxetic acid-enhanced MRI and recognition by the Western guidelines. <i>Digestive Diseases</i> , 2014 , 32, 696-704	3.2	33
25	TACE performed in patients with a single nodule of hepatocellular carcinoma. <i>BMC Cancer</i> , 2014 , 14, 601	4.8	28
24	Cardiovascular events and mortality in patients with adrenal incidentalomas that are either non-secreting or associated with intermediate phenotype or subclinical Cushing's syndrome: a 15-year retrospective study. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 396-405	18.1	215
23	Adherence to AASLD guidelines for the treatment of hepatocellular carcinoma in clinical practice: experience of the Bologna Liver Oncology Group. <i>Digestive and Liver Disease</i> , 2014 , 46, 549-55	3.3	43
22	Transarterial radioembolization using yttrium-90 microspheres in the treatment of hepatocellular carcinoma: a review on clinical utility and developments. <i>Journal of Hepatocellular Carcinoma</i> , 2014 , 1, 163-82	5.3	14
21	SIR-Spheres yttrium-90 radioembolization for the treatment of unresectable liver cancers. <i>Hepatic Oncology</i> , 2014 , 1, 265-283	4	8
20	Trends in utilization of transarterial treatments for hepatocellular carcinoma: results of a survey by the Italian Society of Interventional Radiology. <i>CardioVascular and Interventional Radiology</i> , 2014 , 37, 438-44	2.7	35
19	Revisiting the role of pathological analysis in transarterial chemoembolization-treated hepatocellular carcinoma after transplantation. <i>World Journal of Gastroenterology</i> , 2014 , 20, 13538-45	5.6	4
18	Hepatocellular carcinoma responding to superselective transarterial chemoembolization: an issue of nodule dimension?. <i>Journal of Vascular and Interventional Radiology</i> , 2013 , 24, 509-17	2.4	71
17	Position paper of the Italian Association for the Study of the Liver (AISF): the multidisciplinary clinical approach to hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2013 , 45, 712-23	3.3	128
16	Patterns of appearance and risk of misdiagnosis of intrahepatic cholangiocarcinoma in cirrhosis at contrast enhanced ultrasound. <i>Liver International</i> , 2013 , 33, 771-9	7.9	74
15	Which is the best MRI marker of malignancy for atypical cirrhotic nodules: hypointensity in hepatobiliary phase alone or combined with other features? Classification after Gd-EOB-DTPA administration. <i>Journal of Magnetic Resonance Imaging</i> , 2012 , 36, 648-57	5.6	70
14	Large regenerative nodules in a patient with Budd-Chiari syndrome after TIPS positioning while on the liver transplantation list diagnosed by Gd-EOB-DTPA MRI. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2011 , 10, 439-42	2.1	16
13	Analysis of factors affecting recurrence of hepatocellular carcinoma after liver transplantation with a special focus on inflammation markers. <i>Transplantation</i> , 2011 , 91, 1279-85	1.8	91
12	Contribution of the hepatobiliary phase of Gd-EOB-DTPA-enhanced MRI to Dynamic MRI in the detection of hypovascular small (≤ 2 cm) HCC in cirrhosis. <i>European Radiology</i> , 2011 , 21, 1233-42	8	152
11	Priority of candidates with hepatocellular carcinoma awaiting liver transplantation can be reduced after successful bridge therapy. <i>Liver Transplantation</i> , 2011 , 17, 1344-54	4.5	73

10	Efficacy of selective transarterial chemoembolization in inducing tumor necrosis in small (. <i>Hepatology</i> , 2011 , 53, 1580-9	11.2	187
9	Survival after yttrium-90 resin microsphere radioembolization of hepatocellular carcinoma across Barcelona clinic liver cancer stages: a European evaluation. <i>Hepatology</i> , 2011 , 54, 868-78	11.2	458
8	Cost analysis of recall strategies for non-invasive diagnosis of small hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2010 , 42, 729-34	3.3	9
7	The impact of vascular and nonvascular findings on the noninvasive diagnosis of small hepatocellular carcinoma based on the EASL and AASLD criteria. <i>American Journal of Gastroenterology</i> , 2010 , 105, 599-609	0.7	151
6	Preoperative prediction of hepatocellular carcinoma tumour grade and micro-vascular invasion by means of artificial neural network: a pilot study. <i>Journal of Hepatology</i> , 2010 , 52, 880-8	13.4	135
5	Criteria for diagnosing benign portal vein thrombosis in the assessment of patients with cirrhosis and hepatocellular carcinoma for liver transplantation. <i>Liver Transplantation</i> , 2010 , 16, 658-67	4.5	70
4	Characterization of small nodules in cirrhosis by assessment of vascularity: the problem of hypovascular hepatocellular carcinoma. <i>Hepatology</i> , 2005 , 42, 27-34	11.2	356
3	Partial necrosis on hepatocellular carcinoma nodules facilitates tumor recurrence after liver transplantation. <i>Transplantation</i> , 2004 , 78, 1780-6	1.8	95
2	Large regenerative nodules in Budd-Chiari syndrome and other vascular disorders of the liver: CT and MR imaging findings with clinicopathologic correlation. <i>American Journal of Roentgenology</i> , 2002 , 178, 877-83	5.4	113
1	Benign regenerative nodules in Budd-Chiari syndrome and other vascular disorders of the liver: radiologic-pathologic and clinical correlation. <i>Radiographics</i> , 2002 , 22, 847-62	5.4	86