

# Falko Skrabal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11025895/publications.pdf>

Version: 2024-02-01

14  
papers

688  
citations

840776

11  
h-index

1125743

13  
g-index

14  
all docs

14  
docs citations

14  
times ranked

692  
citing authors

#	ARTICLE	IF	CITATIONS
1	$\beta$ -2 Adrenergic Receptor Variants Affect Resting Blood Pressure and Agonist-Induced Vasodilation in Young Adult Caucasians. Hypertension, 1999, 33, 1425-1430.	2.7	163
2	A software package for non-invasive, real-time beat-to-beat monitoring of stroke volume, blood pressure, total peripheral resistance and for assessment of autonomic function. An updated and improved software version for Windows 95/NT and the complete biosignal electronics (ECG, ICG). Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50	7.0	139
3	instrument by: CNSystems Medical Equipment Inc. Heinrichstrasse 22 A-8010 Graz, Austria, Europe. Tel: +43/316/3631-0; Fax: +43/316/363. Computers in Biology and Medicine, 1998, 28, 121-142. Essential Hypertension in African Caribbeans Associates With a Variant of the $\beta$ 2 -Adrenoceptor. Hypertension, 1997, 30, 773-776.	2.7	123
4	Hemodynamic and autonomic changes induced by Ironman: prediction of competition time by blood pressure variability. Journal of Applied Physiology, 2005, 99, 1728-1735.	2.5	80
5	Autonomic dysfunction and hemodynamics in vitamin B12 deficiency. Autonomic Neuroscience: Basic and Clinical, 2002, 97, 45-54.	2.8	56
6	Inverse regulation of $\beta$ 1 and $\beta$ 2 adrenoceptors in salt-sensitive hypertension: An hypothesis. Life Sciences, 1989, 45, 2061-2076.	4.3	25
7	Sympathetic reserve, serum potassium, and orthostatic intolerance after endurance exercise and implications for neurocardiogenic syncope. European Heart Journal, 2008, 29, 1531-1541.	2.2	23
8	Noninvasive Measurement of Cardiac Output in Hemodialysis Patients by Task Force Monitor: A Comparison with the Transonic System. ASAIO Journal, 2007, 53, 561-565.	1.6	22
9	Syncope, falls and cobalamin deficiency in the old population. Clinical Autonomic Research, 2004, 14, 60-66.	2.5	14
10	Haplotypes of the beta-2 adrenergic receptor associate with high diastolic blood pressure in the Caerphilly prospective study. Journal of Hypertension, 2006, 24, 471-477.	0.5	13
11	Proto-dialytic cardiac function relates to intra-dialytic morbid events. Nephrology Dialysis Transplantation, 2011, 26, 1645-1651.	0.7	12
12	Adding $\beta$ 1 hemodynamic and fluid leads $\beta$ 1 to the ECG. Part I: The electrical estimation of BNP, chronic heart failure (CHF) and extracellular fluid (ECF) accumulation. Medical Engineering and Physics, 2014, 36, 896-904.	1.7	11
13	Multi-site-frequencyelectromechanocardiography for the prediction of ejection fraction and stroke volume in heart failure. European Journal of Heart Failure, 2005, 7, 974-983.	7.1	7
14	Corrigendum to $\beta$ 1 Multi-site-frequencyelectromechanocardiography for the prediction of ejection fraction and stroke volume in heart failure $\beta$ 1 [Eur. J. Heart. Fail. 7 (2005) 974-983]. European Journal of Heart Failure, 2006, 8, 551-552.	7.1	0