
David Diaz Reigosa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1102749/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Carrier-Signal Selection for Sensorless Control of PM Synchronous Machines at Zero and Very Low Speeds. IEEE Transactions on Industry Applications, 2010, 46, 167-178.	4.9	255
2	Active Islanding Detection Using High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2012, 48, 1588-1597.	4.9	155
3	Magnet Temperature Estimation in Surface PM Machines Using High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2010, 46, 1468-1475.	4.9	139
4	Measurement and Adaptive Decoupling of Cross-Saturation Effects and Secondary Saliencies in Sensorless Controlled IPM Synchronous Machines. IEEE Transactions on Industry Applications, 2008, 44, 1758-1767.	4.9	131
5	Permanent-Magnet Temperature Estimation in PMSMs Using Pulsating High-Frequency Current Injection. IEEE Transactions on Industry Applications, 2015, 51, 3159-3168.	4.9	123
6	Active Islanding Detection for Multiple Parallel-Connected Inverter-Based Distributed Generators Using High-Frequency Signal Injection. IEEE Transactions on Power Electronics, 2014, 29, 1192-1199.	7.9	106
7	Modeling and Adaptive Decoupling of High-Frequency Resistance and Temperature Effects in Carrier-Based Sensorless Control of PM Synchronous Machines. IEEE Transactions on Industry Applications, 2010, 46, 139-149.	4.9	104
8	Accuracy, Bandwidth, and Stability Limits of Carrier-Signal-Injection-Based Sensorless Control Methods. IEEE Transactions on Industry Applications, 2007, 43, 990-1000.	4.9	97
9	A comparative analysis of pulsating vs. rotating vector carrier signal injection-based sensorless control. IEEE Applied Power Electronics Conference and Exposition, 2008, , .	0.0	79
10	Online Detection of Rotor Eccentricity and Demagnetization Faults in PMSMs Based on Hall-Effect Field Sensor Measurements. IEEE Transactions on Industry Applications, 2019, 55, 2499-2509.	4.9	76
11	Comparative Analysis of BEMF and Pulsating High-Frequency Current Injection Methods for PM Temperature Estimation in PMSMs. IEEE Transactions on Power Electronics, 2017, 32, 3691-3699.	7.9	74
12	Novel Design of Flux-Intensifying Interior Permanent Magnet Synchronous Machine Suitable for Self-Sensing Control at Very Low Speed and Power Conversion. IEEE Transactions on Industry Applications, 2011, 47, 2004-2012.	4.9	66
13	Dynamic Behavior of Current Controllers for Selective Harmonic Compensation in Three-Phase Active Power Filters. IEEE Transactions on Industry Applications, 2013, 49, 1411-1420.	4.9	66
14	Position Self-Sensing Evaluation of a FI-IPMSM Based on High-Frequency Signal Injection Methods. IEEE Transactions on Industry Applications, 2013, 49, 880-888.	4.9	63
15	Magnet Temperature Estimation in Surface PM Machines During Six-Step Operation. IEEE Transactions on Industry Applications, 2012, 48, 2353-2361.	4.9	59
16	Online Detection and Classification of Rotor and Load Defects in PMSMs Based on Hall Sensor Measurements. IEEE Transactions on Industry Applications, 2019, 55, 3803-3812.	4.9	56
17	PMSM Magnetization State Estimation Based on Stator-Reflected PM Resistance Using High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2015, 51, 3800-3810.	4.9	55
18	Interior Permanent-Magnet Synchronous Motor Design for Improving Self-Sensing Performance at Very Low Speed. IEEE Transactions on Industry Applications, 2009, 45, 1939-1946.	4.9	54

#	Article	IF	CITATIONS
19	Variable-Flux Machine Torque Estimation and Pulsating Torque Mitigation During Magnetization State Manipulation. IEEE Transactions on Industry Applications, 2014, 50, 3414-3422.	4.9	54
20	Sensorless Control of Doubly Fed Induction Generators Based on Stator High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2014, 50, 3382-3391.	4.9	54
21	Permanent-Magnet Temperature Distribution Estimation in Permanent-Magnet Synchronous Machines Using Back Electromotive Force Harmonics. IEEE Transactions on Industry Applications, 2016, 52, 3093-3103.	4.9	50
22	Passive Islanding Detection Using Inverter Nonlinear Effects. IEEE Transactions on Power Electronics, 2017, 32, 8434-8445.	7.9	49
23	Permanent Magnet Temperature Estimation in PM Synchronous Motors Using Low-Cost Hall Effect Sensors. IEEE Transactions on Industry Applications, 2017, 53, 4515-4525.	4.9	48
24	Virtual Admittance Loop for Voltage Harmonic Compensation in Microgrids. IEEE Transactions on Industry Applications, 2016, 52, 3348-3356.	4.9	46
25	Magnet Temperature Estimation in Permanent Magnet Synchronous Machines Using the High Frequency Inductance. IEEE Transactions on Industry Applications, 2019, 55, 2750-2757.	4.9	45
26	Temperature Issues in Saliency-Tracking-Based Sensorless Methods for PM Synchronous Machines. IEEE Transactions on Industry Applications, 2011, 47, 1352-1360.	4.9	41
27	Wireless permanent magnet temperature & field distribution measurement system for IPMSMs. , 2015, , .		41
28	Sensorless Control of Doubly Fed Induction Generators Based on Rotor High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2013, 49, 2593-2601.	4.9	40
29	Design of a Cooperative Voltage Harmonic Compensation Strategy for Islanded Microgrids Combining Virtual Admittance and Repetitive Controller. IEEE Transactions on Industry Applications, 2019, 55, 680-688.	4.9	40
30	Rotor Temperature Estimation in Doubly-Fed Induction Machines Using Rotating High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2017, 53, 3652-3662.	4.9	33
31	Permanent Magnet Synchronous Machine Drive Control Using Analog Hall-Effect Sensors. IEEE Transactions on Industry Applications, 2018, 54, 2358-2369.	4.9	33
32	Carrier Signal Selection for Sensorless Control of PM Synchronous Machines at Zero and Very Low Speeds. , 2008, , .		32
33	Detection of Demagnetization in Permanent Magnet Synchronous Machines Using Hall-Effect Sensors. IEEE Transactions on Industry Applications, 2018, 54, 3338-3349.	4.9	32
34	Coordinated Operation of Parallel-Connected Inverters for Active Islanding Detection Using High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2014, 50, 3476-3484.	4.9	31
35	Airgap Search Coil Based Identification of PM Synchronous Motor Defects. IEEE Transactions on Industrial Electronics, 2022, 69, 6551-6560.	7.9	31
36	Current sampling and measurement in PWM operated AC drives and power converters. , 2010, , .		28

#	Article	IF	CITATIONS
37	Permanent-Magnet Magnetization State Estimation Using High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2016, 52, 2930-2940.	4.9	26
38	Secondary Resistive Losses With High-Frequency Injection-Based Self-Sensing in IPM Machines. IEEE Transactions on Industry Applications, 2013, 49, 1499-1507.	4.9	24
39	Islanding Detection in Three-Phase and Single-Phase Systems Using Pulsating High-Frequency Signal Injection. IEEE Transactions on Power Electronics, 2015, 30, 6672-6683.	7.9	24
40	Operation and control of MMCs using cells with power transfer capability. , 2015, , .		23
41	Control and Emulation of Small Wind Turbines Using Torque Estimators. IEEE Transactions on Industry Applications, 2017, 53, 4863-4876.	4.9	22
42	Modeling and Adaptive Decoupling of Transient Resistance and Temperature Effects in Carrier-Based Sensorless Control of PM Synchronous Machines. , 2008, , .		21
43	Sensorless Control of Three-Pole Active Magnetic Bearings Using Saliency-Tracking-Based Methods. IEEE Transactions on Industry Applications, 2010, 46, 1476-1484.	4.9	21
44	Enhancement of Permanent-Magnet Synchronous Machines Torque Estimation Using Pulsating High-Frequency Current Injection. IEEE Transactions on Industry Applications, 2020, 56, 358-366.	4.9	21
45	Permanent Magnet Synchronous Machine Non-Uniform Demagnetization Detection Using Zero-Sequence Magnetic Field Density. IEEE Transactions on Industry Applications, 2019, 55, 3823-3833.	4.9	20
46	Secondary resistive losses with high-frequency injection-based self-sensing in IPM machines. , 2011, , .		19
47	On the use of high frequency inductance vs. high frequency resistance for sensorless control of AC machines. , 2011, , .		18
48	Sensitivity Analysis of High-Frequency Signal Injection-Based Temperature Estimation Methods to Machine Assembling Tolerances. IEEE Transactions on Industry Applications, 2016, 52, 4798-4805.	4.9	18
49	Battery Internal Resistance Estimation Using a Battery Balancing System Based on Switched Capacitors. IEEE Transactions on Industry Applications, 2020, 56, 5363-5374.	4.9	18
50	Automatic Self-Commissioning for Secondary-Saliencies Decoupling in Sensorless-Controlled AC Machines Using Structured Neural Networks. , 2007, , .		17
51	<i>D-</i> and <i>Q</i> -Axis Inductance Estimation and Self-Sensing Condition Monitoring Using 45\$^circ\$ Angle High-Frequency Injection. IEEE Transactions on Industry Applications, 2021, 57, 506-515.	4.9	17
52	A Simple Method for Identifying Mass Unbalance Using Vibration Measurement in Permanent Magnet Synchronous Motors. IEEE Transactions on Industrial Electronics, 2022, 69, 6441-6444.	7.9	17
53	Scalability and Key Tradeoffs of Variable Flux PM Machines for EV Traction Motor Systems. , 2018, , .		16
54	SPMSMs Sensorless Torque Estimation Using High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2020, 56, 2700-2708.	4.9	16

#	Article	IF	CITATIONS
55	Novel design of flux-intensifying interior permanent magnet synchronous machine suitable for power conversion and self-sensing control at very low speed. , 2010, , .		15
56	Active islanding detection using high frequency signal injection. , 2011, , .		15
5 7	Grid synchronization of three-phase converters using cascaded complex vector filter PLL. , 2012, , .		15
58	Accuracy and Bandwidth Limits of Carrier Signal Injection-Based Sensorless Control Methods. Conference Record - IAS Annual Meeting (IEEE Industry Applications Society), 2006, , .	0.0	14
59	Self-Sensing Comparison of Fractional Slot Pitch Winding Versus Distributed Winding for FW- and FI-IPMSMs Based on Carrier Signal Injection at Very Low Speed. IEEE Transactions on Industry Applications, 2010, 46, 2467-2474.	4.9	14
60	Zero/low speed magnet magnetization state estimation using high frequency injection for a fractional slot variable flux-intensifying interior permanent magnet synchronous machine. , 2014, , .		14
61	Impact of Machine Magnetization State on Permanent Magnet Losses in Permanent Magnet Synchronous Machines. IEEE Transactions on Industry Applications, 2019, 55, 344-353.	4.9	13
62	An improved control scheme based in droop characteristic control for microgrid converters. , 2009, ,		12
63	Synchronization in highly distorted three-phase grids using selective notch filters. , 2013, , .		12
64	Permanent magnet temperature estimation in PMSMs using pulsating high frequency current injection. , 2014, , .		12
65	Analysis and Control of the Inductorless Boost Rectifier for Small-Power Wind-Energy Converters. IEEE Transactions on Industry Applications, 2019, 55, 689-700.	4.9	12
66	PMSMs Torque Estimation Using Pulsating HF Current Injection. , 2018, , .		11
67	Improved model of photovoltaic sources considering ambient temperature and solar irradiation. , 2009, , .		10
68	Active islanding detection for multiple parallel- connected inverter-based distributed generators using high frequency signal injection. , 2012, , .		10
69	Influence of PM Coating on PM Magnetization State Estimation Methods Based on Magnetoresistive Effect. IEEE Transactions on Industry Applications, 2018, 54, 2141-2150.	4.9	10
70	Magnet Temperature Estimation Methodology by Using Magnet Flux Linkage Observer for Variable Leakage Flux IPMSM. IEEJ Journal of Industry Applications, 2020, 9, 723-730.	1.1	10
71	Self-sensing comparison of fractional slot pitch winding vs. distributed winding for FW- and FI-IPMSMs based on carrier signal injection at very low speed. , 2009, , .		9
72	Carrier signal injection alternatives for sensorless control of active magnetic bearings. , 2010, , .		9

#	Article	IF	CITATIONS
73	Dynamic behavior of current controllers for selective harmonic compensation in three-phase active power filters. , 2011, , .		9
74	Islanding detection in grid-connected power converters using harmonics due to the non-ideal behavior of the inverter. , 2013, , .		9
75	Permanent magnet temperature distribution estimation in PMSMs using BEMF harmonics. , 2015, , .		9
76	Influence of Magnetoresistance and Temperature on Permanent Magnet Condition Estimation Methods Using High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2018, 54, 4218-4226.	4.9	9
77	Wireless Torque Pulsations Measurement System for PMSMs. IEEE Transactions on Industry Applications, 2020, 56, 6467-6476.	4.9	9
78	Magnet Temperature Estimation in Variable Leakage Flux Permanent Magnet Synchronous Machines Using the Magnet Flux Linkage. , 2020, , .		9
79	Quadrature signal generator based on all-pass filter for single-phase synchronization. , 2014, , .		8
80	Strategies for the Connection of Distributed Power Generation Units to Distorted Networks. IEEE Transactions on Industry Applications, 2015, 51, 4111-4120.	4.9	8
81	Permanent magnet temperature estimation in PM synchronous motors using low cost hall effect sensors. , 2016, , .		8
82	Accurate Rotor Speed Estimation for Low-Power Wind Turbines. IEEE Transactions on Power Electronics, 2020, 35, 373-381.	7.9	8
83	Sensorless control of doubly-fed induction generators based on rotor high frequency signal injection. , 2012, , .		7
84	Permanent Magnets Aging in Variable Flux Permanent Magnet Synchronous Machines. IEEE Transactions on Industry Applications, 2020, 56, 2462-2471.	4.9	7
85	Permanent Magnet Synchronous Machine Torque Estimation Using Low Cost Hall-Effect Sensors. IEEE Transactions on Industry Applications, 2021, 57, 3735-3743.	4.9	7
86	Coordinated operation of parallel-connected inverters for active islanding detection using high frequency signal injection. , 2013, , .		6
87	Variable flux machine torque estimation and pulsating torque mitigation during magnetization state manipulation. , 2013, , .		6
88	PMSM magnetization state estimation based on stator-reflected PM resistance using high frequency signal injection. , 2014, , .		6
89	Permanent magnet synchronous machine drive control using analog hall-effect sensors. , 2017, , .		6
90	On-line detection of rotor eccentricity for PMSMs based on hall-effect field sensor measurements. , 2017, , .		6

#	Article	IF	CITATIONS
91	SynRM Sensorless Torque Estimation Using High Frequency Signal Injection. , 2019, , .		6
92	Improving Harmonic Rejection Capability of OSG Based on n-th Order Bandpass Filter for Single-Phase System. IEEE Access, 2021, 9, 81728-81739.	4.2	6
93	Measurement and Adaptive Decoupling of Cross-Saturation Effects and Secondary Saliencies in Sensorless-Controlled IPM Synchronous Machines. Conference Record - IAS Annual Meeting (IEEE) Tj ETQq1 1	0.78 03 14 r	gBT5/Overlo <mark>ck</mark>
94	Magnet temperature estimation in surface PM machines using high frequency signal injection. , 2009, , .		5
95	Temperature issues in saliency-tracking based sensorless methods for PM synchronous machines. , 2010, , .		5
96	Impact of Saturation, Current Command Selection, and Leakage Flux on the Performance of Sensorless-Controlled Three-Pole Active Magnetic Bearings. IEEE Transactions on Industry Applications, 2011, 47, 1732-1740.	4.9	5
97	Detection of demagnetization in permanent magnet synchronous machines using hall-effect sensors. , 2017, , .		5
98	Resolver Emulation for PMSMs Using Low Cost Hall Effect Sensors. , 2019, , .		5
99	Permanent Magnet Synchronous Machine Torque Estimation Using Low Cost Hall-Effect Sensors. , 2019, , .		5
100	Comparative Analysis of Magnet Thermal and Magnetization State Monitoring in PMSMs Based on High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2020, 56, 344-357.	4.9	5
101	SynRM Sensorless Torque Estimation Using High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2021, 57, 6083-6092.	4.9	5
102	Enhanced Torque Estimation in Variable Leakage Flux PMSM Combining High and Low Frequency Signal Injection. , 2020, , .		5
103	Magnet temperature estimation in surface PM machines during six-step operation. , 2011, , .		4
104	SPMSMs Sensorless Torque Estimation Using High Frequency Signal Injection. , 2019, , .		4
105	Resolver Emulation for PMSMs Using Low Cost Hall-Effect Sensors. IEEE Transactions on Industry Applications, 2020, 56, 4977-4985.	4.9	4
106	Comparative Analysis of High Frequency Signal Injection Based Torque Estimation Methods for SPMSM, IPMSM and SynRM. Energies, 2020, 13, 592.	3.1	4
107	Sensorless Control of Wound Rotor Synchronous Motors Based on Rotor High-Frequency Signal Injection. IEEE Transactions on Industry Applications, 2021, 57, 6034-6043.	4.9	4
108	Dq-Transformed Error and Current Sensing Error Effects on Self-Sensing Control. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2022, 10, 1935-1945.	5.4	4

#	Article	IF	CITATIONS
109	Sensorless control of three-pole active magnetic bearings using saliency-tracking based methods. , 2009, , .		3
110	Analysis of grid connected converters using a feed-forward disturbance decoupling current control. , 2010, , .		3
111	Sensitivity analysis of high frequency signal injection based temperature estimation methods to machine, assembling tolerances. , 2015, , .		3
112	Permanent magnet magnetization state estimation using high frequency signal injection. , 2015, , .		3
113	Sensorless speed control of a small wind turbine using the rectifier voltage ripple. , 2016, , .		3
114	Influence of PM coating on PM magnetization state estimation methods based on magnetoresistive effect. , 2016, , .		3
115	Thermal and magnetization state monitoring of PMSM drives using HF signal injection. , 2017, , .		3
116	Influence of magnetoresistance and temperature on permanent magnet condition estimation methods using high frequency signal injection. , 2017, , .		3
117	Magnet Temperature Estimation in Permanent Magnet Synchronous Machines Using the High Frequency Inductance. , 2018, , .		3
118	Realizable References Anti-Windup Implementation for Parallel Controllers in Multiple Reference Frames. , 2018, , .		3
119	Thermal monitoring of LiFePO4 batteries using switching harmonics. IEEE Transactions on Industry Applications, 2020, , 1-1.	4.9	3
120	Realizable Reference Antiwindup Implementation for Parallel Controller Structures. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2021, 9, 5055-5068.	5.4	3
121	SPMSMs HFI Based Self-Sensing Using Intentional Magnetic Saturation. IEEE Access, 2020, 8, 228731-228739.	4.2	3
122	Online PI Current Controller Tuning Based on Machine High-Frequency Parameters. , 2021, , .		3
123	A semiconductor H-bridge connection to avoid saturation in current transformers for differential protection. Electric Power Systems Research, 2012, 84, 120-127.	3.6	2
124	Influence of stator configuration on high frequency signal injection based permanent magnet temperature estimation methods in PMSMs. , 2016, , .		2
125	Evaluation of high frequency signal injection islanding detection based methods under non-linear-loads scenarios. , 2016, , .		2
126	Thermal monitoring of LiFePO4 batteries using switching harmonics. , 2018, , .		2

#	Article	IF	CITATIONS
127	Permanent Magnets Aging in Variable Flux Permanent Magnet Synchronous Machines. , 2018, , .		2
128	On-line Detection and Classification of Rotor and Load Defects in PMSMs based on Hall Sensor Measurements. , 2018, , .		2
129	Use HF Signal Injection for Simultaneous Rotor Angle, Torque and Temperature Estimation in PMSMs. , 2021, , .		2
130	Measurement and Adaptive Decoupling of Cross-Saturation Effects and Secondary Saliencies in Sensorless-Controlled IPM Synchronous Machines. Conference Record - IAS Annual Meeting (IEEE) Tj ETQq0 0 () rgBJ.¢Ove	erlo a k 10 Tf 50
131	Sensorless control of surface permanent magnet synchronous machines using the high frequency resistance. , 2011, , .		1
132	Position self-sensing evaluation of a FI-IPMSM based on high frequency signal injection methods. , 2011, , , .		1
133	Sensorless control of doubly-fed induction generators based on stator high frequency signal injection. , 2013, , .		1
134	Strategies for the connection of distributed power generation units to distorted networks. , 2014, , .		1
135	Virtual admittance loop for voltage harmonic compensation in microgrids. , 2015, , .		1
136	Inductorless boost rectifier for small power wind energy converters. , 2016, , .		1
137	Rotor temperature estimation in doubly-fed induction machines using rotating high frequency signal injection. , 2016, , .		1
138	Wireless Torque Pulsations Measurement System for PMSMs. , 2018, , .		1
139	Permanent Magnet Synchronous Machine Non-Uniform Demagnetization Detection Using Zero-Sequence Magnetic Field Density. , 2018, , .		1
140	Battery internal resistance estimation using a battery balancing system based on switched capacitors. , 2019, , .		1
141	Magnetic Resolver Using Hall-Effect Sensors. , 2020, , .		1
142	Demagnetization Detection in PMSMs Using Search Coils Exploiting Machineâ \in Ms Symmetry. , 2021, , .		1
143	Sensorless Control of Wound Rotor Synchronous Motors Based on Rotor High-Frequency Signal Injection. , 2020, , .		1
144	Hall-Effect Sensors as Multipurpose Devices to Control, Monitor and Diagnose AC Permanent Magnet Synchronous Machines. , 2021, , .		1

#	Article	IF	CITATIONS
145	Impact of saturation and current command selection on the performance of sensorless controlled three-pole active magnetic bearings. , 2010, , .		0
146	Islanding detection in three-phase and single-phase systems using pulsating high frequency signal injection. , 2014, , .		0
147	Magnet Thermal and Magnetization State Monitoring in PMSMs Based on Magnet Resistivity Estimation. , 2018, , .		0