
## Miyeun Han

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1102839/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Baseline General Characteristics of the Korean Chronic Kidney Disease: Report from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). Journal of Korean Medical Science, 2017, 32, 221.	2.5	31
2	Increased urinary Angiotensinogen/Creatinine (AGT/Cr) ratio may be associated with reduced renal function in autosomal dominant polycystic kidney disease patients. BMC Nephrology, 2015, 16, 86.	1.8	22
3	Metformin Treatment for Patients with Diabetes and Chronic Kidney Disease: A Korean Diabetes Association and Korean Society of Nephrology Consensus Statement. Diabetes and Metabolism Journal, 2020, 44, 3.	4.7	22
4	Metabolic acidosis is associated with pulse wave velocity in chronic kidney disease: Results from the KNOW-CKD Study. Scientific Reports, 2019, 9, 16139.	3.3	18
5	Expert-level segmentation using deep learning for volumetry of polycystic kidney and liver. Investigative and Clinical Urology, 2020, 61, 555.	2.0	15
6	RNA-Seq identifies condition-specific biological signatures of ischemia-reperfusion injury in the human kidney. BMC Nephrology, 2020, 21, 398.	1.8	14
7	Impact of nutritional index on contrast-associated acute kidney injury and mortality after percutaneous coronary intervention. Scientific Reports, 2021, 11, 7123.	3.3	11
8	Metformin treatment for patients with diabetes and chronic kidney disease: A Korean Diabetes Association and Korean Society of Nephrology consensus statement. Kidney Research and Clinical Practice, 2020, 39, 32-39.	2.2	10
9	Metabolic Acidosis Is an Independent Risk Factor of Renal Progression in Korean Chronic Kidney Disease Patients: The KNOW-CKD Study Results. Frontiers in Medicine, 2021, 8, 707588.	2.6	9
10	Percutaneous peritoneal dialysis catheter implantation with no break-in period: A viable option for patients requiring unplanned urgent-start peritoneal dialysis. Kidney Research and Clinical Practice, 2020, 39, 365-372.	2.2	9
11	The association between socioeconomic disparities and left ventricular hypertrophy in chronic kidney disease: results from the KoreaN Cohort Study for Outcomes in Patients With Chronic Kidney Disease (KNOW-CKD). BMC Nephrology, 2018, 19, 203.	1.8	8
12	The expression of two isoforms of matrix metalloproteinase-2 in aged mouse models of diabetes mellitus and chronic kidney disease. Kidney Research and Clinical Practice, 2018, 37, 222-229.	2.2	6
13	Serum uric acid is associated with coronary artery calcification in early chronic kidney disease: a cross-sectional study. BMC Nephrology, 2021, 22, 247.	1.8	5
14	Economic Impact of Donating a Kidney on Living Donors: A Korean Cohort Study. American Journal of Kidney Diseases, 2022, 79, 175-184.e1.	1.9	5
15	Insufficient early renal recovery and progression to subsequent chronic kidney disease in living kidney donors. Korean Journal of Internal Medicine, 2022, 37, 1021-1030.	1.7	5
16	Effects of blood urea nitrogen independent of the estimated glomerular filtration rate on the development of anemia in non-dialysis chronic kidney disease: The results of the KNOW-CKD study. PLoS ONE, 2021, 16, e0257305.	2.5	4
17	Metabolic risks in living kidney donors in South Korea. Kidney Research and Clinical Practice, 2021, 40, 645-659.	2.2	4
18	The two isoforms of matrix metalloproteinase- 2 have distinct renal spatial and temporal distributions in murine models of types 1 and 2 diabetes mellitus. BMC Nephrology, 2018, 19, 248.	1.8	3

Miyeun Han

#	Article	IF	CITATIONS
19	Analysis of access flow using duplex ultrasonography and the ultrasound dilutional method. Journal of Vascular Access, 2022, 23, 286-294.	0.9	3
20	A mild decrease of renal function is related to increased hemoglobin level during 5-year follow-up period. Korean Journal of Internal Medicine, 2014, 29, 341.	1.7	3
21	Dialysis unit blood pressure two hours after hemodialysis is useful for predicting home blood pressure and ambulatory blood pressure in maintenance hemodialysis patients. Therapeutic Apheresis and Dialysis, 2022, 26, 103-114.	0.9	2
22	Clinical features and outcomes of elderly patients with antineutrophil cytoplasmic antibody-positive vasculitis: a single-center retrospective study. Kidney Research and Clinical Practice, 2022, 41, 209-218.	2.2	2
23	Effect of Phoxilium on prognostic predictors in patients undergoing continuous venovenous hemodiafiltration. Kidney Research and Clinical Practice, 2021, 40, 457-471.	2.2	1
24	A Case of Disseminated Skin and Soft Tissue Infection due to <i>Mycobacterium abscessus</i> with Metastatic Breast Cancer. Infection and Chemotherapy, 2012, 44, 201.	2.3	1
25	Cellular immune monitoring for prediction of cytomegalovirus and BK viral reactivation after kidney transplantation. Korean Journal of Transplantation, 2020, 34, S187-S187.	0.1	1
26	Effect of shared decision-making education on physicians' perceptions and practices of end-of-life care in Korea. Kidney Research and Clinical Practice, 2021, , .	2.2	1
27	FP355NEUTROPHIL TO LYMPHOCYTE RATIO IS INDEPENDENTLY ASSOCIATED WITH ARTERIAL STIFFNESS IN PATIENTS WITH CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2018, 33, i151-i151.	0.7	0
28	SP200LONG-TERM OUTCOMES OF ACUTE KIDNEY INJURY PATIENTS WHO UNDERWENT CONTINUOUS RENAL REPLACEMENT THERAPY: A SINGLE CENTER EXPERIENCE. Nephrology Dialysis Transplantation, 2018, 33, i411-i412.	0.7	0
29	SP302HYPERURICEMIA IS INDEPENDENTLY ASSOCIATED WITH LEFT VENTRICULAR HYPERTROPHY AND LEFT VENTRICULAR DIASTOLIC DYSFUNCTION IN PATIENTS WITH CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2018, 33, i445-i446.	0.7	Ο
30	FP273AKT1 IS INVOLVED IN RENAL DAMAGE AND APOPTOSIS AFTER RENAL ISCHEMIA REPERFUSION INJURY IN MICE MODEL. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
31	P0921ROLE OF UREMIC TOXIN, INDOXYL SULFATE IN SARCOPENIA OF NONDIALYSIS DEPENDENT-CHRONIC KIDNEY DISEASE PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
32	Central retinal artery occlusion in eosinophilic granulomatosis with polyangiitis (Churg-Strauss) Tj ETQq0 0 0 rgB 948-951.	T /Overloc 1.1	k 10 Tf 50 22 0
33	Quality of life in patients with diabetic nephropathy: findings from the KNOW-CKD (Korean Cohort) Tj ETQq1 1 0 Practice, 2021, , .	.784314 r 2.2	gBT /Overloc 0
34	Long-term risk of all-cause mortality in live kidney donors: a matched cohort study. Kidney Research and Clinical Practice, 2021, , .	2.2	0
35	Autoimmune hepatitis in a patient with immunoglobulin A nephropathy: A case report. World Journal of Clinical Cases, 2020, 8, 3828-3834.	0.8	0
36	MO132: Gait Speed in Predialysis Chronic Kidney Disease Patients: A Cross-Sectional Study from the Role of AST120 in Sarcopenia Prevention in Pre-Dialysis Chronic Kidney Disease Patients. Nephrology Dialysis Transplantation, 2022, 37, .	0.7	0