

Saad A El-Sayed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11030397/publications.pdf>

Version: 2024-02-01

33
papers

548
citations

1040056

9
h-index

642732

23
g-index

33
all docs

33
docs citations

33
times ranked

633
citing authors

#	ARTICLE	IF	CITATIONS
1	Kinetics, thermodynamics, and combustion characteristics of Poinciana pods using TG/DTG/DTA techniques. <i>Biomass Conversion and Biorefinery</i> , 2023, 13, 11583-11607.	4.6	10
2	Thermal explosion of a reactive gas mixture at constant pressure for non-uniform and uniform temperature systems. <i>Defence Technology</i> , 2021, , .	4.2	0
3	Thermal explosion characteristics of a combustible gas containing fuel droplets. <i>International Journal of Spray and Combustion Dynamics</i> , 2021, 13, 124-145.	1.0	0
4	Analytical and numerical solutions of sodium particle ignition based on the thermal explosion theory with different forms of reaction rates and variable thermal conductivity. <i>Annals of Nuclear Energy</i> , 2020, 141, 107372.	1.8	2
5	Thermal pyrolysis and kinetic parameter determination of mango leaves using common and new proposed parallel kinetic models. <i>RSC Advances</i> , 2020, 10, 18160-18179.	3.6	30
6	Simulation of combustion of sesame and broad bean stalks in the freeboard zone inside a pilot-scale bubbling fluidized bed combustor using CFD modeling. <i>Applied Thermal Engineering</i> , 2019, 158, 113767.	6.0	8
7	Experimental Investigation of Combustion Characteristics and Emissions for a Pilot-Scale Bubbling Fluidized Bed Combustor Fueled by Biomass Chips of Sesame and Broad Bean Stalks. <i>Combustion Science and Technology</i> , 2019, 191, 2243-2270.	2.3	3
8	Thermal decomposition and combustion characteristics of biomass materials using TG/DTG at different high heating rates and sizes in the air. <i>Environmental Progress and Sustainable Energy</i> , 2019, 38, 13124.	2.3	18
9	Combustion and Emission Characteristics of Egyptian Sugarcane Bagasse and Cotton Stalks Powders in a Bubbling Fluidized Bed Combustor. <i>Waste and Biomass Valorization</i> , 2019, 10, 2015-2035.	3.4	9
10	Sesame and Broad Bean Stalks: Mixing Characteristics of Chips as a Biomass Fuel for Bubbling Fluidized Bed Combustor. <i>International Journal of Chemical Reactor Engineering</i> , 2018, 16, .	1.1	3
11	Ignition of a Pyrolysis Wooden Particle Based on the Thermal Explosion Theory. <i>Iranian Journal of Science and Technology - Transactions of Mechanical Engineering</i> , 2018, 42, 317-327.	1.3	0
12	Self-ignition of dust cloud in a hot gas. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2018, 40, 1.	1.6	2
13	Sesame and broad bean plant residue: thermogravimetric investigation and devolatilization kinetics analysis during the decomposition in an inert atmosphere. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2018, 40, 1.	1.6	6
14	Thermo-physical and kinetics parameters determination and gases emissions of self-ignition of sieved rice husk of different sizes on a hot plate. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2017, 12, 536-550.	1.5	4
15	Effect of heating rate on the chemical kinetics of different biomass pyrolysis materials. <i>Biofuels</i> , 2015, 6, 157-170.	2.4	41
16	Kinetic Parameters Determination of Biomass Pyrolysis Fuels Using TGA and DTA Techniques. <i>Waste and Biomass Valorization</i> , 2015, 6, 401-415.	3.4	88
17	Pyrolysis characteristics and kinetic parameters determination of biomass fuel powders by differential thermal gravimetric analysis (TGA/DTG). <i>Energy Conversion and Management</i> , 2014, 85, 165-172.	9.2	225
18	Analysis of Grain Size Statistic and Particle Size Distribution of Biomass Powders. <i>Waste and Biomass Valorization</i> , 2014, 5, 1005-1018.	3.4	16

#	ARTICLE	IF	CITATIONS
19	Ignition characteristics, conditions of criticality and disappearance of criticality of cumene hydroperoxide reaction by modeling approach. Chemical Engineering Research and Design, 2009, 87, 293-299.	5.6	1
20	Critical and Transition Conditions for Ignition of a Carbon Particles Dust Cloud in an Adiabatic Confined Vessel. Combustion Science and Technology, 2008, 180, 1572-1587.	2.3	2
21	EFFECT OF DEGREE OF REACTION ON CRITICAL CONDITIONS AND TIMES TO IGNITION OF A GAS MIXTURE EXPLOSION. Combustion Science and Technology, 2006, 178, 1055-1086.	2.3	1
22	ADIABATIC THERMAL EXPLOSION OF A GAS-SOLID MIXTURE. Combustion Science and Technology, 2004, 176, 237-256.	2.3	6
23	Explosion characteristics of autocatalytic reaction. Combustion and Flame, 2003, 133, 375-378.	5.2	2
24	Thermal explosion of autocatalytic reaction. Journal of Loss Prevention in the Process Industries, 2003, 16, 249-257.	3.3	4
25	Critical and transition conditions of gaseous explosion. Journal of Loss Prevention in the Process Industries, 2003, 16, 281-288.	3.3	2
26	The criteria of criticality and transition conditions of gas explosion. Combustion Science and Technology, 2003, 175, 225-251.	2.3	1
27	Smoldering combustion of dust layer on hot surface. Journal of Loss Prevention in the Process Industries, 2000, 13, 509-517.	3.3	11
28	Accounting for reactant consumption in the thermal explosion problem. part IV. numerical solution of the arrhenius problem. Combustion and Flame, 1999, 117, 422-428.	5.2	17
29	Accounting for Reactant Consumption in the Thermal Explosion Problem III. Criticality Conditions for the Arrhenius Problem. Combustion and Flame, 1998, 113, 212-223.	5.2	26
30	Organic Dust Ignition in the High Temperature Flow Behind a Shock Wave. Chemical Engineering Research and Design, 1997, 75, 14-18.	5.6	2
31	Experimental study of organic dust ignition behind shock waves. Journal of Loss Prevention in the Process Industries, 1996, 9, 249-253.	3.3	2
32	Ignition characteristics of metal particles in thermal explosion theory. Journal of Loss Prevention in the Process Industries, 1996, 9, 393-400.	3.3	4
33	Ignition and transition conditions for inflammation and extinction for a first-order heterogeneous reaction. Journal of Loss Prevention in the Process Industries, 1995, 8, 237-243.	3.3	2